DAILY RAINFALL
CORNWALL
1911 - 1920

ALBASTON.		1913 - 1920
ALTARNON. SANCTORY.		1911 - 1920
ANTONY VICARAGE.		1911 - 1916
BODMIN	CASTLE HILL HSE	1911, 1914-1920
BODMIN	POLGWIN	1911 - 1920
BOLVENTOR. VICARAGE		1918 - 20
BUDE.		1911 - 1920
BUDE		1914 - 1920
BUDE	PONGHILL.	1911 - 1912
CADGWITH.	COASTGUARD HSES.	1914 - 1920
CAMBORNE	BOSWYN. RESERVIOR.	1915 - 1917
CAMELFORD	STANNON. CLAY WORKS	1911-1912, 14, 20
CALLINGTON	MOUNT LODGE	1911-1914, 16
CALLINGTON.	PENCRE BAR	1911 - 1920
DEVONPORT	CREMYLL	1911 - 1913
DEVONPORT	EMPACOMBE.	1911 - 1920
DEVORAN.	COUNCIL SCHOOL	1916-17,
FALMOUTH.	OBSERVATORY.	1911 - 1920
FALMOUTH.	THE CROSSWAYS	1920
FOWEY.		1916 - 1920
GWENNAP.	TREVINCE	1911 - 1920
HELLAND	TREDETHY.	1912 - 1914.
LAUNCESTON.	HEXWORTHY.	1912 - 1920
LAUNCESTON.	LANDUE.	1911 - 1920
LAUNCESTON.	OLD TREE HSE.	1913 - 1917, 20.
LAUNCESTON.	1, TAMAR. TERRACE	1911 - 1914
LINKINHORNE	PHOENIX MINES	1913
LISKEARD	10 DEAN TERRACE.	1911
LISKEARD	ST PINNOCK RECTORY	1917 - 1920
LISKEARD	TREVILLIS.	1911 - 1920
LISKEARD	HERODSFOOT. VICARAGE.	1917.
LOOE.	MORVAL	1911, 13, 15, 17-20

②

LOSTWITHIEL.	LANWITHAN	1911 – 1920
MARAZION.	PORTH-EN-ALLS.	1915 - 1917
MULLION.		1915, 1918-1919
MULLION.	DRY TREE	1917 - 1918
MORWENSTOW	TORRACOMBE MANOR	1914 - 1920
MORWENSTOW VICARAGE		1911 – 1920
NEWQUAY.	MOUNT WISE RES.	1911.
NEWQUAY.	TRESILLIAN HSE	1911 -1920
NEWQUAY.	THE TENNIS COURTS.	1911 - 1920
PENRYN.	CARCLEW	1911 - 1913
PENRYN.	ENYS.	1911 - 1912
PENRYN.	ASHFIELD	1911 - 1920
PENZANCE	COUNTY SCHOOL	1911 - 1920
PENZANCE	MORRAB GDNS	1911 - 1920
PENZANCE	TRENGWAINTON GDNS	1911 – 1914.
PENZANCE.	ROSEHILL.	1911
PENZANCE	TREWIDDEN.	1916.
PENZANCE	21, TAROVEOR TERRACE.	1919 - 1920
PENZANCE	BOSKENNYN.	1920
PHILLACK RECTORY.		1916.
PORTHCURNO		1920
POUNDSTOCK	WIDEMOUTH BAY.	1912 - 1913
PROBUS.	LAMELLYN.	1911 – 1916
REDRUTH	COUNTY SCHOOL	1915, 20
REDRUTH	TREWIRGIE	1911 -1920
REDRUTH	TOLVEAN.	1911 - 1912
REDRUTH.	TEHIDY PARK.	1911 - 1916
REDRUTH.	PENCOYS VICARAGE	1911, 1913 – 1916.
ROCHE	GLENCOE	1911 - 1916
ST AUSTELL.	TREVARNA.	1911 – 1920
ST. AUSTELL.	CHARLESTOWN.	1919.
ST COLUMB MINOR.	PORTHBEAN	1918.
ST GERMAN'S	TRETHILL	1911 – 1913.
ST GERMAN'S	FAIRFIELD	1913 – 1917
ST IVES.		1911 – 1913

ST IVES.		1911 - 1913
ST IVES.	LOW BUSSOW	1911 - 1913
ST KERVERNE	ROSEWICK COTTAGE	1911 - 1920
ST MARY'S (SCILLY)		1912 - 1920
ST MELLION RECTORY		1911, 14, 1919
ST WENN VICARAGE.		1911-1914, 19, 20
ST WENN.	TREWOLLACK	1911.
TALLAND	TORFREY	1911, 1913 - 1918.
TALLAND	POLPERRO.	1911 - 1916
TORPOINT	MERIFIELD VICARAGE	1911 - 1916
TINTAGEL.		1915.
TINTAGEL		1913 - 1918
TREGONEY	VERYAN.	1913.
TRESCO (SCILLY)	ABBEY GDNS	1912, 1916 - 1920
TRURO.	WATER WORKS	1911 - 1920
TRURO	KILLIOW	1911 - 1916
TRURO	PENCALENICK.	1912 - 1916
TRURO	TREGOLIS	1911 - 1920
WADEBRIDGE	ST. KEW	1911-1913, 1919
WADEBRIDGE	BRYN.	1920
WITHIEL RECTORY		1911 - 1914

completed by [illegible]

REG

Drakewall

ALBASTON

CORNWALL

1913 – 1920

3

FORM A.
BRITISH RAINFALL.

JAN 1

Kept at Hanaims ... a M Gunnislake [illegible]

in the County of Corn

by N R Rosekil

5 in.

Ground 4 ft. 0 in.

Sea Level 600 ft.

IMPORTANT NOTI ... the result entered to the previous day. If an Obs ... rsal rule, he is earnestly requested to add the readi ... in the space provided for it at the end of this ... ent of rain, the selection and placing ... ish Rainfall Organization are given in ... pplication to Dr. H. R. Mill, 62, Camd

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				9	·40	.	.	.	.	.	25	1	1
2				·49	·16	.	.	.	2	5	18	4	2
3				.	·42	·11	.	.	52	.	.	[illegible]	3
4			(1·30)	.	.	·39	.	.	19	14	8	43	4
5				.	37	.	6	.	62	.	36	44	5
6				.	·6	·10	.	.	.	25	40	4	6
7				.	1·03	·18	.	.	.	85	53	.	7
8				.	·19	6	10	30	.	.	.	3	8
9			1	.	·11	2	9	17	1	.	65	2	9
10			3	2	11	4	.	2	1	48	46	.	10
11			–	1	67	.	.	.	.	13	94	6	11
12			–	1	3	.	.	.	12	.	34	5	12
13			–	.	·7	.	.	2	51	.	12	.	13
14			6	10	2	.	.	.	10	.	14	.	14
15			15	81	.	.	1	.	15	.	12	1	15
16			21	7	.	.	.	22	1	.	2	.	16
17			61	5	.	.	2	.	.	.	3	.	17
18			1	61	.	.	.	.	.	.	10	.	18
19			45	3	2	·10	.	.	56	14	35	.	19
20			1	51	.	.	.	.	1	7	.	.	20
21			9	7	·20	.	.	.	.	2	34	.	21
22			14	16	2	22	.	7	6	.	.	26	22
23			72	.	.	.	.	1	.		12	[illegible]	23
24			1	14	.	5	.	.	.	.	1	.	24
25			.	51	.	.	.	.	7	5	3	8	25
26			.	1·13	.	.	.	5	.	.	.	24	26
27			27	·59	.	.	.	12	.	48	3	2	27
28			34	·27	·11	.	.	.	15	18	1	6	28
29			52	·20	.	.	.	18	.	22	4	.	29
30			.	6	3	.	.	.	.	72	.	.	30
31			30		.		.	24		12		.	31
Total	8·36 ~~7·90~~	2·10 ~~2·63~~	~~3·62~~ 4·92	5·93	4·02	1·27	·28	1·40	[illegible]	3·90	5·65	2·82	YEAR'S TOTAL (43·75)
Rain Days.	26	10	~~16~~ 27 ~~23~~	21	18	10	5	11	15	15	24	17	~~188~~ (195)

7,500, XI. 12

completed by [illegible]

REG 3

Drakewalls [illegible]

Kept at Hannings House Albaston

in the County of Cornwall 3

by N R Rosekill

FORM A.
BRITISH RAINFALL.

JAN 1

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Gunnislake P.D.&S.W.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1				9	·40	·	·	·	·	·	25	1	1
2				·49	·16	·	·	·	2	5	18	4	2
3				·	·42	·11	·	·	52	·		[illegible]	3
4			(1·30)	·	·	·39	·	·	19	14	8	43	4
5				·	37	·	6	·	62	·	36	44	5
6				·	·6	·10	·	·	·	25	40	4	6
7				·	1·03	·18	·	·	·	85	53	·	7
8				·	·19	6	10	30	·	·	·	3	8
9			1	·	·11	2	9	17	1	·	65	2	9
10			3	2	·11	4	·	2	1	48	46	·	10
11			–	1	·67	·	·	·	·	13	94	6	11
12			–	1	3	·	·	·	12	·	34	5	12
13			–	·	·7	·	·	2	51	·	12	·	13
14			6	10	·2	·	·	·	10	·	14	·	14
15			15	81	·	·	1	·	15	·	12	1	15
16			21	7	·	·	·	22	1	·	2	·	16
17			61	5	·	·	2	·	·	·	3	·	17
18			1	61	·	·	·	·	·	·	10	·	18
19			45	3	2	·10	·	·	56	14	35	·	19
20			1	51	·	·	·	·	1	7	·	·	20
21			9	7	·20	·	·	·	·	2	34	·	21
22			14	16	2	22	·	7	6	·	·	26	22
23			72	·	·	·	·	1	·		12	86	23
24			7	14	·	5	·	·	·	·	1	·	24
25			·	51	·	·	·	·	7	5	3	8	25
26			·	1·13	·	·	·	5	·	·	·	24	26
27			27	·59	·	·	·	12	·	48	3	2	27
28			34	·27	11	·	·	·	15	18	1	6	28
29			54	·20	·	·	·	18	·	22	4	·	29
30			·	6	3	·	·	·	·	72	·	·	30
31			30		·		·	24		12		·	31
Total	8·36 ~~7·90~~	2·10 ~~2·63~~	~~3·62~~ 4·92	5·93	4·02	1·27	·28	1·40	[illegible]	3·90	5·65	2·82	YEAR'S TOTAL. (43·75)
Rain Days.	26	10	~~16~~ 23	21	18	10	5	11	15	15	24	17	~~188~~ (195)

7,500, XI. 12

FORM A.
BRITISH RAINFALL
2 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at ~~Drakewalls~~ Nanpean House. Albaston Gunnislake

in the County of Cornwall

by ~~C Wadge~~ N R Rosekilly
from Mar 8th 1913

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Gunnislake

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. 4 in.

" " " " Sea Level 650 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	32	13	—										1
2	15	15	39										2
3	10	13	36										3
4	1.36	—	9										4
5	·09 [illegible]	[illegible]	19										5
6	11	13	2										6
7	45	22	19										7
8	7	12	6										8
9	30	35	x										9
10	1.5	4	x										10
11	1.15	—	x										11
12	47	—	x										12
13	7	—											13
14	33	—											14
15	28	—											15
16	34	—											16
17	7	—											17
18	—	—											18
19	13	—											19
20	3	—											20
21	11	—											21
22	26	—											22
23	2	10											23
24	—	20											24
25	—	—											25
26	—	2											26
27	15	—											27
28	13	—											28
29	57												29
30	17												30
31	91	—											31
Total	43 ~~3[illegible]~~ 836	~~2.63~~ 2.10	1·30	[illegible]									YEAR'S TOTAL
Rain Days.	24	10	7										

W. 7,500, XI. ·12

cord for audit 10.III.15

Form A.
British Rainfall.
JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Albaston Gunnislake
in the County of Cornwall 3
by Nicholas R Rosekilly

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Gunnislake
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·	·	10	16	·	17	·	13	·	·	60	14	1
2	·	·	14	3	12	2	·	10	·	·	1	44	2
3	·	·	19	12	65	·	16	30	·	·	·	·	3
4	5	·	4	41	68	·	1·41	10	9	·	·	1	4
5	10	·	17	15	18	·	·	·	·	·	·	5	5
6	27	9	10	19	18	·	25	9	·	·	10	93	6
7	4	99	50	12	30	14	31	13	85	·	1	17	7
8	14	7	69	14	·	13	·	5	2	·	·	·	8
9	4	·	30	14	5	67	·	23	25	·	1	1	9
10	·	98	16	40	9	2	·	·	47	·	3	15	10
11	·	23	70	·	·	·	·	·	4	·	·	43	11
12	·	37	20	·	·	·	·	·	25	·	4	24	12
13	·	63	30	·	·	·	23	·	24	15	27	13	13
14	·	34	26	·	·	42	·	14	·	1	65	19	14
15	·	·	25	·	·	·	10	8	2	·	24	44	15
16	·	·	2	·	·	·	·	·	53	·	·	2	16
17	·	48	28	·	·	·	5	·	1	·	·	70	17
18	·	10	·	·	·	·	11	·	23	·	·	39	18
19	·	8	53	·	·	·	1·26	·	6	·	·	3	19
20	·	33	29	·	·	24	·	·	·	·	·	25	20
21	·	45	2	·	·	2	5	·	·	47	·	·	21
22	·	4	8	·	4	13	·	14	·	32	·	·	22
23	·	6	28	·	·	·	8	5	·	7	·	2	23
24	·	·	·	·	·	·	3	4	·	·	3	·	24
25	11	·	34	·	15	·	16	90	·	64	4	78	25
26	7	8	20	·	·	·	20	·	·	3	34	65	26
27	6	35	·	·	·	·	10	·	·	10	26	44	27
28	5	4	44	·	10	·	·	·	·	31	7	86	28
29	35		23	·	12	·	54	·	·	4	78	2	29
30	5		10	2	·	·	5	·	·	4	42	1·08	30
31	·		·		5	·	1·10	·	·	88		53	31
Total	1·33 1·33	5·71	6·91	1·88	2·14	1·96	6·19	2·36	3·06	3·06	3·90	9·00	YEAR'S TOTAL 47·50 47·50
Rain Days.	12	18	27	11	13	10	18	14	13	12	17	26	141

W.7,000, XI. 13

2051

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Albaston Gunnislake
in the County of Cornwall 3
by Nicholas R Rosekilly

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Gunnislake
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	20	48	1	·	5	·	·	·64	·25	·27	·	8	1
2	35	23	15	6	· ·	11	·	14	2	·	·	45	2
3	7	21	15	4	23	·	·	1	·	·	·	52	3
4	6	64	3	·	2	1	3	·	·	·	·	26	4
5	8	86	·	23	·	·	·	24	·	·	·	1·12	5
6	104	15	·	45	·	·	70	2	·	·	3	20	6
7	25	25	1	5	·	·	25	·	·	·54	·	32	7
8	24	55	·	1	·	·	3	7	·	·	10	22	8
9	1	16	4	8	·	·	·	13	·	·	48	80	9
10	33	37	·	·	·	·	·	10	·	·	10	10	10
11	3	·	·	1	1	·	1	5	·	·	1·39	12	11
12	10	54	·	4	61	·	·	11	·	10	28	-	12
13	3	74	·	·	64	·	4	11	·	1	15	10	13
14	7	1	·	·	[illegible]	·	39	8	29	8	10	1·57	14
15	10	·	·	·	34	·	·	·	5	·	·	13	15
16	1	1·84	·	·	53	·	1·41	·	·	8	·	7	16
17	1	18	·	·	2	·	1	·	·	·	·	·	17
18	3	·	1	·	23	·	3	·	·	·	·	·	18
19	8	·	·	·	58	·	20	·	·	·	·	·	19
20	32	3	·	14	1	7	·	·	·	20	·	·	20
21	28	1	·	·	·23	15	23	·	1	3	·	15	21
22	11	4	40	5	·	2	39	·	6	·	·	48	22
23	3	2	4	·	·	3	3	·	3	73	·	59	23
24	·	·	·	·	·	15	20	·	17	29	·	63	24
25	·	·	·	·	·	·	6	·	2	·	·	55	25
26	1	47	·	·	·	72	·	·	6	·	·	82	26
27	·	7	·	·	·	8	48	·	2	69	·	1	27
28	·	7	·	·	·	14	·	5	33	·	·	10	28
29	·		·	·	·	40	·	·	17	8	·	12	29
30	24	✕	·	·	·	25	4	·	23	·	48	41	30
31	1	✕	·	✕	·	✕	34	2	✕	48	✕	25	31
Total	4·09	7·82	·84	1·16	3.50 3·[illegible]	213	487	1·77	1·71	3·53	3·12	10·17	YEAR'S TOTAL 44·70
Rain Days.	26	22	9	11	13	12	19	14	14	13	9	26	188

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Albaston Tavistock
in the County of Cornwall
by Nicholas Richard Roseckill

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Gunnislake
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 4 ft. 0 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	30	·	12	·	11	2	7	·	·	30	9	·	1
2	12	14	11	·	4	·	15	·	26	21	40	·	2
3	3	1·70	S ·	·	39	·	35	·	8	84	15	·	3
4	13	16	·	·	·	43	7	·	7	7	70	·	4
5	6	·13	·	5	5	18	9	·	·	13	19	·	5
6	5	·22	1	·	20	12	98	·	·	36	96	·	6
7	11	·25	13	·	12	5	10	·	·	2	1·30	9	7
8	2	7	S 10	·	45	30	·	·	·	·	17	27	8
9	·	78	S ·25	·	·	20	2	·	·	7	23	48	9
10	·	·	·	4	9	12	·	·	·	6	3	41	10
11	·	1	·	·	·	·	3	·	·	·	1	·	11
12	·	10	·	12	12	·	13	10	·	15	·	·	12
13	4	13	·	2	1	·	4	8	2	2	·	9	13
14	2	39	5	·	·	·	·	19	·	11	·	·	14
15	4	24	·	15	·	·	·	·	·	6	·	·	15
16	46	5	·	15	·	·	·	48	·	25	·	·	16
17	33	11	4	1	·	·	·	·	9	40	1·15	·	17
18	·	13	18	8	·	·	·	·	19	8	12	10	18
19	13	14	1	4	·	·	·	·	·	·	39	15	19
20	5	34	·	1	·	·	·	1	·	·	·	55	20
21	6	·	6	12	6	·	·	·	·	·	30	2	21
22	·	·	·	·	·	25	·	·	·	86	8	78	22
23	·	Snow	·	11	·	12	1	35	·	32	40	8	23
24	·	S 3	5	32	·	1	·	26	·	53	5	29	24
25	1	·	·	·	·	5	·	85	48	·	15	·	25
26	1	Snow 37	30	·	·	7	·	1·03	24	91	8	·	26
27	2	S ·	S 1·18	·	·	11	·	29	·	53	·	2	27
28	·	S ·	·	·	·	1	·	15	50	70	2	59	28
29	·	S 10	·	·	·	57	·	74	14	16	·	48	29
30	·	X	·	·	·	8	·	·	—	28	·	·	30
31	·	X	·	X	·	X	·	9	X	31	X	·	31
Total	1·99	5·59	2·59	1·22	1·64	2·69	2·04	4·62	2·07	7·73	6·97	4·40	YEAR'S TOTAL 43·55
Rain Days.	19	21	14	13	11	17	12	13	10	25	21	15	191

W. 8,000. X. 15.

W DJ no faults

1402

FORM A. BRITISH RAINFALL.

2. JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Albaston

in the County of Cornwall

by H R Roskilly

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Gunnislake

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1	·	·	s 12	·	28	·	·	3	·	7	·	1
2	·	·	3	s 15	·	2	·	5	·	1	1	1	2
3	·14	·	·	5	·	·	·	·	·	38	77	·	3
4	·	5	59	·	·	·	·	·	5	47	1	·	4
5	15	17	56	30	·	27	·	·	·	22	12	·	5
6	·	·	24	·	·	32	·	·	·	8	12	4	6
7	65	·	·	2	·	·	28	10	·	24	14	2	7
8	9	·	23	s 10	·	·	32	32	·	28	12	50	8
9	·	·	7	s 8	13	5	2	3	3	51	38	1	9
10	58	·	58	11	·	·	·	36	1	5	5	·	10
11	4	·	21	25	·	·	·	20	15	42	42	·	11
12	21	·	·	s 12	45	·	·	5	·	46	1	·	12
13	s 8	·	·	5	·	5	·	21	7	·	1	·	13
14	s 15	·	·	4	·	·	·	23	·	40	·	·	14
15	35	·	·	·	·	·	18	·	8	23	·	49	15
16	·	8	·	1	·	14	2	16	1	22	·	20	16
17	·	3	·	18	2	·	40	17	65	14	·	·	17
18	·	1	·	·	20	3	36	3	60	3	·	·	18
19	·	68	1	·	·	18	2	·	8	·	·	·	19
20	·	36	1	·	58	10	1	12	9	·	·	1	20
21	·	·	S 7	·	·	·	·	·	·	9	1	18	21
22	·	·	·	·	·	·	·	58	·	10	·	·	22
23	·	20	·	·	19	·	·	21	·	16	5	1	23
24	·	2	·	·	·	23	52	2	·	14	9	6	24
25	·	3	3	·	·	·	2	43	22	8	12	·	25
26	·	·	·	·	49	16	·	20	·	4	5	·	26
27	·	·	5	·	·	97	3	1·07	·	16	·	·	27
28	·	1	17	·	2	50	·	57	·	4	1	·	28
29	·		12	·	·	·	·	3	·	60	·	·	29
30	·	X	9	·	·	4	·	28	·	1	1	2	30
31	·	X	s 5	X	42	X	1	1	X	16	X	·	31
Total	2·45	1·84	3·11	1·58	2·49	3·34	2·19	5·37	2·07	~~5·10~~ 5,72	2·57	1·55	YEAR'S TOTAL 34·08
Rain Days.	11	11	17	14	9	15	13	23	13	27	20	12	185

W. 8,000, VIII. 16

s = Snow

53

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1918

Kept at Albaston

in the County of Cornwall

by Nicholas Richard Roseckilly

Lat. Long. 1. 2. 1. 19

Time of Observation 9 a.m.

Nearest Railway Station Gunnislake

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	·73	·	·18	8	·	·	·72	·	1	1·10	1	1
2	·	·60	·	·	·	·	·	1	·	·	3	·	2
3	·	6	·	22	7	·	·	1	·	7	25	46	3
4	·	·	·	11	·	·	·	52	31	·	88	1·12	4
5	·	9	·	·	13	·	·	43	49	22	3	·25	5
6	25	·	·39	17	·	·	·	62	·	3	·	·32	6
7	8	·18	·	3	·	·	·	4	63	11	44	·72	7
8	4	·17	·	·	·	3	·	·	·	46	·	7	8
9	6	·	·	1	·	37	10	·	57	18	·	·	9
10	8	1	·	·29	·	·	25	·	18	12	3	·86	10
11	2	4	29	·	·	·	10	·	5	·	3	·15	11
12	·	13	·	3	11	·	17	·	2	·	·	·	12
13	·	·	·	·	32	1	22	·	71	52	·	·20	13
14	38	·	·	·	8	8	4	·	·	5	·	30	14
15	1·12	·	·	·	·	15	70	·	20	19	·	48	15
16	·62	·	·	·	·	11	23	·	31	·	·	10	16
17	17	3	·	·	·	1	11	2	5	·	·	25	17
18	1·01	·	21	15	·	·	13	4	29	29	·	36	18
19	24	10	27	3	·	10	14	1	·	·	·	37	19
20	9	18	·	·22	·	5	1	·	3	·	·	·	20
21	26	·	·	·	14	11	9	·	51	25	·	·41	21
22	1	·	·	·	·	·	1·15	·	21	20	17	27	22
23	·	·	·	·	10	·	·55	·	5	·	·	23	23
24	4	3	·	·	·	·	4	3	·	9	53	·	24
25	2	·	·	·	·	·	5	77	8	·	30	1	25
26	·	31	·	1	·	·	18	3	10	8	8	·21	26
27	·	9	8	·	·	·	·	11	3	9	·	1	27
28	1	1·25	17	2	·	·	·	·	11	·	7	3	28
29	2		34	·	·	·	·	·	1·17	11	2	1	29
30	·	X	33	13	·	·	·	2	5	12	11	36	30
31	·	X	12	X	·	X	·	—	X	22	X	·	31
Total	4·52	3·00	2·20	1·60	1·03	1·02	4·26	3·38	6·09	~~3·31~~ 3·41	4·07	7·56	YEAR'S TOTAL ~~42·04~~ 43·14
Rain Days.	19	16	9	14	8	10	18	15	22	20	15	25	191

W. 8,000, IX. 17.

1785

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1919

Kept at Albaston Ex. A&B

in the County of Cornwall

by N R Rosekilly

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Gunnislake

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 4 ft. 0 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·58	·	·41	5	4	·	13	·	·22	·33	·	·96	1
2	·20	·	3	·	5	·	·	·	21	·	·	5	2
3	·15	·	·40	·	·14	·	·	·	32	·	·	3	3
4	3	·53	·67	·	·	·	63	13	84	·	1	11	4
5	9	·20	·	·	·	·	·	·	·	·	·	25	5
6	·60	55	·33	·	·	·	·	·	·	·	·	3	6
7	·68	·	7	11	·	2	2	·	·	·	32	·	7
8	·41	·	·35	·	1	·	·	·	·	·	·98	31	8
9	·20	·	3	·	·16	·	·	·	·	·	·	5	9
10	5	·	·52	1	·29	·	·	·	·	·	·	1·23	10
11	·2	·	·48	·	27	·	·	·	·	·	15	32	11
12	·82	·	·16	1	·	·	8	·	·	25	7	·	12
13	·31	15	7	·65	·	·	7	·	·	4	22	44	13
14	·67	22	·	·37	·95	1	4	·	1	4	·	26	14
15	·13	18	·	·	·	·	·	·	·	11	·	71	15
16	5	1·22	·	·	·	·	·	1	·	·	15	1	16
17	3	·12	·	·	·	·	·	·	·	·	28	7	17
18	·20	·30	·63	·	·	·	30	13	·	·	55	2	18
19	53	·46	·28	·	4	·17	31	55	6	·	·	4	19
20	49	·70	6	·	1	·26	·	13	26	·	36	12	20
21	34	3	·	·	19	·	·	7	34	1	·	18	21
22	·	·	·	·	·	1	·	·	23	·	3	21	22
23	·	·	·	·	·	·	·	6	14	61	·	10	23
24	13	·	·	2	·	27	·	5	·	·	7	23	24
25	·	·	·	·	·	13	·	1·03	3	25	13	8	25
26	·	·	7	·	·	·	·	8	·	·	·	54	26
27	7 ·	7	5	22	·	·	·	93	12	·	·	8	27
28	7 ·	·	·	35	·	·	3	1	·	2	43	·61	28
29	7 ·		40	11	·	·	·	13	·	9	·	13	29
30	7 ·	X	4	8	·	12	·	12	·	·	61	·75	30
31	7 ·	X	6	X	·	X	1	·	X		X	18	31
Total	6·41	4·73	5·11	1·98	2·15	·99	1·62	3·42	2·78	1·75	4·16	8·12	YEAR'S TOTAL 43·22
Rain Days.	22	13	20	11	11	8	10	13	12	10	15	29	174

✓

W. 8,000, IX. 17.

1703

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Albaston
in the County of Cornwall
by H R Rosekilly , Nanaimo House

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Gunnislake
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 4 ft 0 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	6	·	·	·	·74	·	94	·	4	·10	·	88	1
2	·58	·	·	25	·	·	31	32	·	·15	·	17	2
3	·60	·	·	10	·	·	2	3	5	·93	·	19	3
4	·	·	3	·	·	·	·	1·12	2	·57	·	·	4
5	·	·	·25	·	10	·	38	·14	·	·38	·	·	5
6	·	·	S 15	12	·24	·	22	·	·	·15	·	·	6
7	3	·	·	·	·	·	·39	·	·	·	·	13	7
8	1	3	S 3	31	·	·	41	·	·	·	·	·	8
9	1·05	6	·18	3	·	6	·62	3	3	·	·	23	9
10	[illegible]	16	·11	13	5	31	49	·	·	·	·	·	10
11	3	·	·20	56	·	14	21	·	·	·	·	·	11
12	31	·	·18	30	16	·	5	·	·	14	9	S. 2	12
13	8	11	·55	73	·	·	·	·	·	8	·	·	13
14	21	10	41	8	1	·	6	·	16	·55	33	·	14
15	5	18	·	30	13	·	·	·	1	·76	11	·	15
16	1	·	·	21	45	7	16	·	·77	·12	·	·	16
17	7	3	8	11	15	22	1	·	1·00	15	·	·	17
18	16	·	6	8	2	33	·	21	4	·	·	·	18
19	8	·	1	56	15	51	1	·	11	·	·	·	19
20	·	·	·	8	·	10	4	·		70	·	40	20
21	·	·	·	30	·	·1	8	·		·	·	21	21
22	3	·	·	·	·	·	14	·		·	·	32	22
23		·	·	·	·	·	22	7		·	·	62	23
24	·	1	45	·	·	·	·	1		·	12	16	24
25	11	·	11	·	·	·	1·07	·		·	·	6	25
26	·41	·	25	1	·	·	12	·		·	34	4	26
27	·53	7	15	2	·	28	28	·		·	85	57	27
28	70	3	40	21	·	14	12	·		·	3	6	28
29	·39	·	55	·	18	10	14	·		·	53	32	29
30	·24	✕	·	·	1	32	12	·	1·02	·16	32	89	30
31	7	✕	47	✕	·	✕	4	·	✕	·35	✕	16	31
TOTAL	5·81	·78	4·57	4·43	2·39	2·59	6·65	1·93	3·25	5·29	2·72	5·43	YEAR'S TOTAL 45·84
Days with ·01 in. or more	23	10	20	20	13	13	26	8	11	15	9	18	186

(44,283). Wt.21 958—218/ 7500. 10/19. Gp.132. A.&E.W.

14 15 6 17 17 10 12 23 5 8 15 8 17 156

Dr

Cor for and

RE

339

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

ALTARNON
SANCTORY
CORNWALL
1911 - 1920

Kept at Altarnon

in the County of Cor

by Rev A. H.

in.

Ground ft. in.

Sea Level ft.

Name

Distance Direction

IMPORTANT NOT... the result entered to the previous day. If an Ob... ...ersal rule, he is earnestly requested to add the rea... ...ar in the space provided for it at the end of thi... ...ent of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·20		·05		·45			·23			·06	·17	1
2	·01		·08	·73	·27	·15		·28		·30	·37	·31	2
3			·10		·62			·04	·02		·47	·20	3
4	·02		·18					1·02		·01	·73	·72	4
5	·54		·15					·12		·05	·35	·12	5
6	·39		·40					·06			·23	·95	6
7	·16							·01			·78	·04	7
8	·15		·28								·20	·69	8
9	·21										·27	·72	9
10	·11	·05	·79		·50						·08	·81	10
11	·61				·65				·06		·48	·33	11
12		·01	·63						·27		·31	·53	12
13			·19						·23		·17	·09	13
14		·30	·18							·02	·15	·77	14
15	·01	·08	·30			·08					·87	·20	15
16	·01	·06				·45					·25	·58	16
17	·01	·22	·18	·09		·21	·01				·45	·88	17
18		·45	·07	·50		·93				·01	·71	·44	18
19		·13		·15		·33				·15	·36	1·09	19
20	·02	·12	·27	·35		·01			·54	·07	·01	·56	20
21	·04	·54	·01			·10			1·03	·29		·30	21
22	·08	·09		·22		·30			·19	·37	·01	·65	22
23	·05	·31	·08	·03		·16		·01	·26	·36	·19	·25	23
24	·06	·56				·45		·21		·74	·01	·49	24
25	·09	·17		·48		·10		·13	·17	·25		·20	25
26	·02	·11		·72	·66		·30	·38	·03	·80		·37	26
27		1·14	·01	·03		·02		·52	·21	·13		·39	27
28		·31	·02	1·12				·08		·01	·29	·03	28
29			·04	·28	·25	·95	1·03	·01	·48	·50	·01	·02	29
30			·01			·18	·31		·03	·42	·33	·11	30
31			·08				·09			·14		·03	31
Total	2·79	4·65	4·10	4·70	3·40	4·42	1·74	3·10	3·52 3·52	4·62	8·14 8·14	13·04 13·04	TOTAL for year 58·22
No. of Rain Days	20	17 ~~16~~	22	12	7	15	5	14	13	18	26	31	200

9,000, IX. '10.

339

FORM A2. BRITISH RAINFALL 26 JAN 1912

REGISTER OF RAINFALL IN 191

Kept at Altarnon Vicarage

in the County of Cornwall 3

by Rev A. H. Malan

Rain Gauge: Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station: Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20		.05		.45			.23			.06	.17	1
2	.01		.08	.73	.27	.15		.28		.30	.37	.31	2
3			.10		.62			.04	.02		.47	.20	3
4	.02		.18					1.02		.01	.73	.72	4
5	.54		.15					.12		.05	.35	.12	5
6	.39		.40					.06			.23	.95	6
7	.16							.01			.78	.04	7
8	.15		.28								.20	.69	8
9	.21										.27	.72	9
10	.11	.05	.79		.50						.08	.81	10
11	.61				.65				.06		.48	.33	11
12		.01	.63						.27		.31	.53	12
13			.19						.23		.17	.09	13
14		.30	.18							.02	.15	.77	14
15	.01	.08	.30			.08					.87	.20	15
16	.01	.06				.45					.25	.58	16
17	.01	.22	.18	.09		.21	.01				.45	.88	17
18		.45	.07	.50		.93				.01	.71	.44	18
19		.13		.15		.33				.15	.36	1.09	19
20	.02	.12	.27	.35		.01			.54	.07	.01	.56	20
21	.04	.54	.01			.10			1.03	.29		.30	21
22	.08	.09		.22		.30			.19	.37	.01	.65	22
23	.05	.31	.08	.03		.16		.01	.26	.36	.19	.25	23
24	.06	.56				.45		.21		.74	.01	.49	24
25	.09	.17		.48		.10		.13	.17	.25		.20	25
26	.02	.11		.72	.66		.30	.38	.03	.80		.37	26
27		1.14	.01	.03		.02		.52	.21	.13		.39	27
28		.31	.02	1.12				.08		.01	.29	.03	28
29			.04	.28	.25	.95	1.03	.01	.48	.50	.01	.02	29
30			.01			.18	.31		.03	.42	.33	.11	30
31			.08				.09			.14		.03	31
Total	2.79	4.65	4.10	4.70	3.40	4.42	1.74	3.10	3.52 3.52	4.62	8.14 8.14	13.04 13.84	TOTAL for year 58.22
No. of Rain Days	20	17 ~~18~~	22	12	7	15	5	14	13	18	26	31	200

9,000, IX. '10.

82

335

W.M.L.

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Kept at Altarnon

in the County of Cornwall 3

by Rev. A. H. Malan

RAIN GAUGE Pattern
Diameter of top .... in.
Height of top above Ground .... ft. .... in.
" " " Sea Level .... ft.

Time of Observation ....

Nearest Railway Station Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·17	·01	·04	·81	·18	·32	·20		·03	·29	1
2		·01	·35	·09		·95	·08	·01		·53		·01	2
3	·06	·02	·39	·01		·23	·04	1·23	·33	·02		·09	3
4	·69	·01	1·04	·02	·01	·15		·54			·34	·02	4
5	·98	·22	·43	·02	·04		·09	2·18			·12	·16	5
6	1·09	·07	·03		·37	·02		1·23			·01	·10	6
7	·21	·90	·32	·05	·31	·60	·05	·89	·01		·04	·16	7
8	·59	·21	·28	·04		·90	·09	·01	·10			·01	8
9	·03	·45	·18	·18		·14	·14	·01			·04	·93	9
10	·39	·21	·10	·09		·07	·14	·02			·56	·20	10
11	·02	·10	·01			·03	·05	·03			·42	·87	11
12	·06	·13	·38	·01	·03		·22	·37			·89	·08	12
13	·21		·02	·02		·05	·10	·19		·17	·01	·77	13
14	·25	·06	·60		·08	·02		·31	·03	·04	·01	·27	14
15	·90	·10	·12		·26	1·12		·03			·05	1·05	15
16	·31	·01	·71		·03	·03		·44		·30	·08	·33	16
17	·01		·31		·08	·34		·67		·01	·08	·25	17
18		·06	·44					1·27		·29	·09	·08	18
19		·20	·49		·08	·06	·04	·97		·13	·04	·11	19
20	·06	·09	·54	·02	·06	·02		·20		·55	·15	·01	20
21	·01	·27	·41		·60		1·11	·32		·35	·01		21
22	·29	·49	·46		·05	·11	·05	·63		·07	·03	·17	22
23	·07	·75	·37		·01	·28	·11	1·44		·10	·22	·32	23
24	·02	·07	·14			·35	·08	·02		·12	·01	·18	24
25	·23	·03	·02			·46	·04	·10		·25	·90	·82	25
26	·01	·14					·11	·23		·52	·82	·73	26
27		·07	·06			·63	·54	·32		1·27	·19	·79	27
28		·24	·06			·15	·86	·84	·52	·35	·50	·56	28
29		·39	·07		·01	·17	·30	·07	·58	·33	·01	·28	29
30			·05	·01	·06	·51	·19		·13	·72	·02	·02	30
31			·48		·23		·34	·07		·12		·27	31
Total	6·49	5·30	9·03	·57	2·35	8·20	4·95	14·96	1·90	6·24	5·67	9·93	TOTAL for year 75·59
No. of Rain Days.	22	26	30	13	18	25	23	30	8	20	27	30	272

W. 8,000, X. '11.

Written 27.4.14 [illegible]

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Altarnon Sanctuary

in the County of Cornwall

by Rev. A. H. Malan

3

Lat. .... Long. ....

Time of Observation 9 Am

Nearest Railway Station Tresmeer

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·36	·40	·15	·10				·02	·11	·43	·33	1
2	·23	·44	·11	·37	·18					1.68	·28	·10	2
3	·26	·01	·31		·25	·02			·75	·07		·39	3
4	·87		·20			·09	·02		·04	·05	·12	·72	4
5	·09	·07	·03	·01	·23	1.10	·09		·42	·06	·59	·86	5
6	·32	·15	·21		·04	·36	·01		·01	·35	·50	·25	6
7	·22	·66	·08		1.28	·11	·01			·82	·27	·03	7
8	·20	·31			·23	·01	·04	·20		·15	·01	·07	8
9	·13	·09	·16	·01	·07	·24	·01	·15	·02	·01	1.41	·19	9
10	·84		·08	·07	·12	·23		·05		·50	·38	·01	10
11	·72		·05	·05	·43	·18			·02	·19	1.05	·22	11
12	·08		·01	·02	·07	·02			·14		·63	·06	12
13	·11		·38		·09		·04	·06	·60		·30	.	13
14	·60	·02	·48				·08		·14	·09	·25	·06	14
15	·06		·78	1.69					·15		·38	·11	15
16	·50		1.08	·24			·05	·02	·20		·07	.	16
17	·12		·10	·23			·04	·01			·36	.	17
18	·15		·38	·52	·04	·04					·26	.	18
19	·70		·08		·20	·12	·08		·21	·71	·01	.	19
20	·45		·15	·37					·09	·14	·62	.	20
21	·05		·10	·12	·15	·02	·06	·16			·45	.	21
22	·40		·92	·11	·07	·30		·24	·09	·02	·01	·30	22
23	·08		·02			·01		·09	·05		·18	·91	23
24	·02	·38		·09		·07		·02			·13	·03	24
25	·02	·02							·06	·03	·13	·19	25
26	·02			1·14					·01	·02	·03	·65	26
27	·31		·32	·17				·18		·60	·02	·08	27
28	·11		·10	·24	·15			·01	·09	·66	·01	·34	28
29	·06		·35	·49	·03					·72	·04	.	29
30	1·10			·09	·18				·01	·38	·13	.	30
31	·23		·59		·03			·21		·01		.	31
Total	9·09	2·51	7·47	6·18	3.94	2·92	·53	1.40	3.12	7.37	9.05	5·90	YEAR'S TOTAL 59.48
Rain Days.	31	11	~~27~~ 26	20	20	16	12	13	20	22	29	21	~~242~~ 241

W. 7,500, XI. ·12

made

and fr with 10. III. 15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at Altarnon Sanctuary

in the County of Cornwall 3 W

by Rev. A. H. Malan,

Lat. Long.

Time of Observation 9 A.m.

Nearest Railway Station Tresmere,

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·01	·22	·17		·05	·02	·58			·59	·35	1
2	·05		·05	·11		·05	·36	·09				·50	2
3	·06	·01	·46	·28	·50	·05		·23		·01	·06	·12	3
4	·35		·37	·40	·17		·99	·36	·05		·11	1.19	4
5	·34		·80	·58	·07		·04	·05			·04	·12	5
6	·02	·06	·50	·15	·20	·03	·07	·23			·10	·55	6
7	·08	·69	·86	·39	·12	·31	·49	·37	·68			·26	7
8	·23		1.39	·04	·04	·45	·02	·12	·24		·03	·02	8
9	·13	·12	·43	·21	·09	·68			·79		·02		9
10	·16	·50	·10	·60	·53	·07		·27	·29		·06	·18	10
11		·28	1.15		·01	·15		·01	·06		·21	·61	11
12		·80	·34						·52	·02	·27	·24	12
13		·78	·59				·24		·66	·15	·62	·16	13
14		·44	·60			·01		·06	·08	·02	·43	·11	14
15	·01	·04	·44				·23	·09	·02		·82	·73	15
16		·02	·03				·04		·24			·06	16
17		·67	·43			·51	·08		·07			1.06	17
18		·32	·18			·01	·11		·24			·43	18
19		·09	·33				1.36		·03		·10	·25	19
20		·55	·86			·79	·02		·01	·02		·36	20
21		·81	·05				·11	·03		·31	·02	·07	21
22		·20	·06	·05	·02	·14		·07		·72			22
23		·11	·26				·11	·02		·12			23
24	·01	·02	·14				·18			·02	·22		24
25	·16	·01	·14				·37	·54		·50	·06	·49	25
26	·17	·02	·18				·40	·02		·12	·55	·44	26
27	·21	·08					·16		·01	·25	·37	·57	27
28	·04	·08	·34		·08					·58	·31	1.13	28
29	·71		·20	·65	·06		·41			·06	·78	·11	29
30	·03	X	·20	·02						·09	·75	·71	30
31	·12	X		X	·08	X	·65		X	·63	X	·58	31
Total	2.88 2.88	6.71	11.50	3.65	1.97	3.30	6.46	3.04 3.14	3.99	3.62	6.52	11.40	YEAR'S TOTAL 65.04 65.14
Rain Days.	18	24	29	13	13	14	22	17	16	16	22	27	~~204~~ 231

W. 8,000. X. 14.

2054

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Altarnon

in the County of Cornwall

3

by Rev. A. H. Malan, M.A.

Lat. .... Long. ....

Time of Observation 9 am.

Nearest Railway Station Tresmeer,

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. .... in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·40	·49			·16			·96	·47	·29	·02	·41	1
2	·38	·44	·27	·23		·09		·14	·16	·01		·50	2
3	·23	·28	·28	·38	·13		·05	·02			·02	·73	3
4	·07	·39	·04		·03		·06					·64	4
5	·12	1.00	·04	·23				·19				1.28	5
6	1.04	·40		·44			·52	·07				·22	6
7	·61	·97		·19			·78			·46	·09	·32	7
8	·26	·62		·01			·03	·12		·05	·22	·17	8
9	·06	·59		·30				·04			·80	1.28	9
10	·74	·33	·14	·16		·32		·57		·39	·13	·19	10
11	·15	·01	·19	·02			·03	·02		·06	1.16	·28	11
12	·12	·74		·07	·54			·14		·12	·48	·20	12
13	·06	1.85		·03	·59		·03	·22	·06	·02	·16	·06	13
14	·19	·14					·64	·32	·23	·11	·25	1.78	14
15	·29				·38		·38	·16	·16		·18	·13	15
16	·03	1.38			·29		1.30	·01	·01	·01		·02	16
17	·10	·33										·03	17
18	·06	·49	·03				·09					·01	18
19	·04	·05		·04	·24		·17						19
20	1.25	·09		·19	·06	·20			·02	·38	·01	·01	20
21	·26	·21			·08	·09	·25			·02		·57	21
22	·10	·30	·18	·01			·42		·01	·21	·02	·63	22
23	·11	·05	·05			·05	·37		·09	·62		1.12	23
24		·01		·05		·08	·09		·17	·81		·38	24
25	·02		·02			·12	·04				·04	·77	25
26	·09	·37				1.24	·03		·32			·64	26
27	·01	·13				·26	·14		·14	·76		·01	27
28		·10				·20	·03	·10	·31		·02	·03	28
29						·59			·36		·25	·37	29
30	·36	✕				·16			·09	·78	·46	·41	30
31	·05	✕		✕		✕	·28	·30	✕	·47	✕	·30	31
Total	7.20	11.76	1.24	2.35	2.50	3.40	5.73	3.38	2.60	5.57	4.31	13.49	YEAR'S TOTAL 63.53
Rain Days.	28	26	10	15	10	12	21	16	15	18	17	30	218

W. 8,000. X. 15.

Smade

Ind. Cty

1996

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
2 JAN 1917

Kept at Altarnon Sanctuary

in the County of Cornwall

by Rev. A. H. Malan, M.A.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Launceston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18		·09		·09	·23	·38		·03	·14	·05	·02	1
2	·88	·20	·17		·07				·29	·18	·34		2
3	·03	1.56	·09		·17	·08	·05		·15	·54	·48	·03	3
4	·43	·30		·12	·11	·77			·06	·15	·84	·01	4
5	·12	·16	·09		·07	·12				·21	·71	·10	5
6	·19	·35	·01		·15	·26	·31			·40	·67		6
7	·10	·65	·11		·46	·03				·05	·71	·24	7
8	·07	·29	·13		·34		·03				·39	·33	8
9	·01	·18	·07			·09	·08			·26	·15	1.27	9
10		1.22		·20	·07	·05	·01			·06	·02	·71	10
11		·07		·23	·04		·03		·07		·01		11
12	·20	·19	·03	·10	·04		·25	·08		·50		·02	12
13		·49	·05	·04	·05		·09	·35	·06	·10		·18	13
14	·06	·45	·08		·05			·47	·01	·17			14
15	·05	·74	·11	·09	·07			·40	·02	·07			15
16	·11	·12		·29	·02		·06	·28		·29	·03		16
17	·25	·24	·02	·03					·53	·49	1.18	·03	17
18	·03	·65	·27	·44					·36	·09	·47	·24	18
19	·41	·17	·04						·17		·73	·05	19
20	·22	·56	·19	·03							·33	·41	20
21	·16	·13	·18		·02	·13				·01	·17	·14	21
22	·02	·01	·06			·29		·05		·48	·10	·74	22
23	·07	·03	·06	·12		·06		·25		·19	·26	·29	23
24		·25	·06	·17	·07	·06		·22		·77	·05	·27	24
25	·01	·35	·28		·06	·22		·52		·36	·29		25
26	·04	·11	·13			·17		·17	·86	1.19	·20	·01	26
27	·05		1.75					·15	·47	·71	·02	·01	27
28		·09	·05			·02		·06	·37	·70		1.04	28
29	·01	·30	·13			·85		1.15	·06	·40		·77	29
30		×				·06		·02		·43		·02	30
31		×		×		×		·24	×	·10	×	·07	31
Total	3.70	9.86	4.25	1.86	1.95	3.49	1.29	4.41	3.51	9.04	8.20	7.00	YEAR'S TOTAL 58.56
Rain Days.	24	28	25	12	18	17	10	15	15	27	23	24	238

W. 8,000, VIII. 16

S made

1966

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Allarnon Sanctuary
in the County of Cornwall
by Rev. A. H. Malan

Lat. Long.
Time of Observation 9. A.M. 2 JAN 1918
Nearest Railway Station Tresmeer
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06		·01	·20		·13		·01	·12		·14	·03	1
2	·06		·03	·20		·15				·03	·07	·01	2
3	·29		·01	·10			·03			·65	·53	·01	3
4		·40	·88				·01		·08	·57	·02		4
5	·55		·73	·41		·50				·36	·22		5
6	·03		·47	·10		·20				·13	·27	·12	6
7	·98			·11		·10	·24	·25		·54	·23	·09	7
8	·22		·29	·16			·20	·23	·04	·77	·60	·50	8
9	·01		·10	·09	·12				·04	·55	·46	·14	9
10	·50		·41	·44				·40		·14	·18	·01	10
11	·05		·50	·25				·18		·84	·47		11
12	·69		·03	·05	·17			·10		1.19	·01	·02	12
13	·26	·01	·25	·13		·08		·42	·67	·58		·04	13
14				·18				·23	·08	·58	·02	·05	14
15	·24			·04			·02	·02	·01	·55	·01	·39	15
16		·05		·02			·70	·06		·24	·02	·39	16
17		·07	·10	·55	·09		·51	·15	·28	·33	·01		17
18		·06		·06	·33	·07	·71	·05	·94	·19			18
19	·01	·56	·02			·19	·01	·05	·03	·01	·08		19
20		·48	·04		1.07	·92	·02	·10	·12		·05	·03	20
21		·02	·25			·04		·15	·05	·10	·25	·12	21
22					·01			·95		·39	·01		22
23		·10			·10	·06		·41		·26	·11	·05	23
24		·10	·01			·03	·09	·32	·01	·55	·30	·12	24
25		·13	·08			·02	·13	·71	·07	·45	·18	·01	25
26			·06		·80	·07	·01	(·57)	·35	·23	·22		26
27		·01	·01			1.07	·03	1.56	·01	·28	·08		27
28		·04	·26		·14	2.64		1.13		·15	·06		28
29	·01		·39			·10		·05		·81	·04	·10	29
30		X	·15					·32		·05	·04	·02	30
31		X	·16	X	·40	X		·15	X	·19	X		31
Total	3.96	2.03	5.24	3.09	3.23	6.37	2.71	8.51	2.90	11.77	4.68	2.25	YEAR'S TOTAL 56.74
Rain Days.	15	13	24	17	10	17	14	25	16	29	28	20	228

W. 8,000, IX. 17.

Cor. for aith. 17.3.19.

56

FORM A. BRITISH RAINFALL 2.1.19

REGISTER OF RAINFALL IN 1918

Kept at Altarnon Vicarage.
in the County of Cornwall
by The Rev: A. H. Thorold.

Lat. 50½°N. Long. 4½°W.
Time of Observation 9. a. m.
Nearest Railway Station Egloskerry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·08	—	·26	·07	—	—	—	—	·03	1·47	—	1
2	—	·41	—	·10	—	·25	—	—	—	·01	·08	·62	2
3	—	·27	·01	·12	·14	—	—	·40	·05	·20	·36	·13	3
4	—	·09	—	·10	—	—	·54	·51	·32	·01	·70	·62	4
5	—	·07	·15	·23	·03	·06	·02	·02	1·40	·48	·06	·15	5
6	·34	·79	·25	·50	—	—	—	—	—	·25	—	·19	6
7	·17	·34	·01	·07	—	—	—	—	·60	·27	·59	·38	7
8	·11	·10	—	—	—	·02	—	—	·37	·61	·02	·05	8
9	·17	·02	—	·01	—	—	·40	·72	·73	·18	·02	·58	9
10	·21	·01	—	·24	—	—	·54	·40	·33	·08	—	·43	10
11	·09	·12	·17	·06	·02	—	·51	—	·60	·21	·06	·31	11
12	·03	·15	·03	—	·25	—	·56	·10	·01	·39	—	·25	12
13	·18	·08	—	—	·11	—	·42	—	·65	·23	—	·78	13
14	·47	·01	·02	—	·06	·22	·34	—	·66	·13	—	·28	14
15	1·16	—	—	—	·02	—	·45	·02	·20	·69	—	·62	15
16	·62	—	·02	·44	—	—	·05	·34	·16	·07	—	·25	16
17	·53	—	—	·13	—	—	—	—	·17	·01	—	·29	17
18	1·57	·06	·15	·01	—	·11	·62	—	·35	·23	—	·37	18
19	·37	·05	·21	·10	·19	·56	·74	·56	·16	·01	—	·43	19
20	·33	·31	·01	·25	—	—	·06	·32	·60	—	—	·05	20
21	·39	·04	—	·04	—	·75	—	—	·79	·16	—	·37	21
22	·04	·04	—	—	·01	—	—	—	·54	·08	·05	·74	22
23	·19	—	—	—	·26	—	—	·36	·14	—	·14	·62	23
24	·04	·41	—	—	—	·03	—	·13	·32	—	·41	·33	24
25	·03	·01	—	·04	·12	—	·51	·40	·01	·06	·22	—	25
26	·03	·34	—	·62	—	—	·20	·30	·40	·02	·16	·85	26
27	·02	·64	·13	—	—	—	—	·46	·21	·03	·41	·13	27
28	—	·48	·33	—	·11	·22	—	·13	·19	·02	·42	·25	28
29	·02	X	·12	—	—	—	·40	—	1·50	—	·04	·33	29
30	—	X	·49	·47	—	—	—	—	·62	·12	·07	·30	30
31	—	X	·22	X	—	X	—	—	X	·14	X	·05	31
Total	7·14	4·92	2·32	3·19	1·39	2·22	6·36	5·17	11·48	4·72	5·28	10·75 ~~10·54~~	YEAR'S TOTAL 64·94 ~~65·63~~
Rain Days.	24	24	16	19	13	9	16	16	27	27	18	29	238

W. 6,500, VII. 18. W W G

30/5/20 1788

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Altamon Vicarage

in the County of Cornwall Launceston

by The Reverend A. H. Thorold.

Lat. 50½° N. Long 4½° W.
Time of Observation 9 a.m.
Nearest Railway Station Egloskerry
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft 0 in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.92		.36.	.06	.21		.08		.45	.40		1.23	1
2	.48		.09.	.03	.06		.05		.10	.02		.23	2
3	.06		.36	.05	.23				.43		.02	.81	3
4	.25	.39	.42					.56	.52				4
5	.23	.26	.06		.03						.03	.25	5
6	1.05	.82	.55									.48	6
7	.59		.33	.17		.02						.20	7
8	.32		.22	.20		.06				.01	(.29)		8
9	.42		.09	.52	.13						1.30		9
10	.22		1.16	.01	.06					.12		.30	10
11	.06.		.47	.29	.27		.10			.05	.25	.50	11
12	.35.		.09	.10		.05				.35			12
13	.32	.10	.22	.70		.2~~8~~5	.07			.62		.19	13
14	.78.	.14		.11	.27		.06.			.25		.43	14
15	.67	.12								.13		.49	15
16	.19	.72									.76	.05	16
17	.05	.35	.07		.15	.04	.01	.04.			.10	.03	17
18	.24	.28	.47				.19	.53	.59 69		.78	.07	18
19	.39	.35	.22		.08	.22	.06	.59	.32			.22	19
20	.28	.11.	.12		.68	.13	.02	.11.	.46		.80	.34	20
21	.28	.81.			.01		.57	.09	.11		.06	.15	21
22		.05	.01			.04	.07		.31		.09	.34	22
23								.21		.19	.01.	.52	23
24	.01			.07		.23			.04	.31	.17	.44	24
25	.27	.08.				.03		.56	.18	.01	.11	.12.	25
26	.28	.02.	.33	.28				.23	.19	.08	.30	.72	26
27		.12	.02	.40				.63			.47	.14	27
28		.04	.65	.23				.02		.09		.83	28
29		✕	.09	.21				.46		.08		.18	29
30		✕	.36.	.36		.30		.11			.55	1.22.	30
31		✕	.19.	✕		✕	.05		✕		✕	.42	31
Total	8.71	4.79.	6.95	3.79	2.18.	1.37.	1.33	4.14	3.20.	2.71.	6.09	10.88	Year's Total 55.94 ~~51.94~~
Days with ·01 in. or more	24	17.	24	17	12.	11.	12	13.	12.	15.	17	27	201.

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

max daily fall 1.30 in on nov 9.

1706

FOR 8 JAN 1921

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Altarnon Vicarage
in the County of Cornwall
by Rev: A. H. Thorold.

Lat. 50½° N. Long. 4½° W.
Time of Observation 9 a.m.
Nearest Railway Station Egloskerry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 620 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·01	·05	·59	—	1·19	·10	—	·01	·04	·63	1
2	·62	—	·02	·41	·03	—	·11	·30	·10	·29	—	·16	2
3	·54	—	—	·12	·05	—	·06	·01	·32	1·27	—	·39	3
4	—	—	—	·47	—	—	·32	·80	·10	·74	—	—	4
5	—	—	·12	·29	·35	—	·19	·35	—	·94	—	—	5
6	—	·05	·19	—	·48	—	—	—	—	—	—	—	6
7	·09	—	·36	—	·05	—	·98	—	—	·01	—	·11	7
8	—	·15	·05	—	·10	—	·08	·05	—	—	—	—	8
9	1·54	—	—	·06	—	·10	·56	·01	—	—	—	—	9
10	1·26	—	·05	·11	—	·40	·20	—	·06	—	·01	—	10
11	·25	·20	·12	·66	·18	·01	·17	—	—	—	—	—	11
12	·39	·20	·12	·44	—	—	·15	—	—	·09	·30	—	12
13	·35	·07	·21	·02	—	—	—	1·52	—	1·16	—	—	13
14	·18	·09	·73	·93	—	—	·10	—	—	·65	·64	—	14
15	·03	·15	·74	·52	—	—	—	—	·27	·73	·24	—	15
16	·01	—	·09	·01	—	·34	·12	—	·15	·36	—	—	16
17	·16	—	·19	·32	·35	·21	·02	·02	·18	·41	22	—	17
18	·33	·05	·09	·11	·10	·24	—	·33	·57	—	—	—	18
19	·25	·07	·02	·66	—	·28	—	·03	·15	·10	—	—	19
20	·15	—	—	·42	—	·07	—	·01	·03	·09	—	·44	20
21	·01	—	—	·11	—	—	·15	—	·10	—	—	·43	21
22	·06	—	—	·02	—	·02	—	—	·05	—	—	·33	22
23	·01	—	—	—	—	—	·62	·25	—	—	—	·54	23
24	·09	·03	·44	·05	—	—	·05	·03	—	—	·19	·29	24
25	·06	—	·19	—	—	—	1·19	—	—	—	—	·02	25
26	·57	·05	·33	—	—	·06	·09	—	—	—	·43	·05	26
27	·38	·20	·17	·35	—	·58	·12	—	—	—	1·95	·55	27
28	·73	—	·45	·10	·12	·17	·26	—	·03	—	·07	·15	28
29	·36	—	·45	·15	—	·17	·03	—	—	·02	·29	·43	29
30	·43	╳	—	·07	—	·50	·24	—	1·64	·71	·38	·60	30
31	·28	╳	·42	╳	—	╳	·03	—	╳	1·22	╳	·31	31
TOTAL	9·18.	1·31.	5·56	6·45	2·40	3·15	7·03	3·81	3·75	8·80	4·76	5·43	YEAR'S TOTAL 61·63.
Days with ·01 in. or more	27.	12.	23.	24.	11.	14.	24.	14.	14.	17.	12.	16.	208.
Days with ·04 in. or more	23.	11.	20.	21.	10.	12.	21.	8.	12.	14	11.	15.	178.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Cor? H

REGIST 11

CORNWALL.

ANTONY VICARAGE

1911 – 1916

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Antony Vica

in the County of Cornwa

by Rev Alan Cl

5 in.

ve Ground 1 ft. in.

Sea Level 250 ft.

a m following day

Name Saltash

Distance 2¾m Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	drops	·01	·10	nil	nil	nil	nil	drops	drops	nil	1
2	-	-	drops	·07	·33	-	nil	·35	drops	·03	·18	·27	2
3	-	-	·03	drops	·22	drops	nil	·03	·02	-	·11	·08	3
4	-	-	·09	flakes	-	-	nil	·48	drops	-	·28	·40	4
5	·31	-	·26	flakes	-	-	-	·35	-	·11	·08	-	5
6	·36	-	·07	flakes	-	-	-	-	-	·05	·07	·79	6
7	·04	-	-	drops	-	-	-	-	-	-	·44	drops	7
8	·02	-	·22	-	-	·06	-	-	-	-	·06	(·45)	8
9	·05	-	-	-	-	-	-	-	-	-	·13	·51	9
10	·08	·14	·72	-	·09	-	-	-	-	-	·08	·22	10
11	·22	-	-	-	-	-	-	nil	·02	-	·91	·04	11
12	-	-	·56	-	·04	-	-	nil	·29	-	·14	·28	12
13	-	·02	·08	-	-	-	-	nil	·12	-	·15	·25	13
14	-	·13	·02	-	drops	-	-	-	-	·04	·15	·26	14
15	-	·05	·08	-	-	·07	-	-	-	-	·32	·03	15
16	(·01)	·02	·01	-	drops	·44	-	-	-	-	·52	·24	16
17	-	·04	·30	·03	-	·11	-	-	-	drops	·21	·44	17
18	-	·30	·18	·06	-	·14	-	-	nil	·11	·37	·21	18
19	-	·03	-	·04	-	·77	-	nil	·61	·10	·10	·83	19
20	drops	·08	·03	·16	-	·04	-	nil	·10	·71	-	·79	20
21	·03	·27	·03	drops	-	·03	-	nil	·33	·14	-	·07	21
22	·10	·04	·03	·31	-	·08	-	·03	·50	·18	-	·52	22
23	drops	·14	-	-	-	·02	-	nil	·12	·31	·05	·21	23
24	·05	·31	-	-	-	·43	-	·21	nil	·14	-	·30	24
25	·02	·01	-	·19	-	drops	-	·13	·09	·25	-	·12	25
26	drops	·18	flakes	·47	-	-	-	·20	drops	·52	-	·30	26
27	-	·68	-	·03	·13	-	-	·29	·12	·24	sleet	·27	27
28	-	·26	-	·31	-	drops	-	-	drops	-	·28	drops	28
29	-		·03	·19	·21	·56	1·28	-	·19	·30	-	drops	29
30	-		-	-	-	·03	·07	-	drops	·14	·15	drops	30
31	-		·30		-		·05	-		·03		drops	31
Total	1·29	2·70	3·04	1·87	1·12	2·78	1·40	2·07	2·51	3·40	4·78	7·88 ✓	34·84 TOTAL for year
No. of Rain Days.	12	17	18	12	7	13	3	9	12	17	21	24	165 ✓

8,000, X. '11.

34·84 ✓ Inches

Cor.

REGIST

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Antony Vicarage

in the County of Cornwall 3

by Rev Alan Clover.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 250 ft.

Time of Observation 9 a.m following day

crowthy
Nearest Railway Station
Name Saltash
Distance 2¾ m Direction NE

last year I measured

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	nil	nil	drops	·01	·10	nil	nil	nil	nil	drops	drops	nil	1
2	-	-	drops	·07	·33	-	nil	·35	drops	·03	·18	·27	2
3	-	-	·03	drops	·22	drops	nil	·03	·02	-	·11	·08	3
4	-	-	·09	flakes	-	-	nil	·48	drops	-	·28	·40	4
5	·31	-	·26	flakes	-	-	-	·35	-	·11	·08	-	5
6	·36	-	·07	flakes	-	-	-	-	-	·05	·07	·79	6
7	·04	-	-	drops	-	-	-	-	-	-	·44	drops	7
8	·02	-	·22	-	-	·06	-	-	-	-	·06	(·45)	8
9	·05	-	-	-	-	-	-	-	-	-	·13	·51	9
10	·08	·14	·72	-	·09	-	-	-	-	-	·08	·22	10
11	·22	-	-	-	-	-	-	nil	·02	-	·91	·04	11
12	-	-	·56	-	·04	-	-	nil	·29	-	·14	·28	12
13	-	·02	·08	-	-	-	-	nil	·12	-	·15	·25	13
14	-	·13	·02	-	drops	-	-	-	-	·04	·15	·26	14
15	-	·05	·08	-	-	·07	-	-	-	-	·32	·03	15
16	(·01)	·02	·01	-	drops	·44	-	-	-	-	·52	·24	16
17	-	·04	·30	·03	-	·11	-	-	-	drops	·21	·44	17
18	-	·30	·18	·06	-	·14	-	-	nil	·11	·37	·21	18
19	-	·03	-	·04	-	·77	-	nil	·61	·10	·10	·83	19
20	drops	·08	·03	·16	-	·04	-	nil	·10	·71	-	·79	20
21	·03	·27	·03	drops	-	·03	-	nil	·33	·14	-	·07	21
22	·10	·04	·03	·31	-	·08	-	·03	·50	·18	-	·52	22
23	drops	·14	-	-	-	·02	-	nil	·12	·31	·05	·21	23
24	·05	·31	-	-	-	·43	-	·21	nil	·14	-	·30	24
25	·02	·01	-	·19	-	drops	-	·13	·09	·25	-	·12	25
26	drops	·18	flakes	·47	-	-	-	·20	drops	·52	-	·30	26
27	-	·68	-	·03	·13	-	-	·29	·12	·24	sleet	·27	27
28	-	·26	-	·31	-	drops	-	-	drops	-	·28	drops	28
29	-		·03	·19	·21	·56	1·28	-	·19	·30	-	drops	29
30	-		-	-	-	·03	·07	-	drops	·14	·15	drops	30
31	-		·30		-		·05	-		·03		drops	31
Total	1·29	2·70	3·04	1·87	1·12	2·78	1·40	2·07	2·51	3·40	4·78	7·88 ✓	34·84 TOTAL for year
No. of Rain Days.	12	17	18	12	7	13	3	9	12	17	21	24	165 ✓

. 8,000, X. '11.

34·84 ✓ Inches

10 ozs book corrected 27. XI. 14

Corrected.

Cor. for arith. 27. XI. 14.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

-3 FEB 1914

Kept at Antony Vicarage W. H. b

in the County of Cornwall 3

by Rev Alan Clover.

Lat: Long.
Time of Observation 9 a m following day
Nearest Railway Station Saltash 3 N E
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
„ „ „ „ Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	[illegible]	–	·20	–	·07	·45	·02	trace	·15	·61	trace	·29	1
2	~~trace~~	–	·19	trace	–	1·12	trace	·02	trace	·06	·04	·01	2
3	·02	–	·24	·01	–	·13	trace	1·19	·13	–	–	·03	3
4	·25	·03	·23	trace	·15	·23	–	·05	–	–	·50	trace	4
5	·69	·21	·28	trace	·04	–	·07	1·76	trace	–	trace	·06	5
6	·28	·05	·10	–	·70	·15	–	·16	trace	–	·02	trace	6
7	·13	·69	·21	·04	·14	·45	trace	·22	–	–	·08	·10	7
8	·73	·13	·22	trace	trace	·18	·05	–	–	–	–	–	8
9	·01	·20	·25	·06	–	·14	·21	·01	–	–	–	·77	9
10	·43	·04	·21	·10	trace	trace	·10	·12	–	–	·12	·25	10
11	trace	·13	·05	–	trace	·12	trace	·10	–	–	·25	·42	11
12	·02	·38	·17	trace	·17	–	·30	·48	–	–	·04	trace	12
13	·22	trace	·03	trace	–	trace	·12	·10	–	·04	trace	·22	13
14	·12	·17	·57	–	·13	trace	–	·02	–	·01	–	·07	14
15	·33	·12	·01	–	·10	·49	–	trace	–	–	trace	·42	15
16	·18	–	·32	–	trace	·02	–	·40	–	·21	·01	·07	16
17	–	–	·32	–	trace	·25	–	1·20	–	–	·20	·01	17
18	–	·07	·07	–	–	trace	–	·23	–	·05	·03	·09	18
19	–	·02	·44	–	·08	·01	·03	·27	–	·05	·03	·01	19
20	·02	·12	·34	–	·16	–	–	·26	–	·23	·04	–	20
21	trace	·63	·22	–	·45	–	·17	·04	–	·09	–	–	21
22	·35	·24	·37	–	trace	·02	·17	·26	–	·22	·06	·18	22
23	·10	·44	·39	–	–	·01	·04	1·20	–	·05	·20	·34	23
24	·04	·06	·12	–	–	·28	·01	trace	–	·01	–	·24	24
25	·07	–	trace	–	trace	·05	trace	·06	–	·35	·43	Christmas ·47	25
26	–	·02	–	–	–	trace	·09	·05	–	·22	·37	·42	26
27	–	·06	trace	–	–	·70	·58	·33	–	1·47	·15	·78	27
28	–	·16	trace	–	–	·06	·10	·60	·28	·38	·43	·59	28
29	–	·10	–	–	–	·10	·10	·25	1·03	·15	–	·07	29
30	–		·04	trace	·05	·38	·23	–	·21	·40	–	trace	30
31	–		·28		·01		·59	·01		·01		·19	31
Total	~~4·00~~ 3·99	4·07	~~5·88~~ 5·87	·21	2·25	~~5·32~~ 5·34	2·98	9·39	1·80	4·61	3·00	6·10	YEAR'S TOTAL 49·61
Rain Days.	18	22	26	4	13	21	18	26	5	14	18	24	214

cod for auth 24.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

13 JAN 1913

Kept at Antony Vicarage
in the County of Cornwall 3
by Rev Alan Clover

Lat. Long.
Time of Observation 9 am following day
Nearest Railway Station St Germans 3 miles N
Saltash 2½ NE
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 250 (cir) ft.
less if anything

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·19	-	·07	·43	·02	drops	·14	·58	drops	·28	1
2	-	-	·18	drops	-	1·07	drops	·02	drops	·06	·04	·01	2
3	·02	-	·23	·01	-	·12	drops	1·13	·12	-	-	·03	3
4	·25	·03	·22	drops	·14	·22	-	·05	-	-	·48	drops	4
5	·66	·20	·27	drops	·04	-	·07	1·68	drops	-	drops	·06	5
6	·27	·05	·10	-	6/6 ·07	·14	-	·15	drops	-	·02	drops	6
7	·12	·66	·20	·04	·13	·43	drops	·21	-	-	·08	·10	7
8	·70	·12	·21	drops	drops	·17	·05	drops	-	-	-	-	8
9	·01	·19	·24	·06	-	·13	·20	·01	-	-	-	·73	9
10	·41	·04	·20	·10	drops	drops	·10	·11	-	-	·11	·24	10
11	drops	·12	·05	-	drops	·11	drops	·10	-	-	·24	·40	11
12	·02	·36	·16	drops	·16	-	·29	·46	-	-	·04	drops	12
13	·21	drops	·03	drops	-	drops	·11	·10	-	·04	drops	·21	13
14	·11	·16	·54	-	·12	drop	-	·02	-	·01	-	·07	14
15	·31	·11	·01	-	·10	·47	-	drops	-	-	drops	·40	15
16	·17	-	·30	-	drops	·02	-	·38	-	·20	·01	·07	16
17	-	-	·30	-	drops	·24	-	1·14	-	-	·19	·01	17
18	-	·07	·07	-	-	drops	-	·22	-	·05	·03	·09	18
19	-	·02	·42	-	·08	·01	·03	·26	-	·05	·03	·01	19
20	·02	·11	·32	-	·15	-	-	·25	-	·22	·04	-	20
21	drops	·60	·21	-	·43	-	·16	·04	-	·09	-	-	21
22	·33	·23	·35	-	drops	·02	·16	·25	-	·21	·06	·17	22
23	·10	·42	·37	-	-	·01	·04	1·14	-	·05	·19	·31	23
24	·04	·06	·12	-	-	·27	·01	drops	-	·01	-	·23	24
25	·07	-	drops	-	drops	·05	drops	·06	-	·33	·41	·45	25
26	-	·02	-	-	-	drops	·09	·05	-	·21	·35	·40	26
27	-	·06	drops	-	-	·67	·55	·31	-	1·40	·14	·74	27
28	-	·15	drops	-	-	·06	·10	·57	·27	·36	·41	·56	28
29	-	·10	-	-	-	·10	·10	·24	·98	·14	-	·07	29
30	-		·04	drop	·05	·36	·22	-	·20	·38	-	drops	30
31	-		·27		·01		·56	·01		·01		·18	31
Total	3·82	3·88	5·60	·21	2·15 ✓	5·10 ~~5·05~~	2·86	8·96	1·71	4·40	2·87	5·82 5·82	YEAR'S TOTAL 47·38
Rain Days.	18	22	26	4	13	21	18	26	5	19	18	24	214

W. 7,500, XI. ·12

28

10 in. look corrected 27.XI.14

Corrected

Cor. for auth. 27. XI. 14.

FORM A.
BRITISH RAINFALL.

3 FEB 1914

REGISTER OF RAINFALL IN 1913

W. 4806

Kept at Antony Vicarage

in the County of Cornwall 3

by Rev Alan Clover

Lat. .... Long. ....

Time of Observation 9 a.m. following day

Nearest Railway Station Saltash 3 miles NE

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	–	trace	·01	·10	–	–	–	–	trace	trace	–	1
2	–	–	trace	·07	·35	–	–	·37	trace	·03	·19	·28	2
3	–	–	·03	trace	·23	trace	–	·03	·02	–	·12	·08	3
4	–	–	·09	trace	–	–	–	·50	trace	–	·29	·42	4
5	·33	–	·27	trace	–	–	–	·37	–	·12	·08	–	5
6	·38	–	·07	trace	–	–	–	–	–	·05	·07	·83	6
7	·04	–	–	trace	–	–	–	–	–	–	·46	trace	7
8	·02	–	·23	–	–	·06	–	–	–	–	·06	·47	8
9	·05	–	–	–	–	–	–	–	–	–	·14	·54	9
10	·08	·15	·76	–	·09	–	–	–	–	–	·08	·23	10
11	·23	–	–	–	–	–	–	–	·02	–	·96	·04	11
12	–	–	·59	–	·04	–	–	–	·30	–	·15	·29	12
13	–	·02	·08	–	–	–	–	–	·13	–	·16	·26	13
14	–	·14	·02	–	trace	–	–	–	–	·04	·16	·27	14
15	–	·05	·08	–	–	·07	–	–	–	–	·34	·03	15
16	–	·02	·01	–	trace	·46	–	–	–	–	·55	·25	16
17	–	·04	·31	·03	–	·12	–	–	–	trace	·22	·46	17
18	–	·31	·19	·06	–	·15	–	–	–	·12	·39	·22	18
19	–	·03	–	·04	–	·81	–	–	·64	·10	·10	·87	19
20	trace	·08	·03	·17	–	·04	–	–	·10	·75	–	·83	20
21	·03	·28	·03	trace	–	·03	–	–	·35	·15	–	·07	21
22	·10	·04	·03	·33	–	·08	–	·03	·52	·19	–	·55	22
23	trace	·15	–	–	–	·02	–	–	·13	·33	·05	·22	23
24	–	·33	–	–	–	·45	–	·22	–	·15	–	·31	24
25	–	·01	–	·20	–	trace	–	·14	·09	·26	–	·13	25
26	–	·19	trace	·49	–	–	–	·21	trace	·55	–	·31	26
27	–	·71	·	·03	·14	–	–	·30	·13	·25	trace	·28	27
28	–	·27	–	·33	–	trace	–	–	trace	–	·29	trace	28
29	–		·03	·20	·22	·59	1·34	–	·20	·31	–	trace	29
30	–		–	–	–	·03	·07	–	trace	·15	·16	trace	30
31	–		·31		–		·05	–		·03		trace	31
Total	~~1·34~~ 1·27	2·82	3·16	1·96	1·17	2·91	1·46	2·17	2·63	3·58	5·02	8·24	YEAR'S TOTAL ~~36·46~~ 36·39
Rain Days.	~~12~~ 10	17	18	12	7	13	3	9	12	17	21	24	165.

W.7,000, XI. 13

Written 25.3.14

Cor. by obsr. 3.IV.14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

26 JAN 1914

~~4~~ DH

Kept at Antony Vicarage

in the County of Cornwall 3

by Revd Alan Clover

Lat. Long.

Time of Observation 9 am following day

Nearest Railway Station Saltash

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·30	·27	·08	·18	–	–	–	·07	·18	·34	trace	1
2	trace	·22	trace	·30	·52	trace	–	–	–	·48	·17	·03	2
3	·49	trace	·13	–	·19	–	–	–	·32	–	trace	·26	3
4	1·47	–	·05	trace	trace	·14	–	–	·04	·03	·07	·26	4
5	·08	·04	·08	–	·42	·09	·05	–	·39	·15	·46	~~·48~~ ·46	5
6	·10	·13	·03	–	·24	·16	–	–	trace	·29	·16	·01	6
7	·02	·26	·03	–	·78	·05	·03	–	–	·43	·35	trace	7
8	·17	·13	trace	–	·18	–	·16	·18	–	·03	·01	·08	8
9	·08	·13	–	trace	·07	·02	–	·21	trace	–	·48	·01	9
10	1·07	–	trace	trace	·05	·09	–	trace	–	·40	·25	trace	10
11	·67	–	trace	trace	·64	·06	–	drops	·05	·04	·62	·04	11
12	·10	–	–	trace	·02	trace	–	–	·09	–	·21	trace	12
13	·06	–	·04	·27	trace	–	–	·01	·10	–	·21	–	13
14	·37	–	·15	·04	·28	–	–	–	·05	–	·06	·05	14
15	·24	–	·47	·71	–	–	–	–	·23	–	·18	·01	15
16	·47	–	·57	·03	–	–	–	trace	·07	–	·05	–	16
17	·03	–	·06	·07	–	–	–	–	–	–	·01	–	17
18	·02	–	·22	·16	·01	trace	–	–	–	–	·08	–	18
19	·50	–	·04	–	·05	trace	–	–	·47	·20	trace	–	19
20	·23	–	·08	·27	·02	–	–	–	trace	·13	·31	–	20
21	·04	–	·46	·26	·02	·06	–	trace	trace	~~trace~~ ·06	~~·06~~ ·31	–	21
22	·30	–	·52	trace	·01	·24	–	·01	·07	~~·07~~ ·19	~~·19~~ –	·25	22
23	trace	–	·02	trace	trace	–	–	trace	trace	trace	– ·05	·86	23
24	·02	·13	–	·18	trace	·08	–	–	trace	trace	–	trace	24
25	–	·01	–	·55	–	–	–	·08	·07	·02	·07	·01	25
26	–	–	–	·42	–	trace	–	·03	trace	·02	trace	·21	26
27	·96	–	·22	·42	trace	–	–	·13	–	·28	–	·03	27
28	·19	–	·04	·24	·12	–	–	–	·15	·21	–	·14	28
29	·16		·34	·15	·01	–	·04	·02	–	·38	·02	–	29
30	·65		–	·16	·05	–	·05	–	–	1·05	trace	–	30
31	·10		~~·19~~ ·20		trace		–	·20		·22		–	31
Total	8·62	1·35	4·02	4·31	3·86	·99	·33	·87	2·17	4·79 ✓	4·47 ✓	2·71	YEAR'S TOTAL 38·49
Rain Days.	27	9	21	17	20	10	5	9	14	20 ✓	22	16	190 ✓

W.7,000, XI. 13

5

re corrected values

Ans [illegible] B

& I 14 Ja

Antony Vicarage
Torpoint, R.S.O.,
Cornwall.

Jan 6 1913

To Dr H. R. Mill Esq

Dear Sir,

Before filling in your form for Rainfall 1913, I must ask your advice and possibly further forms for filling in. I have got a Snowden Raingauge - (in November). I have from levels ascertained the exact level of my gauge. 195 ft. from 2 benchmarks. I inaccurately gave it as 250 ft (cir) from a benchmark which is 202 ft. but which I thought was 250 ft. It is one on the church.

Now whatever is published, you should have all information. My former measure is inaccurate. ~~Have~~ I used it in Dec and also the new one. There is a divergence of 11 hundreds in 2·60 by old, 2·71 by new.

Now I have kept the fall for every 12 hrs (adding + & -) for my guidance
i.e. at 9am & 9pm throughout the last 3 years.
I can very easily make out amended copies
and shd like to. for 1910, 1911, 1912.
or amend in red ink the copies previously sent
to you. Shall I send you first of all, to secure
relative interest to previous years, the copy as
I shd have sent it in happy ignorance of
the measure falling short by 4 to 5 %.
I am amending my own copies.
The fall this year 36.84 by ~~incorrect~~ inaccurate measure.
192 raindays

I intended making remarks on the drought
which next to Teignmouth was more remarkable
at this station than elsewhere. The showers or
storms that did come were very local.
Torpoint had never had such a storm, whilst in Plymouth

close by never used an umbrella which I had with me and found on my return through Torpoint to find when nearing Antony that the roads were white with dust and there was nothing to record so far as I can remember.

	inaccurate	accurate
The falls for May 15-31 are.	.28	.29
June	.96	.99
July	.32	.33
Aug:	.83	.87

Yours

very truly

Alan Clover.

Exc D L

× I also take it 9 p.m.

FORM A.
BRITISH RAINFALL.

7-1[illegible]

REGISTER OF RAINFALL IN 1914

Kept at Antony Vicarage
in the County of Cornwall 3
by Rev Alan Clover

Lat. .... Long. ....
Time of Observation 9 a.m [illegible]
Nearest Railway Station Saltash 2½ E N E, St Germans 2½ [illegible] to N.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	-	·06	·18	-	·21	·04	·71	-	-	1·36	·10	1
2	·01	-	·03	·03	·09	drops	·30	·07	-	-	·02	·57	2
3	·02	-	·18	·26	·50	-	-	drops	-	-	·02	·01	3
4	·13	-	·06	·41	·10	-	1·14	·14	·07	-	·05	·71	4
5	·13	·	·33	·22	·02	-	-	-	-	-	·03	·02	5
6	drops	·05	·08	·06	·23	drops	·07	·03	-	-	drops	·55	6
7	·05	·47	·46	·25	·10	~~drops~~ ·14	·37	·24	·90	-	-	·28	7
8	·12	-	·87	·02	·01	·20	drops	·02	·04	-	-	·03	8
9	·09	·08	·29	·28	·05	·59	-	·16	·41	-	-	-	9
10	·09	·30	·02	·37	·17	·05	-	-	·37	-	drops	·24	10
11	-	·17	·84	drops	drops	·09	-	-	·02	-	·02	·87	11
12	-	·50	·26	-	-	drops	-	-	·30	·02	·05	·42	12
13	-	·54	·36	drops	-	drops	·08	-	·22	·07	·35	·26	13
14	-	·27	·25	-	-	·06	-	·16	·07	·01	·43	·34	14
15	·	-	·26	-	-	-	drops	·06	·04	·01	·30	·85	15
16	·01	-	·01	-	-	·	·04	-	·49 ~~drops~~	-	-	drops	16
17	-	·62	·33	-	-	-	·02	-	drops ~~·27~~	-	-	·78	17
18	·	·12	·20	-	-	-	·25	-	·27 ~~·02~~	-	-	·20	18
19	drops	·10	·47	·	-	·	1·64	-	·02	-	·06	·07	19
20	-	·39	·19	-	-	·10	drops	-	·03	-	drops	·28	20
21	-	·42	·01	-	-	-	-	-	-	·54	-	drops	21
22	-	·17	·08	drops	·09	·04	-	·15	-	·20	drops	-	22
23	·	·12	·43	-	drops	drop	drops	·04	-	·13	-	-	23
24	drops	-	drops	-	-	drops	·01	·08	-	·01	·04	-	24
25	·13	-	·17	-	·10	-	·01	·55	-	·70	·03	·58	25
26	drops	·22	·18	-	drops	-	·28	drops	-	·04	·21 ~~·60~~	·27	26
27	·04	·17	drops	-	-	-	·02	-	-	·11	·12	·30	27
28	·03	·06	·36	-	·10	-	·08	-	-	·13	·60	·45	28
29	·29	✕	·10	-	·11	-	·35	-	-	drops	·34	·06	29
30	·01	✕	·11	·	drops	drops	-	-	·	·06	·19	·65	30
31	·03	✕	-	✕	·01	✕	1·30	-	✕	·60	✕	·45	31
Total	1·18	4·77	6·99	2·08	1·68	1·48	6·00	2·41	3·25	2·63	4·22	9·34	YEAR'S TOTAL 46·03
Rain Days.	15	18	28	10	14	9	17	13	14	14	18	25	46·03 195

W. 8,000. X. 14.

2045

FORM A.
BRITISH RAINFALL.

4 - JAN 191

REGISTER OF RAINFALL IN 1915

Kept at Antony Vicarage

in the County of Cornwall

by Rev Alan Clover

3

Lat. Long.

Time of Observation 9 am & 9 pm

Nearest Railway Station Saltash by ferry only

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	·37	–	–	·03	–	–	·51	·23	·33	trace	·10	1
2	·48	·19	·18	·09	–	·17	trace	·02	·06	trace	–	·39	2
3	·05	·16	·21	·19	·08	–	trace	trace	–	–	–	·67	3
4	·20	·67	·03	–	·03	·04	trace	trace	–	–	–	·24	4
5	12	·45	·01	·15	·02	trace	trace	·51	–	–	–	·88	5
6	1·31	·21	–	·53	trace	trace	·60	·08	–	–	–	·22	6
7	·28	·41	trace	·03	–	–	·14	trace	–	·85	trace	·61	7
8	·14	·22	–	trace	–	–	trace	·16	–	–	·14	·15	8
9	·01	·05	–	·03	–	–	trace	·04	–	–	·36	·91	9
10	·46	·31	·02	·09	–	·12	trace	·10	–	·31	·12	·20	10
11	·14	·06	·14	trace	–	–	trace	·08	–	trace	1·18	·31 snow	11
12	·10	·45	–	·03	·60	–	trace	·17	–	·06	·22	snow ·04	12
13	·02	·50	–	–	·74	–	·03	·02	–	trace	·12	·03	13
14	·14	·07	–	trace	–	–	·19	·12	·18	·18	·06	1·13	14
15	·16	–	–	trace	·34	–	·67	trace	·04	trace	·07	·17	15
16	·02	1·01	trace	–	·50	–	1·02	trace	trace	trace	–	·11	16
17	·01	·26	trace	–	·13	–	trace	–	–	–	–	–	17
18	·01	·32	trace	–	–	–	·03	–	–	–	–	–	18
19	·02	·05	–	·03	·35	–	·12	–	–	–	–	–	19
20	·29	trace	–	·03	trace	·31	trace	–	·02	·28	–	trace	20
21	·24	·25	–	–	·19	·31	·46	–	–	·09	–	trace	21
22	·03	·10	·34	·02	–	·02	·46	–	trace	·07	–	·39	22
23	·03	·03	·01	–	–	·07	·08	–	·02	·86	–	·82	23
24	–	trace	trace	·02	–	·13	·11	–	·08	·20	–	·74	24
25	·02	–	trace	·01	–	·07	·30	–	–	–	trace	·30	25
26	·01	·25	–	–	–	·26	trace	–	·04	–	–	·82	26
27	–	·07	–	–	–	·07	trace	–	·03	·55	trace	gale trace	27
28	–	·05	–	–	–	·22	–	trace	·26	·12	·01	·15	28
29	–	X	–	–	trace	·24	·02	trace	·19	·04	·26	·13	29
30	·13	X	–	–	–	·13	trace	–	·10	·49	·37	·28	30
31	·02	X	–	X	–	X	·36	trace	X	·56	X	·34	31
Total	4·55	6·51	·94	1·25	3·01	2·16	4·59	1·78	1·25	4·99	2·91	10·13	YEAR'S TOTAL 44·07 ✓
Rain Days.	27	24	8	13	11	14	15	11	12	15	11	25	186 ✓

W. 8,000. X. 15.

cwd fr m'ths ~~W. 910~~ 1987

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

12 JAN 1917

Kept at Antony Vicarage

in the County of Cornwall

by Rev alan Glover

Lat. Long.

Time of Observation 9 am & 9 pm

Nearest Railway Station Saltash station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 195 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18	–	·02	–	·21	·04							1
2	·32	·12	·11	–	trace	–							2
3	·02	·99	trace flakes	–	·36	·14							3
4	·12	·29	–	–	·04	·32							4
5	·09	·13	·02	trace	·02								5
6	·08	·10	trace flakes	–	·14								6
7	·06	·15	·03	–	·04								7
8	[illegible]	·22	·37	–	·46								8
9	trace	·13	·04	–	trace								9
10	trace	1·17	–	·06	·05								10
11	trace	·03	–	·13	·06								11
12	·05	·16	·06	·04	·16								12
13	–	·40	·07	·03	·02								13
14	·02	·42	·01	–	·07								14
15	·04	·25	·27	·14	–								15
16	·24	·11	–	·13	–								16
17	·14	·13	·03	trace	–								17
18	·02	·11	·21	trace	–								18
19	·12	·18	·03	·21	–								19
20	·05	·70	·07	·01	–								20
21	·04	·04	·05	·07	·03								21
22	trace	–	trace flakes	trace	–								22
23	·06	trace flakes	trace flakes	·09	–								23
24	–	snow ·06	·03	·20	·05								24
25	·08	snow ·12	·14	–	·05								25
26	·02	·02	·12	–	·01								26
27	·02	–	1·32	–	–								27
28	–	·02	trace flakes	–	–								28
29	–	·10	·06	–	–								29
30	–	X	trace	–	–								30
31	–	X	–	X	–	X			X		X		31
Total	1·77 ✓	6.15 6·15	3·06 ✓	1·11 ✓	1.79 1·79								YEAR'S TOTAL
Rain Days.	20 ✓	25 ✓	20 ✓	11 ✓	16 ✓								

Em...

RE

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

BODMIN

CASTLE HILL

CORNWALL

1911, ~~1~~1914 - 1920

Kept at Castle Hil

in the County of C

by Joh

...d's Rain Gauge

... in.

...round — ft. 9 in.

...a Level 480 ft.

...m.

...me Bodmin

...tance ·5 Direction S.W.

IMPORTANT NOTE.— ...he result entered to the previous day. If an Obse... ...sal rule, he is earnestly requested to add the readin... ...in the space provided for it at the end of this ... of rain, the selection and placing ... Rainfall Organization are given in "R... ...pplication to Dr. H. R. Mill, 62, Camden

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	—	·01	·17	·24	·03	·02	·02	—	—	·05	·03	1
2	·03	—	·06	·01	·23	—	—	·29	—	·33	·16	·34	2
3	—	—	·09	—	·34	—	—	·06	·03	—	·25	·22	3
4	—	—	·11	—	·03	—	—	·43	·02	—	·32	·80	4
5	·47	—	·38	—	—	—	—	·66	—	·01	·11	·09	5
6	·25	—	·41	—	—	—	—	·03	—	—	·10	1·64	6
7	·15	—	·01	·03	—	—	—	—	—	—	·64	·03	7
8	·11	—	·18	—	—	·06	—	—	—	—	·08	·87	8
9	·13	—	·02	—	—	—	—	—	—	—	·25	1·14	9
10	·05	·05	·97	—	·01	—	—	—	—	—	·13	·46	10
11	·48	—	—	—	—	—	—	—	·11	—	·58	·16	11
12	—	·02	·46	—	·25	—	—	—	·44	—	·14	·52	12
13	—	—	·14	—	·02	—	—	—	·06	—	·12	·21	13
14	—	·15	·15	·01	—	—	—	—	—	·06	·36	·71	14
15	—	·09	·12	—	—	·06	—	—	—	—	·39	·13	15
16	—	·04	—	·01	—	·83	·01	—	—	—	·18	·49	16
17	—	·12	·50	·26	—	·26	—	—	—	·03	·47	1·31	17
18	—	·36	·13	·33	·01	·51	—	—	—	·04	·97	·45	18
19	—	·14	—	·07	—	·23	—	—	·37	·10	1·09	·91	19
20	·03	·08	·08	·15	—	·04	—	·01	·28	1·21	·01	·63	20
21	·09	·20	·12	·01	—	·04	·02	—	·26	·22	—	·21	21
22	·04	·05	·01	·16	—	·11	—	—	·48	·16	·02	·63	22
23	·02	·21	·02	·02	—	·12	—	·07	·20	·32	·11	·38	23
24	·02	·31	·02	—	—	·53	—	·09	—	·22	—	·29	24
25	·08	·04	—	·23	—	·03	—	·02	·15	·27	—	31	25
26	·03	·09	—	·39	—	—	·22	·16	—	·99	·02	·32	26
27	—	·58	·03	·02	—	·05	—	·41	·26	·08	—	·42	27
28	—	·17	·03	·51	—	·02	—	·10	·03	·01	·08	·02	28
29	—	X	·03	·25	·09	·85	·59	—	·23	·23	·01	·01	29
30	—	X	·02	·01	—	·05	·43	·01	·04	·29	·36	·19	30
31	—	X	—	X	—	X	·04	—	X	·07	X	·01	31
Total	2·15	2·70	4·10	2·64	1·22	3·82	1·33	2·36	2·96	4·64	7·00	13·93	TOTAL for year 48·85
No. of Rain Days	11	17	25	18	9	17	7	14	15	18	26	31	213

7,000. X. '09.

RE

d's Rain Gauge.

FORM A2.
BRITISH RAINFALL.
3 JAN 1912

Kept at Castle Hill, Bodmi
in the County of Cornwall
by John J. Every.

RAIN GAUGE
Diameter of top in.
Height of top above Ground — ft. 9 in.
" " " Sea Level 480 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Bodmin
Distance ·5 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·17	—	·01	·17	·24	·03	·02	·02	—	—	·05	·03	1
2	·03	—	·06	·01	·23	—	—	·29	—	·33	·16	·34	2
3	—	—	·09	—	·34	—	—	·06	·03	—	·25	·22	3
4	—	—	·11	—	·03	—	—	·43	·02	—	·32	·80	4
5	·47	—	·38	—	—	—	—	·66	—	·01	·11	·09	5
6	·25	—	·41	—	—	—	—	·03	—	—	·10	1·64	6
7	·15	—	·01	·03	—	—	—	—	—	—	·64	·03	7
8	·11	—	·18	—	—	·06	—	—	—	—	·08	·87	8
9	·13	—	·02	—	—	—	—	—	—	—	·25	1·14	9
10	·05	·05	·97	—	·01	—	—	—	—	—	·13	·46	10
11	·48	—	—	—	—	—	—	—	·11	—	·58	·16	11
12	—	·02	·46	—	·25	—	—	—	·44	—	·14	·52	12
13	—	—	·14	—	·02	—	—	—	·06	—	·12	·21	13
14	—	·15	·15	·01	—	—	—	—	—	·06	·36	·71	14
15	—	·09	·12	—	—	·06	—	—	—	—	·39	·13	15
16	—	·04	—	·01	—	·83	·01	—	—	—	·18	·49	16
17	—	·12	·50	·26	—	·26	—	—	—	·03	·47	1·31	17
18	—	·36	·13	·33	·01	·51	—	—	—	·04	·97	·45	18
19	—	·14	—	·07	—	·23	—	—	·37	·10	1·09	·91	19
20	·03	·08	·08	·15	—	·04	—	·01	·28	1·21	·01	·63	20
21	·09	·20	·12	·01	—	·04	·02	—	·26	·22	—	·21	21
22	·04	·05	·01	·16	—	·11	—	—	·48	·16	·02	·63	22
23	·02	·21	·02	·02	—	·12	—	·07	·20	·32	·11	·38	23
24	·02	·31	·02	—	—	·53	—	·09	—	·22	—	·29	24
25	·08	·04	—	·23	—	·03	—	·02	·15	·27	—	31	25
26	·03	·09	—	·39	—	—	·22	·16	—	·99	·02	·32	26
27	—	·58	·03	·02	—	·05	—	·41	·26	·08	—	·42	27
28	—	·17	·03	·51	—	·02	—	·10	·03	·01	·08	·02	28
29	—	X	·03	·25	·09	·85	·59	—	·23	·23	·01	·01	29
30	—	X	·02	·01	—	·05	·43	·01	·04	·29	·36	·19	30
31	—	X	—	X	—	X	·04	—	X	·07	X	·01	31
Total	2·15	2·70	4·10	2·64	1·22	3·82	1·33	2·36	2·96	4·64	7·00	13·93	TOTAL for year 48·85
No. of Rain Days	N,	17	25	18	9	17	7	14	15	18	26	31	213

7,000. X. '09.

Ex DL

FORM A2.
BRITISH RAINFALL.

3 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Castle Hill, Bodmin

in the County of Cornwall

by Revd. John J. Every

Rain Gauge
Pattern Howard's Raingauge
Diameter of top 5 in.
Height of top above Ground — ft. 9 in.
" " " Sea Level 400 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bodmin L.S.W
Distance ½ m Direction W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·08	·01	·07	·89	·15	·26	·20	·39	·01	·17	1
2	—	—	·37	·11	—	1·38	·04	—	·02	·06	—	—	2
3	·06	—	·36	·05	—	·23	·02	1·62	·16	—	—	·05	3
4	·46	—	·77	·02	·07	·22	—	·17	—	—	·39	·03	4
5	·68	·28	·25	·04	·06	·03	·03	1·99	—	—	·06	·23	5
6	·44	·03	·04	·03	·36	·02	·01	·57	—	—	·03	·05	6
7	·18	1·23	·67	·08	·16	·23	·11	·53	·01	—	·06	·20	7
8	·59	·16	·09	·02	·02	·34	·01	·01	·01	—	—	—	8
9	·01	·38	·12	·04	—	·55	·22	—	—	—	·02	·68	9
10	·41	·17	·18	·15	·01	·19	·08	·07	—	·01	·30	·20	10
11	·01	·18	·02	·01	—	·12	·01	·06	—	·01	·32	·57	11
12	·05	·10	·26	·02	·10	—	·30	·36	—	—	·64	·03	12
13	·44	·01	·04	·05	·02	·09	·03	·16	—	·07	·02	·32	13
14	·23	·28	·48	—	·06	·06	—	·24	·02	·01	—	·14	14
15	1·24	·13	·03	—	·25	·82	—	·01	—	—	·05	·68	15
16	·39	·02	·45	—	—	·08	—	·25	—	·14	·09	·25	16
17	·01	—	·22	—	·05	·25	—	·55	—	—	·09	·12	17
18	—	·12	·21	—	—	·01	—	1·03	—	·17	·10	·05	18
19	—	·09	·29	—	·03	·04	·06	·61	—	·04	·06	·08	19
20	·07	·15	·53	·06	·09	—	—	·07	—	·44	·11	—	20
21	·01	·37	·26	·01	·47	—	1·26	·14	—	·21	—	—	21
22	·25	·31	·27	—	·02	·21	·04	·38	—	·08	·01	·17	22
23	·12	·67	·32	—	—	·17	·10	1·08	—	·35	·13	·27	23
24	·11	·05	·08	—	—	·39	·21	·01	—	·20	—	·19	24
25	·03	·04	·01	—	—	·20	·06	·06	—	·33	·69	·74	25
26	—	·01	—	—	—	—	·16	·28	—	·42	·61	·59	26
27	—	·05	·03	—	—	·77	·86	·37	—	1·12	·09	·53	27
28	—	·21	·02	—	·01	·05	·65	·85	·53	·22	·40	·43	28
29	—	·38	·03	—	—	·57	·18	·07	·39	·31	—	·25	29
30	—	X	·01	·04	·07	·13	·25	—	·14	·57	·02	—	30
31	—	X	·32	X	·52	X	·32	·04	X	·20	X	·10	31
Total	5·79	5·42	6·81	·74	2·44	8·04	5·16	11·84	1·48	5·35	4·30	7·72	TOTAL for year
No. of Rain Days.	21	24	30	16	19	26	24	28	9	21	23	26	64·49

267

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
4 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Castle Hill House Bodmin

in the County of Cornwall

by W. Garneys Wales Assoc. M. Inst. C.E.

Lat. 50° 28′ 27″ Long. 4° 42′ 38″
Time of Observation 9 a.m.
Nearest Railway Station Bodmin L. & S. W. Ry.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 484 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	0.01	0.05	0.24	-	0.16	0.03	0.67	-	-	1.18	0.06	1
2	0.04	-	0.13	0.03	0.19	0.02	0.35	0.01	-	-	-	0.47	2
3	0.05	-	0.24	0.18	0.40	0.04	0.05	0.75	-	-	0.09	0.17	3
4	0.29	-	0.12	0.33	0.08	-	1.33	0.75	0.79	-	0.02	0.73	4
5	0.18	-	0.35	0.29	0.09	-	0.11	0.01	-	-	0.03	0.06	5
6	0.01	0.20	0.25	0.28	0.15	-	0.05	0.08	-	-	0.06	·68	6
7	0.02	0.74	0.55	0.15	0.10	·18	0.38	0.23	1.07	-	-	0.23	7
8	0.13	0.01	1.11	0.16	0.02	0.29	0.01	0.06	0.19	-	0.01	-	8
9	0.02	0.17	0.28	0.08	0.07	0.75	-	0.10	0.60	-	0.01	-	9
10	0.08	0.79	0.12	0.65	0.26	0.08	-	-	0.28	-	0.05	0.62	10
11	-	0.29	0.75	-	0.03	0.12	-	-	0.13	-	0.11	1.14	11
12	-	0.70	0.22	-	-	-	-	-	0.18	0.08	0.20	0.44	12
13	-	0.39	0.46	-	-	-	0.23	-	0.26	0.27	0.43	0.12	13
14	-	0.25	0.34	-	-	·86	0.07	0.11	0.06	0.08	0.58	·57	14
15	-	0.06	0.22	-	-	-	0.02	0.07	0.06	-	0.56	1.21	15
16	-	-	0.02	-	-	-	0.11	-	0.32	-	-	0.08	16
17	-	0.44	0.43	-	-	-	0.12	-	0.01	-	-	0.78	17
18	-	0.15	0.14	-	-	-	0.08	-	0.31	-	-	0.27	18
19	-	0.04	0.59	-	-	-	1.17	-	0.03	-	0.18	0.11	19
20	-	0.60	0.30	-	-	0.69	0.02	0.08	-	0.03	-	0.36	20
21	-	0.44	0.03	-	-	0.03	0.08	0.03	-	0.43	-	0.02	21
22	-	0.10	0.12	0.02	0.01	0.03	-	0.03	-	0.35	-	-	22
23	-	0.04	0.15	-	0.01	0.01	0.08	0.11	-	·33	-	-	23
24	-	-	0.02	-	-	0.05	0.04	0.01	-	·05	0.06	-	24
25	0.12	0.01	0.22	-	-	0.02	0.09	0.42	-	·58	0.05	0.56	25
26	0.05	0.28	0.16	-	-	-	0.40	0.01	-	0.11	0.19	0.77	26
27	0.18	0.22	-	-	-	-	0.18	-	0.01	0.21	0.28	0.36	27
28	0.02	0.05	0.44	-	0.04	-	-	-	-	0.29	0.13	0.99	28
29	0.31	X	0.35	-	0.11	-	0.66	-	-	0.06	·65	0.27	29
30	0.01	X	0.12	0.02	-	-	-	-	-	0.07	0.40	0.71	30
31	0.05	X	-	X	0.03	X	0.89	-	X	0.30	X	0.54	31
Total	1.56	5.98	8.28	2.43	1.59	3.33	6.55	3.53	4.30	3.24	5.27	12.32	YEAR'S TOTAL 58.38
Rain Days.	~~16~~	~~22~~	~~29~~	~~12~~	~~15~~	~~15~~	~~24~~	~~18~~	~~15~~	~~15~~	~~21~~	~~26~~	~~228~~

W. 8,000. X. 14.

W D cnd pr auth 16-11-16 2000

REGISTER OF RAINFALL IN 19 15

FORM A. BRITISH RAINFALL. 4 JAN 1916

Kept at Castle Hill House, Bodmin

in the County of Cornwall 1

by W. Garneys Wales Assoc. M. Inst. C. E.

Lat. 50°.28'.27" Long. 4°.42'.38"

Time of Observation 9.0 a.m.

Nearest Railway Station Bodmin L. & S. W. Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 484 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.40	0.38	0.01	–	0.12	–	–	0.44	0.26	0.43	–	0.28	1
2	0.33	0.41	0.11	0.05	–	0.12	0.01	–	0.14	0.01	–	0.44	2
3	0.10	0.32	0.13	0.20	0.11	–	0.05	–	–	–	–	0.60	3
4	0.27	0.26	0.05	0–	0.09	–	0.05	0.32	–	–	–	0.34	4
5	0.04	1.34	0.03	0.34	–	0.02	–	0.06	–	–	–	1.47	5
6	0.50	0.27	–	0.36	–	–	0.49	0.04	–	–	–	0.15	6
7	0.48	0.59	–	0.06	–	–	0.58	–	–	1.19	0.03	0.27	7
8	0.21	0.49	–	0.02	–	–	–	0.09	–	0.06	0.16	0.21	8
9	0.03	0.37	–	0.32	–	–	–	0.02	–	–	0.71	0.90	9
10	0.38	0.22	0.19	0.23	–	0.12	–	0.36	–	0.70	0.06	0.09	10
11	0.07	0.01	0.15	0.02	–	–	0.02	0.09	–	0.06	1.33	0.37	11
12	0.11	0.73	–	0.05	0.53	–	–	0.16	–	0.09	0.38	0.15	12
13	0.06	0.83	0.01	0.03	0.42	–	~~0.15~~	0.05	0.04	0.05	0.22	0.04	13
14	–	0.10	–	0.07	–	0.08	0.35	0.07	0.22	–	0.25	1.37	14
15	0.25	–	–	–	0.39	0.05	1.49	0.02	0.06	–	0.04	0.08	15
16	0.02	2.00	–	–	0.43	–	0.02	–	–	0.01	–	–	16
17	0.06	0.19	–	–	0.05	–	–	–	–	–	–	0.18	17
18	0.11	0.23	0.01	–	–	–	0.07	–	–	–	–	–	18
19	0.02	0.06	–	0.05	0.55	–	0.10	–	–	–	–	–	19
20	0.62	0.09	–	0.08	0.07	0.24	0.03	–	–	0.47	–	–	20
21	0.14	0.15	–	–	0.08	0.11	0.32	–	–	0.02	–	0.02	21
22	0.19	0.35	0.29	0.06	–	0.03	0.19	–	0.17	0.27	–	0.57	22
23	0.07	0.13	0.01	–	–	0.06	0.06	–	0.03	0.34	–	0.62	23
24	–	–	0.07	0.02	–	0.11	0.03	–	0.08	0.88	–	0.20	24
25	0.05	–	–	–	–	0.14	0.05	–	–	–	0.04	0.35	25
26	0.26	0.40	–	–	–	0.64	0.03	–	0.16	–	–	0.77	26
27	0.03	0.05	–	–	–	0.52	–	–	0.11	0.69	–	0.02	27
28	–	0.09	–	–	–	0.14	–	–	0.34	0.39	0.02	0.06	28
29	–	X	–	–	–	0.18	–	0.10	0.44	–	0.22	0.15	29
30	0.24	X	–	–	–	0.02	0.10	–	0.07	0.84	0.37	0.41	30
31	0.03	X	–	X	–	X	0.57	0.06	X	0.63	X	0.28	31
Total	5.07	10.06	1.00	1.90	2.84	2.58	4.76	1.88	2.12	~~[illegible]~~ 7.13	3.83	10.39	YEAR'S TOTAL ~~53.51~~ 53.56
Rain Days.	27	25	12	16	11	16	21	14	13	18	13	27	213

W. 8,000. X. 15.

1885 1944

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Castle Hill House, Bodmin
in the County of Cornwall
by W. Garneys Wales Assoc M. Inst. C.E.

Lat. 50° 28′ 27″ Long. 4° 42′ 38″
Time of Observation 9.0 a.m
Nearest Railway Station Bodmin. L. & S. W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 484 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.22	–	0.05	–	0.14	–	0.28	–	0.01	0.53	0.05	–	1
2	0.34	0.18	0.20	–	0.03	–	–	–	0.46	0.21	0.62	–	2
3	0.03	1.83	–	–	0.10	0.14	0.27	–	0.03	0.46	0.40	0.04	3
4	0.24	0.32	–	0.02	0.09	0.28	0.36	–	0.09	0.05	1.03	–	4
5	0.05	0.08	0.04	–	09	0.06	0.02	–	–	0.11	0.54	0.06	5
6	0.08	0.43	–	–	08	0.16	0.46	–	–	0.21	0.95	–	6
7	0.06	0.27	–	–	39	–	–	–	–	0.02	0.83	0.15	7
8	0.08	0.27	0.18	–	0.26	0.02	–	–	–	0 – –	·25	0.33	8
9	0.01	0.31	0.10	–	0.01	0.07	0.08	–	–	0.28	0.31	0.65	9
10	–	1.33	–	0.16	0.05	0.13	0.01	–	–	0.04	0.06	0.06	10
11	–	0.03	–	0.10	0.14	–	0.09	–	0.03	–	0.03	–	11
12	0.12	0.11	–	0.09	0.04	–	0.04	0.12	0.03	0.41	0.01	–	12
13	–	0.35	0.07	0.03	0.04	–	0.04	0.13	–	0.01	0.02	0.12	13
14	0.05	0.34	0.16	–	0.07	–	–	0.18	–	0.07	0.02	–	14
15	0.05	0.41	0.14	0.14	–	–	–	0.03	0.02	0.02	–	–	15
16	0.12	0.10	–	0.16	0.02	–	0.02	0.73	–	0.27	0.35	–	16
17	0.20	0.10	0.07	–	–	–	–	0.07	0.03	0.33	1.94	–	17
18	0.01	0.22	0.41	0.10	–	–	–	0.02	0.30	0.12	0.21	–	18
19	0.25	0.12	0.02	0.25	–	–	–	–	0.10	–	1.05	0.28	19
20	0.06	0.79	0.03	–	–	–	–	–	–	–	0.37	·32	20
21	0.08	0.03	0.09	0.07	0.08	–	–	–	–	–	0.06	0.28	21
22	0.03	–	0.03	–	–	0.24	·84	0.12	–	0.51	0.07	0.50	22
23	0.08	–	0.04	0.06	–	0.16	–	0.26	–	0.14	0.36	0.20	23
24	–	0.14	0.13	0.06	0.10	0.05	–	0.32	–	0.71	0.02	0.39	
25	–	0.33	0.24	–	0.09	0.09	–	0.31	–	0.09	0.24	0.02	
26	0.02	0.03	0.05	0.02	–	0.06	–	0.27	0.95	1.17	0.19	–	
27	0.02	0.04	2.23	–	–	0.05	–	0.10	0.29	0.49	–	–	
28	–	0.07	0.04	–	–	0.03	–	0.16	0.65	1.06	–	0.57	2
29	–	0.31	0.02	–	–	0.57	–	0.38	0.05	0.23	–	0.41	2
30	–	✗	–	–	–	–	–	0.01	–	0.23	–	0.02	30
31	–	✗	–	✗	0.10	✗	–	0.11	✗	0.07	✗	0.05	31
99 Total	2.20	8.54	4.34	1.26	1.92	2.11	2.51	3.32	3.04	7.84	9.98	4.45	YEAR'S TOTAL 51.51
Rain Days.	22	26	21	13	19	15	12	17	14	26	25	18	228

W. 8,000, VIII. 16

and C.J.E. 1885 1656

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Castle Hill House, Bodmin

in the County of Cornwall

by W. Garneys Wake Assoc. M. Inst. C.E.

Lat. 50° 28' 27" Long. 4° 42' 38"

Time of Observation 9 a.m.

Nearest Railway Station Bodmin L. & S. W. Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 484 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
17													
1	0.03	-	-	0.43	-	0.08	-	-	-	-	0.13	-	1
2	05	-	-	0.20	-	0.04	-	-	-	0.03	0.27	0.02	2
3	0.18	-	-	0.04	-	-	0.04	-	-	0.49	0.36	-	3
4	-	-	0.91	-	-	-	-	-	0.16	0.45	0.01	-	4
5	0.27	0.29	0.75	0.28	0.19	0.06	-	-	-	0.28	0.09	-	5
6	-	-	0.42	0.05	-	0.18	-	-	-	0.11	0.12	0.05	6
7	0.81	-	-	0.08	-	0.01	0.27	0.82	-	0.18	0.11	0.05	7
8	0.05	-	0.49	0.10	-	0.20	0.19	0.21	0.08	0.42	0.32	0.51	8
9	-	-	0.06	0.12	0.12	-	-	-	0.05	0.23	0.33	0.08	9
10	0.54	-	0.51	0.40	-	-	-	0.33	-	0.17	0.15	-	10
11	0.05	-	0.42	0.26	-	-	-	-	-	0.69	0.50	-	11
12	0.33	-	0.05	0.09	0.32	-	-	0.34	-	0.88	-	-	12
13	0.20	-	0.17	0.07	0.01	0.05	-	0.17	0.37	.48	-	0.04	13
14	-	-	-	0.07	-	-	-	0.18	0.11	0.30	0.03	0.03	14
15	0.01	-	-	-	0.01	-	-	-	0.03	0.14	-	0.26	15
16	-	0.04	-	0.04	-	-	-	-	0.02	0.25	0.04	0.30	16
17	-	0.08	0.03	0.23	0.07	-	0.50	0.17	0.31	0.11	-	-	17
18	-	0.05	-	0.06	0.25	0.06	0.38	0.03	0.77	0.08	-	-	18
19	-	0.48	-	0.01	-	0.22	0.26	-	-	-	0.01	-	19
20	-	0.34	0.19	-	0.92	0.54	0.02	-	0.09	-	0.03	-	20
21	-	0.01	0.18	-	0.03	0.26	0.02	0.15	-	0.04	0.17	0.11	21
22	-	-	-	-	0.18	-	-	1.08	-	0.18	0.01	-	22
23	-	0.19	-	-	0.11	0.06	-	0.40	-	0.14	0.10	0.01	23
24	-	0.02	-	-	-	0.02	0.13	-	-	0.22	0.15	0.08	24
25	-	0.05	0.03	-	-	0.02	0.06	1.26	0.10	0.19	0.02	—	25
26	-	-	0.01	-	0.28	0.22	0.05	0.24	0.13	0.07	0.13	-	26
27	-	-	-	-	-	1.08	-	1.57	-	0.16	0.10	-	27
28	-	0.04	0.31	-	0.02	1.74	0.01	0.76	-	0.08	0.03	-	28
29	-		0.23	-	-	0.01	-	0.05	-	0.65	0.02	0.07	29
30	-		0.16	-	-	-	-	0.21	-	-	0.02	-	30
31	-		0.24		0.40		-	0.07		0.22		-	31
99 Total	2.52	1.59	5.16	2.53	2.91	4.85	1.93	8.04	2.22	7.24	3.25	1.61	YEAR'S TOTAL 43.85
Rain Days.	X	11	18	17	14	18	12	18	12	27	25	13	196

W, 8,000, IX. 17.

[illegible] 1885

FORM A. BRITISH RAINFALL.

2.1.19

REGISTER OF RAINFALL IN 1918

Kept at Castle Hill House, Bodmin

in the County of Cornwall.

by W. Garneys Wales Assoc. M. Inst. C.E.

Lat. 50° 28′ 27″ Long. 4° 42′ 38″

Time of Observation 9.0 a.m.

Nearest Railway Station Bodmin L. & S.W. Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 484 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.02	0.27	-	0.09	0.03	-	-	-	0.02	0.24	1.85	0.18	1
2	-	0.72	-	0.02	-	-	-	1.20	0.03	0.01	0.06	-	2
3	-	0.40	-	0.22	0.23	-	-	0.16	0.04	-	0.34	0.10	3
4	-	0.06	-	0.08	-	-	-	0.01	0.14	0.15	.45	0.85	4
5	0.07	0.04	0.30	0.15	-	-	-	0.30	0.60	-	0.30	0.37	5
6	0.30	0.36	0.56	0.22	-	-	-	0.52	0.59	0.18	-	0.20	6
7	0.25	0.21	-	0.03	-	-	-	0.14	0.40	0.28	0.41	0.72	7
8	0.04	0.03	-	-	-	0.05	-	0.04	0.15	0.67	-	0.20	8
9	0.08	-	-	-	-	0.08	0.04	-	0.60	0.05	-	0.05	9
10	.08	0.01	-	0.14	-	0.20	0.31	0.03	0.03	0.08	-	0.10	10
11	.02	0.03	0.17	0.02	0.02	0.01	0.20	-	0.25	0.48	0.11	0.05	11
12	-	0.15	0.03	-	0.15	-	0.07	-	0.49	0.18	-	-	12
13	-	0.01	-	-	0.20	-	0.27	-	0.28	0.34	-	0.40	13
14	0.49	-	0.01	-	0.05	-	0.16	-	0.16	0.21	-	0.18	14
15	0.87	-	-	-	0.01	0.09	0.04	-	0.20	0.47	-	0.41	15
16	0.82	-	-	0.23	-	0.21	0.95	-	0.21	0.06	-	0.30	16
17	0.30	-	-	-	-	-	0.21	-	0.55	0.01	-	0.24	17
18	1.16	0.08	0.28	0.04	-	0.02	0.19	0.02	-	0.20	-	0.48	18
19	0.26	0.10	0.03	0.12	-	0.49	0.11	0.04	0.20	-	-	0.10	19
20	0.29	0.09	-	0.30	-	-	0.23	0.02	0.16	-	-	0.57	20
21	0.45	0.04	-	0.06	-	0.17	0.23	0.01	0.36	.19	-	0.32	21
22	0.02	-	-	-	.15	0.01	0.06	-	0.20	0.02	-	0.18	22
23	0.10	0.01	-	-	-	-	0.88	-	.08	-	0.18	0.29	23
24	0.06	0.22	-	-	-	0.13	0.34	-	0.10	-	0.19	-	24
25	0.02	-	-	-	0.13	0.01	0.02	0.26	0.16	0.09	0.25	0.03	25
26	0.07	0.40	-	0.07	-	-	0.12	0.33	27	0.05	0.11	0.40	26
27	0.01	0.28	0.17	-	-	-	0.30	0.02	—	0.04	0.22	0.09	27
28	-	0.43	0.16	-	-	-	0.01	0.11	25	0.03	0.49	0.13	28
29	-	×	0.13	-	-	-	-	0.02	125	-	0.08	0.21	29
30	-	×	0.36	0.45	-	-	-	-	—	0.10	0.18	0.23	30
31	-	×	0.27	×	-	×	-	0.10	×	0.31	×	0.04	31
Total	5.82	3.94	2.47	2.24	0.97	1.47	4.74	3.33	7.77	~~6.15~~ 4.44	5.22	7.42	YEAR'S TOTAL ~~[illegible]~~ 49.83
Rain Days.	22	21	12	16	9	12	20	18	27	24	15	28	224

W. 8,000. X. 15.

20.3.20 [illegible] obs. agrees – 1885 1744

30 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Castle Hill House, Bodmin
in the County of Cornwall
by W. Garneys Wales Assoc. M. Inst. C. E.

Lat. 50° 28' 27" Long. 4° 42' 38"
Time of Observation 9.0 a.m.
Nearest Railway Station Bodmin L. & S. W. Ry.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 484 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.65	–	0.53	–	0.13	–	0.18	–	0.26	0.10	–	0.94	1
2	0.17	–	0.05	–	0.02	–	–	–	0.02	–	–	0.13	2
3	–	–	0.36	–	0.17	–	–	–	0.14	–	–	0.28	3
4	0.11	0.92	0.29	–	–	0.01	–	0.44	0.49	–	–	–	4
5	0.15	0.23	0.08	–	0.04	–	–	–	–	–	–	0.04	5
6	0.76	1.09	–	–	–	–	–	–	–	–	–	0.20	6
7	0.42	–	0.42	0.14	–	0.02	~~0.27~~	–	0.01	–	–	0.14	7
8	0.52	–	·25	0.04	0.01	0.02	–	–	–	–	0.75	–	8
9	0.15	–	–	0.36	0.29	–	–	–	–	–	0.15	0.20	9
10	0.30	–	0.63	0.03	0.01	0.02	–	–	–	0.10	0.02	1.30	10
11	–	0.21	0.60	0.18	0.29	0.01	0.10	–	0.01	0.03	0.28	0.07	11
12	0.13	0.25	0.10	0.05	0.01	–	–	–	–	0.18	–	–	12
13	·25	0.07	0.25	0.54	–	–	0.03	–	–	0.16	–	0.44	13
14	·45	0.72	–	0.62	0.30	–	0.02	–	–	0.05	–	0.49	14
15	0.28	51	–	0.08	–	0.01	–	–	–	0.16	0.01	0.52	15
16	0.29	0.80	–	–	0.15	0.01	0.03	–	–	0.10	0.58	0.01	16
17	0.06	0.43	–	–	–	–	0.02	0.02	–	–	0.49	0.01	17
18	0.26	0.06	0.54	–	0.04	0.15	0.19	0.22	0.10	–	0.43	0.04	18
19	0.48	0.81	0.10	–	–	–	0.02	0.45	0.25	–	0.12	0.20	19
20	0.35	–	0.21	–	0.14	0.18	–	0.05	0.37	0.02	0.59	0.19	20
21	–	0.24	–	–	·85	–	0.20	0.02	0.09	–	0.08	0.17	21
22	–	–	~~0.87~~	–	0.01	–	0.05	–	0.23	–	0.05	0.20	22
23	–	–	–	–	–	0.07	–	0.07	–	0.18	0.05	0.16	23
24	0.11	–	–	–	–	0.31	–	–	0.03	0.09	0.09	0.30	24
25	0.12	0.06	–	–	–	0.02	–	0.24	–	0.01	0.25	0.15	25
26	–	0.07	0.20	0.15	–	–	–	0.05	0.15	0.02	0.12	0.45	26
27	0.17	0.03	0.03	0.40	–	0.01	–	1.21	0.03	0.01	–	0.13	27
28	0.02	0.18	0.28	0.66	–	–	–	0.05	–	0.10	0.39	0.66	28
29	–	~~0.02~~	0.12	0.17	–	–	–	0.21	–	0.07	–	0.06	29
30	–		0.05	0.20	–	0.22	–	0.11	–	–	0.66	0.75	30
31	–		0.18		–		–	–		–		0.60	31
99 TOTAL	6.20	68 6.~~70~~	5.27 ~~[illegible]~~	3.62	2.46	1.06	0.84	3.14 ~~2.14~~	2.18	1.38	5.11	8.83	YEAR'S TOTAL 46.7[illegible]
Days with ·01 in. or more	22	18	20	14	15	14	10	13	14	16	18	28	202

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Gon 82 1682

1885

8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Castle Hill House Bodmin

in the County of Cornwall

by W. Garneys Wales A.M.I.C.E.

Lat. 50° 28' 27" Long. 4° 42' 38"

Time of Observation 9.0 a.m.

Nearest Railway Station Bodmin L. & S.W. Ry.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 484 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0.04	-	-	0.10	0.86	-	0.84	0.03	0.11	0.40	-	·87	1
2	0.68	-	-	0.18	-	-	0.07	0.48	0.33	0.23	-	0.12	2
3	0.64	0.07	-	0.04	0.05	-	0.06	0.01	0.08	1.42	-	0.24	3
4	-	-	0.08	-	-	-	-	0.86	0.01	0.45	-	0.02	4
5	-	0.01	0.06	-	0.30	-	0.41	0.27	0.02	0.30	-	-	5
6	-	-	0.41	0.10	0.19	-	0.17	0.01	-	0.49	-	-	6
7	0.07	-	0.12	0.28	0.05	-	1.05	-	0.01	0.01	0.03	0.11	7
8	0.07	0.03	0.03	0.20	0.09	-	0.09	0.01	-	0.03	-	0.16	8
9	1.18	0.06	-	0.05	-	0.01	0.37	0.02	-	-	-	-	9
10	0.65	0.25	·05	0.11	-	0.46	0.41	-	-	-	-	-	10
11	0.47	-	0.17	0.84	0.24	-	0.18	-	-	-	-	-	11
12	0.25	0.10	0.08	0.54	0.03	0.01	·15	0.01	-	0.20	0.24	-	12
13	0.12	0.02	0.41	0.03	-	0.31	0.01	-	-	0.66		0.02	13
14	0.13	0.20	0.46	0.61	-	0.01	0.03	-	0.20	0.64	0.26	-	14
15	0.03	0.13	0.02	0.26	-	-	-	0.01	0.03	0.54	0.27	-	15
16	-	0.05	0.17	-	-	0.07	0.11	0.01	0.07	0.23	0.04	-	16
17	0.14	-	0.03	0.38	0.26	-	0.01	-	0.30	0.39	-	-	17
18	0.24	0.01	0.01	0.11	0.07	0.37	0.05	0.32	0.12	-	-	-	18
19	0.17	-	-	0.49	0.02	0.38	-	0.03	0.08	0.02	-	-	19
20	0.12	-	-	0.16	-	0.10	0.04	-	0.25	0.50	-	0.36	20
21	0.01	-	-	0.33	-	-	0.03	-	0.02	-	-	0.24	21
22	0.03	-	-	0.04	-	-	0.02	-	-	-	-	0.23	22
23	0.01	-	0.02	-	-	-	0.35	0.28	-	-	-	0.50	23
24	0.03	-	0.32	0.06	-	-	0.05	0.01	-	-	0.25	0.14	24
25	0.26	0.07	0.21	-	0.01	0.03	0.85	-	-	-	0.01	0.01	25
26	0.47	0.03	·23	-	-	0.03	0.08	-	-	-	0.19	0.10	26
27	0.87	0.20	0.20	0.25	0.02	0.34	0.10	-	-	-	1.15	·85	27
28	0.65	0.03	0.53	0.03	-	0.11	0.13	-	-	-	0.11	0.09	28
29	0.41	0.02	0.59	0.05	0.12	0.03	0.02	-	0.02	-	0.47	0.32	29
30	0.26	✕	-	-	-	0.24	0.43	-	2.35	0.65	0.33	0.70	30
31	0.15	✕	0.47	✕	-	✕	0.07	-	✕	1.40	✕	0.17	31
99 TOTAL	8.15	1.28	4.67	5.24	2.31	2.50	6.18	2.36	4.00	8.56	3.35	5.25	YEAR'S TOTAL 53·85
Days with ·01 in. or more	27	16	22	23	14	15	28	15	16	18	12	19	225
Days with ·04 in. or more	22	9	17	21	10	9	22	5	10	15	10	16	166

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

BODMIN

(POLGWIN)

CORNWALL

1911 – 1920

FORM A2.
BRITISH RAINFALL.

18 MAR 1912

R

1

Kept at Polgwi

in the County of Co

by H. S. Fo

5 in.

ve Ground 1 ft. in.

Sea Level 280 ft.

30 A.M.

Name Bodmin

Distance ½ mile Direction S

IMPORTANT NO … nd the result entered to the previous day. If an … niversal rule, he is earnestly requested to add the r … year in the space provided for it at the end of … rement of rain, the selection and pla … British Rainfall Organization are given … n application to Dr. H. R. Mill, 62, C

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.14			.16	.19	.02	.02	.02			.04	.01	1
2	.02		.04		.14			.28		.34	.14	.32	2
3			.07		.28			.05	.02		.28	.22	3
4			.09		.02			.50			.36	.70	4
5	.50		.37					.52		.01	.11	.18	5
6	.21		.33								.10	1.51	6
7	.14			.02							.81	.05	7
8	.09		.15			.65					.06	.77	8
9	.11		1.02								.20	.95	9
10	.06	.05									.16	.45	10
11	.43								.10		.49	.16	11
12			.42		.22				.41		.13	.50	12
13			.23		.01				.05		.10	.15	13
14		.14	.05	.01						.05	.36	.65	14
15		.07	.08			.03					.43	.13	15
16		.03		.01		.75	.01				.17	.40	16
17		.10	.39	.30		.28				.03	.60	1.10	17
18		.34	.08	.31		.50					.80	.31	18
19		.11		.01		.22			.35	.08	.60	.82	19
20	.03	.09	.08	.15		.03			.34	1.20		.62	20
21	.08	.20	.09	.02		.04	.02		.24	.21	.01	.26	21
22	.02	.05		.13		.08	.21		.45	.16		.45	22
23	.01	.21	.02	.01		.11		.12	.17	.32	.09	.20	23
24	.02	.28	.01			.43		.01	.12	.24		.30	24
25	.06	.02		.17		.02		.02	.15	.26		.18	25
26	.01	.07		.35				.13	[illegible]	.99	.01	.32	26
27		.61	.02	.01		.03		.38	.28	.07		.32	27
28		.16	.02	.50		.01		.09	.01		.07	.02	28
29			.02	.22	.07	.84	.50		.24	.24	.01		29
30						.05	.40	.01	.04	.35	.35	.18	30
31							.02			.07			31
Total	1.93	2.53	3.58	2.38	.93	3.49	1.18	2.13	2.97	4.62	6.48	12.23	TOTAL for year 44.45
No. of Rain Days.	16	16	20	16	7	17	7	12	15	16	25	29	196

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.

18 MAR 1912

R 1

Kept at Polepon

in the County of Cornwall

by H. D. Foster

5 in.

GAUGE Height of top above Ground 1 ft. in.
" " " Sea Level 280 ft.

Time of Observation 9.30 AM.

Nearest Railway Station Name Bodmin
Distance ½ mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.14			.16	.19	.02	.02	.02			.04	01	1
2	.02		.04		.14			.28		.34	.14	.32	2
3			.07		.28			.05	.02		.28	.22	3
4			.09		.02			.50			.36	70	4
5	.50		.37					.52		.01	.11	.18	5
6	.21		.33								.10	1.51	6
7	.14			.02							.81	.05	7
8	.09		.15			.65					.06	.77	8
9	.11		1.02								.20	.95	9
10	.06	.05									.16	.45	10
11	.43								.10		.49	.16	11
12			.42		.22				.41		.13	.50	12
13			.23		.01				.05		.10	.15	13
14		.14	.05	.01						.05	.36	.65	14
15		.07	.08			.03					.43	.13	15
16		.03		.01		.75	.01				.17	.40	16
17		.10	.39	.30		.28				.03	.60	1.10	17
18		.34	.08	.31		.50					.80	.31	18
19		.11		.01		.22			.35	.08	.60	.82	19
20	.03	.09	.08	.15		.13			.34	1.20		.62	20
21	.08	.20	.09	.02		.04	.02		.24	.21	.01	.26	21
22	.02	.05		.13		.08	.21		.45	.16		.45	22
23	.01	21	.02	.01		.11		.12	.17	.32	.09	.20	23
24	.02	.28	.01			.43		.01	.12	.24		.30	24
25	.06	.02		.17		.02		.02	.15	.26		.18	25
26	.01	.07		.35				.13	[illegible]	.99	.01	.32	26
27		.61	.02	.01		.03		.38	.28	.07		.32	27
28		.16	.02	.50		.11		.09	.01		.07	.02	28
29			.02	.22	.07	.84	.50		.24	.24	.01		29
30						.05	.40	.01	.04	.35	.35	.18	30
31							.02			.07			31
Total	1.93	2.53	3.58	2.38	.93	3.49	1.18	2.13	2.97	4.62	6.48	12.23	TOTAL for year 44.45
No. of Rain Days.	16	16	20	16	7	17	7	12	15	16	25	29	196

W. 8,000, X. '11.

1st DS

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
1 MAR 1913

Kept at Polgwin Bodmin

in the County of Cornwall

by H. D. Foster

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 280 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bodmin
Distance ½ mile Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.08	.01	.06	.89	.15	.20	.20	.40	.01	.20	1
2			.37	.10		1.38	.03		.02	.05			2
3			.36	.04		.23	.02	1.47	.16			.04	3
4	.45		.70	.02	.06	.22		.15			.35	.03	4
5	.75	.25	.24	.04	.06	.03	.02	1.65			.03	.22	5
6	.38	.02	.04	.03	.36	.02	.01	.53			.05	.05	6
7	.25	1.12	.66	.08	.16	.23	.11	.50	.01			.17	7
8	.50	.20	.07			.34	.01	.01	.01				8
9	.01	.35	.12	.04		.55	.21					.70	9
10	.38	.15	.17	.14		.19	.07	.07			.30	.18	10
11		.16	.02			.12	.01	.06			.35	.50	11
12		.10	.25		.11		.30	.36			.60	.01	12
13	.50		.04	.05	.02	.09	.03	.16		.09	.02	.30	13
14	.11	.28	.48		.06	.06		.22	.02	.02		.12	14
15	1.20	.12	.02		.25	.82		.01			.05	.68	15
16	.35	.02	.43		.05	.08		.22		.15	.07	.24	16
17			.22			.25		.50				.15	17
18		.11	.21			.01		.95		.17	.09	.05	18
19		.09	.26		.02	.04	.06	.55		.05	.04	.04	19
20	.06	.15	.51 .57	.06	.07			.05		.45	.08	.01	20
21	.02	.36	.26	.01	.46		1.23	.12		.20			21
22	.21	.31	.27		.02	.21	.04	.40		.10	.01	.15	22
23	.10	.65	.31			.17	.10	1.10		.40	.10	.28	23
24	.10	.04	.08			.39	.21	.01		.23		.20	24
25		.03	.01			.20	.05	.07		.35	.60	.70	25
26		.01					.14	.27		.40	.58	.60	26
27		.05	.03			.77	.83	.35		1.15	.09	.57	27
28		.20	.01			.05	.64	.80	.50	.25	.37	.45	28
29		.36	.02			.57	.18	.06	.38	.30		.24	29
30			.01		.07	.13	.23		.12	.55	.02		30
31			.32		.52	.	.31	.04		.20		.10	31
Total	5.37	5.13	6.57 ✓	.62	2.35	8.04	4.99	10.88	1.42	5.51	3.81	6.92	TOTAL for year 61·61
No. of Rain Days.	16	23	30	12	16	26	24	28	9	19	20	27	250

W. 8,000, X. '11.

9 MAY 1914

Polgwin
Bodmin
8/5/14

Dear Sir

My return of rain fall is so imperfect for 1913 I hesitate to send it to you but hope to do better this year

Yours truly
H. D. Foster

Dr. Mill

Ex MF

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.
9 MAY 1914

Kept at Polgwin Bodmin
in the County of Cornwall
by H. D. Foster

Lat. Long.
Nearest Railway Station
Time of Observation
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " Sea Level ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.28	.30	.03	.03				.03	.03	.30		1
2	.24	.27	.05	.21	.27	.15			.	.79	.23		2
3	.20	.02	.18		.17	.01			1.12	.12			3
4	.85	.01	.10			.16			.13	.01	.29		4
5	.07	[illegible]	.01		.26	.44			.34		.79		5
6	.15	.10	.13		.06	.27			.03	.84	.30		6
7	.20	.40	.12		1.53	.07				.59	.34		7
8	.50	.18			.23					.02	.01		8
9	.11	.05	.08		.04	.13				1.09	1.18		9
10	1.20		.02	.14	.07	.10	.23				.24		10
11	.50				.81	.17	.04		.05		.63		11
12	.20					.04			.15		.31		12
13	.24		.12	.05	.06	.01	.04		.53		.29		13
14	.55		.25				.32		.05	.07	.13		14
15	.05		.45	1.10					.10		.19		15
16	.45		.70	.12			.04		.19		.02		16
17	.15		.15	.25			.04				.23		17
18	.36		.40					.22			.13		18
19	.50		.05		.13		.05		.34	.47	.01		19
20	.07		.18	.53	.02				.03	.11	.75		20
21	.10		.15	.15	.03	.09		.05	.01	.03	.13		21
22	.30		1.02	.06	.08	.24	.05	.14	.13	.02			22
23	.02		.02	.01		.10		.06	.04		.33		23
24	.02	.55		.14				.01		.21	.06		24
25		.02		.45					.13	.10	.09		25
26				1.15		.02			.01	.03	.02		26
27	.90		.30	.16				.07		.53	.04		27
28	.10		.05	.19	.18				.15	.47	.03		28
29	.08		.23	.35	.03		.01			.32	.06		29
30	.65			.11	.13					.40	.05		30
31	.15		.80		.01			.08					31
Total	8.96	1.92	5.76	5.20	4.14	2.00	.82	.63	3.58	6.25	7.18	4.91	TOTAL for year 51.35
No. of Rain Days	29	11	24	18	19	15			19	20	28		

Particulars only

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

6,000, XI. '07.

Price 2d.

written

Ex DL

Corr. date of entry for ~MDO~. 23. III. 15

FORM A.
BRITISH RAINFALL.
11 FEB 1915

REGISTER OF RAINFALL IN 1914

Kept at Polgwin Bodmin

in the County of Cornwall

by H. D. Foster

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station Bodmin

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 300. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.03	.25	.72	×	.35	.70			1.05	.06 .50	1
2			.22	.02	.40	#		.80		.01	.10	.40	2
3	.15		.05	.20	.10		1.30	.80	.80		.07	.65	3
4	.25		.13	.34	.10			.10			.05		4
5	.24		.39	.32	.15		.05				.05	.82	5
6		.20	.26	.34	.10		.40	.23	1.10		-	.26	6
7	.12	.72	.60	.16		.70	.02				.02	.01	7
8	.03	.30	1.21	.14	.10	.83		.15	.65			.03	8
9	.03	.55	.24	.08	.31				.28		.03	.65	9
10	.02	.42	.13	.68		.20			.13		.13	.95	10
11		.06	.60						.20	.05	.23	.41	11
12		.01	.23				.25		.28	.30	.45	.12	12
13		.16	.45			.90	.07	.15	.08	.10	.50	.60	13
14			.41				.08	.07	.05		.65	1.25	14
15			.25				.08		.33			.08	15
16		.02	.02				.12		.32			.81	16
17		.48	.45				.09					.30	17
18		.16	.15				1.20		.04		.18		18
19		.05	.75			.65		.09					19
20		.60	.31				.09	.03		.43		.50	20
21		.45	.05	.01				.03		.40			21
22		.10	.15		×		.08	.11		.32			22
23		.05	.12				.05	.01		.03	.07		23
24		.01	.05			.02	.07	.41				.50	24
25	.15		.25				.45			.70	.27	.75	25
26	.03	.25	.10				.21			.23	.35	.35	26
27	.17	.16	.01		.22					.32	.12	1.15	27
28	.03	.05	.45		×		.55			.08	.70	.30	28
29	.36		.36	.03	×					.07	.45	.60	29
30	.01	×	.12				.80			.35	.06	.50	30
31	.07	×		×		×	.70		×	1.05	×	.45	31
Total	1.66	4.80	8.74	2.57	1.70	3.30	~7.11~ 6.31	~2.98~ 3.68	4.26	~4.44~ 3.39	~4.48~ 5.47	~12.94~ 12.55	YEAR'S TOTAL ~58.88~ 58.43
Rain Days.	14	20	30	12	(11) ~8~ 7	(7) ~6~	~21~ 20	~13~ 14	12	~15~ 14	19	25	~196~ 198

W. 8,000. X. 14.

1909

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
10 FEB 1916

Kept at Polgwin Bodmin
in the County of Cornwall
by H. D. Foster

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Bodmin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.45	.02	.10		.12			.40	.30	.43		.35	1
2	.40	.57	.01	.08		.09		.05	.15			.46	2
3	.08	.45	.15	.18	.10		.06	.01				.65	3
4	.25	.31			.09		.04					.26	4
5	.03	.26		.35				.33				1.42	5
6	1.20	1.40	.08	.34			.50					.16	6
7	.50	.25		.07			.55	.09		1.15	.03	.28	7
8	.28	.60						.01		.05	.20	.22	8
9	.06	.50		.31				.03			.71	.88	9
10	.40	.40	.20	.23		.16		.40		.70	.08	.08	10
11		.25	.14	.01			.01	.10		.05	1.30	.13	11
12	.20	.02		.05	.50			.15		.09	.43	.35	12
13	.06	.75		.02	.43		.04	.05		.05	.65	.10	13
14	.06	.90				.02	.45	.08	.05	.65	.35	1.25	14
15	.20	.11			.37	.12	.40	.03	.20	.35	.05	.08	15
16	.02				.43		1.20		.10	.04		.02	16
17	.06	2.00			.06							.20	17
18	.11	.21					.08						18
19	.02	.25			.50								19
20	.68	.06		.13	.07	.22				.50		.02	20
21	.15	.10				.13	.20			.01		.01	21
22	.20	.16	.26	.05		.03	.40		.15	.30		.60	22
23	.06	.37				.05	.03		.04	.35		.65	23
24		.10	.01			.10			.08	1.00		.20	24
25						.13					.04	.35	25
26						.70	.01		.15			.70	26
27	.30	.40				.52	.04		.13	.70		.06	27
28	.03	.05				.17			.40	.41	.02		28
29		(-)				.20		.08	.45		.25	.15	29
30		X				.02	.60	.02	.07	.81	.42	.40	30
31	.27 .02	X		X		X		.08	X	.64	X	.25	31
Total	6.09	10.49	.95	1.82	2.67	2.66	4.61	1.91	2.27	8.28	4.53	10.28	YEAR'S TOTAL 56.54
Rain Days.	25	24	8.	12	10	15	16	16	13	19	13	28	200

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
22 JAN 1917

Kept at Bodmin
in the County of Cornwall
by H. D. Foster

Lat. Long.
Time of Observation 9. a m
Nearest Railway Station Bodmin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.20		.45		.26	.09	.22		.01	.50	.03		1
2	.30	.20			.02				.40	20	.28		2
3	.02	1.82	.20			.03	.31		.03	.45	.30	.04	3
4	25	.31			.12	.40	.35		.10	.17	.50		4
5	.04	.07	.05		.10		.03				.50 ~~.85~~	.09	5
6	.10	.43			.08		.45			.11	.85		6
7		.26	.05		.13					.21	.85	.17	7
8	.07	.28	.07	.06	.50					.02	.24	.30	8
9		.30			.01	.15	.09			.27	.28	.50	9
10	.05	1.33		.10	.05	.02					.05		10
11	.06	.03	.16	.10	.14	.20					.02		11
12		.10		.14	.04			.10	.03		.01		12
13	.04	.33	.06	.13	.03		.05	.12	.01	.01			13
14	.10	.38	.17		.08			.21		.05			14
15	.05	.42		.11				.02	.03	.02			15
16	.12	.13		.20			.02	.80		.30	.12		16
17	.19	.10						.04	.02	.28	.96		17
18	.01	.21	.10	.10		20		.05	.40		.22	.30	18
19	.25	.11	.40	.26							1.08		19
20	.06	.72	.05							.15	.30	.32	20
21	.08	.04		.05	.10						.13	.45	21
22	.03		.04	.01			1.00	.15		.44	.06	.65	22
23	.06		.04	.08		.20		.21		.14	.25	.17	23
24	.06	Snow	.13	.05	.08	.18		.13		.54	.02	.37	24
25	.03		.20			.08		.41		.13	.27		25
26		.48	.06		.01	.03		.35	.95	.50	.21	.01	26
27	.05		2.00			.05		.11	.20	.55		.02	27
28		Snow	.10			.10		.14	.65	.93		.50	28
29		.05	.02			.60		.38	.05	.24		.03	29
30						.04				.24		.02	30
31								.10		.07		.05	31
Total	2.22	8.09	4.35	1.39	1.75	2.37	2.52	3.32	2.88	6.52	7.53	3.99	YEAR'S TOTAL 46.93
Rain Days.	23	22	19	13	16	15	9	16	13	24	23	17	210

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Polgwin Bodmin
in the County of Cornwall
by H. D. Foster

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Bodmin
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02		.02	.38		.08					.11		1
2	.05		.01	.26							.02		2
3	.20			.02						.37	.55	.03	3
4	.01		.67	.05		.01				.50			4
5	.26		.50	.28	.21	.06				.36	.05	.01	5
6			.28	.04						.05	.13	.02	6
7	.72			.05			.31	.75		.25	.13	.04	7
8	.04		.37	.10	.10		.20	.25	.08	.40	.30		8
9	.02		.08	.13		.21		.14		.25	.33	.50	9
10	.50		.37	.21				.30		.50	.15		10
11	.05		.42	.50				.20		.40	.45	.10	11
12	.23		.05	.09	.35			.06		.83	.02		12
13	.25		.15	.08	.01	.06		.11		.50	.01	.15	13
14				.08	.02			.19	.39	.18			14
15				.03	.03			.02	.10	.30		.27	15
16		.31		.02	.02		.45	.01	.02	.20			16
17		.10		.08	.01		.38	.16	.03	.10			17
18		.04	.04	.12	.22	.11	.28	.02	.28	.08			18
19		.43	.06	.01		.25			.50	.15	.01	.28	19
20		.34	.08		.94	.52		.15	.23	.02	.09	.44	20
21		.01	.10		.05	.30		.95	.07	.01	.15	.10	21
22			.10		.17			.41		.21	.01		22
23		.17	.15		.11	.07				.14	.10		23
24		.02				.02	.20	.03		.24	.15		24
25						.01		1.28	.09	.21	.01		25
26					.27	.35	.03	.16		.07	.10		26
27		.04	.03			.78		1.40		.15	.10		27
28		.01	.30			1.80		.75		.08	.01	.06	28
29			.25			.01		.05		.54	.02	.04	29
30		X	.15					.25		.01	.01	.01	30
31		X	.25	X	.38	X		.15	X	.20	X		31
Total	2.35	1.47	4.43	2.53	289	4.64	1.85	7.79	1.79	7.30	3.01	2.05	YEAR'S TOTAL 42.10
Rain Days.	12	10	22	19	15	16	7	23	10	29	24	14	201

W. 8,000, IX. 17.

[illegible] 8

REGISTER OF RAINFALL IN 1918

Kept at Polgwin Bodmin
in the County of Cornwall
by H. D. Foster

Lat. Long.
Time of Observation 9 AM.
Nearest Railway Station Bodmin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

FORM A. BRITISH RAINFALL 17 2. 19

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		.25		.10	.07			1.19			1.70	.20	1
2		.65		.01				.15	.06		.03	.15	2
3		.37		.20	.22				.15	.15	.39	.30	3
4		.05	.02	.15				.30	.75	.20	.41	.77	4
5		.03	.10	.18				.56	.31	.34	.63	.37	5
6		.38	.30	.10		.04		.15		.32	.45	.17	6
7		.21	.50	.06				.05		.34	.03	.68	7
8		.02	.03			.20			.42	.42	.03		8
9	.80	.37					.35		.71	.10		.34	9
10	.07	.01		.38		.05	.03		.11	.08		.25	10
11		.03					.30		.27	.38		.17	11
12		.16	.12		.17		.03			.20		.08	12
13	.03	.01					.02		.53	.31		.38	13
14			.05				.12		.23	.33		.15	14
15	.39					.08	.13		.21	.42		.40	15
16	.85			.15		.31	.50		.20	.04		.46	16
17	.48	.01	.02	.05			.45		.53	.23			17
18	.50	.07	.30			.49	.11		.17	.04		.50	18
19	.18	.07		.13			.10		.19			.11	19
20	.17			.31			.11		.20				20
21	.01			.08			.13		.60		.30	.55	21
22	.08						1.10		.07			.36	22
23	.03	.25			.25		.03	.50	.03			.07	23
24	.01						.15	.10	.07		.47	.27	24
25	.03	.01			.15	.30	.30		.18		.26		25
26		.40							.24	.11	.09	.45	26
27			.18					.15	.08		.26		27
28			[illegible]	.20					.10		.50	.27	28
29									1.37	.03			29
30		X	.50					.10	.26	.09	.30	.50	30
31		X	.28	X		X			X	.50	X		31
Total	3.63	3.35	2.40	2.10	.86	1.47	4.06	3.25	8.04	4.63	5.25	7.95	YEAR'S TOTAL 46.99
Rain Days.	14	19	12	14	5	7	17	10	26	20	15	24	183

W, 6,500, VII. 18. W W G

1743

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

18 MAR 20

Kept at Polgwin Bodmin

in the County of Cornwall

by H. D. Foster

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bodmin

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

„ „ „ „ Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.20		.25		.14		.19	.03	.38	.10		.97	1
2	.30				.04							.13	2
3	.40		.33		.17				.23			.30	3
4	.07	.90	.28					.50					4
5	.13	.20			.04				.10			.17	5
6	.82	1.12	.37						.30				6
7	.42		.12	.21								.32	7
8	.50		.22	.04		.05					.52		8
9	.29			.37	.24						.44	.18	9
10	.13		.68	.06	.05	.03					.10	1.10	10
11	.14		.52	.18	.28		.09			.10			11
12	.30		.16	.64						.03		.03	12
13	.30	.04	.15							.17		.42	13
14	.30	.06		.69	.28					.15		.50	14
15	.38	.39		.06						.16		.50	15
16	.19	.70									1.00		16
17	.30	.57									.52	.25	17
18	.60	.75	.37		.19		.28	.28	.11		.50		18
19	.41	.40	.21		.20	.22		.44	.27				19
20	.33	.15				.13			.28		.66	.17	20
21		.71			.79		.25		.11		.07	.19	21
22	.14					.07			.26			.40	22
23								.15	.03	.17	.10		23
24	.11					.32				.10	.35	.25	24
25	.18	.05						.24	.20			.23	25
26		.05	.10					.06		.05		.40	26
27			.12	.42				1.13		.08		.10	27
28		.40	.36	.80				.28			.50	.67	28
29		.10	.07	.19				.08				.20	29
30			.10	.21		.25					.62	.66	30
31			.10									.60	31
TOTAL	6.94	6.53	4.51	3.87	2.42	1.07	.81	3.19	2.27	1.11	5.38	8.74	YEAR'S TOTAL 46.84
Days with ·01 in. or more	23	16	18	12	11	7	4	10	11	10	12	23	157

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~W~~ [illegible] cnd for [illegible]

1655

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

7 MAR 1921

Kept at Polgwin Bodmin
in the County of Cornwall
by H. D. Foster

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Bodmin
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				.03	.74		.85	.40		.49		.95	1
2	.77			.25			.08	.17	.13			.12	2
3	.60			.03				.10	.32	1.60		.25	3
4	.07		.15					.90		.47			4
5			.20		.35		.46	.26		.30			5
6			.22	.10	.10		.25			.44			6
7			.21	.30	.13		.95						7
8	.06	.10		.20			.10		.13			.26	8
9	1.14	.09		.05			.55						9
10	1.08	.20		.08		.43	.26						10
11	.60			.95	.13		.20						11
12	.21	.10	.20	.61			.14				.17		12
13	.12	.17	.50			.30							13
14	.11		.46	.83					.17	.18	.20		14
15	.02	.15		.30	.06					.69	.16		15
16	.04	.04	.17	.36			.13			.68	.05		16
17	.04			.21	.22				.37	.52			17
18	.34	.05		.50		.43	.05	.41	.14	.25			18
19	.17					.31				.40			19
20	.11								.34			.36	20
21	.05											.22	21
22			.03				.11					.27	22
23			.05					.28				.47	23
24			.30				.21				.28	.14	24
25	.30		.21	.10			1.00						25
26	.17	.10	.31				.07						26
27	1.00	.13	.10	.24		.55	.15				1.09	.97	27
28	.67		.56			.11	.10						28
29	.30			.10	.23		.04					.42	29
30	.28	X				.30	.43		1.80	1.00	.90	.65	30
31	.12	X	.46	X		X			X	1.50	X	.37	31 52.13
TOTAL	8.37	1.13	4.13	5.24	1.96	2.43	6.13	2.52	3.40	8.52	2.85	5.45	YEAR'S TOTAL ~~54.13~~
Days with ·01 in. or more	24	10	16	18	8	7	20	7	8	13	7	13	~~151~~
Days with ·04 in. or more	23	10	15	16	8	7	20	7	8	13	7	13	147

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1939

BOLVENTOR VICARAGE

1918-20

FORM A.
BRITISH RAINFALL.

4

RE

Kept at Bolven

in the County of Corn

by The Revd John

a.m.

Bodmin 10 miles

Gauge Five inches

ve Ground 2 ft. — in.

Sea Level 845 ft.

IMPORTANT N the result entered to the previous day. If an versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		40		22				1-45			1-85		1
2		80							12		6	78	2
3		47		22	20			60	36	31	33	20	3
4		10						44	28		85	1-7	4
5		5	38	37				1-36	90	45		45	5
6	22	87	22	33						20		29	6
7	50	45				6		10	66	35	57	72	7
8	15	7				6	12		30	90		–	8
9	30					80	25		95	28		74	9
10	18			25			49		16	16		42	10
11	14	12	30		5		15		76	60	12	45	11
12		20			31		35		6	14		30	12
13	11	6			21		15		83	62		91	13
14	78				12	27	10		90	18		30	14
15	1-08					45	1-5		31	80		87	15
16	90			49		5	10		32	10		21	16
17	58			17			24	30	20			41	17
18	1-63	8	40			85	10	16	45	20		39	18
19	40	20	15	11			37	18	46			36	19
20	41	31		49		15	38		37				20
21	55	8		5		57	32		80	10		72	21
22	5				25		1-35		40	10	9	97	22
23	23				5	6	6		8			28	23
24	13	53				9		88	66		57	31	24
25	6			10	20		41	55		10	33		25
26	5	85		36			30		41	6	15	1-25	26
27	5	98	25					30	20	8	51	45	27
28		38	24							7	82	76	28
29		X	27						1-65		10	47	29
30		X	45	48				42	6	25	16	67	30
31		X	28	X		X		10	X	31	X		31
Total	8-50	7 –	2-94	~~3-74~~ 3.64	1-39	3-41	6-30	6-84	12-65	6-36	~~6-11~~ 6.51	14-75	YEAR'S TOTAL ~~79-99~~ 80-29
Rain Days.	21	19	10	13	8	11	18	13	26	22	14	26	201

W. 8,000, IX. 17.

RE

FORM A.
BRITISH RAINFALL.

4 . 1

Kept at Bolventor Launceston

in the County of Cornwall

by The Revd John W Timson

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bodmin 10 miles

Diameter of Funnel of Rain Gauge Five inches

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 845 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		40		22				1-45			1-85		1
2		80	—						12		6	78	2
3		47		22	20			60	36	31	33	20	3
4		10						44	28		85	1-7	4
5		5	38	37				1-36	90	45		45	5
6	22	87	22	33						20		29	6
7	50	45				6		10	66	35	57	72	7
8	15	7				6	12		30	90		—	8
9	30					80	25		95	28		74	9
10	18			25			49		16	16		42	10
11	14	12	30		6		15		76	60	12	45	11
12		20			31		35		6	14		.30	12
13	11	6			21		16		83	62		91	13
14	78				12	27	10		90	18		30	14
15	1[illegible]8					45	1-5		31	80	—	87	15
16	90			49		5	10		32	10		21	16
17	58			17			24	30	20			41	17
18	1-63	8	40	—		85	10	16	45	20	—	39	18
19	40	20	15	11			37	18	46	—		36	19
20	41	31		49		15	38		37				20
21	55	8		5		57	32		80	10		72	21
22	5				25		1-35		40	10	9	97	22
23	23				5	6	6		8			28	23
24	13	53				9		88	.66		57	31	24
25	6			10	20		41	55		10	33		25
26	5	85		36			30		41	6	15	1-25	26
27	5	98	25					30	20	8	51	45	27
28		38	24			—			—	7	82	76	28
29		X	27						1=65		10	47	29
30		X	45	48				42	6	25	16	67	30
31		X	28	X		X		10	X	31	X		31
Total	8-50	7 —	2-94	~~3-74~~ 3.64	1-39	3-41	6-30	6-84	12-65	6-36	~~6-11~~ 6.51	14-75	YEAR'S TOTAL ~~79-99~~ 80.29
Rain Days.	21	19	10	13	8	11	18	13	26	22	14	26	201

W. 8,000, IX. 17.

[illegible]

REGISTER OF RAINFALL IN 1919

[illegible]

FORM A. BRITISH RAINFALL.

Kept at Bolventor

in the County of Cornwall

by The Revd John W Tinson

Lat. Long.

Time of Observation 9 a m

Nearest Railway Station Bodmin 10 miles

Diameter of Funnel of Rain Gauge Five inches

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 845. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	1-17		50		37		16		40	36		1-17	1
2	41				13				19			39	2
3	6		40		46				38			96	3
4	22	55	42					53	60				4
5	46	50	12		6				15			46	5
6	1-22	1-6	56									35	6
7	56		46	24		5						30	7
8	46		36	16		7							8
9	36			75	10						Snow 1-60	14	9
10	15		1-58	10						32	16	1-50	10
11	25		90	48	54	8	8		9				11
12	56		16	6		10				31		7	12
13	46	10	37	76			15			26		41	13
14	87	20		112	22		14			28		65	14
15	78			17						8		48	15
16	10	90			12	5	5				1-20	10	16
17	7	40			11	7		7			1-6	13	17
18	20	38	70		10		25	66	13		90	10	18
19	58	62	42			20	15	61	38		46	36	snow 19
20	63	6	10		9	15	8	11	1-03		31	44	20
21	36	1-07			90		82	5	15		13	36	21
22						6	10		52		19	46	22
23								15		36	22	47	23
24				11		25			10	32	10	60	24
25	40	12						90			25	15	25
26	11	6	36	21				25	48	6	26	75	26
27	18	11	7	65		4		85				16	27
28		7	82	36						8	.50	1-15	28
29			10	18				40		9		18	29
30		X	17	29		25		26			83	1-18	30
31		X	7	X		X	25		X		X	67	31
Total	10-62	6-20	~~8-44~~ 8.64	5-64	3-20	1-37	2-23	4-84	4-60	2 52	8-17	14-15	YEAR'S TOTAL ~~71-98~~ 72.18
Rain Days.	24	15	20	15	12	12	11	12	13	11	15	28	188

W, 6,500. VII. 18. W W C

CA 1697

3 JAN 1921

Form A. 1. **METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

Kept at Bohuntá
in the County of Cornwall
by Rev John W Tinion

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Bodmin 10 miles
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 845 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			6	17	90		1-38	10	16	22	5	86	1
2	80			67	5		20	70	75	11		25	2
3	72	10		6			8		22	1.80		50	3
4			14		3			1-6	15	.81			4
5			21		42		56	56	4	.54			5
6			37	12	45		26		2	25			6
7	23		16	56	7		1-11		2	1			7
8	5	8	16	39	22		13	10				15	8
9	1-35	14	10	12		7	66	3	5		2		9
10	1,25	43	28	10		48	40				6		10
11	42	6	16	80	25		20			1			11
12	43	21	14	32	4	5	22	2		19	34		12
13	26	7	75	8			3	8		1.38			13
14	27	26	65	1-8			11		34	·93	66		14
15	6	21	10	56	8					·73	26		15
16		5	42			5	22	2	38	·36	22		16
17	37		13	25	45		5	3	62	·41			17
18	33		10	20	15	29	6	43	28				18
19	40	7		46		38	3	14	55				19
20	19			43		21	10		11	45		60	20
21				33	3		11		7	3		35	21
22	12		6	16		3	10					37	22
23	5		7				70	37				79	23
24			56	14			4	2			35	34	24
25	24		19			10	1-40		4		4		25
26	60	15	31			12	10		2		43		26
27	95	51	19	39		68	11				1-80	85	27
28	55		49	7		23	34		1		15	17	28
29	56		51	8	32	32	12		2		56	58	29
30	45	×		6	4	50	51		2.02	72	35	98	30
31	30	×	57	×		×	3	2	×	1.32	×	31	31
TOTAL	1100	2.34	6,88	7-60	3-50	3-51	9-36	3-68	5.87	10.27	5,29	7.10	YEAR'S TOTAL 7640
Days with ·01 in. or more	24	13	25 24	24	15	14	29	15	20	18	14	14	224

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

24 13 25 24 14 13 26 9 15 15 13 14 ·20 5

BUDE

CORNWALL

1911 - 1920

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

[illegible]

F

11.

Kept at Bu

in the County of

by Ka

…wdon

5 in.

…ove Ground 1 ft. 0

„ Sea Level 51 ft.

9 a.m.

…on Name Bude (L. S. W. R.)
Distance Direction

IMPORTANT … and the result entered to the previous day. If a… universal rule, he is earnestly requested to add the … g year in the space provided for it at the end o… …surement of rain, the selection and … e British Rainfall Organization are given … e on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·11	·04	·0	1·55	·0	Trace	·10	·01	1
2					·09	·0	·0	·14	·0	·23	·28	·09	2
3					·33	·0	·0	·04	Trace	·0	·15	·12	3
4					·0	·0	·0	·23	·0	·0	·33	·42	4
5					·0	·0	·0	·53	·0	·0	·21	·04	5
6					·0	·0	·0	·05	·0	·0	·14	·35	6
7					·0	·0	·0	·0	·0	·0	·48	·0	7
8					·0	·0	·0	·0	·0	·0	·29	·50	8
9					·0	·0	·0	·0	·0	·0	·39	·25	9
10					·06	·0	·0	·0	·06	·0	·02	·33	10
11					Trace	·0	·0	·0	·43	·0	·55	·11	11
12					·0	·0	·0	·0	·08	·0	·17	·33	12
13					·0	·0	·0	·0	·0	·0	·02	·08	13
14					·0	·0	·0	·0	·0	Trace	·04	·27	14
15					·0	·05	·0	·0	·0	·0	·39	·12	15
16					·0	·17	·0	·0	·0	·0	·16	·15	16
17					·0	·18	·0	·0	·0	Trace	·40	·11	17
18					·0	·14	·0	·0	·0	·07	·35	·32	18
19					·0	·0	·0	·0	·49	·0	·08	·18	19
20					·0	·0	·0	Trace	·42	·64	·0	·37	20
21					·0	·01	·0	·01	·14	·13	·0	·04	21
22					·0	·16	·0	·0	·17	·26	·0	·27	22
23					·0	·78	·0	·04	·22	·04	·0	·05	23
24					·0	·0	·0	·39	·04	·40	·0	·11	24
25					·0	·05	·0	·03	·0	·26	·0	·10	25
26					·17	·0	·0	·17	·02	·54	·0	·21	26
27					·0	·0	·07	·36	·29	·21	·0	·21	27
28					·0	·0	·0	·21	·0	Trace	·01	·02	28
29					·0	09 ·09	·27	·01	·39	·24	·10	Trace	29
30					·0	·78	·04	Trace	·01	·13	·0	·09	30
31					·0	~~11~~	·0	·0	—	·06	—	·31	31
Total					·76	~~2·39~~ 2·45	·38	3·76	2·76	3·21	4·66 4·66	5·26	TOTAL for year
No. of Rain Days.					5	11	3	14	13	13	21	29	

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 19 11.

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Bude

in the County of Cornwall

by Karl Durston

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. 0
" " " Sea Level 51 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bude (L.S.W.R.)
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1					·11	·04	·0	1·55	·0	Trace	·10	·01	1
2					·09	·0	·0	·14	·0	·23	·28	·09	2
3					·33	·0	·0	·04	Trace	·0	·15	·12	3
4					·0	·0	·0	·23	·0	·0	·33	·42	4
5					·0	·0	·0	·53	·0	·0	·21	·04	5
6					·0	·0	·0	·05	·0	·0	·14	·35	6
7					·0	·0	·0	·0	·0	·0	·48	·0	7
8					·0	·0	·0	·0	·0	·0	·29	·50	8
9					·0	·0	·0	·0	·0	·0	·39	·25	9
10					·06	·0	·0	·0	·06	·0	·02	·33	10
11					Trace	·0	·0	·0	·43	·0	·55	·11	11
12					·0	·0	·0	·0	·08	·0	·17	·33	12
13					·0	·0	·0	·0	·0	·0	·02	·08	13
14					·0	·0	·0	·0	·0	Trace	·04	·27	14
15					·0	·05	·0	·0	·0	·0	·39	·12	15
16					·0	·17	·0	·0	·0	·0	·16	·15	16
17					·0	·18	·0	·0	·0	Trace	·40	·11	17
18					·0	·14	·0	·0	·0	·07	·35	·32	18
19					·0	·0	·0	·0	·49	·0	·08	·18	19
20					·0	·0	·0	Trace	·42	·64	·0	·37	20
21					·0	·01	·0	·01	·14	·13	·0	·04	21
22					·0	·16	·0	·0	·17	·26	·0	·27	22
23					·0	·78	·0	·04	·22	·04	·0	·05	23
24					·0	·0	·0	·39	·04	·40	·0	·11	24
25					·0	·05	·0	·03	·0	·26	·0	·10	25
26					·17	·0	·0	·17	·02	·54	·0	·21	26
27					·0	·0	·07	·36	·29	·21	·0	·21	27
28					·0	·0	·0	·21	·0	Trace	·01	·02	28
29					·0	·09 ·09	·27	·01	·39	·24	·10	Trace	29
30					·0	·78	·04	Trace	·01	·13	·0	·09	30
31					·0	~~·11~~	·0	·0	—	·06	—	·31	31
Total					·76	~~2·39~~ 2·45	·38	3·76	2·76	3·21	4·6~~0~~6 4·66	5·26	TOTAL for year
No. of Rain Days.					5	11	3	14	13	13	21	29	

W. 8,000, X. '11.

cor'd by mm stats per auth. } 24·11·13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
2 JAN 1913

Kept at Bude.

in the County of Cornwall

by Karl Durston

RAIN GAUGE
Pattern Standard
Diameter of top 5" in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 51 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bude. L.S.W.R.
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	Trace	·0	·22	·0	·07	·52	·01	·44	·07	·66	·0	·20	1
2	·0	·0	·12	·02	·0	·85	·01	·0	·0	·04	·03	·03	2
3	·04	·0	·11	·07	·0	·12	·02	·82	·15	·01	·0	·0	3
4	·41	·0	·55	·0	Trace	·15	·0	·14	·01	·0	·32	·0	4
5	·52	·06	·31	·02	·06	·0	·02	·20	·0	·0	·02	·06	5
6	·71	·02	·11	·02	·24	·21	·04	·17	·01	·0	·02	·03	6
7	·12	·34	·23	·02	·15	·20	·11	·46	·0	·0	·01	·04	7
8	·35	·06	·03	·0	·0	·14	·0	·39	·0	·0	·0	·0	8
9	·02	·26	·16	Trace	·0	·08	·26	·51	·03	·0	·01	·46	9
10	·36	·11	·17	·02	·0	·0	·08	·34	·02	·0	·18	·07	10
11	Trace	·02	·0	Trace	·08	01	18	·67	·01	·0	·14	·54	11
12	·22	·02	·19	Trace	·0	·01	·08	·18	·0	·0	·74	·04	12
13	·15	·0	·04	Trace	·0	·03	·21	·21	·0	·03	01	·36	13
14	·09	·01	·50	·0	·0	·06	·0	·11	·0	·0	·02	·06	14
15	·19	·0	·14	·0	·22	1·45	·0	·0	·0	·0	·02	·57	15
16	·17	Trace	·19	·0	·13	·08	·0	·20	·0	·12	·03	·04	16
17	Trace	·0	·19	·0	·06	·20	·0	·11	·0	·0	·09	·32	17
18	·0	·01	·30	·0	·0	·0	·04	·45	·0	·0	·01	·08	18
19	·0	·04	·07	·0	·0	·0	·0	·60	·0	·12	·01	·04	19
20	·02	·09	·14	·0	·01	·22	·05	·64	·0	·48	·03	·0	20
21	Trace	15	·10	·0	·22	·0	·0	·23	·0	·14	·01	·0	21
22	·16	·15	·18	·0	·0	·11	·03	·17	·0	08	·02	·07	22
23	·02	·37	·14	·0	·0	·21	·02	·43	·0	·09	·15	·45	23
24	·0	·02	·05	·0	·0	·22	·0	·14	·0	·11	·01	·09	24
25	·08	·0	·0	·0	·0	·22	·17	·09	·0	·40	·39	1·02	25
26	Trace	·09	·07	·0	·0	·0	·0	·16	·0	·16	·45	·19	26
27	·0	·0	·0	·0	·0	·20	·17	·11	·0	·59	·01	·62	27
28	·0	·08	·0	·0	·0	·31	·67	·46	·17	·48	·44	·59	28
29	·0	·21	·0	·0	·0	·24	·57	·12	·21	·20	·03	·05	29
30	·0	X	·07	·03	·0	·41	59	·01	·04	·12	·0	·0	30
31	·0	X	·53	X	·0	X	·19	·0	X	·49	X	·09	31
Total	3·43	2·11 ✓	4·91	·20	1·24	6·25	3·52	8·56	·72	4·02	3·20	6·11	TOTAL for year 44·27
No. of Rain Days	17	19	26	7	10	24	21	28	10	18	26	25	231

9,000, IX. '10.

FORM A.
BRITISH RAINFALL.
4 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Bude

in the County of Cornwall

by Karl Duroton

Lat. 50°50' N. Long. 4°33' W.

Time of Observation 9 a.m. (L. M. T.)

Nearest Railway Station Bude. (L. & S. W. R.)

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·20	·10	·13	·12	–	–	–	–	–	·02	·14	1
2	·03	·09	·02	·09	·15	–	–	–	–	·02	·20	·09	2
3	·02	·02	·04	–	·25	–	–	–	–	·01	–	·13	3
4	·75	–	·05	–	–	·02	Tr.	–	·35	·03	·18	·18	4
5	·02	–	–	–	·25	·35	·13	–	·24	·02	·27	·62	5
6	–	·04	·10	–	·05	·15	–	–	·12	·12	·23	·04	6
7	–	·27	–	–	·53	·02	Tr.	–	–	·35	·06	–	7
8	·03	·19	–	–	·25	·01	·05	·16	–	·04	–	–	8
9	·02	·09	·05	Tr.	·13	·23	–	·17	–	–	·35	·04	9
10	·44	–	·06	Tr.	·25	·01	–	·05	·06	·57	·07	·04	10
11	·23	–	·02	–	·15	·18	–	·04	Tr.	·02	·47	–	11
12	·09	–	–	–	·02	·03	–	–	·06	–	·28	·10	12
13	·18	–	·21	–	·02	Tr.	·02	·08	·13	–	·18	·04	13
14	·19	–	·13	–	–	–	·06	–	·33	·16	·11	·06	14
15	·10	–	·44	·76	–	–	–	–	·18	–	·09	·06	15
16	·08	–	·58	·09	–	–	–	–	–	–	·04	·06	16
17	·44	–	·06	·14	–	–	·03	–	·16	–	·17	–	17
18	·25	–	·02	·10	–	–	–	–	–	–	·05	–	18
19	·47	–	·39	–	·14	–	–	–	–	·27	–	–	19
20	·22	–	·28	·21	–	–	–	–	·28	·02	·33	–	20
21	·08	–	·39	·15	·24	Tr.	·08	·01	·05	·09	·18	–	21
22	·35	–	·52	·02	·15	–	–	·09	·02	–	–	–	22
23	·04	–	·15	·02	–	·26	–	·26	·13	–	·21	·33	23
24	–	·02	–	·06	–	Tr.	–	–	–	·01	·18	·57	24
25	–	·03	–	·22	–	–	–	–	–	–	·12	–	25
26	–	–	·02	·54	–	·04	–	·01	·08	·01	·05	·23	26
27	·09	–	·11	·13	–	–	–	–	·04	·15	·07	·38	27
28	–	–	·18	·15	·22	–	–	–	·13	·14	·03	·07	28
29	·09		·06	·27	·04	–	–	–	–	·31	·08	·07	29
30	·34		·01	·01	·03	–	–	–	–	·36	·06	–	30
31	·39		·43		·05		–	·31		·01		–	31
Total	4·96	·95	4·42	3·09	3·04	1·30	·37	1·18	2·36	2·71	4·08	3·25	YEAR'S TOTAL 31·71
Rain Days.	25	9	25	17	19	11	6	10	16	20	26	19	203

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL,
4 JAN 1915

Kept at Bude
in the County of Cornwall
by Karl Durston

Lat. 50° 50′ N. Long. 4° 33′ W.
Time of Observation 9 a.m.
Nearest Railway Station Bude L. & S.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 50. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·08	·11	–	·21	·01	·64	–	–	·15	·21	1
2	·02	–	·02	–	·04	Tr.	·71	·04	–	–	·01	·49	2
3	·13	–	·14	·20	·40	·02	–	·05	–	–	·02	·11	3
4	·37	–	·07	·15	·01	–	·60	·41	–	–	·14	·91	4
5	Tr.	–	·37	·27	Tr.	–	·17	–	–	–	·42	·03	5
6	·01	·02	·15	·28	·08	–	·25	·07	–	–	·06	·11	6
7	·18	·24	·26	·14	·07	·16	·35	·23	·20	–	·01	·16	7
8	·07	–	·87	Tr.	–	·18	·01	·03	·08	–	·02	·11	8
9	·09	·07	·16	·14	·24	1·16	–	·22	·27	–	–	·03	9
10	·02	·19	·05	·41	·11	·02	–	–	·44	–	–	·06	10
11	–	·22	·43	·06	·01	·09	–	–	·10	–	·07	·31	11
12	–	·40	·16	–	–	–	–	–	·32	–	·20	·01	12
13	–	·17	·32	–	–	–	·02	–	·41	·17	·22	·14	13
14	–	·10	·22	–	–	·01	·04	1·18	·01	·01	·14	·36	14
15	–	–	·15	–	–	–	·01	·08	·14	–	·48	·40	15
16	–	–	Tr.	–	–	–	Tr.	–	·15	–	–	·05	16
17	–	·25	·22	–	–	–	·04	–	·02	–	–	·37	17
18	–	·25	·21	–	–	–	·03	–	·24	–	–	·44	18
19	–	–	·43	–	–	–	·76	–	·06	–	·08	·40	19
20	–	·27	·28	–	–	·22	–	–	–	–	–	·14	20
21	–	·23	·02	–	–	·01	·29	–	–	·08	–	·04	21
22	–	·16	·04	·05	·05	·05	–	·02	–	–	–	–	22
23	–	·47	·17	–	–	–	·06	·08	–	·06	·12	–	23
24	–	·01	·05	–	–	·03	·01	–	–	·07	·11	–	24
25	·20	Tr.	·07	–	Tr.	–	·07	·40	–	·19	·03	·18	25
26	·02	Tr.	·04	–	–	–	·24	·02	–	·03	·28	·30	26
27	·11	·03	–	–	–	–	–	–	–	·21	·03	·13	27
28	·04	·04	·15	–	·12	–	–	–	–	·15	·04	·68	28
29	·22	✕	·39	–	·17	–	–	–	–	·18	·24	·10	29
30	–	✕	·09	–	–	–	–	–	–	·04	·69	·14	30
31	·02	✕	–	✕	·03	✕	·47	–	✕	·34	✕	·24	31
Total	1·50	3·12	5·61.	1·81.	1·33.	2·16.	4·14.	3·47.	2·44.	1·53.	3·51	6·65.	YEAR'S TOTAL 37·27.
Rain Days.	14	17	28.	10.	12.	12.	29.	14.	13.	12.	22	28.	201

Section **A** for the entry of Daily Observations Station No. 1894

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 1964

Kept at BUDE

in the County of CORNWALL

Diameter of funnel of gauge .... in.

Height of top of gauge above ground .... ft. .... in.

Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1			08			21	01	64			15	21		**1**
2	02		02	11	04		71	04			01	49		**2**
3	10		14		40	02		05			02	11		**3**
4	31		07	20	01		60	41			14	91		**4**
5	09		37	21			17				42	03		**5**
6	01	02	15	21	08		25	07			06	11		**6**
7	03	24	26	28	07	16	35	23	20		01	16		**7**
8	08		87	14		18	01	03	08		02	11		**8**
9	09	07	16	[illegible]	24	116		22	27			03		**9**
10	16	19	05	14	11	02			44			06		**10**
11		22	43	41	01	09			10		07	31		**11**
12		40	16	06					32		20	01		**12**
13		17	32				02		41	17	22	14		**13**
14		10	22			01	04	118	01	01	14	36		**14**
15			15				01	08	14		48	40		**15**
16									15			05		**16**
17		25	22				04		02			37		**17**
18		25	21				03		24			44		**18**
19			43			01	76		06		08	40		**19**
20		27	28			21						14		**20**
21		23	02			01	29			08		04		**21**
22		16	04	05	05	05		02						**22**
23		47	17				06	08		06	12			**23**
24		01	05			03	01			07	11			**24**
25	20		07				07	40		19	03	18		**25**
26	02		04				24	02		03	28	30		**26**
27	11	03								21	03	13		**27**
28	04	04	15		12					15	04	68		**28**
29	22	X	39		17					18	21	10		**29**
30		X	09							04	69	14		**30**
31	02	X		X	03	X	47		X	34	X	24		**31**
TOTAL	1·50	3·12	5·61	1·81	1·33	2·16	4·14	3·47	2·44	1·53	3·53	6·65	Year's Total 37·29	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

W DL end by own-stats 10.11.16

2003

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

3 - JAN 1916

Kept at Bude

in the County of Cornwall

by Karl Durston

Lat. 50°50′N Long. 4°33′W.

Time of Observation 9 a.m.

Nearest Railway Station Bude L.S.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·32	·24	–	–	·16	–	·01	·27	·83	·25	·22	·34	1
2	·10	·24	·04	·14	–	·03	–	·31	·02	·01	·02	·52	2
3	·04	·10	·12	·19	·12	–	·01	–	–	–	–	·74	3
4	·07 ·03	·26	·04	·01	·02	–	·18	·12	–	–	–	·25	4
5	·76	·42	·01	·08	–	·04	·02	·48	–	–	–	·46	5
6	·36	·01	–	·24	·12	–	·20	·28	–	–	–	·47	6
7	·21	·50	–	·04	–	–	·50	·11	–	–	–	·56	7
8	·07	·34	–	–	–	–	·01	·21	–	·05	–	·16	8
9	·37	·43	–	·09	–	–	–	·06	–	–	·23	·73	9
10	·07	·22	·21	·14	·01	–	·03	·14	–	·10	·37	·03	10
11	·06	–	·01	·01	–	–	·01	·05	–	·02	·05	·16	11
12	·05	·29	–	·01	·38	–	–	·01	–	·05	·46	·07	12
13	·06	·48	–	·05	·51	–	·06	–	·06	·14	·34	·02	13
14	(·04) ·04	·02	–	·01	–	–	·06	Tr.	·06	·01	–	·55	14
15	·03	·01	–	–	·36	–	·12	·04	·05	–	·17	·15	15
16	·07	·49	–	–	·10	–	1·21	–	·01	–	·14	–	16
17	·05	·22	–	–	–	–	Tr.	Tr.	–	–	–	·01	17
18	·06	·12	Tr.	–	–	–	·03	–	–	–	–	–	18
19	·55	·26	–	·20	·15	–	·03	–	–	–	–	–	19
20	·20	·04	–	·13	–	–	Tr.	–	·06	·18	–	–	20
21	·02	·26	Tr.	–	·04	·12	·11	–	–	·25	–	·06	21
22	·07	·24	·32	·01	–	·05	·20	–	·01	·56	–	·35	22
23	–	·02	·06	–	–	–	·03	–	·02	·63	·02	·65	23
24	·02	–	·03	·03	–	–	–	–	·20	·51	–	·17	24
25	–	·03	–	–	–	·10	·05	–	·21	·02	–	·16	25
26	–	·03	–	–	·19	·23	·02	–	·05	–	·05	·33	26
27	–	·03	–	–	–	–	Tr.	–	–	·28	–	·01	27
28	–	·08	–	–	–	·07	–	–	·22	·20	·01	·04	28
29	·35		–	–	–	·86	–	–	·04	·04	–	–	29
30	·01		–	·06	–	·04	–	–	·02	·24	·29	·13	30
31	·07		–		–		·13	·02		·22		·11	31
Total	4·04	5·38	·84	1·44	2·16	1·54	3·02	2·10	1·86	3·76	2·37	7·23	YEAR'S TOTAL 35·74
Rain Days.	26	26.	9.	17	12	9	21	18 13	15	19	13	26	206.

W. 8,000. X. 15.

Section A for the entry of Daily Observations

Station No. 1894

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~15

Kept at BUDE

in the County of CORNWALL

Diameter of funnel of gauge ....in.

Height of top of gauge above ground ....ft. ....in.

Height of ground above sea level ....ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	27	24			16		01	26	83	25	01	33		1
2	32	20	04	14		03		31	03	01		52		2
3	10	10	11	19	12		01					74		3
4	04	26	04	01	02		18	02				24		4
5	03	42	01	08		04	02	48				46		5
6	76	11		24			20	28				48		6
7	36	50		03	12		50	01				56		7
8	21	34					01	20		05	23	15		8
9	07	43		09				06			37	73		9
10	37	22	21	14			03	04		09	05	02		10
11	07		01	01	01		01	04		02	46	15		11
12	06	29		01	38			01		05	34	07		12
13	05	48		05	51		06		06	15		03		13
14	06	02		01			06		06	01	17	56		14
15	14	01			36		12	04	04		14	15		15
16	03	49			10		120		01					16
17	07	20										02		17
18	05	12					04							18
19	06	26		20	15		03							19
20	55	04		13					06	18				20
21	10	26			034	12	11			25		06		21
22	02	24	32	02		05	20		01	56	02	35		22
23	07	02	06				03		02	63		65		23
24			03	03					20	51		17		24
25	02					10	05		21	02	04	16		25
26		03			19	22	02		05			33		26
27		03								28	01	01		27
28		03				07			22	20				28
29		X				87			04	04	29	04		29
30	35	X		06		04		02	02	24	27	13		30
31	01	X		X		X	13	33	X	22	X	11		31
TOTAL	4·24	5·34	0·83	1·44	2·16	1·54	3·02	2·10	1·86	3·76	2·40	7·22	Year's Total 35·91	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

1894

FORM A. BRITISH RAINFALL.
3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at BUDE.

in the County of CORNWALL

by K. Durston, (Jany to June)
F. J. Worden. (June to Dec.)

Lat. 50° 50' N. Long. 4° 33' W

Time of Observation 9 am. G.M.T.

Nearest Railway Station Bude. (L.S.W.R.)

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. - in.

" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·11	-	·02	-	·14	·23	·16	-	Tr	·25	·03	-	1
2	·38	·04	·23	-	·04	·01	Tr	-	·14	·46	·18	-	2
3	·01	·90	·02	-	·11	·11	-	-	·09	·28	·26	-	3
4	·19	·25	Tr	·02	·09	·33	-	-	·12	·02	·18	-	4
5	·04	·03	·05	Tr	·04	·03	·02	-	-	·07	·12	·05	5
6	·11	·26	·02	-	·06	·13	·42	-	Tr	·11	·21	-	6
7	·01	·25	·06	·01	·23	·09	Tr	-	-	·08	·55	·24	7
8	Tr	·23	·06	·04	·20	·06	Tr	-	-	-	·03	·15	8
9	-	·14	-	-	·04	-	·20	-	-	·17	·10	·43	9
10	-	1·08	Tr	·14	·02	-	-	-	-	·02	·05	·16	10
11	-	·02	Tr	·18	·04	-	·02	-	·04	Tr	·03	-	11
12	Tr	·11	·02	·03	·21	-	·04	·10	-	·23	-	·39	12
13	·12	·36	Tr	·01	·25	-	·02	·17	-	·03	Tr	06 ~~Tr~~	13
14	-	·33	-	-	·05	-	-	·04	-	·05	-	-	14
15	·03	·16	-	·18	·05	-	-	·27	-	·03	-	-	15
16	Tr	·06	·01	·22	·33	-	·02	·16	-	·20	-	-	16
17	·15	·10	·02	·03	·02	-	-	-	·62	·14	·46	-	17
18	Tr	·14	·17	·02	-	-	-	-	·09	Tr	·08	·09	18
19	·16	·04	·05	·10	-	-	-	-	-	-	·60	·12	19
20	·08	·74	·05	-	-	-	-	-	-	-	·23	·26	20
21	·03	·14	·22	-	-	·08	-	-	-	-	·47	·21	21
22	Tr	·01	·01	-	-	Tr	-	·16	-	·12	·07	·50	22
23	·01	·03	·02	·03	-	·24	-	·22	-	·21	·04	·21	23
24	-	·01	-	·03	·07	Tr	-	·08	-	·41	-	·25	24
25	-	·30	·08	-	·11	·06	-	·09	-	·20	·38	·04	25
26	·04	·06	·18	-	·03	·15	-	·01	·30	·56	·15	-	26
27	·04	·05	1·33	-	·04	·05	-	·01	·34	·39	-	-	27
28	Tr	·09	·01	-	-	·02	-	·07	·30	·39	Tr	·74	28
29	Tr	·41	·01	-	-	·37	-	·43	·06	·07	-	·37	29
30	-	X	·01	·04	-	Tr	-	-	-	·31	-	-	30
31	-	X	-	X	-	X	-	·07	X	·35	X	·08	31
Total	1·51	6·34	2·65	1·08	2·17	1·96	·90	1·88	2·10	5·15	4·22	4·35	YEAR'S TOTAL ~~34·32~~ 34·31
Rain Days.	16	28	22	~~14~~ 15	21	15	8	14	10	26	20	18	212

W. 8,000. X. 15.

Section A **for the entry of Daily Observations** **Station No.** 1894

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~17

Kept at BUDE

in the County of CORNWALL

COPY

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	02			29		34			09		25			1
2	03		11	20		08				08	13			2
3	09			13			31			29	54			3
4		25	26				22		05	33	01			4
5	24		36	20		110				15	08			5
6	05		36	03		22				04	25	04		6
7	56					01	10	39		08	06	03		7
8	05		11	03		19	09	07	10	61	22	35		8
9			26		07			03	03	38	17	12		9
10	28		05	27				16		08	08			10
11	04		38	18				01		46	53			11
12	27		06		15			01		48	01			12
13	23		17	05	01	03		16	50	43		02		13
14				07	01			06	04	32	06	02		14
15				03				02	01	12	01	32		15
16		14		01			77		01	16	06	27		16
17		01	03	37	03		40	06	18	10	02			17
18		01			13	01			93	08				18
19		64	04			31		01	02		01			19
20		19	02		26	72	01	01			01	01		20
21			10			05		19		08	05	08		21
22		15				07		46		25	01			22
23		06			03	01		43		20	06			23
24						06	15	05		36	15	01		24
25		03	01			11	05	46	04	12	06			25
26					76	03	01	19	28	11	08			26
27						53	03	105	01	03	03			27
28		03	16		01	147	07	13		20	01			28
29		X	05			03		03		25	03	13		29
30		X	19					11		03	01			30
31		X	03	X	27	X		07	X	48	X			31
TOTAL	1·86	1·51	2·75	1·86	1·73	5·37	2·21	4·16	2·29	6·30	2·99	1·40	Year's Total 34·43	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Section A **for the entry of Daily Observations** **Station No.** 1894

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~18

Kept at BUDE
in the County of CORNWALL
Diameter of funnel of gauge..........in.
Height of top of gauge above ground..........ft..........in.
Height of ground above sea level..........ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1		01		17	10			101		06	77	01		1
2	01	17		01				14	02		20	27		2
3		07		07	13			01	05	14	02	09		3
4		01						11	25	02	44	41		4
5	01		03	17	08			48	38	27	10	02		5
6	19	27	08	27				02	15	12		05		6
7	08	23		07		08		03	45	21	27	13		7
8	19	01					05		15	28	02	01		8
9	09	03		03		22	02	01	25	04	02	29		9
10	09	01		24			50		35	14		24		10
11	07	02	16	01	02		24		30	07	12	22		11
12	02	05	04		16		10		04	14	01	08		12
13	30	02			03		08		30	13		41		13
14	80				03	12	12		69	06		22		14
15	35					02	66		05	60		44		15
16	83			37	03	01	09		06	06		04		16
17	27			15			17	10	09	02		19		17
18	90	03	12			26	06	09	108	30		22		18
19	07	09	17	17			09	10	21			11		19
20	15	10	01	14		04	15	01	24	02		01		20
21	13	01	01	01		36	05		76	09		28		21
22	02	01			13		47		10	01	02	26		22
23	13				04	07	13		08		03	20		23
24	01	27				08	37	17	15		38	20		24
25	02			20	35		31	19		03	20	01		25
26	01	30					65	02	08	04	17	32		26
27		15	18					11	45	01	35	04		27
28		26							16	01	38	08		28
29		X	07						123		12	20		29
30	01	X	40	26				12	12	03	20	14		30
31		X	65	X		X			X	04	X	04		31
TOTAL	4·75	2·12	1·92	2·34	1·10	1·26	4·31	2·72	8·24	2·94	3·82	5·23	Year's Total 40·75	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)...(P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 1894

METEOROLOGICAL OFFICE

METFORM 1090
(*Rev. Feb. 1965*)

REGISTER OF RAINFALL IN 19~~6~~19

Kept at BUDE

in the County of CORNWALL

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground ..... ft. ..... in.

Height of ground above sea level ..... ft.

COPY

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	34		09	10	06		03		10	06		102		1
2	14		03		04				01	02		15		2
3	07		20		16			01	01		05	47		3
4	04	23	22		01	06		12	20			02		4
5	11	23	04				01					13		5
6	58	48	20						01		01	20		6
7	10		09	11		01			01			09		7
8	10		32	04		04					22			8
9	19		04	21	12						112	01		9
10	18		76	04	12					10	06	40		10
11	14		37	11	06	08	25			04	05	06		11
12	40		05	03		06				08	16			12
13	22	03	18	30			03		10	05		10		13
14	42	12		39	35					15		13		14
15	17	20		04						07		67		15
16	12	91					03				29	01		16
17	03	32	02		01	03	02				35	01		17
18	18	02	70	02			06	46	01		45	03		18
19	44	28	10			05	02	45	51		25	04		19
20	15	02	01		07	09		07	36		19	20		20
21	27	45			39		12	07	09		01	08		21
22		02			01	01	10	22	31		04	09		22
23										20	07	10		23
24	02			04		43		02	03	32	14	20		24
25	38	09		01		02		32	03	01	10	10		25
26	04		08	13				13	14	08	13	31		26
27	24	12	01	22		01		45		02		11		27
28	02		31	22				02			16	50		28
29	01	X	04	25				20			01	13		29
30		X	08	17		18		32			28	31		30
31	01	X	20	X		X	12		X		X	46		31
TOTAL	5·11	3·52	4·14	2·43	1·40	1·07	0·79	2·86	1·92	1·20	4·14	6·13	Year's Total 34·71	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) ..... (P.T.O.)

FORM 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

9 MAR 20

Kept at Bude (M.O)

in the County of Cornwall

by

Lat. 50° 50' N Long. 4° 33' W

Time of Observation 9h G.M.T

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1			1.5	1.3	2.8	-	0.7	-	1.1	1.5	-	17.9	1
2			0.9	0.1	0.8	-	0.1	-	1.3	0.4	-	17.5	2
3			4.3	-	4.1	-	-	-	0.5	-	-	11.6	3
4			4.7	-	0.2	1.4	-	3.1	4.2	-	-	0.5	4
5			1.0	-	-	-	-	-	-	-	0.1	1.8	5
6			5.2	-	-	-	0.2	-	0.2	-	0.2	6.7	6
7			2.0	2.3	-	0.1	-	-	0.1	-	-	2.0	7
8			8.1	0.8	-	-	-	-	-	-	7.4	-	8
9			0.4	5.0	3.4	-	-	-	-	-	25.0	-	9
10			17.7	1.0	0.7	-	-	-	-	0.9	0.4	8.6	10
11			6.4	1.1	2.7	1.8	6.0	-	-	0.4	1.9	1.7	11
12			0.5	0.6	0.2	1.1	-	-	-	0.8	3.4	-	12
13			3.4	7.5	8.4	0.3	0.8	-	2.2	2.7	-	1.8	13
14			-	9.2	2.8	-	0.1	-	-	0.6	-	1.8	14
15			-	1.0	-	-	-	-	-	0.2	-	15.6	15
16			0.3	-	-	-	0.8	-	-	1.2	-	-	16
17			0.5	0.9	1.8	0.2	0.5	0.2	-	-	7.3	-	17
18			16.7	0.4	-	0.2	1.2	9.8	1.6	-	10.0	0.6	18
19			0.2	-	3.5	-	-	13.3	10.4	-	6.0	-	19
20			2.0	-	6.3	2.3	0.8	0.9	8.0	-	3.4	5.8	20
21			0.2	-	-	0.8	2.5	1.5	1.2	-	-	2.3	21
22			-	-	-	0.1	1.9	-	8.2	-	-	3.0	22
23			-	0.1	-	-	-	5.7	0.1	4.2	1.3	2.9	23
24			-	1.0	-	11.3	-	0.5	0.7	5.5	3.7	4.8	24
25			-	-	-	0.2	-	11.6	0.2	0.2	2.7	1.6	25
26			2.0	5.4	-	0.2	-	0.8	2.4	1.1	3.0	8.0	26
27			-	0.6	-	-	-	10.8	-	0.9	-	2.3	27
28			7.3	4.6	-	-	-	0.2	-	-	3.9	11.5	28
29			1.3	3.4	-	-	-	3.9	-	0.8	-	2.9	29
30			4.5	2.7	-	3.0	-	7.8	-	-	6.2	7.0	30
31			3.4		-		2.9	-		-		11.2	31
TOTAL	104.0	99.6	~~96.5~~ 94.5	49.0	37.7	23.0	18.5	~~69.9~~ 70.1	42.4	21.4	85.9	151.4	YEAR'S TOTAL 797.5
with mm. re	?	?	24	18	13	12	11	14	14	15	16	25	

34). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

bed from M.O. Form 3203.

Section A **for the entry of Daily Observations**

Station No. 1894

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 1920

COPY

Kept at BUDE
in the County of CORNWALL
Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	26		04	01	20		69	35	10	52	01	36		1
2	58			25	04		19	21	30	25		09		2
3	30	09		02			06	04	10	65		18		3
4	01		03					41	03	35		01		4
5			10		20		49	02		32				5
6			38	07	32		30			14	06			6
7	08		26	41	09		16		02	01	05			7
8	03	06		45	09		06	22				11		8
9	78	08	05	04		10	28		02		01			9
10	66	21	05	37		15	18				01			10
11	10	01	04	60	16	02	08					01		11
12	38	06	10	20	03		10		01	09	16			12
13	33	07	30	09		07		01		61	01			13
14	10	05	24	44			08		37	29	40	05		14
15	03	15	02	32	15	02		01	22	60	15			15
16		01	07	02	04	71	04	02	41	43	16			16
17	08		01	01	15	20	01	03	101	44	01			17
18	33			03	02	19		36	10					18
19	10	06		31	06	15	01	07		01				19
20	01	01		17		17	03		14	13		16		20
21				05		01	04	01	04	19		27		21
22	03		01	04			03					39		22
23			04	01			40	32				34		23
24	02		20	02		01	03	02			05	15		24
25	03	12	16			03	55	01	01			01		25
26	46	01	39			14	04		01		16	02		26
27	34	17	20	14	03	54	09				109	15		27
28	33	04	39	11		17	08				09	03		28
29	27	01	32	02	30	18	04				09	25		29
30	19	X	01		01	20	21		110	16	33	33		30
31	09	X	40	X		X	06		X	150	X	35		31
TOTAL	5·9~~3~~2	1·21	3·81	4·20	1·89	3·06	4·33	2·11	3·99	6·69	2·84	3·26	Year's Total 43·31	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Bude
Improvement & Publicity Association.

KARL DURSTON,
Hon. [redacted]c. Obs. Met.

Bude,
N. Cornwall.

1. 1. 1920.

Dear Sir,

I regret that I cannot supply details for Jany. & Feby. of this year. The records were not completed & the observer who took my place whilst I was absent did not examine the gauge every day. I resumed my duty, on demobilisation, in March & trust now to keep the observations regularly.

I am
Yours faithfully
Karl Durston

The Superintendent

[illegible] 1662

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bude
in the County of Cornwall
by Karl Durston

Lat. 50° 50' N Long. 4° 33' W
Time of Observation 9h & 18h
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 50 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.1	-	1.0	-	4.6	-	17.0	9.2	2.9	20.4	-	6.0	1
2	12.6	-	-	6.2	-	-	4.3	4.3	6.1	2.0	-	1.1	2
3	6.1	1.8	-	-	-	-	1.5	0.7	2.2	8.2	-	-	3
4	-	-	0.2	-	-	-	-	8.6	0.5	10.2	-	0.2	4
5	-	-	2.2	-	6.3	-	11.4	-	-	6.0	-	-	5
6	-	-	9.4	1.5	6.9	-	7.7	-	-	1.3	1.5	-	6
7	1.8	-	6.8	13.5	3.1	-	0.5	-	0.5	-	1.1	-	7
8	1.4	1.3	0.4	7.5	2.4	-	1.1	4.9	-	-	-	3.0	8
9	19.5	2.1	1.0	0.5	-	2.3	9.3	-	0.6	-	1.6	-	9
10	14.7	4.1	0.6	12.8	-	3.3	2.0	-	-	-	-	-	10
11	2.6	-	0.7	7.7	3.6	0.4	1.2	-	-	-	-	-	11
12	7.4	1.3	0.4	3.2	0.5	-	2.3	-	0.4	0.7	3.8	-	12
13	5.8	1.0	9.6	0.5	-	1.3	-	-	-	14.5	0.5	1.2	13
14	2.2	0.7	5.7	11.7	-	-	2.1	-	14.6	13.3	9.1	-	14
15	1.0	4.3	0.3	6.7	3.4	0.2	-	-	-	5.9	3.1	-	15
16	-	-	0.5	0.6	1.0	13.7	0.9	0.5	9.9	11.3	4.7	-	16
17	1.7	-	-	-	2.9	0.9	-	1.0	28.7	10.5	-	-	17
18	7.3	-	-	0.7	0.6	8.1	-	10.4	0.6	-	-	0.3	18
19	2.7	1.5	-	10.6	1.2	4.7	-	-	0.1	1.0	-	-	19
20	0.1	-	-	0.7	-	2.1	0.9	-	0.4	1.6	-	3.3	20
21	-	-	-	1.2	-	-	0.1	-	0.2	4.0	-	6.1	21
22	0.1	-	-	0.5	-	-	1.8	-	-	-	-	8.4	22
23	-	-	1.0	0.1	-	-	9.0	7.8	-	-	-	7.0	23
24	0.3	-	4.7	-	-	0.1	1.0	0.5	0.1	-	0.8	2.5	24
25	1.0	3.1	2.9	-	-	0.6	11.9	-	-	-	-	-	25
26	11.4	-	9.0	-	-	3.2	1.1	-	0.2	-	3.4	-	26
27	4.7	4.2	3.2	-	0.5	12.7	2.3	-	-	-	24.4	3.5	27
28	9.0	1.0	10.3	2.3	-	2.0	-	-	-	-	3.9	0.8	28
29	3.0	-	7.0	2.4	7.1	3.1	1.3	-	0.5	-	0.1	5.3	29
30	1.5		-	0.5	0.4	4.8	4.4	-	29.9	0.2	7.0	6.2	30
31	1.7		9.9		-		0.7	-		36.6		2.8	31
Total	120.7	26.4	86.8	91.4	44.5	63.5	95.8	47.9	98.4	147.7	65.0	57.7	Year's Total 945.8
Days with 0·2 mm. or more	23.	12	22	20	15	16	24	10	16	17	13	16	204
	22	11	15	13	11	12	19	7	7	15	11	13	156

(44,284). Wt 21,958—2/S. 1500. 10/19. Gp.132. A.&E.W.

Copied from M 3202.

BUDE

CORNWALL

1914 - 1920

✓

REC

.III.15
. III.15

FORM A.
BRITISH RAINFALL.
15 MAR 1915

Kept at Bude

in the County of Corn

by JEBB

30 - 9 a.m.

Bude.

6 in.

ove Ground 1 ft. in.

Sea Level about 100 ft. 80 or 13

IMPORTANT NO … d the result entered to the previous day. If an C … iversal rule, he is earnestly requested to add the rea … ear in the space provided for it at the end of th … ement of rain, the selection and placin … British Rainfall Organization are given i … application to Dr. H. R. Mill, 62, Ca

Jan. 1, following.
·24

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·09	·05	-	-	·03	·01	·25	-	-	·30	·68	1
2	-	-	·10	·12	-	·22	·65	·67	-	-	·15	·13	2
3	·03	-	·01	·01	·64	-	-	·07	-	-	-	·55	3
4	·02	-	·10	·21	·41	·01	-	·05	-	-	·03	·12	4
5	·40	-	·25	·18	·01	-	·66	·48	-	-	·15	·93	5
6	·02	-	·33	·28	·01	-	·18	·01	-	-	·40	·09	6
7	·01	·03	·16	·23	·07	-	·21	·09	-	-	·07	·07	7
8	·03	·31	·26	·16	·08	·14	·38	·20	·24	-	·03	·27	8
9	·12	—	·72	·01	-	·17	·01	·11	·08	-	—	·04	9
10	·04	·07	·27	·12	·14	1·04	-	·23	·62	-	-	·01	10
11	·17	·28	·05	·42	·20	·02	-	-	·17	-	·04	-	11
12	-	·25	·45	·07	—	·10	-	-	·09	-	-	·44	12
13	-	·41	·20	-	-	-	-	-	·42	-	·19	·02	13
14	-	·25	·28	-	-	-	·03	-	·01	·17	·29	·13	14
15	-	·10	·24	-	-	·01	-	1·37	·14	·01	·19	·42	15
16	-	-	·13	-	-	-	·02	·40	·18	-	·47	·36	16
17	-	-	·08	-	-	-	·03	-	·10	-	-	·04	17
18	-	·29	·12	-	-	-	·04	-	·02	-	-	·37	18
19	-	·24	·20	-	-	-	·03	-	·20	-	-	·43	19
20	-	·01	·44	-	-	-	·86	-	·10	-	·06	·42	20
21	-	·30	·28	-	-	(·22)	-	·01	-	-	-	·12	21
22	-	·42	·02	-	·05	·06	·27	-	-	·09	-	·04	22
23	-	·15	·04	·04	-	-	-	·04	-	·41	-	-	23
24	-	·32	·17	-	-	·04	·07	·01	-	·07	-	-	24
25	-	·01	·09	-	-	-	·06	·08	-	·05	·20	-	25
26	·21	-	·09	-	-	-	·03	·48	-	·26	·04	·23	26
27	·03	·01	·07	-	-	-	·21	·04	-	·06	·21	·40	27
28	·11	·05	-	-	-	-	·02	-	-	·20	·17	·15	28
29	·03		·19	-	·12	-	-	-	-	·10	·04	·64	29
30	·20	X	·42	-	·10	-	-	-	-	·15	-	·11	30
31	-	X	·10	X	-	X	-	-	X	·10	X	·24	31
	·03	·05	—	—	·03	·01	·25	—	—	·30	·68	·24	YEAR'S TOTAL
Total	~~1·42~~	~~3·53~~	~~5·91~~	~~1·85~~	~~1·23~~	~~2·06~~	~~3·77~~	~~4·29~~	~~2·37~~	~~1·67~~	~~3·03~~	~~7·45~~	~~38·58~~
Rain Days.	15	19	29	12	12	12	19	18	13	13	18	27	206
W. 8,000. X. 14.	1·45	3·55	5·86	1·85	1·26	2·04	4·01	4·04	2·37	1·97	3·41	7·01	38·82

·III·15
·III·15

REG

FORM A.
BRITISH RAINFALL.
15 MAR 1915

Kept at Bude
in the County of Cornwall.
by J E B Bevan.

Lat. Long.
Time of Observation 8·30–9 a.m.
Nearest Railway Station Bude.
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 100 ft.
80 on B

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·24

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	·09	·05	–	–	·03	·01	·25	–	–	·30	·68	1
2	–	–	·10	·12	–	·22	·65	·67	–	–	·15	·13	2
3	·03	–	·01	·01	·04	–	–	·07	–	–	–	·55	3
4	·02	–	·10	·21	·41	·01	–	·05	–	–	·03	·12	4
5	·40	–	·25	·18	·01	–	·66	·48	–	–	·15	·93	5
6	·02	–	·33	·28	·01	–	·18	·01	–	–	·40	·09	6
7	·01	·03	·16	·23	·07	–	·21	·09	–	–	·07	·07	7
8	·03	·31	·26	·16	·08	·14	·38	·20	·24	–	·03	·27	8
9	·12	–	·72	·01	–	·17	·01	·11	·08	–	–	·04	9
10	·04	·07	·27	·12	·14	1·04	–	·23	·62	–	–	·01	10
11	·17	·28	·05	·42	·20	·02	–	–	·17	–	·04	–	11
12	–	·25	·45	·07	–	·10	–	–	·09	–	–	·44	12
13	–	·41	·20	–	–	–	–	–	·42	–	·19	·02	13
14	–	·25	·28	–	–	–	·03	–	·01	·17	·29	·13	14
15	–	·10	·24	–	–	·01	–	1·37	·14	·01	·19	·42	15
16	–	–	·13	–	–	–	·02	·40	·18	–	·47	·36	16
17	–	–	·08	–	–	–	·03	–	·10	–	–	·04	17
18	–	·29	·12	–	–	–	·04	–	·02	–	–	·37	18
19	–	·24	·20	–	–	–	·03	–	·20	–	–	·43	19
20	–	·01	·44	–	–	–	·86	–	·10	–	·06	·42	20
21	–	·30	·28	–	–	(·22)	–	·01	–	–	–	·12	21
22	–	·42	·02	–	·05	·06	·27	–	–	·09	–	·04	22
23	–	·15	·04	·04	–	–	–	·04	–	·41	–	–	23
24	–	·32	·17	–	–	·04	·07	·01	–	·07	–	–	24
25	–	·01	·09	–	–	–	·06	·08	–	·05	·20	–	25
26	·21	–	·09	–	–	–	·03	·48	–	·26	·04	·23	26
27	·03	·01	·07	–	–	–	·21	·04	–	·06	·21	·40	27
28	·11	·05	–	–	–	–	·02	–	–	·20	·17	·15	28
29	·03		·19	–	·12	–	–	–	–	·10	·04	·64	29
30	·20		·42	–	·10	–	–	–	–	·15	–	·11	30
31	–		·10		–		–	–		·10		·24	31
	·03	·05	–	–	·03	·01	·25	–	–	·30	·68	·24	YEAR'S TOTAL
Total	~~1·42~~	~~3·53~~	~~5·91~~	~~1·85~~	~~1·23~~	~~2·06~~	~~3·77~~	~~4·29~~	~~2·37~~	~~1·67~~	~~3·03~~	~~7·45~~	~~38·58~~
Rain Days.	15	19	29	12	12	12	19	18	13	13	18	27	206
	1·45	3·55	5·86	1·85	1·26	2·04	4·01	4·04	2·37	1·97	3·41	7·01	38·82

W. 8,000. X. 14.

corrected for WD 12.iv.16. W DL Cord 16.III.16 2004

FORM A. BRITISH RAINFALL.

12 JAN

REGISTER OF RAINFALL IN 1915

Kept at Bude

in the County of Cornwall

by J. E. B. Bevan

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bude

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·14

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·24	– ·26	·02	–	·02	–	·04	·15	·32	·06	·25	·25	1
2	·37		–	–	·18	–	–	·22	·97	·27	·02	·32	2
3	·41	·18	·07	·15	–	·03	·01	·27	·06	·03	–	·52	3
4	·08	·05	·11	·19	·14	·01	·01	·01	–	–	–	·54	4
5	·03	·27	·02	–	·02	·01	·21	·02	–	–	–	·48	5
6	·04	·54	·03	·14	–	·03	–	·42	–	–	–	·49	6
7	·76	·14	–	·16	–	–	·21	·31	–	–	–	·52	7
8	·30	·53	·05	·04	·14	–	·49	·03	–	·19	–	·46	8
9	·29	·34	–	–	–	–	·01	·20	–	·03	·41	·16	9
10	·08	·44	–	·09	–	–	–	·07	–	·01	·17	·80	10
11	·35	·25	·20	·15	–	·03	·05	·04	–	·13	·52	·02	11
12	·03	–	·01	·01	·01	–	·01	·03	–	·01		·04	12
13	·05	·37	–	·02	·42	–	–	·01	–	·03	·35	·15	13
14	·04	·42	–	·06	·60	–	·05	·10	·06	·13	·10	·03	14
15	·06	·02	–	·02	–	–	·06	·12	·08	–	·15	·57	15
16	·14	–	–	–	·39	–	·14	–	·05	·01		·20	16
17	·03	·68	–	·02	·14	–	1·38	–	·02	–	–	·01	17
18	·06	·20	–	–	·14	–	–	–	–	–	–	·61	18
19	·05	·18	–	–	·02	–	·04	–	–	–	–	–	19
20	·05	·05	–	·01	·16	–	·26	–	–	–	–	–	20
21	·56	·27	–	·28	·01	·11	–	–	·05	·20	–	·01	21
22	·07	·27	–	–	·03	·07	·16	–	–	·27	–	·06	22
23	·02	·26	·34	·03	–	·05	·21	–	–	·55	–	·37	23
24	·07	·02	·06	·02	–	–	·04	–	·02	·63	–	·63	24
25	–	–	·01	–	–	·05	–	–	·17	·45	–	·16	25
26	–	–	–	·02	–	·05	·05	–	·01	·04	·05	·22	26
27	·01	·15	–	–	·22	·27	·03	–	·23	–	–	·33	27
28	–	·06	–	–	–	·31	·14	–	·06	·34	–	·01	28
29	–		–	–	–	·07	–	·02	·58	·19	·01	·03	29
30	–	X	–	·05	–	·92	–	–		·09	·30	·06	30
31	·35	X	–	X	–	X	–	–	X	·28	X	·17	31
	–	·02	–	·02	–	·04	·15	·32	·06	·25	·25	·14	YEAR'S TOTAL
Total	~~4·54~~	~~5·95~~	~~·91~~	~~1·46~~	~~2·64~~	~~2·01~~	~~3·60~~	~~2·02~~	~~2·68~~	~~3·94~~	2·33	~~7·62~~	~~39·70~~
	4·30	5·97	·89	1·48	2·62	2·05	~~3·60~~ 3·71	2·19	~~2·68~~ 2·42	4·13	2·33	7·51	~~39·70~~ 39·60
Rain Days.	~~26~~ 25	~~24~~ 25	~~11~~ 10	~~18~~ 19	~~16~~ 15	~~11~~ 15	21	16	15	21	13	29	224

W. 8,000. X. 15.

[illegible] WD?   [illegible]

REGISTER OF RAINFALL IN 1916

1894

FORM A. BRITISH RAINFALL. 3 JAN 1917

Kept at BUDE

in the County of Cornwall

by J E B Bevan

Lat. .... Long. ....

Time of Observation 8·30 a.m.

Nearest Railway Station Bude

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 8 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·07

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	–	·32	–	·05	–	·01	–	·07	–	·33	–	1
2	·15	–	·09	–	·18	·25	·20	–	–	·30	·02	–	2
3	·36	·06	·25	·01	·03	–	–	·01	·10	·48	·31	–	3
4	·02	·95	–	–	·10	·06	–	–	·15	·29	·18	–	4
5	·19	·24	·04	·03	·13	·40	–	–	·12	·01	·30	–	5
6	·03	·11	–	·01	·06	·04	·02	–	–	–	·13	·04	6
7	·10	·20	–	–	·07	·11	·40	–	–	·18	·24	–	7
8	·02	·21	·05	–	·25	·10	·01	–	–	·06	·64	·25	8
9	·01	·25	·07	–	·20	·06	–	–	–	–	·02	·15	9
10	–	·10	–	–	–	–	·20	–	–	·17	·13	·49	10
11	–	1·06	–	·17	·03	–	·01	–	–	·01	·03	·14	11
12	–	·02	–	·16	·04	–	–	–	·04	·01	·03	–	12
13	·04	·10	·04	·03	·19	–	·04	·09	–	·22	·01	·34	13
14	–	·37	·01	–	·04	–	·01	·17	–	·04	·01	·07	14
15	·10	·34	·02	–	·13	–	–	·04	–	·02	–	–	15
16	·03	·17	·04	·16	·02	–	–	·27	–	·06	–	–	16
17	·02	·06	–	·24	·02	–	·02	·17	–	·19	·01	–	17
18	·14	·10	·06	·02	–	–	–	–	·50	·15	·52	–	18
19	–	·17	·21	·02	–	–	–	–	·14	·01	·09	·09	19
20	·18	·06	·01	·11	–	–	–	–	·04	–	·54	·14	20
21	·06	·84	·36	–	–	–	–	–	–	–	·24	·17	21
22	·04	·16	·06	–	·03	·01	–	–	–	–	–	·09	22
23	–	–	–	–	–	·09	–	·05	–	·15	·07	·40	23
24	·02	·05	·01	·03	–	·29	–	·34	–	·15	·07	·21	24
25	–	·20	·07	–	·05	·01	–	·04	–	·40	·01	·27	25
26	–	·07	·16	–	·11	·04	–	·16	–	·19	·32	·05	26
27	·05	·06	·07	–	·02	·17	–	·02	·14	·69	·07	–	27
28	·05	·04	1·70	–	·02	·04	–	–	·47	·40	–	·01	28
29	–	·08	·01	–	–	·01	–	·02	·28	·38	·01	·69	29
30	–	X	–	–	–	·40	–	·51	·08	·25	–	·34	30
31	–	X	–	X	–	X	–	·01	X	·15	X	·01	31
	–	·32	–	·05	–	·01	–	·07	–	·33	–	·07	YEAR'S TOTAL
Total	~~1·75~~	~~6·07~~	~~3·65~~	~~·99~~	~~1·77~~	~~2·08~~	~~·92~~	~~1·90~~	~~2·13~~	~~5·01~~	~~4·23~~	~~3·96~~	34·39
Rain Days.	1·61 ~~20~~ 19	6·39 [illegible] 27	3·33 [illegible] 20	1·04 ~~14~~ 13	1·72 ~~21~~ 20	2·09 ~~18~~ 17	·91 ~~10~~ 9	1·97 ~~14~~ 15	2·06 ~~12~~ 11	5·34 [illegible] 26	3·96 [illegible] 24	4·03 ~~19~~ 20	~~34·4~~

221

W. 8,000, VIII. 16

✓ only own stats, and for WD

1894

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Bude

in the County of Cornwall

by J. E. B. Bevan.

Lat. .... Long. ....

Time of Observation 8·30 a.m.

Nearest Railway Station Bude

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
no measurement

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	—	·03	·03	—	·27	—	—	·07	—	·48	·01	1
2	·02	—	—	·29	—	·34	—	—	·09	—	·25	—	2
3	·03	—	·11	·20	—	·08	—	—	—	·08	·13	—	3
4	·09	—	—	·13	—	—	·31	—	—	·29	·54	—	4
5	—	·25	·26	—	—	—	·22	—	·05	·33	·01	—	5
6	·24	—	·36	·20	—	1·10	—	—	—	·15	·08	—	6
7	·05	—	·36	·03	—	·22	—	—	—	·04	·25	·04	7
8	·56	—	~~·12~~ —	—	—	·01	·10	·39	—	·08	·06	·03	8
9	·05	—	·11 ~~·05~~	·03	—	·19	·09	·07	·10	·61	·22	·35	9
10	—	—	·26	—	·07	—	—	·03	·03	·38	·17	·12	10
11	·28	—	·05	·27	—	—	—	·16	—	·08	·08	—	11
12	·04	—	·38	·18	—	—	—	·01	—	·46	·53	—	12
13	·27	—	·06	—	·15	—	—	·01	—	·48	·01	—	13
14	·23	—	·17	·05	·01	·03	—	·16	·50	·43	—	·02	14
15	—	—	—	·07	·01	—	—	·06	·04	·32	·06	·02	15
16	—	—	—	·03	—	—	—	·02	·01	·12	·01	·32	16
17	—	·14	—	·01	—	—	·77	—	·01	·16	·06	·27	17
18	—	·01	·03	·37	·03	—	·40	·06	·18	·10	·02	—	18
19	—	·01	—	—	·13	·01	—	—	·93	·08	—	—	19
20	—	·64	·04	—	—	·31	—	·01	·02	—	·01	—	20
21	—	·19	·02	—	·26	·72	·01	·01	—	—	·01	·01	21
22	—	—	·10	—	—	·05	—	·19	—	·08	·05	·08	22
23	—	·15	—	—	—	·07	—	·46	—	·25	·01	—	23
24	—	·06	—	—	·03	·01	—	·43	—	·20	·06	—	24
25	—	·80	—	—	—	·06	·15	·05	—	·36	·15	·01	25
26	—	·03	·01	—	—	·11	·05	·46	·04	·12	·06	—	26
27	—	—	—	—	·76	·03	·01	·19	·28	·11	·08	—	27
28	—	—	—	—	—	·53	·03	1·05	·01	·03	·03	—	28
29	—		·16	—	·01	1·47	·07	·13	—	·20	·01	—	29
30	—	✕	·05	—	—	·03	—	·03	—	·25	·03	·13	30
31	—	✕	·19	✕	—	✕	—	·11	✕	·03	✕	—	31
	—	·03	·03	—	·27	—	—	·07	—	·48	·01	—	YEAR'S TOTAL
Total	~~1·93~~ 1·86	~~1·43~~ 1·51	~~2·75~~ 2·75	~~1·89~~ 1·86	~~1·46~~ 1·73	~~5·64~~ 5·37	~~2·21~~ 2·21	~~4·09~~ 4·16	~~2·36~~ 2·29	~~5·82~~ 6·30	~~3·46~~ 2·99	~~1·41~~ 1·40	~~34·50~~ 34·43
Rain Days.	~~12~~	~~9~~	~~19~~	~~14~~	~~10~~	~~20~~	~~12~~	~~22~~	~~15~~	~~27~~	~~28~~	~~13~~	~~201~~
	11	10	19	13	11	19	12	23	14	28	28	12	200

W. 8,000, IX. 17.

FORM A. BRITISH RAINFALL 7. I. 19

REGISTER OF ~~RAINFALL~~ IN 1918

~~W.~~ ~~922~~ and for results of WD

Kept at Bude
in the County of Cornwall
by J E B Bevan

Lat. Long.
Time of Observation 8·30 a.m.
Nearest Railway Station Bude
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
									H	~~·12~~			
1	–	–	·26	·65	·26	–	·	·	–	·12 ~~·06~~	·04	·20	1
2	–	·01	·	·17	·10	·	·	1·01	~~·02~~	·06	·77	·01	2
3	·01	·17	–	·01	–	·	·	·14	·02 ~~·03~~	~~·14~~	·20	·27	3
4	–	·07	–	·07	·13	·	·	·01	·05 ~~·25~~	·14 ~~·02~~	·02	·09	4
5	·	·01	–	–	–	·	·	·11	·25 ~~·38~~	·02	·44	·41	5
6	·01	–	·03	·17	·08	·	·	·48	·38 ~~·15~~	·27	·10	·02	6
7	·19	·27	·08	·27	–	·	·	·02	·15 ~~·45~~	·12	–	·05	7
8	·08	·23	–	·07	–	·08	·	·03	·45 ~~·15~~	·21	·27	·13	8
9	·19	·01	–	–	–	–	·05	–	·15 ~~·25~~	·28	·02	·01	9
10	·09	·03	·	·03	·	·22	·02	·01	·25 ~~·30~~	·04	·02	·29	10
11	·09	·01	–	·24	·		·50	–	·35 ·30	·14	–	·24	11
12	·07	·02	·16	·01	·02	·	·24	–	·50 ~~·04~~	·07	·12	·22	12
13	·02	·05	·04	·	·16	·	·10	–	·04 ~~·30~~	·14	·01	·08	13
14	·30	·02	–	·	·03	·	·08	–	·30 ~~·69~~	·13	·	·41	14
15	·80	–	–	·	·03	·12	·12	–	·69 ~~·05~~	·06	–	·22	15
16	·35	–	–	·	·	·02	·66	–	·05 ~~·06~~	·60	·	·44	16
17	·83	–	–	·37	·03	·01	·09	–	·06	·06	–	·04	17
18	·27	–	–	·15	–	·	·17	·10	·09 ~~1·08~~	·02	·	·19	18
19	·90	·03 ·08	·12	·	–	·26	·06	·09	1·08 ~~·21~~	·30	·	·22	19
20	·07	·09	·17	·17	–	·	·09	·10	·21 ~~·24~~	–	–	·11	20
21	·15	·10	·01	·14	·	·04	·15	·01	·24 ~~·76~~	·02	·	·01	21
22	·13	·01	·01	·01	·	·36	·05	·	·76 ~~·10~~	·09	–	·28	22
23	·02	·01	–	·	·13	·	·47	·	·10 ~~·08~~	·01	·02	·26	23
24	·13	–	·	·	·04	·07	·13	·	·08 ~~·15~~	–	·03	·20	24
25	·01	·27	–	·	·	·08	·37	·17	·15	–	·38	·20	25
26	·02	–	–	·20	·35	·	·31	·19	– ~~·08~~	·03	·20	·01	26
27	·01	·30	·	·	–	·	·65	·02	·08 ~~·45~~	·04	·17	·32	27
28	–	·15	·18	·	·	·	·	·11	·45 ~~·16~~	·01	·35	·04	28
29	·	X	–	·	·	·	·	–	·16 ~~1·23~~	·01	·38	·08	29
30	–	X	·07	·	–	·	·	–	1·23	–	·12	·20	30
31	·01	X	·40	X	·	X	·	·12	X	·03	X	·14	31
	–	·26	·65	~~·26~~					·12	·04	·20	·04	YEAR'S TOTAL
Total	~~4·75~~	~~1·86~~	~~1·53~~	~~2·73~~	~~1·36~~	~~1·26~~	~~4·31~~	~~2·72~~	~~8·42~~	~~3·02~~	~~3·66~~	~~5·39~~	~~40·7~~
Rain Days.	4·75 24	2·12 21	1·92 12	2·34 16	1·10 11	1·26 10	4·31 19	2·72 14	8·24 8	2·94 20	3·82 10	5·23 31	40·75 34

1894

JAN 20

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1919.

Kept at Bude
in the County of Cornwall
by J E B Bevan.

Lat. Long.
Time of Observation 8·30 a.m.
Nearest Railway Station Bude
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft 8 in.
„ „ „ „ Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·46

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	·01	–	·20	·17	–	·18	·12	–	–	–	·28	1
2	·34	–	·09	·10	·06	–	·03	–	·10	·06	–	1·02	2
3	·14	–	·03	–	·04	–	–	–	·01	·02	–	·15	3
4	·07	–	·20	–	·16	–	–	·01	·01	–	·05	·47	4
5	·04	·23	·22	–	·01	·06	–	·12	·20	–	–	·02	5
6	·11	·23	·04	–	–	–	·01	–	–	–	–	·13	6
7	·58	·48	·20	–	–	–	–	–	·01	–	·01	·20	7
8	·10	–	·09	·11	–	·01	–	–	·01	–	–	·09	8
9	·10	–	·32	·04	–	·04	–	–	–	–	·22	–	9
10	·19	–	·04	·21	·12	–	–	–	–	–	1·12	·01	10
11	·18	–	·76	·04	·12	–	–	–	–	·10	·06	·40	11
12	·14	–	·37	·11	·06	·08	·25	–	–	·04	·05	·06	12
13	·40	–	·05	·08	–	·06	–	–	–	·08	·16	–	13
14	·22	·03	·18	·30	–	–	·03	*	·10	·05	–	·10	14
15	·42	·12	–	·39	·35	–	–	–	–	·15	–	·13	15
16	·17	·20	–	·04	–	–	–	–	–	·07	–	·67	16
17	·12	·91	–	–	–	–	·03	–	–	–	·29	·01	17
18	·03	·32	·02	–	·01	·03	·02	–	–	–	·35	·01	18
19	·18	·02	·70	·02	–	–	·06	·46	·01	–	·45	·03	19
20	·44	·28	·10	–	–	·05	·02	·45	·51	–	·25	·04	20
21	·15	·02	·01	–	·07	·09	–	·07	·36	–	·19	·20	21
22	·27	·40	–	–	·39	–	·12	·07	·09	–	·01	·08	22
23	–	·02	–	–	·01	·01	·10	·22	·31	–	·04	·09	23
24	–	–	–	–	–	–	–	–	–	·20	·07	·10	24
25	·02	–	–	·04	–	·43	–	·02	·03	·32	·14	·20	25
26	·38	·09	–	·01	–	·02	–	·32	·03	·01	·10	·10	26
27	·04	–	·08	·13	–	–	–	·13	·14	·08	·13	·31	27
28	·24	·12	·01	·22	–	·01	–	·45	–	·02	–	·11	28
29	·02	+	·31	·22	–	–	–	·02	–	–	·16	·50	29
30	·01	✕	·04	·25	–	–	–	·20	–	–	·01	·13	30
31	–	✕	·08	✕	–	✕	–	·32	✕	–	✕	·31	31
TOTAL	·01 ~~5·14~~ 5·11	– ~~3·53~~ 3·52	·20 ~~3·94~~ 4·14	·17 ~~2·46~~ 2·43	– ~~1·57~~ 1·40	18 ~~·89~~ 1·07	·12 ~~·85~~ ·79	– ~~2·98~~ 2·86	– 1·92 1·92	– 1·20 1·20	28 ~~3·86~~ 4·14	·46 ~~5·95~~ 6·13	YEAR'S TOTAL ~~34·29~~ 34·41
Days with ·01 in. or more	28	15	23	18	12	13	11	14	15	13	20	29	212

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Conf W D [illegible] 1663 1894

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Bude
in the County of Cornwall
by J E B Bevan

Lat. Long.
Time of Observation 8·30 a.m.
Nearest Railway Station Bude
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·35

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·46	·09	·01	·40	—	—	·20	·06	—	1·10	1·50	·33	1
2	·26	—	·04	·01	·20	—	·69	·35	·10	·52	·01	·36	2
3	·58	—	—	·25	·04	—	·19	·21	·30	·25	—	·09	3
4	·30	·09	—	·02	—	—	·06	·04	·10	·65	—	·18	4
5	·01	—	·03	—	—	—	—	·41	·03	·35	—	·01	5
6	—	—	·10	—	·20	—	·49	·02	—	·32	—	—	6
7	—	—	·38	·07	·32	—	·30	—	—	·14	·06	—	7
8	·09	—	·26	·41	·09	—	·16	—	·02	·01	·05	—	8
9	·03	·06	—	·45	·09	—	·06	·22	—	—	—	·11	9
10	·78	·08	·05	·04	—	·10	·28	—	·02	—	·01	—	10
11	·66	·21	·05	·37	—	·15	·18	—	—	—	·01	—	11
12	·10	·01	·04	·60	·16	·02	·08	—	—	—	—	·01	12
13	·38	·06	·10	·20	·03	—	·10	—	·01	·09	·86	—	13
14	·33	·07	·30	·09	—	·07	—	·01	—	·61	·01	—	14
15	·10	·05	·24	·44	—	—	·08	—	·37	·29	·40	·05	15
16	·03	·15	·02	·32	·15	·02	—	·01	·22	·60	·15	—	16
17	—	·01	·07	·02	·04	·71	·04	·02	·41	·43	·16	—	17
18	·08	—	·01	·01	·15	·20	·01	·03	1·01	·44	·01	—	18
19	·33	—	—	·03	·02	·19	—	·36	·10	—	—	—	19
20	·10	·06	—	·31	·06	·15	·01	·07	—	·01	—	—	20
21	·01	·01	—	·17	—	·17	·03	—	·14	·13	—	·16	21
22	—	—	—	·05	—	·01	·04	·01	·04	·19	—	·27	22
23	·03	—	·01	·04	—	—	·03	—	—	—	—	·39	23
24	—	—	·04	·01	—	—	·40	·32	—	—	—	·34	24
25	·02	—	·20	·02	—	·01	·03	·02	—	—	·05	·15	25
26	·03	·12	·16	—	—	·03	·55	·01	·01	—	—	·01	26
27	·46	·01	·39	—	—	·14	·04	—	·01	—	·16	·02	27
28	·34	·17	·20	·14	·03	·54	·09	—	—	—	1·09	·15	28
29	·33	·04	·39	·11	—	·17	·08	—	—	—	·09	·03	29
30	·27	╳	·32	·02	·30	·18	·04	—	—	—	·09	·25	30
31	·19	╳	·01	╳	·01	╳	·21	—	╳	·16	╳	·33	31
TOTAL	·09 ~~6·30~~ 5·93	·01 ~~1·29~~ 1·21	·40 ~~3·42~~ 3·81	— ~~4·60~~ 4·20	— 1·89	·20 ~~2·86~~ 3·06	·06 ~~4·47~~ 4·33	— ~~2·17~~ 2·11	1·10 ~~2·89~~ 3·99	1·50 ~~6·29~~ 6·69	·33 ~~4·01~~ 2·84	·35 ~~3·24~~ 3·26	43·32 ~~YEAR'S TOTAL~~ ~~43·48~~
Days with ·01 in. or more	26	17	24	25	16	18	27	16	17	18	17	19	240 ✓
Days with ·04 in. or more	19	12	22	19	12	13	22	8	11	16	12	14	176 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CORNWALL.

BUDE,

"PONGHILL"

1911-1912

REG 19 11

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Ponghill

in the County of Cornw

by Miss Field

top 5 in.

above Ground 1 ft. - in.

" Sea Level 200 ft.

9 am

ion { Name Bude. Distance 2 Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	-	-	·02	·12	·14	-	1·52	-	·02	·14	·01	1
2	-	-	·04	-	·12	-	-	·19	-	·24	·27	·10	2
3	-	-	·05	-	·35	-	-	·01	·02	-	·17	·14	3
4	·01	-	·17	-	-	-	-	·29	-	·01	·36	·42	4
5	·19	-	·21	·03	-	-	-	·41	-	·05	·21	·08	5
6	·24	-	·24	-	-	-	-	·09 ·69	-	-	·20	·81	6
7	·17	-	·16	-	-	-	-	-	-	-	·51	-	7
8	·14	-	-	-	-	-	-	-	-	-	·24	·46	8
9	·22	-	·02	-	-	-	-	-	-	-	·44	·21	9
10	·03	·05	·27	-	·09	-	-	-	-	-	·04	·31	10
11	·43	-	-	-	·02	-	-	-	·07	-	·54	·12	11
12	-	-	·39	-	-	-	-	-	·42	-	·05	·25	12
13	·01	-	·09	·01	·58	-	-	-	·12	·01	·20	·08	13
14	-	·16	·14	-	·01	-	-	-	-	·02	·06	·27	14
15	·05	·08	·31	-	-	·07	-	-	-	-	·39	·08	15
16	·02	·01	·01	-	-	·18	-	-	-	-	·17	·15	16
17	-	·13	·18	·03	·01	·21	·01	-	-	-	·38	·57	17
18	-	·29	·06	·18	-	·15	-	-	-	·03	·34	·28	18
19	-	-	·06	·06	-	·22	-	·01	·49	·01	·22	·70	19
20	·01	·06 ·06	·05	·20	-	-	-	·01	·34	·58	-	·30	20
21	·02	·31	-	-	-	·05	·01	·02	·23	·16	-	·06	21
22	·01	·21	-	·16	-	·29	-	-	·20	·13	-	·26	22
23	-	·09	-	·01	-	·04	-	·06	·30	·05	·02	·06	23
24	·03	·34	-	-	-	1·04	-	·37	·01	·41	·02	·20	24
25	·07	·01	-	·32	-	·08	-	-	·04	·19	-	·10	25
26	·02	·08	-	·38	·38	-	·07	·18	·01	·63 ·63	-	·25	26
27	-	·64	-	·01	-	-	-	·39	·24	·23	-	·21	27
28	-	·15	-	·57	-	·02	-	·16	-	-	·01	·02	28
29	-	-	·04	·23	-	·85	·30	·02	·33	·30	-	-	29
30	-	-	-	-	-	·08	·14	-	·04	·10	·13	·12	30
31	-	-	·02 ·02	-	-	-	·02	-	-	·06	-	·02	31
Total	1·71	2·61	2·51	2·21	1·68	3·42 3·42	0·55	3·73	2·86	3·23	5·11	6·64	TOTAL for year 36·26
No. of Rain Days	18	15	19	14.	9	14	6	15	15	19	23	29	196

9,000, IX. '10.

REG 1911

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Tonghill

in the County of Cornwall

by Miss Field

Rain Gauge — Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 200 ft.

Time of Observation 9 am

Nearest Railway Station — Name Bude.
Distance 2 Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	-	-	·02	·12	·14	-	1·52	-	·02	·14	·01	1
2	-	.	·04	-	·12	-	.	·19	.	·24	·27	·10	2
3	.	-	·05	-	·35	-	-	·01	·02	-	·17	·14	3
4	·01	-	·17	-	.	-	-	·29	-	·01	·36	·42	4
5	·19	-	·21	·03	.	-	-	·41	-	·05	·21	·08	5
6	·24	-	·24	-	.	-	.	·09 ·09	.	-	·20	·81	6
7	·17	-	·16	-	.	-	.	-	-	-	·51	-	7
8	·14	-	-	-	.	.	-	-	-	-	·24	·46	8
9	·22	.	·02	.	.	-	-	-	-	-	·44	·21	9
10	·03	·05	·27	.	·09	.	-	-	-	-	·04	·31	10
11	·43	-	-	-	·02	-	-	-	·07	-	·54	·12	11
12	-	.	·39	-	-	-	-	-	·42	-	·05	·25	12
13	·01	-	·09	·01	·58	-	.	-	·12	·01	·20	·08	13
14	-	·16	·14	-	·01	-	.	-	-	·02	·06	·27	14
15	·05	·08	·31	-	.	·07	-	-	-	-	·39	·08	15
16	·02	·01	·01	.	.	·18	.	.	-	-	·17	·15	16
17	-	·13	·18	·03	·01	·21	·01	-	-	-	·38	·57	17
18	-	·29	·06	·18	.	·15	-	.	-	·03	·34	·28	18
19	-	-	·06	·06	.	·22	-	·01	·49	·01	·22	·70	19
20	·01	·06 ·06	·05	·20	.	-	.	·01	·34	·58	-	·30	20
21	·02	·31	-	-	.	·05	·01	·02	·23	·16	-	·06	21
22	·01	·21	-	·16	.	·29	-	-	·20	·13	-	·26	22
23	-	·09	-	·01	.	·04	.	·06	·30	·05	·02	·06	23
24	·03	·34	-	-	-	1·04	-	·37	·01	·41	·02	·20	24
25	·07	·01	-	·32	-	·08	.	-	·04	·19	-	·10	25
26	·02	·08	-	·38	·38	-	·07	·18	·01	·63 ·63	-	·25	26
27	.	·64	.	·01	.	-	-	·39	·24	·23	-	·21	27
28	.	·15	-	·57	.	·02	.	·16	.	.	·01	·02	28
29	.	-	·04	·23	.	·85	·30	·02	·33	·30	-	-	29
30	-	-	-	-	.	·08	·14	.	·04	·10	·13	·12	30
31	-	-	·02 ·02	-	.	-	·02	-	-	·06	-	·02	31
Total	1·71	2·61 ✓	2·51	2·21	1·68	3·42 ✓ 3·42	0·55	3·73	2·86	3·23	5·11	6·64	TOTAL for year 36·26 ✓
No. of Rain Days	18	15	19	14.	9	14	6	15	15	19	23	29	196 ✓

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

20 JAN 1913

Kept at Pounghill
in the County of Cornwall
by Miss Field

Lat. 50° - 51' Long. 4° 31' 30
Time of Observation 9 a.m.
Nearest Railway Station Bude.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	[illegible]	-	·26	-	·12	·45	·04	·14	·10	1·15	-	·37	1
2	·06	-	·15	·03	·02	·99	·04	-	-	·04	·04	-	2
3	·44	-	·19	·04	·03	·13	·03	·87	·11	-	-	·04	3
4	·53	-	·48	·01	·04	·16	-	·05	·01	-	·28	-	4
5	·64	·06	·43	·02	·13	-	·03	·77	-	-	·03	·08	5
6	·12	·02	·03	·03	·30	-	·04	·27	-	-	·07	·04	6
7	·51	·28	·15	·05	·18	·31	·14	·27	-	-	·02	·05	7
8	·01	·07	·02	·01	·01	·21	·01	-	-	-	-	-	8
9	·39	·25	·18	·02	-	·08	·31	·14	·02	-	·03	·62	9
10	·01	·09	·25	·03	-	·12	·12	·18	-	-	·17	·08	10
11	·01	·02	-	-	-	-	-	·01	-	-	·27	·57	11
12	·01	·02	·25	·01	·07	-	·23	·20	-	·01	·72	·02	12
13	·18	-	·07	-	·01	·06	·18	·09	-	·05	-	·44	13
14	·10	·02	·58	-	-	-	·01	·33	·01	·03	-	·06	14
15	·19	·03	·19	-	·13	1·44	-	·02	-	-	·04	·66	15
16	·18	-	·26	-	·20	·09	-	·14	-	·13	·17	·06	16
17	-	-	·10	·02	·05	·24	-	·52	-	-	·06	·30	17
18	-	·01	·26	-	-	-	-	·76	-	·19	·07	·05	18
19	-	·06	·09	-	·07	·19	·08	·69	-	·09	·01	·05	19
20	·02	·12	·15	-	·02	-	-	·33	-	·50	·06	-	20
21	·01	·16	·14	-	·24	-	·05	·07	-	·17	-	-	21
22	·18	·17	·26	-	·04	·12	·02	·29	-	·06	·05	-	22
23	·02	·39	·21	-	-	·24	·05	1·23	-	·16	·19	·52	23
24	·01	·03	·06	-	-	·23	·06	·02	-	-	-	·10	24
25	·09	-	·01	-	-	·32	-	·15	-	·34	·46	·76	25
26	-	·06	·01	-	-	-	-	·11	-	·26	·40	·33	26
27	-	·01	·08	-	-	·35	·92	·26	-	·65	-	·61	27
28	-	·08	·02	-	-	·24	·25	·53	·27	·23	·42	·57	28
29	-	·18	-	·05	[illegible]	·39	·55	·20	·41	·21	-	·05	29
30	-	-	·10	-	·03	·45	·22	-	·03	·37	-	·01	30
31	-	-	·49	-	-	-	·16	·04	-	·02	-	·10	31
Total	3·71	2·12	5·47	0·32	1·69	6·81	3·54	8·68	0·96	4·66	3·56	6·51	YEAR'S TOTAL 48·03
Rain Days.	21	21	29	12	18	21	22	28	8	19	20	25	244

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
JAN 1915

1896/5

CADGWITH
COASTGUARD HOUSE
CORNWALL
— 1920

REGI

Kept at Cadgwith (
m.

Helston

in the County of Corn
5 in.

by Helena F. Shep
Ground 1 ft. — in.

Sea Level about 180 ft.

IMPORTANT NOTE
he result entered to the previous day. If an Obse
sal rule, he is earnestly requested to add the readin
in the space provided for it at the end of this
nt of rain, the selection and placing c
h Rainfall Organization are given in "
plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·08	·14	—	·16	·09	·94	—	—	·41	·05	1
2	·01	—	·03	—	·06	—	·36	·03	—	—	·02	·49	2
3	·02	—	·14	·12	·36	—	—	—	—	—	—	·12	3
4	·42	—	·14	·44	·03	—	·94	1·33	—	—	—	·75	4
5	·22	—	·20	·19	·02	—	—	·02	—	—	—	·04	5
6	—	·15	·21	·19	·08	—	·03	—	—	—	—	·37	6
7	·15	·48	·24	·24	·01	·15	·15	·15	·26	—	—	·20	7
8	·10	—	1·12	·06	·04	·53	·02	·01	—	—	·02	·04	8
9	·02	·13	·26	·20	·01	·52	—	·09	·06	—	—	·06	9
10	·06	·37	·08	·72	·15	·05	—	—	·28	—	·05	·23	10
11	—	·30	·93	—	—	·01	—	—	—	—	·04	·43	11
12	—	·36	·31	—	—	—	·02	—	·14	·03	·13	·15	12
13	—	·32	·36	—	—	—	·12	—	·13	·16	·16	·25	13
14	—	·19	·28	—	—	·15	—	—	·03	·01	·55	·14	14
15	—	·03	·28	—	—	—	—	—	·01	·02	·83	·25	15
16	·06	·01	·03	—	—	—	·04	—	·68	—	—	—	16
17	—	·53	·40	—	—	—	·04	—	·02	—	—	·73	17
18	—	·38	·05	—	—	—	·13	—	·26	—	—	·25	18
19	—	·04	·47	—	—	—	·77	—	—	—	·06	·18	19
20	—	·41	·07	—	—	·22	·08	·02	—	—	—	·31	20
21	—	·40	·01	—	—	·08	—	—	—	·40	·01	·05	21
22	—	·13	·14	·02	·08	·12	—	·02	—	·04	·03	·06	22
23	—	·11	·22	—	—	·14	·04	·16	—	·13	—	—	23
24	—	—	·04	—	—	·01	·05	·02	—	·03	·07	—	24
25	·15	—	·93	—	—	—	·15	·40	—	·50	·02	—	25
26	·02	·10	·78	—	—	—	·19	·02	—	·27	·34	·38	26
27	·14	·16	·01	—	—	—	·15	—	—	·03	·22	·31	27
28	·04	·05	·17	—	—	—	·06	—	—	·05	·09	1·26	28
29	·32		·12	—	·11	—	—	—	—	·03	·34	·04	29
30	·01	X	·13	—	—	—	·06	—	—	·07	·24	·25	30
31	·01	X	·01	X	·01	X	·85	—	X	·17	X	·31	31
Total	1·75	4·65	8·24	2·32	·96	2·14	4·34	3·21	1·87	1·94	3·63	7·70	YEAR'S TOTAL 42·75
Rain Days.	16	20	31	10	12	12	21	13	10	15	19	27	206

W. 8,000. X. 14.

REGI

FORM A.
BRITISH RAINFALL.
JAN 1915

1896/5

Kept at Cadgwith (garden of Coastguard House)
in the County of Cornwall
by Helena F. Shepherd

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Helston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level about 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·08	·14	—	·16	·09	·94	—	—	·41	·05	1
2	·01	—	·03	—	·06	—	·36	·03	—	—	·02	·49	2
3	·02	—	·14	·12	·36	—	—	—	—	—	—	·12	3
4	·42	—	·14	·44	·03	—	·94	1·33	—	—	—	·75	4
5	·22	—	·20	·19	·02	—	—	·02	—	—	—	·04	5
6	—	·15	·21	·19	·08	—	·03	—	—	—	—	·37	6
7	·15	·48	·24	·24	·01	·15	·15	·15	·26	—	—	·20	7
8	·10	—	1·12	·06	·04	·53	·02	·01	—	—	·02	·04	8
9	·02	·13	·26	·20	·01	·52	—	·09	·06	—	—	·06	9
10	·06	·37	·08	·72	·15	·05	—	—	·28	—	·05	·23	10
11	—	·30	·93	—	—	·01	—	—	—	—	·04	·43	11
12	—	·36	·31	—	—	—	·02	—	·14	·03	·13	·15	12
13	—	·32	·36	—	—	—	·12	—	·13	·16	·16	·25	13
14	—	·19	·28	—	—	·15	—	—	·03	·01	·55	·14	14
15	—	·03	·28	—	—	—	—	—	·01	·02	·83	·25	15
16	·06	·01	·03	—	—	—	·04	—	·68	—	—	—	16
17	—	·33	·40	—	—	—	·04	—	·02	—	—	·73	17
18	—	·38	·05	—	—	—	·13	—	·26	—	—	·25	18
19	—	·04	·47	—	—	—	·77	—	—	—	·06	·18	19
20	—	·41	·07	—	—	·22	·08	·02	—	—	—	·31	20
21	—	·40	·01	—	—	·08	—	—	—	·40	·01	·05	21
22	—	·13	·14	·02	·08	·12	—	·02	—	·04	·03	·06	22
23	—	·11	·22	—	—	·14	·04	·16	—	·13	—	—	23
24	—	—	·04	—	—	·01	·05	·02	—	·03	·07	—	24
25	·15	—	·93	—	—	—	·15	·40	—	·50	·02	—	25
26	·02	·10	·78	—	—	—	·19	·02	—	·27	·34	·38	26
27	·14	·16	·01	—	—	—	·15	—	—	·03	·22	·31	27
28	·04	·05	·17	—	—	—	·06	—	—	·05	·09	1·26	28
29	·32		·12	—	·11	—	—	—	—	·03	·34	·04	29
30	·01	✕	·13	—	—	—	·06	—	—	·07	·24	·25	30
31	·01	✕	·01	✕	·01	✕	·85	—	✕	·17	✕	·31	31
Total	1·75	4·65	8·24	2·32	·96	2·14	4·34	3·21	1·87	1·94	3·63	7·70	YEAR'S TOTAL 42·75
Rain Days.	16	20	31	10	12	12	21	13	10	15	19	27	206

W. 8,000. X. 14.

2008

FORM A.
BRITISH RAINFALL

6. JAN 1916

1896/5

REGISTER OF RAINFALL IN 1915

Kept at Coastguard Homes, Cadgwith
in the County of Cornwall
by H. F. Shepherd (Miss)

2

Lat. 49° 59′ N. Long. 5° 11′ W.
Time of Observation 9 a.m.
Nearest Railway Station Helston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level abt 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·27	·49	—	—	·03	—	—	·18	·13	·51	·01	·14	1
2	·27	—	·12	·08	—	·29	—	·04	·04	·01	—	1·17	2
3	·11	·21	·13	·14	·02	—	—	·01	·02	—	—	·65	3
4	·23	·36	·05	—	·35	·03	—	·12	—	—	—	·12	4
5	·23	·42	—	·25	—	—	—	·32	—	—	—	·60	5
6	1·22	·18	—	·40	—	—	·43	·12	—	—	—	·11	6
7	·38	·41	—	·09	—	—	·12	—	—	1·23	·04	·16	7
8	·20	·32	—	—	—	—	—	·08	—	·06	·09	·30	8
9	·05	·04	—	·20	—	—	·01	·06	—	—	·33	·57	9
10	·36	·16	·07	·06	—	·02	·01	·15	—	·39	·01	·12	10
11	·07	—	·03	—	—	—	—	—	—	·01	·98	·13	11
12	·23	·40	—	—	·70	—	—	·44	—	·01	·21	·09	12
13	·01	·39	—	—	·60	—	·01	—	—	·06	·13	·14	13
14	·07	·09	—	—	·02	·15	·08	—	·21	·10	·18	1·58	14
15	·13	—	—	—	·36	·01	·32	—	·02	—	·06	·17	15
16	·07	1·32	—	—	·41	—	·85	—	—	·66	—	·05	16
17	·04	·15	—	—	—	—	·02	—	·02	·02	—	—	17
18	—	·22	—	—	—	—	·04	—	—	—	—	—	18
19	·03	·02	—	·07	·22	—	·08	·09	—	—	·03	—	19
20	·39	·03	—	·05	—	·24	—	—	—	·18	—	—	20
21	·14	—	—	—	—	1·55	·43	—	—	—	—	—	21
22	·36	·20	·23	·07	—	·02	·38	—	·06	·79	—	·31	22
23	·09	·06	·02	—	—	·02	—	—	—	·23	—	·91	23
24	·08	—	—	·07	—	·46	—	—	·02	·28	—	·44	24
25	·01	—	—	·01	·30	·13	—	—	—	—	·01	·10	25
26	·01	·28	—	—	—	·11	·09	—	·05	—	—	·48	26
27	—	·04	—	—	—	·29	·09	—	·10	·58	·01	—	27
28	—	·06	—	—	—	·30	—	·05	—	·14	—	·13	28
29	—		—	—	—	—	—	·07	·32	·07	·23	·04	29
30	·25		—	·03	—	—	·04	—	·08	·36	·80	·33	30
31	·02		—		—		·20	·25		·18		·14	31
Total	5·32	5·85	·65	1·52	3·01	3·62	3·20	1·98	1·07	5·87	3·12	8·98	YEAR'S TOTAL 44·19
Rain Days.	27	22	7	13	10	14	17	14	12	20	15	25	196

W.7,000, XI. 13

Ead 4W

1896/5 1954

FORM A. BRITISH RAINFALL.

16. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Coastguard Station - Cadgwith

in the County of Cornwall

by (Miss) H. F. Shepherd

Lat. 49°59'N. Long. 5°11'W.

Time of Observation 9 a.m.

Nearest Railway Station Helston

Diameter of Funnel of Rain Gauge 5 in. 1896/5

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level about 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	—	·13	—	—	·01	·04	—	·03	·47	·10	—	1
2	·16	·10	·19	—	—	—	—	—	·41	·18	·25	—	2
3	·03	1·46	—	—	·14	·14	—	—	—	·66	·28	—	3
4	·12	·09	—	·04	·09	—	—	—	·35	·05	·11	—	4
5	·03	·10	·08	·01	·03	·23	·05	—	—	·21	·46	—	5
6	·07	·21	—	—	·10	·03	·98	—	·01	·11	·08	·05	6
7	—	·22	·07	—	·20	—	—	—	—	·02	·65	—	7
8	·08	·22	·10	—	·26	·01	—	—	—	—	·60	·05	8
9	—	·30	—	—	—	·07	·07	—	—	·05	·28	·28	9
10	—	1·06	·02	·01	·06	—	·01	—	—	—	·20	·76	10
11	—	·02	·02	·20	·04	—	·01	—	·05	—	·04	·08	11
12	·15	·04	·32	·03	·03	—	·12	·01	—	·08	—	·31	12
13	—	·11	·14	·01	·02	—	—	·11	—	—	—	·02	13
14	·06	·34	·34	—	·02	—	—	·02	—	·07	·02	·33	14
15	·02	·24	·66	·08	—	—	—	·02	—	·01	—	·40	15
16	·09	·12	—	·12	—	—	·06	·57	—	·35	—	—	16
17	·08	·07	·18	·02	—	—	—	·02	·03	·14	·80	—	17
18	·06	·08	·50	·06	—	—	—	—	·07	—	—	—	18
19	·19	·18	—	·10	·29 (for 8 days)	—	—	—	—	—	·33	·16	19
20	·08	·57	·05	·04		—	—	—	—	—	·31	·03	20
21	·01	·36	·29	—		·06	—	—	—	—	·14	·35	21
22	—	—	·06	—		·05	—	·08	—	·33	—	·23	22
23	·05	—	·06	·05		·30	—	·35	—	·50	—	—	23
24	—	·17	·04	·03		—	—	·55	—	—	—	—	24
25	—	·40	·11	—		·03	—	·16	·04	·30	·48	·63	25
26	·03	·01	·15	—		·03	—	·24	·15	—	·10	·20	26
27	·01	—	1·21	—	—	·05	—	·16	·01	·60	·13	·34	27
28	—	—	·01	—	—	—	—	·15	·16	·43	—	—	28
29	—	·13	·12	—	—	·33	—	·81	—	·30	—	·17	29
30	—		—	—	—	·02	—	—	—	·39	—	·77	30
31	—		—		—		—	·10		·69		·05	31
Total	1·44	6·60	4·85	·80	1·33	1·36	1·34	3·35	1·31	5·94	5·36	5·21	YEAR'S TOTAL 38·89
Rain Days.	19	27	23	14	19	14	8	15	11	21	19	19	205 6

W. 8,000. X. 15.

1865

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Coastguard Houses, Cadgwith

in the County of Cornwall

by (Miss) N. F. Shepherd

Lat. 49° 59′ N. Long. 5° 11′ W.

Time of Observation 9 a.m.

Nearest Railway Station Helston

Diameter of Funnel of Rain Gauge 5 in. 1896/5

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	—	·25	—	·15	—	—	·01	—	·08	—	1
2	·04	—	—	·07	—	·01	·30	—	—	—	·54	—	2
3	·14	—	—	·05	—	—	·01	·01	—	·12	·09	—	3
4	·06	—	·72	—	—	—	—	—	·41	·20	·01	—	4
5	·11	—	·51	·09	—	—	—	—	·04	·18	·11	·02	5
6	·09	—	—	·04	—	·25	—	—	—	·15	·12	·10	6
7	·89	—	—	·02	—	·01	·17	·81	—	x	—	·03	7
8	·13	—	·21	·06	—	—	·32	·02	·03	x	·18	·75	8
9	—	—	·26	·03	·09	—	—	·08	·01	2·39	·08	·05	9
10	·69	—	·17	·37	—	—	—	·28	—	x	·05	—	10
11	—	—	·49	·14	—	—	—	·14	—		·52	—	11
12	·13	—	·04	—	·13	—	—	·02	—		—	·02	12
13	—	—	·12	·08	—	·02	—	·49	·14		—	—	13
14	—	—	—	·08	·06	—	—	·02	·08		—	—	14
15	·27	—	—	·06	·01	—	·05	—	·04		—	·17	15
16	—	—	—	·01	—	—	—	·03	·01	·59	—	·16	16
17	—	·10	—	—	·13	—	·78	·08	1·03	·08	—	—	17
18	—	—	—	—	·05	·14	·10	·02	·73	·03	—	—	18
19	—	·50	·03	—	—	·43	—	·01	·03	—	·02	—	19
20	—	·12	·03	—	·62	—	—	·01	—	—	·01	—	20
21	·08	—	—	—	—	—	—	·10	—	·04	·01	·16	21
22	—	—	—	—	·09	·18	—	·78	—	·15	—	—	22
23	—	·16	—	—	·10	·04	·02	·48	—	·07	·04	·01	23
24	—	—	·09	—	—	·06	·33	·05	·01	·25	—	—	24
25	·09	—	—	—	—	—	·02	·42	·11	·05	·15	—	25
26	·14	—	—	—	·35	·31	·02	·04	·12	·07	·10	—	26
27	—	—	—	—	—	·69	—	1·16	—	·07	·01	—	27
28	—	—	·17	—	—	·08	·03	·14	·01	·04	·02	—	28
29	—		·22	—	—	—	—	·03	—	·58	—	·04	29
30	—		·33	—	—	—	—	·22	—	·19	·01	—	30
31	—		·04		·25		·01	·01		·36		—	31
Total	2·88	·88	3·43	1·35	1·88	2·37	2·16	5·45	2·81	5·61	2·15	1·51	YEAR'S TOTAL 32·48
Rain Days.	14	4	15	14	11	13	13	25	16	27	19	11	182

Rain on all the x marked days

W. 8,000, IX. 17.

17

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

3. 1. 19

1896/5

Kept at 4 Coastguard House, Cadgwith

in the County of Cornwall

by (Miss) H. F. Shepherd

Lat. 49° 59′ N. Long. 5° 11′ W.

Time of Observation 9 a.m.

Nearest Railway Station Helston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·05	—	·04	·09	—	—	·07	—	·01	·70	·01	1
2	—	·22	—	·03	·10	—	—	·72	·01	—	·01	·29	2
3	—	·13	—	·17	·08	—	—	—	·05	·06	·30	·12	3
4	—	·06	—	·01	·11	—	—	·51	·30	—	·18	·62	4
5	·14	·02	·09	·07	·01	—	—	·05	·10	·21	—	·04	5
6	·45	·26	·21	·07	—	—	—	·02	·11	·06	—	·60	6
7	·12	·22	—	·01	—	·09	—	·03	·56	·04	·55	·16	7
8	·03	·05	—	—	—	·05	—	—	·08	·65	—	·05	8
9	·05	—	—	·01	—	·10	·17	—	·38	·01	—	·19	9
10	·05	·01	—	—	—	—	·11	—	·05	·08	—	·16	10
11	·07	—	·11	—	—	—	·13	—	·14	·44	—	·13	11
12	·10	·03	—	—	·28	·01	·02	—	—	·01	—	·04	12
13	—	—	—	—	·15	—	·14	—	·49	·20	—	·15	13
14	·78	—	—	—	·04	·10	·23	—	·47	·03	—	·19	14
15	·51	—	—	—	·03	·02	·91	—	·11	·05	—	·16	15
16	·62	—	—	·15	—	·08	·18	—	·17	·03	—	·08	16
17	·06	—	—	·22	·02	·07	—	·03	·13	·04	—	·30	17
18	·74	·09	·20	—	—	·42	·20	·16	·39	·08	—	·24	18
19	·10	·12	—	·11	—	—	·11	·02	·14	—	—	·03	19
20	·20	·07	·01	·13	—	·03	·36	·02	·20	—	—	·01	20
21	·21	—	—	—	—	—	·13	—	·47	·11	—	·58	21
22	·01	—	—	—	·04	—	·41	·01	·25	—	·03	·26	22
23	·06	·01	—	—	—	·01	·01	—	—	—	·32	·14	23
24	·03	·14	—	—	—	—	—	·35	·11	—	·02	·06	24
25	·01	—	—	—	·05	—	·01	·52	—	·05	·35	·04	25
26	·01	·09	—	—	—	—	·02	·02	·15	·09	·04	·07	26
27	·01	·10	·20	—	—	—	—	·08	·06	·07	·09	·25	27
28	—	·43	·08	—	—	—	—	—	·12	·09	·07	·10	28
29	—	✕	·15	—	—	—	—	—	1·03	·01	·29	·18	29
30	—	✕	·20	·18	—	—	—	—	·01	·01	·16	·10	30
31	—	✕	·14	✕	—	✕	·02	·01	✕	·42	✕	·04	31
Total	4·39 ✓	2·10 ✓	1·39 ✓	1·20 ✓	1·00 ✓	1·08 ✓	3·16 ✓	2·62 ✓	6·08 ✓	2·85 ✓	3·11 ✓	5·39	YEAR'S TOTAL 34·37 ✓
Rain Days	23 ✓	18 ✓	10 ✓	13 ✓	12 ✓	11 ✓	17 ✓	16 ✓	26 ✓	24 ✓	14 ✓	31 ✓	215 ✓

W. 6,500, VII. 18. w w o

EscDL

1751

1896/5

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Coastguard Station, Cadgwith

in the County of Cornwall

by (Miss) H. F. Shepherd

Lat. 49° 59′ N. Long. 5° 11′ W.

Time of Observation 9 a.m.

Nearest Railway Station Helston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·63	—	·07	—	10	·02	·34	—	·06	·08	—	·75	1
2	·18	—	·03	—	·01	—	·05	—	—	·01	—	·05	2
3	·25	—	·50	—	·26	—	—	—	·07	—	—	·18	3
4	·42	·71	·34	—	—	—	—	·09	·28	—	·01	—	4
5	·11	·14	·04	—	—	—	—	—	—	—	—	·15	5
6	·48	·90	·27	—	·03	—	—	—	—	—	·01	·10	6
7	·15	—	·09	·09	—	—	·05	—	—	—	—	·04	7
8	·23	—	·32	·05	—	—	—	—	—	—	·27	·02	8
9	·09	—	·09	·25	·26	—	—	—	·01	—	·03	·11	9
10	·04	—	·50	·05	·04	—	—	—	—	·03	—	·32	10
11	·16	·02	·11	·29	·20	·02	·08	—	·01	·01	·01	·09	11
12	·15	—	·33	—	—	—	—	—	—	·06	·06	—	12
13	·12	·25	·02	·43	—	—	—	—	·06	·02	—	·28	13
14	·53	·07	·04	·09	—	—	—	—	·06	·11	—	·05	14
15	·29	·12	—	—	—	—	—	—	—	·01	—	·41	15
16	·03	·97	—	—	—	·02	·04	—	—	—	·21	·05	16
17	·04	·48	·04	—	·08	·03	—	—	—	—	·23	·02	17
18	·06	·22	—	—	—	—	·43	·08	·05	—	·40	·01	18
19	1·27	·17	·25	—	·04	·32	—	·37	·18	—	·16	·05	19
20	·04	·25	·10	—	·18	—	—	·11	·10	—	·08	·07	20
21	·64	·46	—	—	·33	—	·04	—	·20	—	·09	·03	21
22	·01	—	—	—	—	·08	—	—	·09	·02	·05	·08	22
23	—	—	·14	—	—	—	—	·07	·02	·30	·05	·09	23
24	—	—	—	—	—	·19	—	·02	·01	·22	·13	·85	24
25	·13	·16	—	—	—	·02	—	·52	·01	—	·03	·07	25
26	·03	·04	·09	·01	—	—	—	·07	·13	·03	·07	·50	26
27	·05	·05	·08	·20	—	—	—	1·12	·01	·19	—	·13	27
28	—	·09	·74	·17	—	—	—	·31	—	·30	·26	·48	28
29	·02		—	·06	—	—	—	·08	—	·07	—	·06	29
30	·14		·01	·03	·03	·19	—	·24	·02	—	·29	·55	30
31	·01		·11		·02		·06	—		—		·51	31
TOTAL	6·30	5·10	4·31	1·72	1·58	·89	1·09	3·08	1·37	1·46	2·44	6·10	YEAR'S TOTAL 35·44
Days with ·01 in. or more	28	17	23	12	13	9	8	12	18	15	19	29	203

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

1667

1896/5

3 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Cadgwith

in the County of Cornwall

by H. F. Shepherd (Miss)

Lat. 49° 59' N. Long. 5° 11' W.

Time of Observation 9 a.m.

Nearest Railway Station Helston

Diameter of **Funnel** of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 180 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07	—	·02	·06	·41	—	·64	—	·03	·16	—	·40	1
2	·31	—	—	·01	—	—	·01	·07	·15	·05	—	·09	2
3	·35	·10	—	·06	—	—	·01	·02	·02	·38	—	·34	3
4	—	—	—	—	—	—	—	·62	—	1·11	—	—	4
5	—	—	·07	—	·05	—	·16	·06	—	—	—	—	5
6	—	—	·10	·04	·16	—	·32	—	—	·22	—	—	6
7	·05	—	·06	·42	·05	—	·51	—	—	·01	·02	·15	7
8	·11	·02	·02	·28	·10	—	·01	—	—	·01	—	·41	8
9	·62	·02	·06	·09	—	·11	·52	—	—	—	—	—	9
10	·60	·23	·16	·17	—	·12	·18	—	—	—	·01	—	10
11	·21	—	·20	·35	·33	·04	·30	—	—	—	—	—	11
12	·25	·09	·24	·10	·01	·07	·03	—	·01	·02	·03	·02	12
13	·21	·02	·38	·05	—	—	—	—	—	·38	—	·34	13
14	·22	·10	·13	·39	—	—	·04	—	·27	·56	·11	—	14
15	·07	·10	·06	·04	·03	—	·06	—	—	1·29	·11	—	15
16	·03	—	·08	·06	·05	·08	—	—	·35	—	·08	—	16
17	·06	—	—	·01	·26	—	—	—	·69	2·01	—	—	17
18	·15	—	—	·08	·03	·22	—	·18	·07	—	—	—	18
19	·07	—	—	·29	·03	·70	—	—	—	·34	—	—	19
20	·04	—	—	·25	—	·13	·02	—	·05	·18	—	·29	20
21	—	—	—	·11	—	—	·05	—	·09	—	—	·07	21
22	·06	—	·01	·01	—	—	·03	—	—	—	—	·41	22
23	·02	—	·05	—	—	—	·18	·03	—	—	—	·42	23
24	—	·06	·16	·02	—	—	·07	·01	—	—	·06	·05	24
25	·09	·01	·07	—	·05	—	—	—	—	—	—	—	25
26	·31	—	·19	—	—	·02	—	—	—	—	·01	—	26
27	·35	·03	·09	·02	—	·16	·67	—	·01	—	·25	·27	27
28	·30	—	·44	·02	—	·10	·06	—	—	—	·07	·09	28
29	·22	·02	·22	·02	·04	·01	·03	—	·42	—	·15	·28	29
30	·18	X	·01	—	—	·43	·67	—	·85	·47	·17	·51	30
31	·03	X	·36	X	—	X	—	—	X	·07	X	·09	31
TOTAL	4·98	·80	3·18	2·95	1·60	2·19	4·57	·99	3·01	7·26	1·07	4·23	YEAR'S TOTAL 36·83
Days with ·01 in. or more	26	12	23	24	14	13	22	7	13	16	12	17	199
Days with ·04 in. or more	23	6	19	17	10	11	15	4	9	13	8	16	151

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGI

CAMBORNE
BOSWYN RESERVOIR
CORNWALL

1915 – 1917

FORM A.
BRITISH RAINFALL.

5 JAN 1916

Kept at Boswyn … m

in the County of Corn… raye

by Walter F. …

Gauge 8 in.

… Ground 2 ft. — in.

Sea Level 511·00.0D ft.

IMPORTANT NOT… the result entered to the previous day. If an Obs… ersal rule, he is earnestly requested to add the readi… in the space provided for it at the end of this … ent of rain, the selection and placing … tish Rainfall Organization are given in … pplication to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18	·45	—	—	·07	—	—	·42	·24	·54	·05	·04	1
2	·27	·18	·21	·07	—	·24	—	·02	·15	—	—	·70	2
3	·18	·17	·20	·13	·09	—	·05	—	·05	—	—	·52	3
4	·20	·34	·04	—	·26	·03	—	·06	—	·005	—	·20	4
5	·09	·55	·01	·37	—	—	—	·30	—	—	—	1·31	5
6	1·05	·17	—	·56	—	—	·70	·04	—	—	—	·02	6
7	·24	·47	—	·03	—	—	·25	—	—	1·53	·11	·48	7
8	·16	·39	—	—	—	—	·01	·16	—	·10	·10	·18	8
9	·05	·11	—	·26	—	—	—	·06	—	—	·57	·73	9
10	·17	·28	·07	·25	—	—	·005	·05	—	·41	·02	·02	10
11	·09	·09	·03	·01	·01	—	—	·02	—	·07	·98	·15	11
12	·16	·55	·03	·05	·50	—	—	·20	—	·05	·25	·08	12
13	·005	·43	—	—	·54	·02	·04	·02	·04	·06	·17	·07	13
14	·11	·20	—	·03	·02	·01	·58	·03	·15	·005	·26	1·75	14
15	·08	—	—	—	·17	—	1·15	—	·04	—	·08	·16	15
16	·05	1·76	—	—	·68	—	·01	—	·005	·04	—	·12	16
17	·08	·14	—	—	—	—	·04	—	—	·01	—	—	17
18	·005	·23	—	—	—	—	·19	—	·005	—	—	—	18
19	·02	·10	—	·06	·56	—	—	—	—	—	·04	—	19
20	·26	·05	—	·05	—	·16	·35	—	—	·39	—	—	20
21	·06	·07	—	—	·03	·48	·19	—	—	·005	—	—	21
22	·21	·20	·29	·13	—	·03		—	·07	·37	—	·42	22
23	·06	·08	·02	—	—	·02	·01	—	·005	·12	—	·46	23
24	—	·03	—	·05	—	·78		—	·09	·25	—	·14	24
25	·04	—	—	·02	·19	·16	·03	—	·17	—	·07	·10	25
26	·08	·42	—	—	·06	·27	—	—	·11	—	—	·78	26
27	—	·01	—	—	—	·20	—	—	·08	·73	—	—	27
28	—	(·03)	—	—	—	·28	—	·15	·09	·06	—	·13	28
29	—		—	—	—	·02	·04	·04	·37	·04	·17	·09	29
30	·10	X	—	·04	—	—	·37	—	·28	·73	·25	·46	30
31	·05	X	—	X	—	X	—	·11	X	·31	X	·15	31
Total	4·05	7·60 ✓	·90	2·11	3·18	2·70	4·015	1·68	1·945	5·825	3·12	9·26	YEAR'S TOTAL 46·37 ✓
Rain Days.	27	26	9	16	13	14	17	15	17	21	14	25	214

W. 8,000. X. 15.

REGI

FORM A.
BRITISH RAINFALL.
5 JAN 1916

Kept at Boswyn Reservoir
in the County of Cornwall
by Walter F. Bickford

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Praze
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. — in.
" " " " Sea Level 511·00.0 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·18	·45	—	—	·07	—	—	·42	·24	·54	·05	·04	1
2	·27	·18	·21	·07	—	·24	—	·02	·15	—	—	·70	2
3	·18	·17	·20	·13	·09	—	·05	—	·05	—	—	·52	3
4	·20	·34	·04	—	·26	·03	—	·06	—	·005	—	·20	4
5	·09	·56	·01	·37	—	—	—	·30	—	—	—	1·31	5
6	1·05	·17	—	·56	—	—	·70	·04	—	—	—	·02	6
7	·24	·47	—	·03	—	—	·25	—	—	1·53	·11	·48	7
8	·16	·39	—	—	—	—	·01	·16	—	·10	·10	·18	8
9	·05	·11	—	·26	—	—	—	·06	—	—	·57	·73	9
10	·17	·28	·07	·25	—	—	·005	·05	—	·41	·02	·02	10
11	·09	·09	·03	·01	·01	—	—	·02	—	·07	·98	·15	11
12	·16	·55	·03	·05	·50	—	—	·20	—	·05	·25	·08	12
13	·005	·43	—	—	·54	·02	·04	·02	·04	·06	·17	·07	13
14	·11	·20	—	·03	·02	·01	·58	·03	·15	·005	·26	1·75	14
15	·08	—	—	—	·17	—	1·15	—	·04	—	·08	·16	15
16	·05	1·76	—	—	·68	—	·01	—	·005	·04	—	·12	16
17	·08	·14	—	—	—	—	·04	—	—	·01	—	—	17
18	·005	·23	—	—	—	—	·19	—	·005	—	—	—	18
19	·02	·10	—	·06	·56	—	—	—	—	—	·04	—	19
20	·26	·05	—	·05	—	·16	·35	—	—	·39	—	—	20
21	·06	·07	—	—	·03	·48	·19	—	—	·005	—	—	21
22	·21	·20	·29	·13	—	·03		—	·07	·37	—	·42	22
23	·06	·08	·02	—	—	·02	·01	—	·005	·12	—	·46	23
24	—	·03	—	·05	—	·78		—	·09	·25	—	·14	24
25	·04	—	—	·02	·19	·16	·03	—	·17	—	·07	·10	25
26	·08	·42	—	—	·06	·27	—	—	·11	—	—	·78	26
27	—	·01	—	—	—	·20	—	—	·08	·73	—	—	27
28	—	(·03)	—	—	—	·28	—	·15	·09	·06	—	·13	28
29	—		—	—	—	·02	·04	·04	·37	·04	·17	·09	29
30	·10		—	·04	—	—	·37	—	·28	·73	·25	·46	30
31	·05		—		—		—	·11		·31		·15	31
Total	4·05	7·60	·90	2·11	3·18	2·70	4·015	1·68	1·945	5·825	3·12	9·26	YEAR'S TOTAL 46·37
Rain Days.	27	26	9	16	13	14	17	15	17	21	14	25	214

W. 8,000. X. 15.

Recd Feb

1936

FORM A.
BRITISH RAINFALL.
10 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Boswyn Reservoir

in the County of Cornwall

by Walter F. Bickford
Engineer, Camborne Water Co.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Camborne

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 511·00 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	—	snow ·02	—	—	·06	·09	—	·05	·40	·16	—	1
2	·22	·19	·48	—	—	—	·13	—	·67	·25	·56	—	2
3	·05	1·19	snow ·01	—	·18	·16	·24	—	—	·76	·14	·02	3
4	·16	·23	—	·15	·18	·18	—	—	·17	·08	·72	·16	4
5	·04	·20	snow ·04	·01	·16	·08	·18	—	·03	·15	·15	·11	5
6	·05	·18	snow ·01	—	·06	·08	·74	—	—	·13	·88	—	6
7	—	·11	—	—	·19	—	·01	—	—	·02	·76	·06	7
8	·11	·21	snow ·22	·02	·38	·09	·03	—	—	—	·27	·22	8
9	·02	·28	snow ·15	—	—	—	·08	—	—	·06	·28	·57	9
10	·01	·98	—	·09	·12	·02	—	—		—	·02	·31	10
11	—	·07	—	·10	·33	—	·06	·005	·05	—	·03	·12	11
12	·08	·08	·19	·02	·07	—	·09	·12	—	·15	·005	·07	12
13	—	·19	·14	·005	·03	—	·03	·32	·005	—	·02	·09	13
14	·05	·32	·24	·005	·02	—	—	·13	·02	·11	·01	·06	14
15	·03	·22	·63	·10	—	—	—	·26	—	·02	—	·02	15
16	·19	·14	·005	·12	·005	—	·09	·28	—	·36	·91	—	16
17	·24	·08	·16	·02	—	—	—	·005	·03	·24	·82	—	17
18	·08	·04	·50	·03	—	—	—	·01	·12	·05	·005	·20	18
19	·26	·03	·02	·10	—	—	—	—	—	—	·26	·14	19
20	·13	·40	·17	·19	—	—	—	—	—	—	·21	·33	20
21	·01	·37	·23	—	·06	·21	—	—	—	·03	·14	·16	21
22	·005	—	·06	—	—	·15	—	·10	—	·44	·11	·69	22
23	·10	—	snow ·02	·15	—	·16	—	·36	—	·17	·38	·07	23
24	—	·03	snow ·08	·21	·33	·005	—	·41	—	·33	·02	·31	24
25	—	snow ·18	·13	—	·02	·10	—	·12	·07	·05	·21	·02	25
26	·03	snow ·25	·17	—	·01	·005	—	·24	·20	·95	·22	·10	26
27	·04	—	1·37	·005	—	·06	—	·08	·005	·35	·02	·005	27
28	—	snow ·04	—	—	—	—	—	·28	·51	·66	·03	·45	28
29	—	snow ·28	·10	—	—	·49	—	·98	·005	·19	—	·52	29
30	—	X	—	·09	—	·10	—	·01	—	·22	—	·03	30
31	—	X	—	X	—	X	·01	·13	X	·15	X	·03	31
Total	2·105	6·29	5·145	1·415	2·145	1·950	1·78	3·840	1·935	6·32	7·340	4·865	YEAR'S TOTAL 45·130
Rain Days.	2~~1~~2	25	23	1~~5~~7	15	1~~4~~5	13	1~~6~~7	1~~1~~3	25	2~~5~~6	2~~6~~5	236

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Boswyn Reservoir
in the County of Cornwall
by Walter F. Bickford
Engineer Camborne Water Co

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Camborne
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 511 ft.

29 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	.	.	snow ·19	-	·06	-	-	-	·01	·05	·02	1
2	·005	-	·005	snow ·24	-	-	·01	.	-	·03	·77	-	2
3	·09	-	·04	snow ·06	-	·005	·02	·07	-	·37	·22	-	3
4	·005	snow. ·21	·88	-	-	-	-	-	·31	·20	-	·05	4
5	·12	-	·73	·48	-	-	-	-	·22	·17	·09	-	5
6	·03	-	·17	·04	-	·25	-	-	-	·10	·05	·10	6
7	·50	-	-	·02	-	·02	·17	·74	-	·13	·04	·01	7
8	·14	-	·41	snow. ·04	-	-	·34	·08	·08	·14	·11	·75	8
9	·02	-	·16	snow. ·01	·07	-	-	·01	·02	·08	·05	·08	9
10	·83	-	·36	snow ·23	·005	-	-	·40	·05	·40	·09	·07	10
11	·05	-	·59	·12	-	-	-	·09	-	·61	·54	-	11
12	·10	·005	·14	-	·13	-	-	·14	-	·33	·005	-	12
13	·15	-	·15	·06	-	·08	-	·60	·14	·18	·02	·02	13
14	-	-	-	·07	·005	-	·02	·08	·08	·28	·03	·01	14
15	snow. ·35	-	-	·04	·03	·005	·01	·04	·05	·56	-	·14	15
16	-	·02	-	·005	-	-	-	·01	·03	·38	-	·30	16
17	-	·02	-	·02	·06	-	·54	·07	·38	·13	-	-	17
18	snow. ·005	·01	-	-	·13	·18	·24	-	·84	·04	-	-	18
19	snow. ·005	·72	·03	-	-	·41	-	-	-	-	·005	-	19
20	-	·15	·005	-	·52	·30	-	-	·03	-	·02	-	20
21	-	·04	snow. ·10	-	·02	·18	-	·31	-	·10	·04	·11	21
22	snow. ·05	—	-	-	·13	·01	-	1·31	-	·08	·02	-	22
23	-	·16	-	-	·29	·08	·02	·49	·01	·0~~7~~5	·03	·02	23
24	-	—	·005	-	-	·06	·10	·03	·01	·07	·02	·01	24
25	snow. ·03	·03	·01	-	-	·01	·02	·61	·14	·20	·03	·03	25
26	snow. ·10	-	·005	-	·42	·34	·01	·05	·10	·08	·03	·01	26
27	-	-	·01	-	-	·71	·06	1·25	-	·25	·04 ~~·25~~	-	27
28	-	-	·11	-	·01	1·13	·08	·05	.	·05	·01	-	28
29	-	-	snow. ·17	-	-	-	-	·01	·01	·61	·02	snow. ·09	29
30	-	✕	·20	-	-	-	-	·24	·01	·19	·01	-	30
31	-	✕	snow. ·12	✕	·46	✕	-	·04	✕	·27	✕	-	31
Total	2·59	1·365	4·4	1·625	2·28	3·83	1·64	6·72	2·51	6·09	2·34	1·82	YEAR'S TOTAL 37·21
Rain Days.	~~19~~ 17	~~12~~ 9	~~22~~ 20	15	~~14~~ 13	~~17~~ 16	14	23	18	29	~~25~~ 24	17	215

W. 8,000, VIII. 16

CAMELFORD
STANNON CLAY WORKS
CORNWALL

1911-1912, 14, 20

REGI

Kept at North Cornwall
Works at Stann
in the County of Cornw
by Capt. R. M. T

Mason
in.
nd 1 ft. 0 in.
Level 800 ft. 1893
Camelford
ce 3 Direction NW

FORM A1. BRITISH RAINFALL.
3 - JAN 1912

IMPORTANT NOTE.—

previous day. If an Observ
requested to add the reading
for it at the end of this pa
the selection and placing of
Organization are given in "Ru
Dr. H. R. Mill, 62, Camden

result entered to the
rule, he is earnestly
the space provided
of rain,
Rainfall
ation to

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	18	0	0	1·01	23	4	0	1	0	0	5	1	1
2	1	0	9	0	40	0	0	33	0	59	37	25	2
3	0	0	20	0	47	0	0	2	0	0	27	17	3
4	0	0	40	0	0	0	0	51	0	0	54	69	4
5	43	0	38	0	0	0	0	50	0	4	24	12	5
6	36	0	28	0	0	0	0	3	0	0	15	114	6
7	45	0	0	2	0	0	0	0	0	0	47	0	7
8	40	0	44	0	0	0	0	0	0	0	20	103	8
9	30	0	1	0	0	0	0	0	0	0	25	73	9
10	6	15	88	0	43	0	0	0	0	0	7	42	10
11	49	0	0	0	0	0	0	0	5	0	56	24	11
12	0	0	62	0	3	0	0	0	43	0	23	70	12
13	0	0	18	0	0	0	0	0	6	0	18	22	13
14	4	44	22	0	0	0	0	0	0	0	29	72	14
15	0	12	21	0	0	3	0	0	0	0	56	11	15
16	0	6	1	0	0	47	0	0	0	0	14	45	16
17	0	29	33	13	0	33	4	0	0	0	31	144	17
18	0	28	6	42	0	64	0	0	0	9	52	44	18
19	0	0	0	5	0	92	0	0	56	12	27	96	19
20	3	15	10	40	0	0	0	0	45	108	0	50	20
21	8	43	0	0	0	8	0	0	16	38	0	28	21
22	13	5	0	27	0	22	0	0	27	17	0	44	22
23	4	17	0	1	0	12	0	9	40	30	7	19	23
24	7	50	0	0	0	71	0	13	0	57	0	51	24
25	18	6	0	44	0	4	0	4	16	22	0	4	25
26	6	14	0	58	15	0	47	33	0	124	2	38	26
27	0	120	6	0	0	3	0	57	22	4	0	44	27
28	0	19	0	82	0	5	0	2	0	20	7	4	28
29	0		5	16	16	106	62	3	38	29	0	3	29
30	0		0	0	0	11	44	0	1	27	29	28	30
31	0		0		0		3	0		2		1	31
Total	3·31	4·23	4·52	4·31	1·87	4·85	1·60	2·61	3·15	5·62	6·12	12·98	TOTAL for year 55·17
No. of Rain Days	17	15	18	12	7	15	5	13	12	16	23	30	183

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

REG

FORM A1. BRITISH RAINFALL.
3 - JAN 1912

Kept at North Cornwall China Clay Cos. Works at Stannon
in the County of Cornwall
by Capt. R. M. Richards

RAIN GAUGE
Pattern Short & Mason
Diameter of top 8" in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 800 ft.
1893

Time of Observation 9 a.m.

Nearest Railway Station
Name Camelford
Distance 3 Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	18	0	0	1·01	23	4	0	1	0	0	5	1	1
2	1	0	9	0	40	0	0	33	0	59	37	25	2
3	0	0	20	0	47	0	0	2	0	0	27	17	3
4	0	0	40	0	0	0	0	51	0	0	54	69	4
5	43	0	38	0	0	0	0	50	0	4	24	12	5
6	36	0	28	0	0	0	0	3	0	0	15	114	6
7	45	0	0	2	0	0	0	0	0	0	47	0	7
8	40	0	44	0	0	0	0	0	0	0	20	103	8
9	30	0	1	0	0	0	0	0	0	0	25	73	9
10	6	15	88	0	43	0	0	0	0	0	7	42	10
11	49	0	0	0	0	0	0	0	5	0	56	24	11
12	0	0	62	0	3	0	0	0	43	0	23	70	12
13	0	0	18	0	0	0	0	0	6	0	18	22	13
14	4	44	22	0	0	0	0	0	0	0	29	72	14
15	0	12	21	0	0	3	0	0	0	0	56	11	15
16	0	6	1	0	0	47	0	0	0	0	14	45	16
17	0	29	33	13	0	33	4	0	0	0	31	144	17
18	0	28	6	42	0	64	0	0	0	9	52	44	18
19	0	0	0	5	0	92	0	0	56	12	27	96	19
20	3	15	10	40	0	0	0	0	45	108	0	50	20
21	8	43	0	0	0	8	0	0	16	38	0	28	21
22	13	5	0	27	0	22	0	0	27	17	0	44	22
23	4	17	0	1	0	12	0	9	40	30	7	19	23
24	7	50	0	0	0	71	0	13	0	57	0	51	24
25	18	6	0	44	0	4	0	4	16	22	0	4	25
26	6	14	0	58	15	0	47	33	0	124	2	38	26
27	0	120	6	0	0	3	0	57	22	4	0	44	27
28	0	19	0	82	0	5	0	2	0	20	7	4	28
29	0		5	16	16	106	62	3	38	29	0	3	29
30	0		0	0	0	11	44	0	1	27	29	28	30
31	0		0		0		3	0		2		1	31 ✓
Total	3·31	4·23	4·52	4·31	1·87	4·85	1·60	2·61	3·15	5·62	6·12	12·98	TOTAL for Year 55·17
No. of Rain Days	17	15	18	12	7	15	5	13	12	16	23	30	183 ✓

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

Ex M E

REGISTER OF RAINFALL IN 1912

FORM A1. BRITISH RAINFALL. 15 JAN 1913

Kept at North Cornwall China Clay Co's Works Stannon

in the County of Cornwall

by Capt Richards

RAIN GAUGE
Pattern Short and Mason
Diameter of top 8 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 800 ft. 1893

Time of Observation 9 a.m

Nearest Railway Station
Name Camelford
Distance 3 m Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	-	-	11	-	9	122	20	20	18	40	3	13	1
2	-	-	34	17	-	139	7	-	1	-	-	-	2
3	16	-	40	7	-	16	1	111	32	-	-	4	3
4	78	-	70	3	3	3	-	14	-	-	51	3	4
5	76	20	30	9	14	-	2	125	-	-	10	15	5
6	64	17	5	7	45	1	-	51	-	-	3	16	6
7	21	97	45	11	31	77	8	65	3	-	7	15	7
8	46	16	5	11	-	63	-	-	5	-	-	-	8
9	3	39	20	14	-	65	26	-	-	-	-	70	9
10	41	20	13	9	-	17	21	6	-	-	40	10	10
11	-	7	-	-	1	3	-	3	-	-	25	78	11
12	5	11	52	2	-	5	29	34	-	-	128	-	12
13	25	-	11	1	5	3	1	20	-	15	-	62	13
14	26	11	69	-	14	2	-	45	3	-	-	25	14
15	100	12	3	-	-	133	-	2	-	20	3	25	15
16	37	-	57	-	10	8	-	68	-	28	14	106	16
17	-	-	28	3	-	41	-	65	-	-	14	35	17
18	-	8	32	-	-	-	-	118	-	40	7	24	18
19	-	21	30	-	6	4	8	80	-	11	6	1	19
20	7	12	30	-	6	-	-	41	-	47	4	6	20
21	-	40	30	-	101	-	16	26	-	14	17	-	21
22	17	39	39	-	-	20	1	66	-	5	3	32	22
23	3	59	37	-	-	9	5	147	-	43	21	29	23
24	10	9	13	-	-	38	12	2	-	22	-	24	24
25	6	1	-	-	-	20	3	13	-	35	95	40	25
26	-	7	-	-	-	-	7	39	-	39	53	34	26
27	-	8	11	-	-	77	85	10	-	100	36	60	27
28	-	20	10	-	-	39	70	82	45	60	34	62	28
29	-	34	4	-	-	46	33	7	40	33	-	9	29
30	-		10	1	-	3	30	-	10	51	-	-	30
31	-		56		14		9	9		17		12	31
Total	5·81	5·08	7·95	·95	2·59	9·54	3·94	12·69	1·57	6·20	5·74	8·10	TOTAL for year 70·16
No. of Rain Days	18	22	28	13	13	25	21	26 27	9	18	21	26	240 241

1,000, X. '09. Waterlow and Sons Limited, Printers, London Wall, E.C.; Edward Stanford, Publisher, 12, 13 & 14, Long Acre, W.C. Price 2d.

REGISTER W 85 OF RAINFALL IN 1914

BRITISH RAINFALL FORM A.
7 - JAN 1915

Kept at Stannon Clay Works
in the County of Cornwall
by North Cornwall China Clay Co Ltd

Lat. .... Long. ....
Time of Observation 9 AM
Nearest Railway Station Camelford
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0	0	22	17	0	13	0	75	0	0	79	32	1
2	6	0	7	0	10	2	46	18	0	0	0	84	2
3	10	0	32	26	52	1	0	2	0	4	2	30	3
4	77	0	22	43	7	0	98	27	21	0	2	96	4
5	34	0	60	60	4	0	10	1	0	0	6	0	5
6	2	22	62	12	18	4	15	18	0	0	8	45	6
7	10	55	79	22	3	58	55	34	92	0	0	14	7
8	26	0	115	7	0	42	3	12	16	0	3	1	8
9	15	13	47	16	28	85	0	30	85	0	3	0	9
10	17	56	9	54	53	6	0	0	40	0	9	48	10
11	0	10	93	1	0	13	0	0	14	0	9	48	11
12	0	90	40	0	0	0	0	0	37	1	26	26	12
13	0	61	42	0	0	0	18	0	63	25	31	13	13
14	0	25	43	0	0	0	7	6	3	7	48	33	14
15	0	0	36	0	0	0	10	3	0	5	60	118	15
16	0	50	3	0	0	0	13	0	29	0	0	3	16
17	0	54	51	0	0	0	19	0	1	0	0	83	17
18	0	22	29	0	0	0	8	0	31	0	0	45	18
19	0	8	100	0	0	0	91	0	1	0	18	15	19
20	0	55	26	0	0	132	4	0	0	0	0	57	20
21	0	58	5	0	0	13	21	3	0	25	0	4	21
22	0	21	10	8	0	14	0	19	0	74	0	0	22
23	0	10	22	0	1	0	10	10	0	13	0	0	23
24	0	0	8	0	0	4	6	1	0	79	8	0	24
25	18	0	8	0	0	0	1	68	0	73	9	62	25
26	2	7	25	0	0	0	43	0	0	13	50	73	26
27	28	15	0	0	0	0	11	0	0	25	23	43	27
28	4	6	39	0	8	0	0	0	0	24	34	91	28
29	50		38	25	14	0	77	0	0	11	48	15	29
30	1		21	28	0	0	0	0	0	9	54	77	30
31	[illegible]		6		8		82	0		61		66	31
Total	2.68	6.38	10.94	3.19	12.03	3.67	6.48	3.27	4.31	4.53	5.30	12.02	YEAR'S TOTAL 64.80
Rain Days.	16	19	29	13	12	13	22	16	13	16	21	26	216

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d

1661

1893

9 JUN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Stannon Works

in the County of Cornwall

by ENGLISH CHINA CLAYS LTD.

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	7	0	3	15	47	0	*123	15	19	32	2	50	1
2	78	0	0	54	4	0	31	44	17	15	0	15	2
3	66	9	0	9	1	0	10	1	27	*149	0	21	3
4	0	0	4	0	0	0	1	*90	3	45	0	2	4
5	0	0	7	5	43	0	92	27	7	53	0	0	5
6	0	0	33	57	40	0	26	0	1	30	0	0	6
7	19	3	0	67	0	0	67	0	2	0	0	2	7
8	3	2	0	40	25	0	6	17	0	1	0	14	8
9	*117	10	27	4	0	6	55	1	3	0	0	0	9
10	102	32	34	*66	0	31	29	0	0	0	11	0	10
11	18	0	0	62	26	0	20	0	0	0	0	0	11
12	39	19	15	38	4	0	11	1	0	13	37	0	12
13	36	7	60	11	0	1	0	18	0	99	0	0	13
14	26	14	54	62	0	0	11	1	38	38	51	0	14
15	10	23	0	47	3	0	0	0	0	61	26	0	15
16	1	4	28	1	2	14	14	0	21	38	28	0	16
17	34	0	6	48	*47	0	3	49	30	41	1	0	17
18	42	0	2	16	5	28	0	4	24	0	0	0	18
19	38	9	0	50	0	40	3	0	3	0	1	0	19
20	13	1	0	20	0	14	16	0	0	30	0	34	20
21	0	0	0	22	0	0	9	0	0	1	0	24	21
22	9	0	3	8	0	0	9	0	0	0	0	32	22
23	1	0	7	1	0	0	62	57	0	0	0	54	23
24	9	0	36	11	0	3	3	1	3	0	23	55	24
25	14	7	15	0	0	3	74	0	0	0	0	0	25
26	45	9	30	0	0	27	10	0	0	0	37	8	26
27	64	*51	37	32	3	4	14	0	0	0	*156	49	27
28	49	4	51	7	0	*70	35	0	0	0	29	12	28
29	31	1	46	0	26	23	9	0	0	0	34	44	29
30	44	╳	0	16	1	67	58	0	*187	62	42	*65	30
31	21	╳	*63	╳	0	╳	5	0	╳	85	╳	29	31
TOTAL	9.26	2.04	5.55	~~8.36~~ 7.89	2.85	3.31	8.06	3.26	4.63	7.93	4.77	5.10	YEAR'S TOTAL ~~65.12~~ 64.65
Days with ·01 in. or more	27	16	21	26	16	14	28	14	15	17	13	17	224
Days with ·04 in. or more	24	13	18	24	11	11	24	9	9	15	11	15	184

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CORNWALL.

CALLINGTON,

"MOUNT LODGE"

1911 -1914

1916

REGIS 11

FORM A2.
BRITISH RAINFALL.

5 JAN 1912

Kept at Mount Lodge, Cal

…idrical

8 in.

…ve Ground 1 ft. — in.

in the County of Cornwa

Sea Level 400 ft.

9 a.m.

by George Brown M

…lway Station { Name Callington

Distance 2 mile, Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·00	·01	·00	·31	·10	·00	·01	·00	·00	·32	·01	1
2	·00	·00	·01	·00	·33	·00	·00	·49	·02	·12	·09	·40	2
3	·00	·00	·06	·00	·35	·00	·00	·14	·00	00	·28	·14	3
4	·00	·00	·12	·00	·07	·00	·00	·61	·00	·00	·28	·81	4
5	·49	·00	·26	·00	·00	·00	·00	·75	·00	·06	·23	·00	5
6	·26	·00	·11	·00	·00	·00	·00	·02	·00	·00	·11	1·61	6
7	·04	·00	·00	·02	·00	·00	·00	·00	·00	·00	·73	·04	7
8	·03	·00	·23	·00	·00	·00	·00	·00	·00	·00	·09	·84	8
9	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·22	1·12	9
10	·03	·07	·97	·00	·04	·00	·00	·00	·00	·00	·18	·31	10
11	·06	·00	·00	·00	·00	·00	·00	·00	·00	·00	·80	·10	11
12	·38	·00	·81	·00	·00	·00	·00	·00	·45	·00	·18	·40	12
13	·09	·00	·10	·00	·00	·00	·00	·00	·09	·05	·15	·20	13
14	·00	·08	·05	·00	·00	·00	·00	·00	·00	·02	·34	·60	14
15	·00	·04	·25	·00	·00	·10	·00	·00	·00	·00	·56	·08	15
16	·02	·03	·02	·00	·00	·64	·00	·00	·00	·00	·29	·69	16
17	·00	·07	·09	·13	·00	·26	·02	·00	·00	·00	·15	1·14	17
18	·03	·28	·04	·17	·00	·41	·00	·00	·00	·19	·39	·61	18
19	·00	·10	·00	·05	·00	·62	·00	·00	·51	·08	·19	·97	19
20	·03	·11	·03	·20	·00	·03	·00	·00	·01	·93	·00	·77	20
21	·00	·32	·02	·03	·00	·13	·00	1·70	·34	134	·00	·17	21
22	·11	·09	·07	·18	·00	·04	·00	·00	·25	·22	·00	·71	22
23	·02	·19	·03	·00	·00	·20	·00	·49	·02	·43	·40	·68	23
24	·03	·31	·00	·00	·00	·91	·00	·01	·00	·17	·00	·27	24
25	·03	·03	·00	·19	·00	·03	·00	·00	·13	·29	·00	·16	25
26	·00	·16	·00	·50	·87	·00	·00	·25	·18	·85	·02	·31	26
27	·00	·69	·00	·02	·11	·00	·00	·33	·01	·19	·02	·27	27
28	·00	·36	·00	·44	·00	·00	·00	·02	·00	·00	·35	·01	28
29	·00	–	·00	·28	·03	·53	1·00	·00	·50	·48	·00	·00	29
30	·00	–	·00	·01	·00	·05	·24	·00	·32	·31	·31	·09	30
31	·00	–	·46	—	·00	—	·09	·00	—	·03	—	·01	31
Total	1·65	2·93	3·74	2·22	2·05	4·05	1·35	4·82	2·53	4·76	6·68	13·52	TOTAL for year 50·30
No. of Rain Days.	15	16	20	13	8	14	4	12	13	17	24	29	185

W. 8,000, X. '11.

REGIS 11

FORM A2.
BRITISH RAINFALL.
5 JAN 1912

Kept at Mount Lodge, Callington

in the County of Cornwall 3

by George Brown M.R.C.S. Eng.

RAIN GAUGE
Pattern Cylindrical Funnel Shape
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 400 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Callington
Distance 2 miles, Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·00	·01	·00	·31	·10	·00	·01	·00	·00	·32	·01	1
2	·00	·00	·01	·00	·33	·00	·00	·49	·02	·12	·09	·40	2
3	·00	·00	·06	·00	·35	·00	·00	·14	·00	00	·28	·14	3
4	·00	·00	·12	·00	·07	·00	·00	·61	·00	·00	·28	·81	4
5	·49	·00	·26	·00	·00	·00	·00	·75	·00	·06	·23	·00	5
6	·26	·00	·11	·00	·00	·00	·00	·02	·00	·00	·11	1·61	6
7	·04	·00	·00	·02	·00	·00	·00	·00	·00	·00	·73	·04	7
8	·03	·00	·23	·00	·00	·00	·00	·00	·00	·00	·09	·84	8
9	·00	·00	·00	·00	·00	·00	·00	·00	·00	·00	·22	1·12	9
10	·03	·07	·97	·00	·04	·00	·00	·00	·00	·00	·18	·31	10
11	·06	·00	·00	·00	·00	·00	·00	·00	·00	·00	·80	·10	11
12	·38	·00	·81	·00	·00	·00	·00	·00	·45	·00	·18	·40	12
13	·09	·00	·10	·00	·00	·00	·00	·00	·09	·05	·15	·20	13
14	·00	·08	·05	·00	·00	·00	·00	·00	·00	·02	·34	·60	14
15	·00	·04	·25	·00	·00	·10	·00	·00	·00	·00	·56	·08	15
16	·02	·03	·02	·00	·00	·64	·00	·00	·00	·00	·29	·69	16
17	·00	·07	·09	·13	·00	·26	·02	·00	·00	·00	·15	1·14	17
18	·03	·28	·04	·17	·00	·41	·00	·00	·00	·19	·39	·61	18
19	·00	·10	·00	·05	·00	·62	·00	·00	·51	·08	·19	·97	19
20	·03	·11	·03	·20	·00	·03	·00	·00	·01	·93	·00	·77	20
21	·00	·32	·02	·03	·00	·13	·00	1·70	·34	·34	·00	·17	21
22	·11	·09	·07	·18	·00	·04	·00	·00	·25	·22	·00	·71	22
23	·02	·19	·03	·00	·00	·20	·00	·49	·02	·43	·40	·68	23
24	·00	·31	·00	·00	·00	·91	·00	·01	·00	·17	·00	·27	24
25	·03	·03	·00	·19	·00	·03	·00	·00	·13	·29	·00	·16	25
26	·00	·16	·00	·50	·87	·00	·00	·25	·18	·85	·02	·31	26
27	·00	·69	·00	·02	·11	·00	·00	·33	·01	·19	·02	·27	27
28	·00	·36	·00	·44	·00	·00	·00	·02	·00	·00	·35	·01	28
29	·00	–	·00	·28	·03	·53	1·00	·00	+·50 ·50	·48	·00	·00	29
30	·00	–	·00	·01	·00	·05	·24	·00	·32	·31	·31	·09	30
31	·00	–	·46	—	·00	—	·09	·00	—	·03	—	·01	31
Total	1·65	2·93	3·74	2·22	2·05	4·05	1·35	4·82	2·53	4·76	6·68	13·52	TOTAL for year 50·30
No. of Rain Days.	15	16	20	13	8	14	4	12	13	17	24	29	185

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

9 JAN 1913

REGISTER Ex DL OF RAINFALL IN 1912

Kept at Mount Lodge, Callington
in the County of Cornwall 3
by George Brown M.R.C.S. Eng.

Lat. — Long. —
Time of Observation 9 a.m.
Nearest Railway Station Callington Road
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·15	·00	·10	·70	·16	·20	·10	·41	·00	·38	1
2	·00	·00	·29	·00	·00	·80	·02	·00	·00	·10	·00	·00	2
3	·04	·00	·51	·00	·09	·41	·08	1·12	·00	·00	·00	·13	3
4	·24	·00	·74	·00	·00	·17	·00	·20	·00	·00	·26	·00	4
5	·89	·34	·18	·00	·05	·02	·05	1·64	·00	·00	·02	·26	5
6	·35	·19	·04	·00	·49	·08	·00	·21	·00	·00	·01	·01	6
7	·19	1·04	·32	·03	·17	·30	·00	·00	·00	·00	·00	·20	7
8	·79	·20	·33	·00	·02	1·08	·06	·00	·00	·00	·00	·02	8
9	·02	·35	·11	·18	·00	·10	·14	·04	·00	·00	·00	·81	9
10	·68	·04	·23	·00	·00	·00	·30	·02	·07	·00	·19	·18	10
11	·01	·05	·02	·05	·00	·00	·03	·03	·00	·00	·41	·72	11
12	·05	·37	·27	·00	·09	·01	·31	·25	·00	·00	·09	·32	12
13	·37	·00	·02	·00	·00	·00	·14	·05	·00	·09	·00	·02	13
14	·21	·33	·52	·00	·18	·00	·00	·15	·00	·02	·00	·09	14
15	·76	·32	·01	·00	·14	·62	·00	·01	·00	·00	·00	·44	15
16	·26	·00	·62	·00	·02	·03	·00	·35	·00	·13	·04	·16	16
17	·00	·00	·16	·00	·03	·21	·00	1·15	·00	·00	·08	·09	17
18	·00	·10	·17	·00	·00	·00	·00	·53	·00	·03	·03	·07	18
19	·06	·09	·39	·00	·09	·02	·04	·39	·00	·05	·02	·08	19
20	·02	·13	·55	·00	·12	·00	·08	·10	·00	·46	·04	·00	20
21	·17	·67	·33	·00	·75	·00	·00	·09	·00	·31	·00	·00	21
22	·01	·47	·38	·00	·02	·05	·08	·39	·00	·10	·01	·23	22
23	·00	·43	·30	·00	·00	·08	·03	1·05	·00	·10	·11	·43	23
24	·07	·09	·10	·00	·00	·61	·36	·00	·00	·02	·00	·22	24
25	·17	·03	·01	·00	·00	·13	·05	·09	·00	·36	·34	·63	25
26	·00	·00	·00	·00	·00	·01	·06	·40	·00	·45	·69	·73	26
27	·00	·11	·00	·00	·00	1·15	·67	·17	·00	1·63	·06	·74	27
28	·00	·21	·00	·00	·00	·30	·10	·98	·43	·36	·48	·50	28
29	·00	·32	·00	·00	·00	·20	·17	·48	·69	·37	·00	·00	29
30	·00	—	·11	·00	·00	·12	·37	·00	·15	·25	·00	·08	30
31	·00	—	·26	—	·20	—	·44	·01	—	·04	—	·30	31
Total	5·36	5·88	7·12	·26	2·56	7·20	3·74	10·10	1·44	5·28	2·88	7·84	YEAR'S TOTAL 59·66
Rain Days.	20	21	27	3	16	23	22	26	5	19	17	26	225

W. 7,500, XI. ·12

George Brown
Mount Lodge Callington 8/1/13.

Ex DL

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
17 JAN 1914

Kept at Mount Lodge, Silver Valley, Callington
in the County of Cornwall 3
by George Brown, M.R.C.S.Eng.

Lat. ……… Long. ………
Time of Observation 9 a.m.
Nearest Railway Station Callington
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 6 ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·23	·38	·15	·41	·00	·00	·00	·00	·08	·43	·01	1
2	·25	·13	·05	·31	·24	·00	·00	·00	·53	·04	·23	·04	2
3	·70	·00	·18	·01	·29	·00	·00	·00	·00	·11	·00	·22	3
4	1·37	·00	·10	·00	·00	·12	·00	·00	·05	·00	·16	·44	4
5	·08	·06	·01	·00	·39	·32	·00	·00	·71	·00	·22	·45	5
6	·45	·13	·17	·00	·05	·12	·00	·00	·00	·58	·28	·10	6
7	·17	·72	·08	·00	1·31	·19	·00	·00	·00	1·15	·51	·02	7
8	·26	·30	·00	·00	·20	·00	·05	·47	·00	·06	·02	·03	8
9	·18	·07	·02	·00	·14	·09	·12	·11	·02	·00	·81	·02	9
10	1·45	·01	·01	·04	·06	·03	·00	·06	·00	·70	·44	·00	10
11	·54	·00	·00	·03	1·45	·06	·00	·00	·04	·15	1·25	·04	11
12	·10	·00	·00	·00	·04	·00	·00	·00	·20	·00	·40	·03	12
13	·09	·00	·14	·00	·06	·00	·00	·00	·30	·00	·19	·00	13
14	·40	·00	·28	·13	·02	·00	·00	·00	·14	·02	·17	·01	14
15	·33	·00	·37	1·16	·00	·00	·00	·00	·01	·00	·16	·03	15
16	·39	·00	·71	·09	·00	·00	·03	·00	·25	·00	·03	·00	16
17	·10	·00	·03	·07	·00	·00	·02	·04	·00	·00	·04	·00	17
18	·10	·00	·51	·31	·03	·00	·00	·00	·00	·00	·10	·00	18
19	·57	·00	·00	·00	·02	·15	·00	·00	·49	·27	·00	·00	19
20	·15	·00	·13	·51	·00	·00	·00	·00	·00	·12	·46	·00	20
21	·04	·00	·20	·25	·00	·01	·00	·00	·00	·03	·26	·00	21
22	·33	·00	·80	·12	·02	·33	·00	·10	·06	·02	·00	·31	22
23	·01	·00	·02	·00	·00	·00	·00	·03	·01	·00	·31	1·06	23
24	·01	·37	·00	·14	·00	·07	·00	·00	·00	·00	·03	·00	24
25	·00	·02	·00	·45	·00	·00	·00	·00	·09	·06	·03	·08	25
26	·00	·00	·00	1·14	·00	·00	·00	·03	·01	·05	·00	·25	26
27	·81	·00	·29	·46	·00	·00	·00	·11	·00	·81	·02	·12	27
28	·21	·00	·02	·29	·14	·00	·00	·00	·23	·36	·00	·13	28
29	·11	–	·52	·18	·02	·00	·00	·00	·00	·25	·03	·00	29
30	·84	–	·00	·17	·04	·00	·01	·00	·21	·62	·02	·00	30
31	·13	–	·27	—	·00	—	·00	·21	—	·15	–	·00	31
Total	10·20	2·04	5·29	6·01	4·93	1·49	0·23	1·16	3·35	5·63	6·60	3·39	YEAR'S TOTAL 50·32
Rain Days.	29	10	23	20	19	11	5	9	17	20	25	19	207

FORM A.
BRITISH RAINFALL.
12 JAN 1915

REGISTER OF RAINFALL IN 1914

3

Kept at Mount Lodge, Callington
in the County of Cornwall
by George Brown, M.R.C.S. Eng.

Lat. 50° 30′ N. Long. 4° 18′ W.
Time of Observation 9 a.m.
Nearest Railway Station Callington
Diameter of Rain Gauge Eight in.
Height of top of Gauge above Ground 6 ft. – in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. //

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·09	·16	·00	·23	·06	·84	·00	·00	·69	·09	1
2	·01	·00	·06	·09	·15	·02	·20	·06	·00	·00	·02	·47	2
3	·07	·00	·15	·17	·59	·00	·00	·52	·00	·00	·38	·06	3
4	·11	·00	·02	·37	·20	·00	1·54	·16	·13	·00	·13	·67	4
5	·26	·00	·26	·25	·05	·00	·03	·00	·00	·00	·00	·04	5
6	·00	·18	·11	·22	·15	·00	·18	·09	·00	·00	·04	·96	6
7	·06	·88	·51	·13	·33	·22	·31	·32	·94	·00	·00	·24	7
8	·09	·00	·94	·09	·05	·18	·00	·06	·08	·00	·02	·01	8
9	·05	·10	·40	·14	·00	·65	·00	·19	·30	·00	·00	·00	9
10	·04	·97	·13	·55	·10	·00	·00	·00	·62	·00	·01	·20	10
11	·00	·27	·76	·00	·00	·13	·00	·00	·03	·00	·03	·30	11
12	·00	·34	·19	·00	·00	·00	·00	·00	·18	·00	·10	·42	12
13	·00	·56	·38	·00	·00	·00	·31	·00	·23	·11	·35	·21	13
14	·00	·38	·45	·00	·00	·36	·00	·07	·02	·05	·72	·11	14
15	·00	·01	·23	·00	·00	·00	·15	·08	·00	·00	·37	·54	15
16	·00	·00	·02	·00	·00	·00	·04	·00	·52	·00	·00	·02	16
17	·00	·42	·30	·00	·00	·00	·02	·00	·00	·00	·00	·80	17
18	·00	·16	·00	·00	·00	·00	·16	·00	·21	·00	·00	·29	18
19	·00	·06	·66	·00	·00	·00	1·37	·00	·07	·00	·11	·15	19
20	·00	·35	·29	·00	·00	·16	·00	·00	·00	·00	·00	·21	20
21	·00	·39	·00	·00	·00	·00	·01	·00	·00	·50	·00	·10	21
22	·00	·08	·09	·00	·03	·15	·03	·11	·00	·41	·00	·00	22
23	·00	·07	·22	·00	·00	·00	·06	·05	·00	·09	·00	·00	23
24	·01	·00	·01	·00	·00	·00	·03	·12	·00	·08	·04	·00	24
25	·12	·00	·36	·00	·03	·00	·26	·88	·00	·54	·10	·75	25
26	·06	·13	·27	·00	·00	·00	·28	·00	·00	·04	·20	·64	26
27	·06	·26	·00	·00	·00	·00	·00	·00	·00	·08	·24	·43	27
28	·03	·03	·42	·00	·11	·00	·87	·00	·00	·32	·17	·89	28
29	·35	×	·29	·00	·10	·00	·00	·00	·00	·04	·84	·03	29
30	·01	×	·17	·07	·00	·00	·00	·00	·00	·08	·44	·95	30
31	·04	×	·00	×	·02	×	1·16	·00	×	·83	×	·48	31
Total	1·37	5·64	7·78	2·24	1·91	2·10	7·04	3·55	3·33	3·17	5·00	10·06	YEAR'S TOTAL 53·19
Rain Days.	16	19	27	11	13	9	19	14	12	13	20	27	200

1,000, XI. 13

EDWARD STANFORD, Ltd., 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

2050

FORM A.
BRITISH RAINFALL.
22 JAN 1916

REGISTER OF RAINFALL IN 1916

Kept at Mount Lodge, Callington
in the County of Cornwall
by George Brown, M.R.C.S. Eng.

3

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Callington
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 4 ft. — in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·21	·42	·00	·00	·00	·00	·00	·84	·38	·30	·00	·10	1
2	·39	·28	·16	·09	·05	·11	·00	·13	·10	·00	·00	·49	2
3	·07	·30	·13	·04	·36	·00	·00	·00	·00	·00	·00	·56	3
4	·10	·51	·02	·00	·00	·02	·00	·00	·00	·00	·00	·78	4
5	·06	·73	·01	·34	·04	·00	·00	·33	·00	·00	·00	1·68	5
6	1·00	·33	·03	·39	·00	·00	·00	·04	·00	·00	·00	·15	6
7	·26	·34	·00	·02	·00	·00	·85	·00	·00	·78	·05	·30	7
8	·18	·48	·00	·00	·00	·00	·20	·07	·00	·02	·15	·25	8
9	·05	·16	·00	·06	·00	·00	·00	·04	·00	·00	·40	·81	9
10	·23	·57	·02	·08	·00	·03	·00	·16	·00	·20	·08	·12	10
11	·11	·52	·11	·00	·00	·00	·03	·31	·00	·00	1·58	·20	11
12	·08	·00	·00	·06	·60	·00	·00	·08	·01	·15	·32	·07	12
13	·02	·77	·00	·00	·53	·00	·04	·06	·11	·00	·13	·18	13
14	·06	·02	·00	·00	·00	·00	·24	·03	·16	·06	·17	1·42	14
15	·10	·00	·00	·00	·40	·00	·47	·00	·03	·00	·16	·21	15
16	·03	1·68	·00	·00	·54	·00	·93	·00	·00	·00	·00	·15	16
17	·01	·12	·00	·00	·07	·00	·03	·00	·00	·03	·00	·00	17
18	·02	·28	·03	·00	·00	·00	·00	·00	·00	·00	·00	·00	18
19	·03	·00	·00	·00	·61	·00	·22	·00	·00	·00	·00	·00	19
20	·27	·03	·00	·15	·08	·15	·00	·00	·00	·20	·00	·00	20
21	·31	·30	·00	·00	·17	·20	·31	·00	·00	·02	·00	·13	21
22	·06	·12	·37	·06	·00	·01	·39	·00	·05	·07	·00	·55	22
23	·07	·02	·08	·00	·00	·11	·04	·00	·07	1·21	·00	·00	23
24	·00	·00	·00	·03	·00	·19	·00	·00	·63	·25	·00	·72	24
25	·00	·00	·00	·00	·00	·09	·17	·00	·09	·00	·02	·42	25
26	·00	·39	·00	·00	·00	·75	·02	·00	·06	·00	·00	·80	26
27	·00	·06	·00	·00	·00	·09	·50	·00	·41	·74	·00	·00	27
28	·00	·05	·00	·00	·00	·13	·00	·00	·31	·11	·03	·09	28
29	·00	✕	·00	·00	·00	·43	·00	·00	·16	·02	·24	·10	29
30	·29	✕	·00	·00	·00	·08	·40	·04	·24	·77	·35	·40	30
31	·03	✕	·00	✕	·00	✕	·38	·03	✕	·73	✕	·22	31
Total	4·04	8·48	0·96	1·32	3·45	2·39	5·22	2·16	2·51	5·66	3·68	10·90	YEAR'S TOTAL 50·77
Rain Days.	25	23	10	11	11	14	17	13	15	17	13	25	194

W. 8,000. X. 15.

CORNWALL.

CALLINGTON,

"PENCREBAR"

1911—1920

REG 1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Pencrebar

in the County of Corn

by Miss How

f top 5 in.

p above Ground 1 ft. 9 in.

„ Sea Level 450 ft.

10. a.m.

Nearest Railway Station { Name Callington
Distance 2½ m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·59	·30		·09				·06	·15	1
2			·02	·03	·24					·08	·14	·01	2
3		·07	·07		·33			·40	·02		·22	·33	3
4			·08					·04			·27	·14	4
5	·46		·28					·68		·08	·22	·53	5
6	·03			·02	·02			·54		·07	·15	·02	6
7	·22			·04				·03			·73	1·15	7
8	·06										·11	·05	8
9	·03		·01		·04						·26	·53	9
10	·14		·82								·15	·51	10
11	·36								·01		·58	·43	11
12									·48		·18	·18	12
13			·66						·12	·09	·10	·27	13
14		·13	·07							·04	·33	·15	14
15		·07	·07								·45	·36	15
16		·07				·50					·27	·09	16
17		·08	·36			·08					·16	·48	17
18		·32		·05		·40				·10	·50	·46	18
19		·04	·04	·09		·14			·53	·08	·28	1·23	19
20	·03	·08		·16		·56			·23	·69		·60	20
21	·04	·26		·02		·04		·01	·63	·28		·27	21
22		·10	·17	·18		·08		·51	·37	·31		·47	22
23		·08		·02		·12			·05	·45	·45	·31	23
24	·03	·36				·20		·41		·16		·39	24
25	·07	·07		·20		·45	·02	·01	·12	·46		·28	25
26		·06		·49	·49	·05		·19		·62		·28	26
27		·69		·04				·31	·20	·08			27
28		·18		·49									28
29				·22	·02		1·25		·23	·35		·01	29
30			·03		·05	·53	·23			·31	·60	·09	30
31							·10			·11			31
Total	1·47	2·66	2·71	2·64	1·49	3·15	1·69	3·13	2·99	4·36	6·21	9·77	TOTAL for year 4227
No. of Rain Days	11	16	14	15	8	12	5	11	12	18	21	28	171

9,000, IX. '10.

REG 1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Pencrebar, Callington

in the County of Cornwall 3

by Miss Horndon

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 9 in.
" " " Sea Level 450 ft.

Time of Observation 10. a.m.

Nearest Railway Station
Name Callington
Distance 2½ m. Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·03	·59	·30		·09				·06	·15	1
2			·02	·03	·24					·08	·14	·01	2
3		·07	·07		·33			·40	·02		·22	·33	3
4			·08					·04			·27	·14	4
5	·46		·28					·68		·08	·22	·53	5
6	·03			·02	·02			·54		·07	·15	·02	6
7	·22			·04				·03			·73	1·15	7
8	·06										·11	·05	8
9	·03		·01		·04						·26	·53	9
10	·14		·82								·15	·51	10
11	·36								·01		·58	·43	11
12									·48		·18	·18	12
13			·66						·12	·09	·10	·27	13
14		·13	·07							·04	·33	·15	14
15		·07	·07								·45	·36	15
16		·07				·50					·27	·09	16
17		·08	·36			·08					·16	·48	17
18		·32		·05		·40				·10	·50	·46	18
19		·04	·04	·09		·14			·53	·08	·28	·23	19
20	·03	·08		·16		·56			·23	·69		·60	20
21	·04	·26		·02		·04		·01	·63	·28		·27	21
22		·10	·17	·18		·08		·51	·37	·31		·47	22
23		·08		·02		·12			·05	·45	·45	·31	23
24	·03	·36				·20		·41		·16		·39	24
25	·07	·07		·20		·45	·02	·01	·12	·46		·28	25
26		·06		·49	·49	·05		·19		·62		·28	26
27		·69		·04				·31	·20	·08			27
28		·18		·49									28
29				·22	·02		1·25		·23	·35		·01	29
30			·03		·05	·53	·23			·31	·60	·09	30
31							·10			·11			31
Total	1·47	2·66	2·71	2·64	1·49	3·15	1·69	3·13	2·99	4·36	6·21	9·77	TOTAL for year 42·27
No. of Rain Days	11	16	14	15	8	12	5	11	12	18	21	28	171

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
29 MAY 1913

Kept at Pencrebar
in the County of Cornwall 3
by (Miss) S. P. Horndon

Lat. 50·29½ Long. 4·19
Time of Observation 10 a.m.
Nearest Railway Station Callington Road
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·13		·04	·01	·12	·32	·01	·30	·05		1
2			·11		·05	·61	·12	·07	·13	·29	·02	·34	2
3	·07		·24			·57	·02	~~[illegible]~~		·10		·01	3
4	·25		·33			·31	·08	·91	·10			·09	4
5	·16	·29	·71		·04	·14		·21			·38		5
6	·38	·07	·23		·04	·02	·10	1·90				·27	6
7		·67	·18	·04	·48	·13		·20			·03	·01	7
8	·87	·07	·28	·02	·17	·34	·03	·22				·13	8
9	·01	·19	·05	·10		·60	·01						9
10	·60	·02	·16	·07		·03	·10	·06				·79	10
11		·06						·05			·32		11
12	·04	·21	·23		·08		·20	·06			·45	·79	12
13	·23	·02	·02				·35	·46			·13	·01	13
14	·11	·14	·46				·11	·07		·07		·43	14
15	·28		·02		·20	·58		·13		·01		·12	15
16	·09	·07	·55		·13	·04		·02			·02	·45	16
17			·17		·02	·13		·34		·13	·03	·18	17
18			·27		·05			·95			·06	·10	18
19		·07	·34					·33		·05	·07	·01	19
20	·04	·21	·50		·14		·05	·58		·06			20
21		·52	·34		·11		·05	·06		·50	·08	·05	21
22	·20	·34	·46		·66	·11		·12		·31			22
23	·12	·48	·34			·14	·15	·41		·10		·20	23
24	·17	·05	·11			·31	·05	1·21		·15	·16	·39	24
25	·17					·16	·14			·02		·31	25
26		·01				·04	·10	·10		·33	·48	·41	26
27		·05				·01	·08	·37		·38	·63	·51	27
28		·06				·69	·60	·07		1·62	·09	·64	28
29		·17				·20	·12	·78	·59	·32	·42	·48	29
30			·06		·01	·05	·18	·42	·68	·33		·13	30
31			·33		·08		·37		7	·35		·25	31
Total	3·79	3·77	6·62	·23	2·30	5·21	3·13	10·42	1·51	5·42	3·42	7·10	YEAR'S TOTAL 52·92
Rain Days.	17	21	25	4	16	22	22	27	5	19	17	25	220

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.
7 - JAN 1914

Kept at Pencrebar, Callington
in the County of Cornwall 3
by Miss Horndon

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Callington
Diameter of Rain Gauge 5. in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	21	28	20	12					11	8	7	1
2	27	18	12	37	40					6	47		2
3	60	2	26		17.				52	3	25	6	3
4	118		19		20	14				6		37	4
5	7	4	1			36			73	2	15	43	5
6	34	18	21		25	18	1			34	39	33	6
7	10	62	8		06	16				21	29	4	7
8	23	22			95	1	76	61	2	13	37		8
9	18	5	11		27	12	5	7			2	5	9
10	114		2		3	2		5		85	23	3	10
11	43			3	4	4			4	2	40		11
12	16				62	1			9		83	13	12
13	3			2	2		1		22		34	1	13
14	22		17	8	8		1	1	17		20		14
15	28		29	5	2				10	1	33		15
16	47		46	114					16		19	6	16
17	8		72	7			2		·		6		17
18	6		7	12							10		18
19	47		45	28	1	30			44		12		19
20	15		5	~~29~~	4					31	1		20
21	6		11	29		4		9		21	69		21
22	34		36	20	14	16		6	8		11		22
23	2		67	10	5			4		13		40	23
24	2	28	1					1		3	27	95	24
25		1		11					7	2	3	2	25
26				62				3		5	10	12	26
27	66			97				13				32	27
28	4		27	72					21	70		7	28
29	9		4	20	9		1			35		25	29
30	79		54	36	2					38	6		30
31	15		26		7			22		52			31
Total	8·68	1·81	5·75	5·93	3·65	1·54	·27	1·32	2·85	5·04	6·59	3·71	YEAR'S TOTAL 47·14
Rain Days.	29	10	24	19	21	12	7	11	13	21	25	18	210

W.7,000, XI. 13

[illegible] Mount Ho. 10.III.15 W

REGISTER OF RAINFALL IN 1914.

FORM A. BRITISH RAINFALL.

18 FEB 1915

Kept at Pencrebar, Callington.
in the County of Cornwall. 3
by Miss Horndon.

Lat. 50-29½ Long. 4-19. W.
Time of Observation 10-A.M.
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·05			·02		1·13			·70	·14	1
2	·02		·13	·23	·09	·27	·10	·90			·03	·44	2
3	·07		·15	·19	·60	·02	·23	·02				·20	3
4	·21		·29	·35	·18		1·44	·43			·21	·59	4
5	(·21) ~~·04~~		·12	·37	·02			·19	·06		·08	·07	5
6	·04	·19	·41	·18	·27		·02	·02			·01	·72	6
7	·06	·87	·11	·14	·30		·29	·31	·87			·22	7
8	·10		·74	·15		·18	·33	·09	·11				8
9	·06	·10	1·06	·11	·02	·25	·01	·21	·38		·02		9
10		·87	·26	·41	·07	·67			·44		·02	·23	10
11		·22	·11		·17	·02			·03		·06	·38	11
12			·87		·62				·32		·19	·32	12
13		·40	·22				·01		·33	·01		·27	13
14		·69	·43				·36	·09	·04	·42	·46	·11	14
15		·54	·62				·03	·97		·14	·63	·56	15
16		·01	·16				·19		·47		·35	·01	16
17			·02				·04					·96	17
18		·50	·31				·02		·24			·37	18
19		·24	·03				·18		·06		·11	·16	19
20		·06	·69			·20	1·68				·01	·19	20
21		·45	·22			·05	·02		·01	·63		·02	21
22		·30				·09	·07	·07		·44			22
23		·06	·14					·10		·12			23
24		·06	·14				·04	·06		·05	·04		24
25	·14	·01	·04					·77		·49	·08	·71	25
26	·04		·29				·27			·04	·28	·54	26
27	·87	·05	·21				·26			·12	·29	·45	27
28	·83	·17					·06			·18	·08	·81	28
29	·49		·38							·07	·90	·05	29
30	·01	X	·27		·17		·67			·10	·49	·78	30
31	·08	X	·16	X	·04	X			X	·62	X	·42	31
Total	1·63	5·79	8·63	2·13	1·95	1·77	6·32	4·46	3·36	3·43	5·64 5·14	9·72	YEAR'S TOTAL 54·33
Rain Days.	15	19	29	9	12	10	22	15	13	14	21	26	205

W. 8,000. X. 14.

corr for W.W.D ~~W~~ D cardly mun stats 12.IV.16 2047

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

29 FEB 1916

Kept at Pencrebar. Callington.

in the County of Cornwall -

by Miss Horndon -

Lat. 50·29½ Long. 4·19·

Time of Observation 10. A.M.

Nearest Railway Station Callington Rd. 2½ miles.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	·44	·10		·03	·12		·43	·37			·19	1
2	·35	·31	·02	·18				·76	·05			·44	2
3	·07	·29	·21	·10	·28		·05	·14				·60	3
4	·18	·47	·19		·06			·01				·27	4
5	·04	·66	·04	·42				·01				1·10	5
6	1·04	·14	·01	·34				·25				·28	6
7	·47	·54					·52	·05			·03	·34	7
8	·21	·21					·14			·80	·17	·20	8
9	·08	·15		·10				·06		·01	·48	·90	9
10	·46	·64		·08		·07	·02	·04		·16	·10	·07	10
11	·14	·01	·03	·01				·22		·06	1·29	·23	11
12	·06	·43	·07	·05	·56		·03	·30		·07	·30	~~·18~~	12
13	·04	1·01			·51			·06	·09	·02	·15	·16	13
14	·07	·04			·02		·03	·04	·17	·10	·19	1·78	14
15	·17	·01			·41		·28	·12	·04		·12	·19	15
16	·13	1·53			·45		·47	·03		·03		·14	16
17	·63	·15			·04		·87						17
18	·05	·20					·01						18
19	·05	·02		·15	·44		·04						19
20	} ·70	·01		·10	·05	·22	·34		·01	·20			20
21		·16		·05	·14	·22			·07	·01		·10	21
22	·08	·18	·02	·06			·37		·04	·26		·65	22
23	·05	(·08)	·29			·05	·43		·11	·83		·61	23
24	·01		(·26)	·02		·17	·06			·42		·69	24
25	·03			·02		·07	·17		·30			·48	25
26						·82	·14		·08		·02	·78	26
27		·60				·06	·04		·04	·75		·01	27
28		·10				·10	·43	·01	·30	·18	·04	·08	28
29						·30	·01		·24		·17	·18	29
30	·26	X		·01					·11	·72	·43	·44	30
31	·03	X		X		X	·43	·03	X	·75	X	·27	31
Total	4·94	8·35	1·04	1·69	2·99	2·20	~~4·45~~ 4·88	2·56 2·13	2·02	5·37	3·49	11·36	YEAR'S TOTAL 50·46
Rain Days.	27	25	11	15	12	11	~~20~~ 21	~~17~~ 16	15	17	13	27	210

Cnd by mm stats

1991

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

4 FEB 17

Kept at Pencrebar Callington

in the County of Cornwall

by Miss Horndon

Lat. 50·29½ N Long. 4·19 W

Time of Observation

Nearest Railway Station Callington Rd. 2½ NE

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·22	—	·07	—	·11	·08	·11		·02	·29	·04		1
2	·37	·12	·11	—	·03		·01		·32	·19	·29		2
3	·05	1·68	—	—	·33		·30		·07	·77	·20	·07	3
4	·25	·20	—	·03	·04	·12	·08		·04	·13	·61		4
5	·09	·18	·05	—	·02	·55	·05			·18	·32		5
6	·11	·30	—		·22	·06				·35	1·26		6
7	·08	·26	·21		·09	·38	·95				1·27		7
8	·02	·16	·33		·31	·02					·10		8
9	—	·10	—			·45				·13	·22	·91	9
10	—	·92	—	·10	·03	·09	·04			·04	·01	·04	10
11	—	·03	—	·17	·15		·01		·04				11
12	·09	·15	·02	·04	·04		·20	·19		·24			12
13	—	·40	·06	·07	·02		·01	·09		·03		·10	13
14	·03	·45	·05		·05			·22		·15	·02		14
15	·02	·40	·10	·13				·09		·06			15
16	·29	·14	—	·19						·34	·08		16
17	(·25)	·18	·02						·15	·32	1·24		17
18	·04	·36	·20	·11					·28		·28	·06	18
19	·29	·14	·03	·17							·39	·12	19
20	·08	·72	·04								·17	·72	20
21	·05	·04	(·10) ~~·99~~	·05	·05						·09	·07	21
22	—	—	·04	·01		·26	·25	·05		1·07	·08	·67	22
23	·07	·03		·16		·12	·09	·29		·16	·49	·12	23
24	—	·02	·11	·24	·03			·37			·04	·30	24
25	·02	—	·45		·01	·09		1·03		·03	·25	·02	25
26	·02	·43	·05			·08		·62	·66	·81	·10	·03	26
27	·03	·01	1·40			·08		·21	·20	·67			27
28	—	·06	·02			·04		·18	·57	·63	·02	·58	28
29	—	·28	·06			·54		·64	·05	·18		·55	29
30	—	✕	—			·07				·37			30
31	—	✕	—	✕		✕		·10	✕	·37	✕	·03	31
Total	~~2·57~~ 2·54	7·76	3·53	1·47	1·53	3·03	2·10	4·08	2·40	7·51	7·57	4·39	YEAR'S TOTAL 47·94
Rain Days.	21	24	22	13	16	16	12	13	11	23	23	16	213

W. 8,000, VIII. 16

1901

FORM A.
BRITISH RAINFALL

11 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Pencrebar - Callington

in the County of Cornwall

by A. H. Horndon - (Hext)

Lat. 50·29½ Long. 4·19·

Time of Observation 10. A.M.

Nearest Railway Station Callington

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·20		·17		·03	·04		·07	·01	1
2	·03		·02	·15		·05				·02	·21	·02	2
3	·12			·05						·64			3
4	·01	·25	·82				·02		·05	·33			4
5	·21		·54	·42		·21				·15	·18		5
6	—		·27			·32		1·24		·14	·14	·05	6
7	·75					·02	·13	·20		·14	·17	·05	7
8	·12		·22	·12		·03	·45	·11	·04	·54	·33	·55	8
9	—		·17	·08			·01			·33	·33	·07	9
10	·43		·33	·34	·12			·32	·11	·17	·02		10
11	·04		·22	·22				·89		·57	·47		11
12	·27			·03	·33			·07	·04	·73			12
13	·23		·25	·09		·06		·54	·14	·29		·03	13
14	—			·08	·03		·16		·03	·16			14
15	·26			·03			·21	·33	·04	·60		·36	15
16		·07		·05		·31	·01	·12	·03	·21		·34	16
17		·06		·15	·07		·43	·11	·69	·11			17
18		·02		·01	·29	·06	·35	·03	·64	·06	·02		18
19		·53	·08			·17	·01	·01	·03				19
20		·45			·64	·15		·10	·15		·02	·10	20
21		·09	·09		·01	·41		·04		·09		·08	21
22		—			·06	·17		·39		·20			22
23		·20			·16	·06	·01	·25		·23	·03		23
24						·14	·34	·04		·33	·14		24
25		·04	·08				·03	·43		·16	·17		25
26					·46	·36		·16	·16	·04	·10	·04	26
27			·03			·93		1·37	·13	·11	·01		27
28			·24		·02	1·04		·58		·08	·01		28
29			·12			·04	·01	·09		·73	·01	·04	29
30		×	·12				·08	·30		·03	·01		30
31		×	·08	×	·45	×		·02	×	·13	×		31
Total	2·50	1·71	3·68	2·02	2·64	4·70	2·25	7·77	2·32	7·32	2·24 2·44	1·74	YEAR'S TOTAL 41·09
Rain Days.	12	9	17	15	12	19	15	25	15	28	19	13	199

W. 8,000, IX. 17.

52

FORM A.
BRITISH RAINFALL

REGISTER OF RAINFALL IN 1918

Kept at Pencreber - Callington

in the County of Cornwall

by Miss S. P. Horndon

Lat. 50·29½ N Long. 4·19 W.
Time of Observation 10. a. m.
Nearest Railway Station Callington Rd. 2½ m. NE
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		43		·23	04			50	02	01	84	01	1
2		59		03					05	01	49	62	2
3		27		17	11			06	07	07	85	15	3
4		03		15				45	36		05	1·02	4
5	·05	05	24	03	08			79	43	42		15	5
6	·26	53	18	23				01		35		29	6
7	·01	27		06				(05)	73	15	53	55	7
8	·05	-23 28						~~01~~	22	67			8
9	·15	01		05		11	20		60	22	04	64	9
10	·19			20		23	22		08	13	83	41	10
11	·03	03	16	01	06		15		21	02	05	27	11
12		17			24		14		02	02		04	12
13		02					45		72	28		29	13
14	·47				14		04		27	12		27	14
15	1·21					10	81		16	43		55	15
16	·81		03	21		42	06	01	40	04		19	16
17	·11			05	02	05	10	02	08			29	17
18	1·17					03	13	04	34			55	18
19	·23	(12)		09		73	16		16	29		50	19
20	·12	17		17		07	03	02	(30)			04	20
21	·24	07		02		08	14		65	24		41	21
22	·02	01			07		1·38		29	05	16	39	22
23	14				08		04		09		18	15	23
24	·08	20					·05	34	14		28	24	24
25	·04	08		12	06		·05	29		09	29	01	25
26	·05			62			·35	02	19	06	03	42	26
27	·02	20	24					13	06	03	20	03	27
28		22	09						18	07	07	13	28
29			24		—				1·21			15	29
30		X	21	24					11	07	07	17	30
31		X	23	X		X	04	04	X	11	X	09	31
Total	5·50	3·70	1·62	2·08	·90	1·82	4·54	2·77	8·14	3·95	4·96	9·02	YEAR'S TOTAL 49·00
Rain Days.	21	20	9	18	10	9	19	15	28	24	16	30	219

W. 8,000, IX. 17.

[illegible] 1784

JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at PENCREBAR – CALLINGTON
in the County of CORNWALL
by Miss Horndon

Lat. Long.
Time of Observation 10 a.m.
Nearest Railway Station Callington Road
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 9 in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·73		·33	·02	·16		·12		·26	·24		1·20	1
2	·23		·03		·06		·06			·03	·04	·13	2
3	·13		·40		·13				·18		·04	·25	3
4	·10	·61	·94			·01	·16	·19	·64		·04	·03	4
5	·06	·19	·22		·04				·02			·12	5
6	·43	·76	·31								·01	·38	6
7	·64		·24	·13		·02						·22	7
8	·36		·27	·02		·01					·95	·05	8
9	·32		—	·30	·14						·40	·10	9
10	·04		·94	·05	·02					·02		1·24	10
11	·02		·43	·33	·34	·01	·11			·02	·11	·44	11
12	·37		·07	·04	·01	·01				·10	·11	—	12
13	·37	·19	·24	·75			·02		·02	·09		·41	13
14	·75	·22	–	·73	·43		·02			·08		·24	14
15	·21	·06	–	·03						·12		·47	15
16	·08	1·20	—								·41	·04	16
17	·03	·11	·05			·05		·01			·63	·04	17
18	·28	·29	·58		·03		·18	·16	·07		·70	·04	18
19	·46	·28	·21			·20	·21	·68	·21		·12	·01	19
20	·40	·15	·16		·04	·25	·03	·10	·40		·16	·19	20
21		·88	–		·36		·13	·03	·24		·04	·13	21
22		·01	–			·02	·05		·18			·21	22
23			–					·04	·01	·48	·10	·23	23
24			–	·03		·27		·07	·03	·40	·12	·59	24
25	·18	·04	–	·02		·12		·79	·01		·17	·16	25
26	·14	·02	·12	·24				·11	·15	·06	·60	·67	26
27	·29	·04	·04	·24				1·09				·06	27
28	·01	·04	·55	·10				·01		·02	·62	·68	28
29			·05	·10				·10				·12	29
30		✕	·03	·08		·13		·23			·72	·90	30
31		✕	·06	✕		✕	·02		✕		✕	·30	31
TOTAL	6·63	5·09	6·27	3·21	1·76	1·10	1·11	3·61	2·42	1·66	6·09	9·65	YEAR'S TOTAL 48·60 ✓
Days with ·01 in. or more	24	17	22	17	12	12	12	14	14	12	20	30	206 ✓

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1702

9 FEB 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at PENCREBAR

in the County of Cornwall

by Miss Horndon

Lat. 50·29½ N Long. 4·19. W

Time of Observation 10 a.m.

Nearest Railway Station Callington Road

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	02		2	20	73		88	8	3	16	4	52	1
2	52			23			19	37	6	16		15	2
3	60			26	1		1	3		1·03		43	3
4		7	1		1			1·04	1	60			4
5			34		25		25	9		26			5
6			21	15	21		25	1		8			6
7	06		12	37	2		66			1·06		12	7
8	04	3	1	33	6		6	2				21	8
9	1·42	16		3		6	62						9
10	1·47	21	15	8		46	26						10
11	58	3	22	54	16	25	26		1				11
12	23	19	30	32	02	11	6	1		9	22		12
13	12	3	53	1					1	28			13
14	20	11	50	58			10		21	60	43		14
15	03	22	8	44	16					79	17		15
16	01	2	7	16		10	11		97	12	2		16
17	13		3	2	70	2			1·11	3			17
18	23	1	1	7		40		20	5				18
19	7	4		76	26	36			26				19
20	3			27		11	2	2		63		42	20
21	1			20			7			2		15	21
22	5			6	7		6	8				17	22
23	3		6		3		25					32	23
24	3		48	1			4	2			21	21	24
25	26	3	8	1		1	83		2		3	5	25
26	40	5	40			2	8		2		35	35	26
27	53	6	7	16		32	18				63	5	27
28	82		34	4		16	17				8	50	28
29	59	1	54			6	4				38	23	29
30	29			1		38	20		1·06	24	33	87	30
31	17		40				4			40		19	31
TOTAL	8·94	1·27	4·97	5·31	2·69	2·82	5·69	1·97	3·82	6·55	2·89	4·94	YEAR'S TOTAL 51·86
Days with ·01 in. or more	28	16	23	25	15	15	25	12	13	17	12	17	218
Days with ·04 in. or more	21	9	18	19	10	12	23	6	7	15	10	17	167

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

DEVONPORT

CREMYLL

CORNWALL

1911 –

9 11

FORM A2.
BRITISH RAINFALL.
1 - JAN 1912

Kept at Cre

in the County of C

by Wm Wo

p 5 in.

bove Ground ~~25~~ 10 ft. — in.

„ Sea Level 25 ft.

8 am

on { Name Milbay Plymo
Distance 1½ Miles Direction E

IMPORTANT

and the result entered to the previous day. If a

universal rule, he is earnestly requested to add the

g year in the space provided for it at the end c

surement of rain, the selection and

e British Rainfall Organization are given in

e on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·02	·18	·08	—	—	—	—	—	·07	·02	1
2	—	—	—	·28	·45	—	—	·78	—	·03	·20	·32	2
3	—	—	·05	·02	·29	—	—	·03	·03	—	·10	·11	3
4	—	—	·09	—	·01	—	—	·18	—	—	·36	·52	4
5	·26	—	·14	—	—	—	—	·75	—	·06	·16	·02	5
6	·48	—	·24	—	—	—	—	·02	—	·08	·09	1·00	6
7	·07	—	·02	·03	—	—	—	—	—	—	·68	·05	7
8	·04	—	·23	—	—	—	—	—	—	—	·09	·46	8
9	·04	—	—	—	—	—	—	—	—	—	·13	·65	9
10	·09	·08	·81	—	·07	—	—	—	—	—	·02	·35	10
11	·24	—	·03	—	—	—	—	—	·02	—	·95	·04	11
12	·02	—	·59	—	—	—	—	—	·27	—	·15	·16	12
13	—	·02	·09	—	—	—	—	—	·13	—	·13	·36	13
14	—	·12	·03	—	—	—	—	—	—	·03	·03	·21	14
15	—	·05	·12	—	—	·04	—	—	—	—	·35	·08	15
16	·01	·03	·02	·02	—	·26	—	—	—	—	·47	·34	16
17	—	·04	·23	·09	—	·11	—	—	—	—	·24	·45	17
18	—	·28	·22	·03	—	·06	—	—	—	·08	·26	·43	18
19	—	·03	·02	·13	—	·52	—	—	·54	·13	·10	·76	19
20	—	·03	·03	·03	—	·05	—	·01	·12	·58	·01	·75	20
21	·01	·39	·01	·22	—	·06	—	—	·44	·33	—	·13	21
22	·13	·05	·02	·01	—	·05	—	·05	·38	·25	—	·44	22
23	·03	·20	—	—	—	·02	—	—	·20	·22	·02	·32	23
24	·03	·35	—	·20	—	·34	—	·15	—	·14	—	·39	24
25	·03	·03	—	·47	—	·03	—	·01	·08	·18	—	·12	25
26	·01	·18	—	·04	—	—	—	·14	—	·50	—	·34	26
27	—	·54	—	·25	·10	—	—	·18	·11	·44	·02	·26	27
28	—	·38	—	·28	—	—	—	·10	·02	·02	·27	·02	28
29	—	—	—	·02	·25	·61	1·08	·01	·17	·33	·02	—	29
30	—	—	·02	—	—	·04	·10	—	·03	·14	·27	·04	30
31	—	—	—	—	—	—	·06	—	—	·03	—	·02	31
Total	1·49	2·80	3·03	2·30	1·25	2·19	1·24	2·41 2·41	2·54	3·62	5·19	9·16	TOTAL for year 37·22
No. of Rain Days.	15	17	21	17	7	13	3	13	14	18	25	30	193 ✓

W. 8,000, X. '11.

ll

FORM A2.
BRITISH RAINFALL.

1 - JAN 1912

Kept at Cremyll

in the County of Cornwall 3

by Wm Wonnacott

RAIN GAUGE Diameter of top 5 in.
Height of top above Ground 10 25 ft. — in.
" " " Sea Level 25 ft.

Time of Observation 8 am

Nearest Railway Station Name Millbay Plymo
Distance 1½ Miles Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·02	·18	·08	—	—	—	—	—	·07	·02	1
2	—	—	—	·28	·45	—	—	·78	—	·03	·20	·32	2
3	—	—	·05	·02	·29	—	—	·03	·03	—	·10	·11	3
4	—	—	·09	—	·01	—	—	·18	—	—	·36	·52	4
5	·26	—	·14	—	—	—	—	·75	—	·06	·16	·02	5
6	·48	—	·24	—	—	—	—	·02	—	·08	·09	1·00	6
7	·07	—	·02	·03	—	—	—	—	—	—	·68	·05	7
8	·04	—	·23	—	—	—	—	—	—	—	·09	·46	8
9	·04	—	—	—	—	—	—	—	—	—	·13	·65	9
10	·09	·08	·81	—	·07	—	—	—	—	—	·02	·35	10
11	·24	—	·03	—	—	—	—	—	·02	—	·95	·04	11
12	·02	—	·59	—	—	—	—	—	·27	—	·15	·16	12
13	—	·02	·09	—	—	—	—	—	·13	—	·13	·36	13
14	—	·12	·03	—	—	—	—	—	—	·03	·03	·21	14
15	—	·05	·12	—	—	·04	—	—	—	—	·35	·08	15
16	·01	·03	·02	·02	—	·26	—	—	—	—	·47	·34	16
17	—	·04	·23	·09	—	·11	—	—	—	—	·24	·45	17
18	—	·28	·22	·03	—	·06	—	—	—	·08	·26	·43	18
19	—	·03	·02	·13	—	·52	—	—	·54	·13	·10	·76	19
20	—	·03	·03	·03	—	·05	—	·01	·12	·58	·01	·75	20
21	·01	·39	·01	·22	—	·06	—	—	·44	·33	—	·13	21
22	·13	·05	·02	·01	—	·05	—	·05	·38	·25	—	·44	22
23	·03	·20	—	—	—	·02	—	—	·20	·22	·02	·32	23
24	·03	·35	—	·20	—	·34	—	·15	—	·19	—	·39	24
25	·03	·03	—	·47	—	·03	—	·01	·08	·18	—	·12	25
26	·01	·18	—	·04	—	—	—	·14	—	·50	—	·34	26
27	—	·54	—	·25	·10	—	—	·18	·11	·44	·02	·26	27
28	—	·38	—	·28	—	—	—	·10	·02	·02	·27	·02	28
29	—	—	—	·02	·25	·61	1·08	·01	·17	·33	·02	—	29
30	—	—	·02	—	—	·04	·10	—	·03	·14	·27	·04	30
31	—	—	—	—	—	—	·06	—	—	·03	—	·02	31
Total	1·49	2·80	3·03	2·30	1·25	2·19	1·24	2·41 2·41	2·54	3·62	5·19	9·16	TOTAL for year 37·22
No. of Rain Days.	15	17	21	17	7	13	3	13	14	18	25	30	193

W. 8,000, X. '11.

card for auth } 24·11·13 · pd WD

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
3 - JAN 1913

Kept at Cremyll

in the County of Cornwall 3

by Wm Wonnacott

Lat. Long.

Time of Observation

Nearest Railway Station Milbay Plymouth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 10 ft. — in.

" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ~~30·10~~ (·20)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		—	·18	·02	·04	·30	·06		·13	·65	·01	tr	1
2		—	·19	·01	—	·17	·02		·01	·03	·01	·25	2
3		—	·26	—	—	·16	·03		·09	—	·01	·02	3
4		·03	·29	—	·10	·21	—		·02	—	—	·05	4
5		·012	·42	—	·07	·02	·08		—	—	·40	·01	5
6		·018	·05	—	·52	·09	·03		—	—	·01	·06	6
7		·45	·25	·03	·28	·66	—		—	—	·02	·02	7
8		·28	·28	·03	·02	·12	·06		—	—	·04	·20	8
9		·12	·29	·08	—	·08	·12		—	—	·01	·02	9
10		·02	·25	·08	·02	·08	·05		—	—	·01	·57	10
11		·05	·53	—	—	·22	·04		—	—	·10	·27	11
12		·37	·18	·02	·10	·02	·36		—	·03	·17	·46	12
13		·03	·04	—	—		·13		—	·03	·06	·03	13
14		·15	·76	—	·16	·02	—		—	·04	—	·20	14
15		·19	·04	—	·08	·44	—		—	·01	—	·07	15
16		·02	·34	—	·02	·02	—		—	·20	—	·39	16
17		—	·23	—	—	·25	—		—	·02	—	·06	17
18		·07	·07	—	—	·02	—		—	·03	·22	·14	18
19		·05	·41	—	—	·03	·03		—	·05	·03	·04	19
20		·16	·42	—	·28	—	—		—	·26	·02	·03	20
21		·45	·25	—	·30	—	·08		—	·11	·01	—	21
22		·50	·32	—	·05	·04	·02		—	·05	·10	—	22
23		·53	·52	—	—	·05	·04		—	·21	·14	·15	23
24		·10	·10	—	—	·35	—		—	·04	·01	·40	24
25		·02	·02	—	—	·10	·03		—	·30	·42	·22	25
26		·02	—	—	—	·02	·07		—	·28	·41	·59	26
27		·06	—	—	—	·73	·65		—	1·46	·18	·39	27
28		·18	—	—	—	·11	·07		·33	·43	·40	·71	28
29		·17	—	—	—	·12	·07		·90	·21	·01	·47	29
30			·09	—	—	·22	·20		·23	·47	·01	·06	30
31			·26		—		·56		—	·04		·01 (·20)	31
Total	4·11	4·32	7·07	·27	2·04	5·65	2·80	9·03	1·71	4·95	2·81	5·92 6·12	Year's Total ~~50·88~~ ~~40·66~~
Rain Days.	(20)	25	27	7	14	27	22	(31)	7	22	25	29	256

1·71

50·88

W. 7,500, XI. ·12

Cnd for auth 3-4.111.14 WD
W D L

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 - JAN 19

Kept at Cremyll
in the County of Cornwall 3
by Samuel B. Wilson

Lat. .... Long. ....
Time of Observation 8.0
Nearest Railway Station Millbay Plymouth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 10 ft. — in.
" " " " Sea Level 25 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.22	.10	—	.22	.04	—	—	—	.13	—	.23	.01	1
2	.02	.34	.32	.11	.07	—	—	—	.18	.21	.37	—	2
3	.04	.20	.02	.14	.31	—	.01	—	—	.10	.17	.04	3
4	.24	—	.10	.01	.24	—	—	—	.33	.01	.01	.17	4
5	1.43	.01	.10	.02	.02	.13	—	—	.04	.09	.05	.22	5
6	.12	.05	.08	—	.52	.10	.04	—	.31	.07	.51	.46	6
7	.08	.09	.06	—	.22	.17	—	—	.01	.39	.28	.02	7
8	.03	.31	.04	—	.61	.07	.02	—	—	.29	.39	—	8
9	.09	.15	.04	—	.18	.01	.18	.24	—	.09	.02	.11	9
10	.06	.11	—	—	.14	.02	.01	.39	—	.01	.40	—	10
11	.78	.02	—	.02	.03	.09	—	.02	—	.27	.22	—	11
12	.75	.01	—	—	.45	.05	—	.01	.03	.03	.79	.08	12
13	.05	.01	.07	—	.05	.01	.01	—	.08	—	.22	.02	13
14	.10	—	.14	.25	.01	—	.02	.02	.20	—	.19	.01	14
15	.26	.01	.60	.04	.12	—	.01	—	.07	.02	.07	.04	15
16	.22	—	.58	.63	.01	—	—	—	.12	.02	.20	.02	16
17	.16	—	.03	.05	—	—	—	—	.20	—	.06	—	17
18	.17	—	.28	.10	—	—	.02	—	—	—	.03	—	18
19	.03	—	.08	.16	—	—	—	—	.01	—	.06	—	19
20	.55	—	.11	.01	.04	.02	—	—	.46	.11	.01	—	20
21	.25	—	.11	.26	.02	—	—	—	.01	.16	.17	—	21
22	.01	—	.08	.35	.02	.06	—	.02	—	.15	.44	—	22
23	.26	—	.56	.02	.02	.20	—	.02	.06	.28	.02	.16	23
24	.03	—	.09	—	.01	.04	—	—	.02	.02	.09	1.04	24
25	.04	.10	—	.14	.01	.07	—	.01	—	.01	.03	.02	25
26	—	.03	—	.48	—	—	—	.03	.08	.06	.06	.02	26
27	—	—	—	.73	—	.01	—	.06	.01	.03	.01	.16	27
28	.54	—	.14	.43	—	—	—	.15	—	.34	—	.03	28
29	.44		.11	.22	.05	—	—	.01	.11	.20	—	.11	29
30	.14		.38	.15	.02	—	.05	—	.01	.32	.01	.01	30
31	.69		.01		.03		.08	—		1.02		—	31
	.10	—	.22	.04	—	—	—	.13	—	.23	.01	(—)	YEAR'S TOTAL
Total	7.80	1.54	4.07	4.54	3.23	1.05	.45	.98	2.47	4.30	5.11	2.75	38.29
Rain Days.	29	~~15~~ 14	~~26~~ 25	22	~~25~~ 24	15	11	~~12~~ 13	~~21~~ 20	~~25~~ 26	28	~~20~~ 19	246 ~~247~~
	7.68	1.44	4.29	4.36	3.19	1.05	.45	1.11	2.34	4.53	4.89	2.74	38.07

W.7,000/ XI. 13

FORM A.
BRITISH RAINFALL.
11 JUN 1917

1917

DEVORAN COUNCIL SCHOOL

1916 - 19

RE

Kept at Devoran (

in the County of Corn

by W. R. Cock

n Gauge .... in.

ove Ground .... ft. .... in.

Sea Level .... ft.

IMPORTANT NOTE.—Rain should d the result entered to the previous day. If an Observer prefers not to conform to this iversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	-	·04	-	-	-	·10	-		·28	·03	.	1
2	·08	·05	·25	-	-	-	·02	-		·12	·22	.	2
3	·17	1·37	-	-	·10	·03	·01	-	·40	·54	·51	·03	3
4	·09	·25	·01	·05	·17	·31	·53	-		·02	·41	·01	4
5	-	·10	·02	-	·13	-	-	-		·10	·27	·07	5
6	·12	·22	-	-	·11	·04	·57	-	-	·10	65	.	6
7	-	·09	-	-	·12	-	-	-	-	·10	1·20	01	7
8	·04	·26	-	·05	·23	-	·01	-	-	·02	·20	·25	8
9	·07	·42	·21	-	-	·01	·02	-	-	-	·20	·59	9
10	-	·88	·05	-	·04	-	-		-	-	·01	·12	10
11	-	-	-	·06	·08	·03	-		·02	-	.	·49	11
12	·08	·08	·10	·04	·01	-	·07		-	·08	,		12
13	·06	·12	·05	·02	·01	-	-		-	-	.	·17	13
14	·03	·37	·04	-	·01	-	-		-	·06	.	·01	14
15	-	·13	·36	·02	-	-	-		-	·01		·17	15
16	·05	·08	-	·04	-	-	·01		-	·18	·48		16
17	·09	·02	·17	·02	-	-	-		-	·19	·46	.	17
18	·08	·06	·42	·01	-	-	-		·20	·09		·12	18
19	·03	·05	·01	·09	-	-	-		·01	-	·35	·07	19
20	·13	·33	·06	-	-	-	-	2·42	-	-	·18	·35	20
21	-	·12	·28	-	·04	-	-		-	·02	·07	·08	21
22	·01	-	·03	-	-	·24	-		-	·58	·04	·62	22
23	·03	-	·03	·26	-	·10	-		-	·09	·26	·25	23
24	-	·01	-	·08	·01	-	-		-	·16	.	·33	24
25	-	·28	·06	-	·05	-	-		-	·03	22	.	25
26	-	·01	·05	-	·03	·03	-		·23	·42	·11		26
27	-	-	1·60	-	·01	·02	-		·05	·58			27
28	-	-	·02	-	-	-	-		·52	·48		·89	28
29	-	·03	·02	-	-	·31	-		·01	·15			29
30	-	╳	-	·01	-	-	-		-	·24			30
31	-	╳	-	╳	-	╳	-		╳	·17	╳		31
Total	1·28	5·33	3·88	·75	1·15	1·12	1·34	2·42	1·44	4·81	5·87	4·63	YEAR'S TOTAL 34·02
Rain Days.	17	23	22	13	16	10	9			25	19		

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.
11 JUN 1917

RE

Kept at Devoran (Council School)

in the County of Cornwall

by W. R. Cock

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge ......in.

Height of top of Gauge above Ground ......ft. ......in.

" " " " Sea Level ......ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	-	·04	-	-	-	·10	-		·28	·03	.	1
2	·08	·05	·25	-	-	-	·02	-		·12	·22	.	2
3	·17	1·37	-	-	·10	·03	·01	-	40	·54	·51	·03	3
4	·09	·25	·01	·05	·17	·31	·53	-		·02	·41	·01	4
5	-	·10	·02	-	·13	-	-	-		·10	·27	·07	5
6	·12	·22	-	-	·11	·04	·57	-	-	·10	65	.	6
7	-	·09	-	-	·12	-	-	-	-	·10	1·20	·01	7
8	·04	·26	-	·05	·23	-	·01	-	-	·02	·20	·25	8
9	·07	·42	·21	-	-	·01	·02	-	-	-	·20	·59	9
10	-	·88	·05	-	·04	-	-		-	-	·01	·12	10
11	-	-	-	·06	·08	·03	-		·02	-	.	·49	11
12	·08	·08	·10	·04	·01	-	·07		-	·08	.		12
13	·06	·12	·05	·02	·01	-	-		-	-	.	·17	13
14	·03	·37	·04	-	·01	-	-		-	·06	.	·01	14
15	-	·13	·36	·02	-	-	-		-	·01	.	·17	15
16	·05	·08	-	·04	-	-	·01		-	·18	·48	.	16
17	·09	·02	·17	·02	-	-	-		-	·19	·46	.	17
18	·08	·06	·42	·01	-	-	-		·20	·09		·12	18
19	·03	·05	·01	·09	-	-	-		·01	-	·35	·07	19
20	·13	·33	·06	-	-	-	-	2·42	-	-	·18	·35	20
21	-	·12	·28	-	·04	-	-		-	·02	·07	·08	21
22	·01	-	·03	-	-	·24	-		-	·58	·04	·62	22
23	·03	-	·03	·26	-	·10	-		-	·09	·26	·25	23
24	-	·01	-	·08	·01	-	-		-	·16	.	·33	24
25	-	·28	·06	-	·05	-	-		-	·03	22	.	25
26	-	·01	·05	-	·03	·03	-		·23	·42	·11		26
27	-	-	1·60	-	·01	·02	-		·05	·58			27
28	-	-	·02	-	-	-	-		·52	·48		·89	28
29	-	·03	·02	-	-	·31	-		·01	·15			29
30	-	X	-	·01	-	-	-		-	·24			30
31	-	X	-	X	-	X	-		X	·17	X		31
Total	1·28	5·33	3·88	·75	1·15	1·12	1·34	2·42	1·44	4·81	5·87	4·63	YEAR'S TOTAL 34·02
Rain Days.	17	23	22	13	16	10	9			25	19		

W. 8,000, VIII. 16

S. made

Cfd C+E

1880

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at ✓ Devoran
in the County of Cornwall
by W. R. Cock

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·00	·12	·00	·23	·00	·00		·00	·02	·03	1
2	·00	·00	·00	·14	·00	·05	·05	·00		·00	·11	·00	2
3	·00	·00	·02	·05	·00	·00	·00	·00		·16	·66	·00	3
4	·00	·08	1·08	·00	·00	·00	·00	·00		·47	·00	·00	4
5	·18	·02	·20	·32	·00	·00	·00	·00		·12	·08	·00	5
6	·03	·00	·21	·00	·00	·30	·00	·00		·10	·08	·00	6
7	·64	·00	·00	·01	·00	·01	·07	·52	·35	·02	·09	·00	7
8	·08	·00	·41	·02	·00	·00	·09	·21		·03	·23	·54	8
9	·01	·00	·00	·02	·12	·00	·00	·00		·21	·12	·04	9
10	·53	·00	·44	·13	·00	·00	·00	·23		·08	·22	·03	10
11	·03	·00	·48	·27	·00	·00	·00	·01		·23	·26	·00	11
12	·18	·00	·09	·00	·10	·00	·00	·01		·59	·00	·00	12
13	·12	·00	·05	·00	·00	·01	·00	·49		·34	·00	·00	13
14	·00	·00	·00	·07	·00	·00	·02		·10	·17	·00	·00	14
15	·21	·00	·00	·01	·02	·00	·00		·00	·40	·00	·12	15
16	·02	·03	·00	·00	·00	·00	·00		·03	·16	·00	·19	16
17	·00	·00	·00	·04	·07	·00	·41		·34	·14	·00	·00	17
18	·00	·02	·00	·00	·20	·17	·17		·75	·04	·00	·00	18
19	·00	·52	·06	·00	·00	·29	·00		·02	·00	·00	·00	19
20	·00	·15	·02	·00	·74	·15	·00		·01	·00	·00	·00	20
21	·00	·04	·08	·00	·03	·00	·00		·00	·03	·00	·00	21
22	·00	·00	·00	·00	·08	·00	·00	2·88	·00	·09	·00	·00	22
23	·00	·02	·00	·00	·06	·01	·00		·00	·03	·00	·00	23
24	·00	·00	·00	·00	·00	·01	·04		·00	·11	·00	·00	24
25	·00	·02	·00	·00	·00	·00	·00		·06	·29	·05	·00	25
26	·05	·00	·02	·00	·90	·20	·00		·03	·03	·02	·08	26
27	·00	·00	·00	·00	·00	·34	·00		·00	·30	·02	·00	27
28	·00	·00	·00	·00	·00	·52	·02		·00	·00	·00	·00	28
29	·00		·32	·00	·00	·00	·00		·00	·60	·00	·00	29
30	·00		·15	·00	·00	·00	·00		·00	·10	·00	·00	30
31	·00		·16		·00		·00			·29		·00	31
Total	2·08	·90	3·79	1·20	2·32	2·29	·87	4·35	1·69	5·03	1·96	1·03	YEAR'S TOTAL 27·51
Rain Days.	12	9	16	12	10	13	8			26	13	7	

W. 8,000, VIII. 16

R 11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Empaco

in the County of Co

by John Sand

Funnel with bottle

5 in.

ove Ground 1 ft. – in.

Sea Level 20 ft.

A.m.

Name Millbay

Distance 2½ Miles Direction East.

DE~~VON~~PORT
EMPACOMBE

CORNWALL

1911- 1920

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the r year in the space provided for it at the end of rement of rain, the selection and pla British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·04	·13						·05	·02	1
2			·01	·19	·36x			·74x		·02	·18	·29	2
3			·03		·22			·02	·02		·10	·11	3
4			·06					·30			·23	·47	4
5	·35		·27					·59			·13	·02	5
6	·36x		·09							·05	·09	1·03	6
7	·05		·03	Snow ·02						·01	·61	·05	7
8	·03		·23								·07	·46	8
9	·03										·11	·67	9
10	·08	·07	·70x		·02						·06	·29	10
11	Pt. Snow ·22								·03		1·05	·04	11
12		·01	·59						·30		·11	·35	12
13			·08						·08		·11	·21	13
14		·12	·02							·02	·15	·23	14
15		·04				·05					·23	·06	15
16		·05	·13			·40					·46	·30	16
17			·50	·02		·08					·23	·57	17
18		·27	·21	·05		·05				·09	·33	·37	18
19		·03		·01		·49x			·58	·11	·09	·79	19
20	·01	·10	·02	·12		·05		·01	·07	·75x	·01	·88	20
21	·02	·23	·02			·05			·30	·18		·11	21
22	·10	·03	·01	·21		·03		·01	·67x	·10		·47	22
23	·01							·05	·04	·27	·01	·39	23
24	·01	·48x				·31		·09		·13		·35	24
25	·02	·01		·19		·01			·05	·22		·10	25
26		·16		·46				·17		·60		·27	26
27		·62		·04				·22	·07	·30	·01	·21	27
28		·23		·18				·01	·02	·01	·27	·01	28
29				·49x	·30	·54	1·07		·15	·29	·01		29
30		~~·01~~	·01	·01		·03	·05		·02	·12	·26	·03	30
31		~~·3~~	·31				·04			·02		·01	31
Total	1·29	2·45	3 32	2.03	1·03	2·09	1·16	2·21	2·40	3·29	4·96	9·16	TOTAL for year 35·39
No. of Rain Days.	13	15	19	14	5	12	3	11	14	18	25	30	179 days

W. 8,000, X. '11.

F 11

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Empacombe, Mt. Edgcumbe,
in the County of Cornwall. 3
by John Sandercock

RAIN GAUGE Pattern Copper funnel with bottle
Diameter of top 5 in.
Height of top above Ground 1 ft. – in.
" " " Sea Level 20 ft.

Time of Observation 9 A.m.

Nearest Railway Station Name Millbay
Distance 2½ Miles Direction East.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·04	·13						·05	·02	1
2			·01	·19	·36x			·74x		·02	·18	·29	2
3			·03		·22			·02	·02		·10	·11	3
4			·06					·30			·23	·47	4
5	·35		·27					·59			·13	·02	5
6	·36x		·09							·05	·09	1·03	6
7	·05		·03	Snow ·02						·01	·61	·05	7
8	·03		·23								·07	·46	8
9	·03										·11	·67	9
10	·08	·07	·70x		·02						·06	·29	10
11	Pt. Snow ·22								·03		1·05	·04	11
12		·01	·59						·30		·11	·35	12
13			·08						·08		·11	·21	13
14		·12	·02							·02	·15	·23	14
15		·04				·05					·23	·06	15
16		·05	·13			·40					·46	·30	16
17			·50	·02		·08					·23	·57	17
18		·27	·21	·05		·05				·09	·33	·37	18
19		·03		·01		·49x			·58	·11	·09	·79	19
20	·01	·10	·02	·12		·05		·01	·07	·75x	·01	·88	20
21	·02	·23	·02			·05			·30	·18		·11	21
22	·10	·03	·01	·21		·03		·01	·67x	·10		·47	22
23	·01							·05	·04	·27	·01	·39	23
24	·01	·48x				·31		·09		·13		·35	24
25	·02	·01		·19		·01			·05	·22		·10	25
26		·16		·46				·17		·60		·27	26
27		·62		·04				·22	·07	·30	·01	·21	27
28		·23		·18				·01	·02	·01	·27	·01	28
29				·49x	·30	·54	1·07		·15	·29	·01		29
30		~~·01~~	·01	·01		·03	·05		·02	·12	·26	·03	30
31		~~·3~~	·31				·04			·02		·01	31
Total	1·29	2·45	3·32	2·03	1·03	2·09	1·16	2·21	2·40	3·29	4·96	9·16	TOTAL for year 35·39
No. of Rain Days.	13	15	19	14	5	12	3	11	14	18	25	30	179 days

W. 8,000, X. '11.

cor for [illegible] 24·11·13 F.C.

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL. JAN 1913

Kept at Empacombe, Mount Edgcumbe,

in the County of Cornwall. 3

by John Sanderlock.

Lat. 5. 22 N Long. 4. 10. W

Time of Observation 9 A.m.

Nearest Railway Station Millbay

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·13		·04	·40	·04	·01	·11	·50	·03	·26	1
2			·18	·01		1·03×	·02	·05		·03		·02	2
3	·04		·24			·14	·02	1·12	·08		·01	·01	3
4	·24	Snow ·03	·25		·10	·23		·05			·44×	·03	4
5	70 ~~·20~~	·07	·41		·03		·08	1·82×			·01	·05	5
6	·27	·16	·03		·65×	·17		·12			·01	·06	6
7	·12	·77×	·37	·03	·11	·52	·02	·15			·01	·18	7
8	·71	·09	·13	·01		·11	·05	·01			·02	·01	8
9	·01	·16	·36	·07		·08	·13	·08				·58	9
10	·47	·12	·23	·08		·06	·05	·06		·01	·12	·30	10
11	·02	·02	·56			·18	·01	·11			·29	·47	11
12	·02	·35	·15		·05	·02	·31	·65				·01	12
13	·28	·03	·03			·02	·11	·07		·04		·23	13
14	·11	·22	·70×		·15			·05				·07	14
15	·37	·10	·02		·07	·42				·02		·41	15
16	·18		·33		·01	·01		·33		·18	·01	·07	16
17	·01		·22			·22		1·10		·02	·23	·15	17
18		·06	·03			·03		·24		·03	·03	·04	18
19	·02	·05	Pt Snow 41				·03	·11		·05	·01	·03	19
20		·16	·36		·28			·22		·20	·02		20
21	·01	·55	·16		·32		·05	·03		·12			21
22	·24	·31	·50		·01	·03	·02	·27		·23	·10	·13	22
23	·12	·54	·41			·03	·04	·97		·04	·13	·39	23
24	·08	·09	·11			·30		·01		·02		·20	24
25		·01				·06	·02	·05		·36	·45	·52	25
26							·16	·04		·21	·43	·28	26
27		·05	·01			·67	·64×	·20		1·41	·24	·68×	27
28		·16				·10	·06	·65	·32	·38	·42	·49	28
29		·15				·17	·06	·08	·73	·22	·01	·06	29
30			·07			·24	·19		·23	·39		·01	30
31			·26				·57	·01				·20	31
Total	4·02	4·25	6·66	·20	1·82	5·24	2·68	8·66	1·47	4·46	3·02	5·94 5·94	YEAR'S TOTAL 48.42 48·42
Rain Days.	20	23	27	5	12	24	22	29	5	20	21	29	=237

W. 7,500, XI. ·12

R made

cod for arith 24·III·14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4- JAN. 1914

Kept at Empacombe, Mt Edgcumbe

in the County of Cornwall. RA 3

by John Sanderock.

Lat. 5.22 N Long. 4.10 W

Time of Observation 9 Am.

Nearest Railway Station Millbay

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground One ft. — in.

" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·30	·28	·11	·05		~~·01~~	~~·04~~	·04	·28	·39		1
2	·04	·15	·01	·14	·40		·01 ~~·05~~			·02	·18	·05	2
3	·24	·01	·10	·01	·22			~~·44~~	·44		·01	·17	3
4	1·15×		·09	·02	·01	·13		~~·04~~	·04	·08	·05	·25	4
5	·08	·03	·08		·51	·09	·05	~~·31~~	·31	·10	·47	·42	5
6	~~·08~~	·09	·04		·21	·18	·01	~~·0~~	·01	·52	·21	·01	6
7	·03	·34×	·03		·71×		·02			·50	·38		7
8	·12	·16			·20		·14×	·23		·03	·02	·09	8
9	·10	·08			·10	·03		·28			·44	·03	9
10	·95	·01		·02	·03	·05		·01		·28	·40		10
11	·57	·01			·65	·04			·03	·02	·65×	·05	11
12	·16	·02			·03	·01	·01		·07		·22	·01	12
13	·03	·01	·05	·30	·01			·02	·32		·22		13
14	·26	·01	·16	·01	·21		·01		·07	·01	·05	·04	14
15	·23		·45	·68×	·01				·27		·22		15
16	·03		·52×	·04			·01		·11		·05		16
17	·45		·03	·05					·01		·02		17
18	·15		·25	·15							·07		18
19	·26		·03		·03	·01			·45×	·12	·01		19
20	·23		·10	·33	·02				·01	·11	·40		20
21	·05		·26	·35	·01		·01	·01	·01	·11	·25		21
22	·25		·49		·01	·05				·25	·01	·28	22
23	·03		·02	·01	·01	·20×			·05	·01	·07	·92×	23
24	·03	·10		·12	·01	·07					·02	·02	24
25		·03		·55				·05	·07	·06	·05	·01	25
26				·49		·01		·01		·04	·01	·28	26
27	1·07		·20	·46				·14		·40		·02	27
28	·26		·10	·19	·05				·14	·21		·14	28
29	·14		·39	·18	·01		·06			·38	·02	·01	29
30	·65			·05	·02		·06			·94×	·01		30
31	·11		·19					·32×	~~2·45~~	·22			31
Total	7·68	1·35	3·87	~~3·52~~ 4·26	3·52	·87	·39	1·07	2·45	4·69	4·90	2·80	YEAR'S TOTAL 37·85
Rain Days.	28	15	22	~~24~~ 21	24	12	11	9	18	·22	28	18	228

W.7,000, XI. 13

2·80

Cod. 10·III·15

W 1/105 DJJ

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
2 JAN 1915

Kept at Empacombe
in the County of Cornwall 3
by John Sandercock

Lat. 5.22 N Long. 4.10. W
Time of Observation 9 o'clock a.m.
Nearest Railway Station Millbay Plymouth
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·05	·21	—	·13	·15	·66*	—	—	1·09*	·10	1
2	·01	—	·08	·02	·07	—	·22	·04	—	—	·02	·45	2
3	·02	—	·17	·21	·58*	—	—	·02	—	—	—	·01	3
4	·14	—	·05	·47*	·07	—	1·03	·21	·10	—	·02	·49	4
5	·10	—	·30	·18	·01	—	·11	—	—	—	·02	·02	5
6	·03	·15	·05	·10	·24	—	—	·03	—	—	—	·59	6
7	·05	·73	·40	·14	·11	—	·46	·20	·78*	—	—	·28	7
8	·10	·01	·77*	·04	·01	·24	—	·02	·07	—	·02	·07	8
9	·05	·05	·42	·24	·04	·54*	—	·11	·44	—	—	—	9
10	·08	·44	·03	·30	·13	·07	—	—	·36	—	·02	·40	10
11	—	·19	·72	—	—	·06	—	—	·03	—	·03	1·07*	11
12	—	·61	·24	—	—	—	—	—	·26	·05	·08	·41	12
13	—	·45	·20	—	—	—	·09	—	·17	·06	·25	·16	13
14	—	·30	·25	—	—	·07	—	·24	·03	—	·55	·43	14
15	·02	·01	·17	—	—	—	·01	·05	·02	·02	·30	·80	15
16	—	—	·01	—	—	—	·01	—	·52	—	—	·01	16
17	—	·76*	·34	—	—	—	—	—	—	—	—	·80	17
18	—	·18	·16	—	—	—	·20	—	·25	—	—	·23	18
19	—	·15	·60	—	—	—	1·68*	—	—	—	·06	·07	19
20	—	·25	·20	—	—	·11	—	—	—	—	—	·22	20
21	—	·43	·01	—	—	—	—	—	·03	·47	—	·01	21
22	—	·05	·06	—	·10	—	—	·17	—	·18	—	—	22
23	—	·15	·42	—	·01	·02	—	·02	—	·10	—	—	23
24	—	·02	·03	—	·07	—	·04	·04	—	·04	·04	—	24
25	·08	—	·25	—	—	—	·01	·58	—	·67	·03	·65	25
26	·02	·28	·14	—	—	—	·25	·02	—	·05	·22	·53	26
27	·01	·10	·01	—	—	—	·06	—	—	·16	·27	·35	27
28	·02	·11	·50	—	·12	—	·05	—	—	·15	·25	·53	28
29	·24*	—	·14	—	·13	—	·41	—	—	·01	·40	·03	29
30	·01	X	·10	—	·01	·02	—	—	—	·06	·27	·70	30
31	·04	X	·01	X	·02	X	1·28	—	X	·89*	X	·44	31
Total	1·02	5·42	6·88	1·91	1·72	1·26	6·14	2·41	3·06	2·91	3·94	9·85	YEAR'S TOTAL 46·53 46·52
Rain Days.	17	21	31	10	16	9	17	15	13	14	19	27	= 209

W. 8,000. X. 14.

-8x 9L

2042

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 JAN 1916

Kept at Empacombe, Mount Edgcumbe

in the County of Cornwall

by John Sandercock

3

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·25	·37			·04	·20		·44	·25	·30		·10	1
2	·33	·15	·23	·10	·06			·08	·02			·38	2
3	·04	·21	·22	·18	·02			·03				·75	3
4	·16	·71	·02			·03						·07	4
5	·07	·52	·01					·52				·86	5
6	1·10	·24		·48			·50	·03				·24	6
7	·40	·28		·09			·13	·		·90		·32	7
8	·10	·24		·01			·01	·10			17	·10	8
9	·02	·13		·02				·03		·01	·43	·88	9
10	·32	·38	·03	·06		·04		·04		·22	·03	·18	10
11	·16	·03	·13	·07	·01		·01	·18		·02	1·20	·22	11
12	·09	·52		·05	·62			·26		·05	·35	·03	12
13	·02	·55			·70		·07	·03	·03	·01	·08	·04	13
14	·06	·07					·20		·12	·25	·11	1·14	14
15	·16	·01			·25		·55		·02	·03	·03	·30	15
16	·03	1·35			·50		·97			·01		·30	16
17	·01	·13			·09								17
18	·01	·27			·01								18
19	·03	·06			·45		·05						19
20	·23	·03		·09		·30	·10			·30		·01	20
21	Pt snow ·32	·29			·25	·27	·01		·02			·02	21
22	·03	·14	·40			·01	·55			·04		·42	22
23	·03	·03	·02			·03	·50		·02	1·30		·90	23
24				·03		·15	·02		·03	·13		·94	24
25						·08	·08		·05			·32	25
26	·03	·30				·38	·02					·91	26
27	·01	·08				·09	·01		·20	·60	·01	·01	27
28						·22	·01		·23	·09	·02	·13	28
29						·18	~~·02~~		·15		·25	·10	29
30	·16	X				·10	·02		·06	·65	·47	·41	30
31	·03	X		X		X	·33	·02	X	·52	X	·30	31
Total	4·20	7·09	1·06	1·18	3·00	2·08	4·14	1·76	1·20	5·43	3·15	10·38	YEAR'S TOTAL 44·67
Rain Days.	27	25	8	11	12	14	20	12	13	18	12	28	200

W. 8,000. X. 14.

1984

FORM A.
BRITISH RAINFALL.

2 JAN 1917

REGISTER OF ~~Ent by~~ RAINFALL IN 1916

Kept at Empacombe, Mount Edgcumbe
in the County of Cornwall.
by John Sandercock

Lat. 5.22 N Long. 4-10 W
Time of Observation 9 A.M.
Nearest Railway Station Millbay Station
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground One ft. — in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28		·04		·21	·04	·02		·04	·80	·08	·01	1
2	·25	·07	Snow ·12		·01				·20	·42	·36		2
3	·04	1·14×			·29	·03			·02	·68	·27	·02	3
4	·09	·20			·01	·42			·04	·15	·18		4
5	·08	·14	·01			·07				·14	·53		5
6	·06	·11	Snow ·02			·02	·97×			·10	·95		6
7	·03	·17	·04		·32	·01				·20	·60	·11	7
8		Sleet ·23	Snow ·48		·45×	·25					·10	·34	8
9		Snow ·13	Snow ·07			·04				·06	·25	Hail ·25	9
10		1·01		·08	·09					·01	·02	Hail ·08	10
11		·03		·10	·05				·02			·07	11
12		·12	·05	·04	·16	~~·[illegible]~~	·14	·04		·16			12
13		·33	·07	·05	·03		·01	·25		·02			13
14	·01	·35	·06		·04			·18		·05			14
15	·02	·07	·23	·15				·10		·04		·05	15
16	·29×	·13		·12				·30		·29	·06		16
17	·11	·11	·07				·01		·05	·47	2·60×		17
18	·01	·21	·25						·08	·04	·15	·11	18
19	·12	·17	·03	·16×							·16	·16	19
20	·03	·57	·10	·01							·05	1·09×	20
21	·05	·01	·11	·10	·03						·06	·14	21
22						·33		·07		·27	·02	·52	22
23	·07	Snow ·01		·12		·22		·65		·30	·16	·07	23
24	·01	Snow ·07			·04	·01		·16		·38	·03	·46	24
25	·05	Snow ·27	·14		·04	·05		·55	·02	·02	·07	·03	25
26		Snow ·03	·16			·32		·18	·69×	·90×	·06	·10	26
27	·01	Snow ·04	Pt Snow 1·50×			·05		·07	·16	·42		·01	27
28		·08	·01					·12	·32	·48	·01	·41	28
29		- -	·06			·51×		1·30×	·10	·13		·50	29
30		✕	·01			·03		·01	·01	·46		·01	30
31		✕		✕		✕		·05	✕	·35	✕	·02	31
Total	1·61	5·80	3·63	·93	1·77	2·40	1·15	4·03	1·75	7·34	6·77	4·56	YEAR'S TOTAL 41·74
Rain Days.	19	26	22	10	14	16	5	15	13	26	22	22	210

W. 8,000, VIII. 16

1295

REGISTER OF RAINFALL IN 1917

FORM A. BRITISH RAINFALL.

2 JAN 1918

Kept at Empacombe, Mount Edgcumbe
in the County of Cornwall
by John Sandercock

Lat. 50·22 N Long. 4·10. W
Time of Observation 9 Am.
Nearest Railway Station Millbay
Diameter of Funnel of Rain Gauge Five in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01		·01	Pt. Snow ·21×		·38	·04	·03			·34	·01	1
2	·01			Snow ·10		·06				·09	·02		2
3	·05			·03						·23	·45×	·01	3
4			Pt. Snow ·74×						·09	·32	·01		4
5	·18		Snow ·39	·15		·05			·01	·12	·08		5
6			·31	Pt. Snow ·03		·32				·12	·04	·05	6
7	·49×			Pt. Snow ·05		·02	·24	·17		·04	·06	·05	7
8	·13		Pt. Snow ·65	·12			·40	·15	·03	·41	·18	·41	8
9			·06	Pt. Snow ·05	·07		·04	·50		·14	·25	·01	9
10	·52		·41	Pt. Snow ·20				·01		·01	·01		10
11	·05		·40	Snow ·18				·50	·06	·65×	·32		11
12	·18		·04		·50			·04		·40	·01		12
13	Snow ·12		·29	·04		·02		·01	·09	·41		·02	13
14	Snow ·02						·11	·06	·04	·08			14
15	·10 Snow						·25		·01	·34		·41×	15
16		·35				·06	·01	·03	·08	·29		·18	16
17		·03		·05	·03		·25		·94×	·01			17
18		·70×			·37	·06		·07	·67				18
19		·18	·04			·44	·01	·01	·06				19
20			·02		·80×	·14			·03			·10	20
21			Pt. Snow ·10							·07			21
22					·05			·52		·16			22
23		·25			·18	·02	·01	·35		·09	·02		23
24					·01	·03	·35×	·05		·20	·07	·06	24
25		·03					·01	·20	·14	·09	·08		25
26					·70			·15	·18	·04	·02		26
27						·74×	·02	1·02×		·03	·01		27
28			~~Pt. Snow~~ ·13			·15		·16		·02	·03		28
29			Pt. Snow ·14					·02		·60	·01	·04	29
30		✕	·15				·04	·24		·03	·02		30
31		✕	Snow ·13	✕	·24	✕		·02	✕	·01	✕	Snow ·01	31
Total	186	1.54	4.01	1.21	2.95	2.49	1.78	4.31	2.43	5.00	2.03	136	YEAR'S TOTAL 30.97
Rain Days.	12	6	17	12	10	14	14	22	14	27	20	13	181

W. 8,000, IX. 17.

Exd C & [illegible]

47

REGISTER OF RAINFALL IN 19*18*

FORM A.
BRITISH RAINFALL.
8·1·19

Kept at Empacombe, Mount Edgcumbe
in the County of Cornwall.
by John Sanderock

Lat. 50·22 N. Long. 4·10 W.
Time of Observation 9 Am.
Nearest Railway Station Millbay
Diameter of Funnel of Rain Gauge five in.
Height of top of Gauge above Ground ~~20~~ 1 ft. — in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·34			·05			~~40~~ ·4·0 ~~·03~~	·02	·01	·87	·01	1
2		·35		·02				·03	·03	·05	·03	·39	2
3		·12		·35	·06				·05	·02	·27	·13	3
4		·04						·41	Thunderstorm 1·20 in		·47	·49	4
5			Pt Snow ·28	·10	·11			·20	·32	·34	·03	·11	5
6	·57	·37	·19	·06				·05	·01	·10		·10	6
7	Snow ·04	·19		·02		·01		·05	·46		·32	·34	7
8	Snow ·01	·04				·04			·10	·57		·02	8
9						·07	·31		·37	·06	·03	·40	9
10				·20			·30		·12	·10	·02	·23	10
11		·01	·32	·02	·01		·12		·14	·08	·04	·12	11
12	·07	·10			·28		·02		·05	·01		·05	12
13	·01				·05		·21		·57	·35		·21	13
14	·31				·06	·10	·06		·70	·07		·12	14
15	·54					·08	·43		·08	·08		·29	15
16	·97		·02	·09		·13	·15		·27			·10	16
17	·09			·05	·02	·01	·06	·02	·09			·34	17
18	·87		·37			·60	·15		·52	·33		·30	18
19	·21	·15	·11	·07		·01	·06	·01	·06	·02		·08	19
20	·04	·20		·20		·	·02	·02	·26				20
21	·14			·01		·06	·15		·62	·21		·52	21
22	·02				·09		Thunder ·87		·16	·15	·07	·22	22
23	·13	·04					·05		·12		·07	·12	23
24	·01	·23				·01	·05	·19	·17		·35	·22	24
25	·02			·05			·08	Thunder ·50	·01	·05	·29	·02	25
26	·03			·03			·21		·06	·02	·05	·35	26
27		·15	·05					·05	·04		·12	·01	27
28	·02	Snow ·20	·16	·01					·06	·08	·05	·14	28
29			·28						1·21		·02	·06	29
30		✕	·21	·12				·01	·06		·20	·08	30
31		✕	·16	✕		✕			✕	·07	✕	·10	31
Total	4·11	2.53	2.15	1·40	·73	112	330	194	7·93	2.77	3.30	5.67	YEAR'S TOTAL 36·95
Rain Days.	20	15	11	16	9	11	18	13	30	21	18	30	212

W. 6,500, VII. 18. W W G

1780

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Empacombe, Mount Edgcumbe,
in the County of Cornwall
by John Sandercock

Lat. 50.22 N Long. 4.10. W.
Time of Observation 9 Am
Nearest Railway Station Millbay
Diameter of Funnel of Rain Gauge 5 ~~inch~~ in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·62		·22	·03	·09		·26		·08	·27		·87×	1
2	·15		·01		·02		·04		·01			·11	2
3	·29		·40		·13				·09		·03	·13	3
4	·18	·85	·56		–	·01	·04	·18	·73×		·01		4
5	·01	·32	·61									·04	5
6	·50	1·23×	·14									·27	6
7	·45		·31	·10		·01						·22	7
8	·24		·32	·25	·03		·04				·63		8
9	·08		·08	·28	·16	·02					·05	·05	9
10	·10		·65×	·01	·03	·03				·01		·59	10
11	·15		·24	·23	·33				·02	·05		·66	11
12	·38		·04	·08						·05	P.F. Snow ·13		12
13	·14	·14	·32	·44×						·06		·23	13
14	·58	·21			·38×				·06	·07		·21	14
15	·09	·12		·07						·10		·72	15
16	·02	1·22				·01					·35	·01	16
17	·01	·08				·03					·30	·08	17
18	·16	·52	·54					·10	·07		·45	·03	18
19	·75×	·28	·23			·22	·33	·18	·15		·06	·01	19
20	·22	·03	·40		·04	·26	·59×	19	·16	·01	·21	·05	20
21	·38	1·06			·21		·08		·08		·02	·12	21
22		·04			·04	·02	·01		·18			·05	22
23			·01							·63×	·08	·08	23
24				·04		·27×		·06	·08	·25	·07	·24	24
25	·11	·03		·01		·06		·53			·07	·05	25
26	·05	·01	·04	·01				·02		·01	·10	·53	26
27	·27	·04	·05	Hail & Snow ·30				1·35×				·04	27
28			·47	Snow ·11				·03		·01	·64×	·86	28
29				·04				·09		·03		·04	29
30				·04		·10		·07	·02		·46	·71	30
31			·04				·02					·33	31
Total	593	6.18	5.68	2.04	1.46	1.04	1.41	2.80	1.73	1.55	366	7.33	Year's Total 40.81
Days with ·01 in. or more	24	16	21	16	11	12	9	11	13	13	17	28	191

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1698

- 8 JAN 1921

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Empacombe, Mount Edgcumbe
in the County of Cornwall
by John Sandercock

Lat. 50.22 N Long. 4.10 W
Time of Observation 9 Am.
Nearest Railway Station Millbay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~20 ft.~~ 1 foot ~~in.~~
" " " " Sea Level 20 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02		·03	·08	·46×		·41		·04	·02		·71	1
2	·40			·22			·06	·04	·05	·01		·16	2
3	·65	·12		·03					·01	·57		·30	3
4								·75×		·50			4
5			·20		·26		·31	·03		·20			5
6			·18	·05	·25		·32			·15			6
7	·04			·44	·02		·25					·65	7
8	·04				·06		·02					·12	8
9	·85	·04	·06	·03		·02	·41	·01	·03				9
10	·90×	·18×				·43	·27						10
11	·33		·35	·55	·32	·03	·38						11
12	·39	·14	·08	·15	·01	·05	·04			·04	·09	·35 melted snow	12
13	·23	·03	·53	·02						·20		×·91 melted snow	13
14	·33	·04	·56 Pt snow	·65×			·04		·17	·69×	·18	·04	14
15	·08	·08	·05	·06	·08				·05	·64	·13		15
16	·02	·02	·08		·01	·08	·11		·13	·07			16
17	·07			·01	·36				·55	·02			17
18	·14			·05	·04	·31	·07	·20	·08				18
19	·06	·01		·47		·68×			·05				19
20	·01	·03		·12		·25	·01			·53		·39	20
21				·18			·01			·04		·08	21
22	·06			·14			·03					·41	22
23	·01		·03				·07	·03				·65	23
24	·02	·01	·20				·02				·10	·09	24
25	·05	·05	·05	·01			·69×				·01	·03	25
26	·30	·01	·20			·01	·03		·01		·31	·01	26
27	·41	·06	·08	·04			·11				·65×	·32	27
28	·71	·01	·62×		·01	·03	·15					·15	28
29	·36	·02	·58	·04	·01		·01		·02		·29	·25	29
30	·29	╳		·03	·02	·42	·23		·83×	·06	·30	·55	30
31	·10	╳	·41	╳		╳			╳	·39	╳	·20	31
TOTAL	6·87	·85	4·29	3·37	1·85	2·31	4·05	1·06	~~1·92~~ 2·02	4·13	2·06	6·37	YEAR'S TOTAL ~~39·13~~ 39·23
Days with ·01 in. or more	27	16	18	21	14	11	24	6	13	16	9	20	195
Days with ·04 in. or more	22	~~9~~ 8	~~17~~ 16	15	8	~~8~~ 7	~~19~~ 17	3	~~10~~ 9	~~14~~ 13	8	18	142 ~~15[illegible]~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FALMOUTH
OBSERVATORY
CORNWALL

1911- 1920

REG

FORM A2.
BRITISH RAINFALL.

26 JAN 1912

Kept at Falmouth

in the County of Corn

by J. B. Phillip

in.

ound ft. in.

Level ft.

09

he

tance Direction

IMPORTANT NOTE.- he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readin in the space provided for it at the end of this t of rain, the selection and placing h Rainfall Organization are given in " plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.06			.01	.40			.05		.01	.05		1
2				.02	.20			.23		.35	.15	.30	2
3			.07		.37						.20	.12	3
4			.11					1.38		.11	.33	.64	4
5	.79		.24					.03	.01	.10	.11	.02	5
6			.19							.04	.11	.81	6
7	.06			.08							.51	.10	7
8	.04		.18								.13	.49	8
9	.07	.02	.02								.13	.54	9
10	.06	.05	.81		.01						.23	.41	10
11	.47								.27		.75	.09	11
12			.51					.03	.70	.01	.14	.19	12
13			.12						.04		.10	.03	13
14		.21	.07							.16	.15	.50	14
15		.04	.02			.23					.51	.11	15
16						.64					.13	.35	16
17		.07	.76	.15		.13				.03	.40	.50	17
18		.45	.28	.15		.17			.05	.01	.26	.27	18
19		.01		.03		.35			.40	.24	.25	.63	19
20		.07	.07	.18		.05			.45	.80		.69	20
21	.04	.21	.13			.08			.26	.21		.56	21
22		.14	.01	.18		.06			.59	.20		.45	22
23	.03	.42	.01			.14		.23	.01	.40	.08	.38	23
24	.02	.36				.11		.01		.17		.38	24
25	.02	.01		.26		.02			12	.42		.15	25
26		.19	.01	.64				.26		.23		.31	26
27		.95	.17	.06				.23	.04	.18		.13	27
28		.11	.02	.38			.01		.09	.02	.02		28
29			.06	.67	.06	.45	.96		.25	.33			29
30						.03	.09		.05	.18	.31	.04	30
31							.08			.01			31
Total	1.66	3.31	3.86	2.81	1.04	2.46	1.14	2.45	3.33	4.21	5.05	9.19	TOTAL for year 40.5
No. of Rain Days	N	16	21	13	5	13	4	9	15	22	22	27	178

9,000, IX. '10.

8L 3.

REG

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Falmouth

in the County of Cornwall 2

by J. B. Phillips E. Kitto

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 09

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06			·01	·40			·05		·01	·05		1
2				·02	·20			·23		·35	·15	·30	2
3			·07		·37						·20	·12	3
4			·11					1·38		·11	·33	·64	4
5	·79		·24					·03	·01	·10	·11	·02	5
6			·19							·04	·11	·81	6
7	·06			·08							·51	·10	7
8	·04		·18								·13	·49	8
9	·07	·02	·02								·13	·54	9
10	·06	·05	·81		·01						·23	·41	10
11	·47								·27		·75	·09	11
12			·51					·03	·70	·01	·14	·19	12
13			·12						·04		·10	·03	13
14		·21	·07							·16	·15	·50	14
15		·04	·02			·23					·51	·11	15
16						·64					·13	·35	16
17		·07	·76	·15		·13				·03	·40	·50	17
18		·45	·28	·15		·17			·05	·01	·26	·27	18
19		·01		·03		·35			·40	·24	·25	·63	19
20		·07	·07	·18		·05			·45	·80		·69	20
21	·04	·21	·13			·08			·26	·21		·56	21
22		·14	·01	·18		·06			·59	·20		·45	22
23	·03	·42	·01			·14		·23	·01	·40	·08	·38	23
24	·02	·36				·11		·01		·17		·38	24
25	·02	·01		·26		·02			·12	·42		·15	25
26		·19	·01	·64				·26		·23		·31	26
27		·95	·17	·06				·23	·04	·18		·13	27
28		·11	·02	·38			·01		·09	·02	·02		28
29			·06	·67	·06	·45	·96		·25	·33			29
30						·03	·09		·05	·18	·31	·04	30
31							·08			·01			31
Total	1·66	3·31	3·86	2·81	1·04	2·46	1·14	2·45	3·33	4·21	5·05	9·19	TOTAL for year 40·5
No. of Rain Days	11	16	21	13	5	13	4	9	15	22	22	27	178

9,000, IX. '10.

8L
CCC
S. made

Ex 1K20

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Falmouth

in the County of Cornwall 2

by J. B. Phillips

Gauge I

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
„ „ „ Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·07							·13		·02	·04	·07	1
2				·03	·60			·13		·05	·13	·28	2
3			·03		·40			·10		·32	·15	·03	3
4			·15					·08		·11	·13	·65	4
5								1·30			·34	·10	5
6	·78		·40					·01	·01	·14	·09	·42	6
7	·06		·03	·08							·54	·39	7
8	·01		·15								·10	·45	8
9	·10		·03								·19	·13	9
10		·07	·80		·01						·01	·91	10
11	·43		·03						·01		·89	·12	11
12	·11		·50					·03	·41		·23	·01	12
13			·06						·60	·01	·01	·19	13
14		·07	·15							·16	·09	·41	14
15		·18				·19					·42	·20	15
16			·02			·65					·27	·21	16
17			·61			·06				·02	·45	·22	17
18		·40	·44	·21		·13				·01	·16	·66	18
19		·13		·09		·47			·33	·13	·24	·11	19
20		·01		·07		·04			·35	·33	·17	·66	20
21		·14	·14	·14		·05			·47	·60		·73	21
22	·04	·14	·06	·16		·12			·51	·37		·86	22
23	·03	·31	·01	·03		·02			·11	·06	·07	·25	23
24	·02	·56	·01			·19		·24		·47	·01	·41	24
25		·05		·25		·07			·12	·09		·10	25
26	·02			·31		·01		·11		·39		·27	26
27		·55	·08	·34				·33	·03	·37		·30	27
28		·70	·10	·39			·01	·06	·11	·02			28
29			·07	·72	·06	·24	·70		·14	·31	·01		29
30			·01			·23	·34		·14	·22	·23	·02	30
31							·01			·01		·02	31
Total	1·67	3·31	3·88	2·82	1·07	2·47	1·06	2·52	3·34	4·21	4·97	9·18	TOTAL for year 40·50
No. of Rain Days	11	13	22	13	4	14	4	11	14	22	24	29	181

9,000, IX. '10.

82

EX M L

REGISTER OF RAINFALL IN 1912

331

FORM A2.
BRITISH RAINFALL.
25 JAN 1913

Kept at Falmouth

in the County of Cornwall 2

by J. R. Phillips

Bosello Gauge

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation 9

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·11			·67	·20	·05	·18	·48		·26	1
2			·26	·03		·41		·13		·03			2
3	·01		·53			·39		1·90	·09			·04	3
4	·29	·05	·14		·02	·07		·10			·36		4
5	1·17	·27	·34		·09		·45	1·15				·17	5
6	·46	·03	·07		·59		·15	·14			·02		6
7	·16	·61	·36	·01	·03	·22	·10	·15			·04	·13	7
8	·42	·05	·18		·01	·12	·02						8
9		·26	·15	·04	·01	·16	·32	·16				·90	9
10	·43	·07	·21	·07		·04	·26				·26	·19	10
11		·41	·13			·05	·05	·80			·27	·49	11
12	·04	·29	·35	·02	·25		·22	·77			·27	·05	12
13	·48		·03	·03		·03		·12		·09	·02	·34	13
14	·04	·17	·36		·05			·05				·16	14
15	·83	·10	·09		·06	·44		·06		·04	·02	·74	15
16	·04		·48			·12		·34		·12	·03	·12	16
17			·42		·04	·02		·52			·16	·22	17
18		·11	·35					1·25		·08	·02	·04	18
19		·14	·31		·04	·01	·06	·51		·03		·02	19
20	·07	·15	·46		·17			·07		·56	·02		20
21		·85	·30		·34		·58	·02		·60			21
22	·36	·11	·50			·20	·32	·27		·09	·08	·17	22
23	·35	·48	·36			·02	·12	1·06		·07	·18	·25	23
24	·20	·06	·08			·34	·15	·02		·08		·20	24
25						·16		·15		·44	·43	·62	25
26		·02					·04	·04		·13	·65	·86	26
27		·06				·37	·39	·02	·02	1·23	·20	·80	27
28		·13				·11	·20	·69	·35	·22	·40	·59	28
29		·20	·04			·19	·13	·01	·15	·25	·26	·08	29
30			·07	·01	·08	·09	·45		·20	·18	·06		30
31			·29		·23		·10	·01		·07		·28	31
Total	5·35	4·62	6·97	·21	2·01	4·23	4·31	10·56	·99	4·79	3·75	7·72	TOTAL for year 55·51
No. of Rain Days.	16	22	27	7	15	22	20	28	6	19	20	24	226

W. 8,000, X. '11.

81 EXMS 331

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.

25 JAN 1913

Kept at Falmouth

in the County of Cornwall 2

by J. R. Phillips Beckley Gauge

RAIN GAUGE { Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation midnight

Nearest Railway Station { Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.22	.02	.01	.47	.13		.19	.48	.04	.28	1
2			.26			.76	.17	.04		.05		.03	2
3			.23	.03		.15		1.71					3
4	.15	.04	.50			.32		.33	.09		.02	.04	4
5	.21	.13	.34		.11			.67			.34	.12	5
6	1.46	.18	.04		.13		.59	.71				.03	6
7	.13	.22	.19		.48	.21		.05			.06	.12	7
8	.54	.38	.39	.01	.01	.04	.09	.12					8
9	.02	.30	.03		.01	.18	.34					.67	9
10		.04	.33	.06	.01	.10	.02	.16			.18	.38	10
11	.43	.07	.13	.05		.05	.23	.27			.30	.50	11
12		.50	.11		.25		.26	1.27			.22	.08	12
13	.17	.18	.24	.04				.04			.12	.24	13
14	.34		.26			.02		.15		.09		.21	14
15	.36	.20	.16		.05	.08		.01				.51	15
16	.48	.05	.33		.06	.36		.23		.15	.04	.34	16
17	.01		.44			.14		.70			.06	.14	17
18		.07	.44		.03			.23		.03	.11	.13	18
19		.18	.40			.01		1.50		.04	.02	.04	19
20	.08	.04	.20		.04		.05	.07		.26		.02	20
21		.29	.59		.48			.03		.42	.02		21
22	.33	.74	.15			.17	.64	.15		.52		.14	22
23	.32	.50	.70			.05	.38	.34		.17	.26	.26	23
24	.16	.05	.08					.82		.02		.04	24
25	.11	.01	.03			.50	.15	.03		.08	.25	.20	25
26		.02					.02	.16		.43	.70	.94	26
27		.04				.38	.34	.03	.02	1.31	.33	1.25	27
28		.12				.04	.25	.40	.11	.19	.20	.57	28
29		.02				.07	.12	.28	.38	.25	.35	.05	29
30			.04		.02	.19	.05	.01	.19	.16	.11	.05	30
31			.34		.10		.56			.11		.26	31
Total	5.30	4.37	7.17	.21	1.79	4.29	4.39	10.51	.98	4.76	3.73	7.64	TOTAL for year 55.14
No. of Rain Days.	17	24	27	6	15	21	18	28	6	18	20	28	228

W. 8,000, X. '11.

88 343

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL. FORM A.

28 JAN 1914

Kept at Falmouth Observatory Ex. H.B.

in the County of Cornwall

by E. Kitto

Casella Gauge 2

~~Lat.~~ Long.

Time of Observation 9

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·22	·33	·20	·26				03	08	37		1
2	·02	·19	·01	·44	·36	·12					14	05	2
3	·22		·16		·15				56	85		28	3
4	·60		·11	·04		·06			19		20	34	4
5	·17	·05	·02		·22	·16	01		21		36	98	5
6	·20	·21	·05		·12	·32			01	28	27	05	6
7	·08	·40	·05		·87	·07	05			38	28	01	7
8	·30	·40			·21		13	10		02		06	8
9	·10	·04	·01		·01	·02		02			56	03	9
10	1·04				·11	·04				112	54		10
11	·27				·53	·11		50	02		50	17	11
12	·20			·02	·04				12		27	03	12
13	·08		·17	·12				02	17		30		13
14	·38		·13	·02	·24		07		18		29		14
15	·24		·68	·91					02		24	04	15
16	·40		·48	·11			01		02		02		16
17	·13		·12	·19				13			16		17
18	·34		·39	·26		·02			01		12		18
19	·38		·10		·08	·03			22	28			19
20	·11		·11	·53		·03				18	57		20
21	·25		·50	·36	·13	·04		06		01	16		21
22	·14		·32	·02		·28		06	10	13		112	22
23	·03		·01	·02				02			22	104	23
24	·04	·15		·10	·01	·12			01		16	02	24
25			·01	·46					10	01	02	06	25
26				1·08					01	03		47	26
27	·57		·20	·14				22		62		19	27
28			·06	·13	·16				46	100		34	28
29	·17	×	·42	·30	·01		03			14	02	24	29
30	·85	×	·01	·07	·12		01			25			30
31	·27	×	·46	×		×		03	×	07	×		31
Total	7·59	1·66	4·91	5·52	3·63	1·42	·31	1·16	2·44	5·45	5·77	5·52	YEAR'S TOTAL 45·38
Rain Days.	~~25~~	~~8~~	~~20~~	~~21~~	~~16~~	~~14~~							

?

W. 7,500, XI. 12

82

343

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

Kept at Falmouth Observatory Ex.
in the County of Cornwall
by E. Kitto
Beckley Gauge

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·25	·30	·04	·26				·03	·08	·37		1
2	·02	·29	·03	·28	·08	·06					·14	·05	2
3	·07		·13	·36	·39	·06			·56	·85		·28	3
4	·54		·14	·04	·11				·19		·20	·34	4
5	·26	·04	·04		·16	·19	·01		·21		·36	·98	5
6	·24	·09	·03		·12	·09			·01	·28	·27	·05	6
7	·15	·51	·07		·31	·25	·05			·38	·28	·01	7
8	·30	·03			·62	·07	·13	·10		·02		·06	8
9		·43			·21			·02			·56	·03	9
10	·11		·01		·01	·06				1·12	·54		10
11	1·25				·24			·50	·02		·50	·17	11
12	·06			·02	·45	·11			·12		·27	·03	12
13	·26		·05	·07				·02	·17		·30		13
14	·23		·20	·05	·24		·07		·18		·29		14
15	·26		·12	·32					·02		·24	·04	15
16	·43		·87	·64			·01		·02		·02		16
17	·17		·34	·14				·13			·16		17
18	·06		·20	·34		·02			·01		·12		18
19	·44		·27	·06	·08	·03			·22	·28			19
20	·33		·12	·16						·18	·57		20
21	·07		·09	·73	·13	·07		·06		·01	·16		21
22	·33		·76	·02				·06	·10	·13		1·12	22
23	·03		·01			·27		·02			·22	1·04	23
24	·02	·08		·11		·12			·01		·16	·02	24
25	·01	·06		·32	·01				·10	·01	·02	·06	25
26			·01	1·01					·01	·03		·47	26
27	·05			·28				·22		·62		·19	27
28	·52		·25	·05					·46	1·00		·34	28
29	·17		·42	·43	·18		·03			·14	·02	·24	29
30	·60				·06		·01			·25			30
31	·36		·43		·07			·03		·07			31
Total	7·36	1·78	4·89	5·47	3·73	1·40	·31	1·16	2·44	5·45	5·77	5·52	YEAR'S TOTAL 45.28
Rain Days.	29	9	23	21	19	13	7	10	18	17	22	19	207

W. 7,500, XI. 12

88

cd by MO h · 10.III·15

327

28 JAN 1915

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1914

Kept at Falmouth Observatory

in the County of Cornwall 2 A North Rec

-M.M

by J. B. Phillips

Lat. Long.

Time of Observation 09

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·10	·16		·09	·11	·67			·42	·03	1
2	·01		·09		·13		·33				01	·45	2
3	·05		·19	·20	·53			·02				1·60	3
4	·25	·01	·11	·52	·08		1·10	·75	06			·60	4
5	·18		·21	·28				·03				08	5
6		·20	·10	·24	·25		·17	·06				67	6
7	·14	·48	·37	·21	·02	·47	·23	·18	·77			29	7
8	·12	·01	1·28	·12		·70						—	8
9	·06	·14	·03	·17	·12	·61		·11	·14			03	9
10	·08	·44	·07	·68	·18	·10			·22		02	118	10
11	·01	·21	1·13			·04			·08		05	14	11
12		·69	·15				·03		·20	·08	22	03	12
13		·51	·45				·16		·24	·28	41	20	13
14		·27	·46			·21	·01		04		65	24	14
15		·01	·19					·02	·02	·02	59	24	15
16		·03	·03				·02		·54			02	16
17		·59	·46				03					79	17
18		·35	·10				·14		·37			32	18
19			·45				·76				03	10	19
20		·52	·07			·20	·02			·02	04	41	20
21		·56	·04				·02			·51			21
22		·13	·21		·04	·14		·04		·25		07	22
23		·04	·15			·03	·01	·13		·32			23
24			·05				·03			·08	03		24
25	·12	·02	·59				·07	·42		50	04	59	25
26	·02	·16	·71				·26			·10	31	59	26
27	·16	·16					·06			·11	57	33	27
28	·06	·03	·20				·02			·20	01	115	28
29	·53	X	·25		·07		·04				49	02	29
30		X	·11				·05			·13	29	28	30
31	·01	X		X	·01	X	·89		X	·39	X	52	31
Total	1·80	5·56	8·35	2·58	1·43	2·59	4·56	2·43	2·68	2·99	4·18	9·97	YEAR'S TOTAL 49·12
Rain Days.	15	22	29	9	10	10	23	11	11	14	17	27	198

W.7,000, XI. 13

Check Gauge ✓

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

1. APR. 1916

Kept at Falmouth (check 9.)

in the County of Cornwall

by M.D.

Lat. Long.

Time of Observation 09

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	mm.												
1	9.8	11.7	0.2	–	1.0	–	–	8.0	4.3	17.6	0.2	5.1	1
2	7.7	5.0	4.9	3.0	–	6.1	–	1.2	6.1	–	–	22.0	2
3	3.9	2.2	3.6	3.6	7.4	–	–	–	0.1	–	–	20.9	3
4	7.0	7.5	0.7	–	16.0	0.4	–	2.9	–	–	–	4.6	4
5	4.0	20.0	0.3	9.1	–	–	–	6.9	–	–	–	22.7	5
6	34.8	5.0	–	12.2	–	–	13.2	0.7	0.2	–	–	2.2	6
7	13.0	15.0	–	0.6	–	–	3.6	–	–	32.9	0.1	9.2	7
8	8.5	13.0	–	–	–	–	–	7.5	0.2	1.8	7.6	12.1	8
9	2.5	2.8	–	5.7	–	–	–	2.9	–	–	11.7	23.1	9
10	10.7	5.0	1.0	4.1	–	–	–	0.8	–	11.0	1.2	0.8	10
11	0.7	–	0.5	–	–	–	–	2.8	–	0.4	28.9	5.5	11
12	3.3	16.8	0.1	0.9	14.9	–	–	2.6	–	0.2	7.1	3.8	12
13	0.2	24.0	–	0.9	12.0	–	2.0	0.4	0.5	0.3	4.9	2.5	13
14	4.4	4.2	–	0.6	0.3	1.7	3.1	–	5.1	0.2	4.6	48.9	14
15	6.0	–	–	–	10.0	1.3	13.2	–	0.4	–	1.4	3.3	15
16	0.3	44.0	–	–	13.0	–	34.0	–	0.2	3.8	–	0.8	16
17	5.6	3.1	–	–	–	–	–	–	0.2	0.2	–	0.2	17
18	–	5.5	–	–	–	–	1.0	–	–	–	–	–	18
19	0.6	2.3	–	1.8	8.5	–	3.6	–	–	–	0.9	–	19
20	11.0	–	–	0.6	–	10.3	–	–	–	7.6	–	–	20
21	3.6	* 1.6	0.9	–	–	22.8	13.0	–	0.2	0.1	–	–	21
22	5.8	* 6.4	9.2	–	–	0.5	8.7	–	3.0	9.2	–	13.4	22
23	1.5	* 4.0	0.8	–	–	3.9	0.8	–	0.7	4.9	–	19.1	23
24	–	–	–	1.2	–	4.6	–	–	0.2	5.2	–	6.4	24
25	4.4	–	–	0.4	10.0	3.2	–	–	0.5	–	0.7	1.7	25
26	–	12.9	–	–	3.0	13.3	1.1	–	2.0	–	–	26.4	26
27	–	0.8	–	–	–	3.5	0.5	–	3.0	22.0	–	–	27
28	–	3.3	–	–	–	6.0	0.2	2.8	0.7	2.8	0.1	4.5	28
29	–	✕	–	–	–	0.1	14.9	0.8	9.5	0.4	3.6	4.7	29
30	4.7	✕	–	0.9	–	–	1.6	–	2.0	13.8	10.0	9.3	30
31	1.0	✕	–	✕	–	✕	7.0	5.0	✕	8.0	✕	4.4	31
Total	155.0	216.1	22.2	45.6	96.1	77.7	121.5	45.3	39.1	142.4	83.0	277.6	YEAR'S TOTAL 1321.6
Rain Days.	25	23	10	15	11	13	17	14	20	19	13	26	206

W. 8,000. X. 14. * Fall by trace

Section A **for the entry of Daily Observations** **Station No.** 1913

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~16

Kept at FALMOUTH OBSERVATORY

COPY

in the County of CORNWALL

Diameter of funnel of gauge .... in.
Height of top of gauge above ground .... ft. .... in.
Height of ground above sea level .... ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		Date
MMS.	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	†	
1	48					21	24		06	114	26			1
2	80	37	92				05		107	35	131			2
3	14	536			47					144	47	05		3
4	37	44		17	32	64	22		26	93	136	10		4
5	12	68		04	16	58	35		02	40	74	11		5
6	22	49	02		28	21	190			58	292			6
7	09	37			48	39	02			08	267	12		7
8	22	56	66		79	07					159	75		8
9		129	36			09	10			16	83	307		9
10		268		14	12	06					02	40		10
11		03		34	19	02	20		11		04	90		11
12	18	30	34	18	02		12	10		39	03	06		12
13		81	36	12	02			60			01	36		13
14	11	113	66		07			26		14				14
15	04	87	93	16				22		03		75		15
16	38	53		29			02	84		96	268			16
17	41	18	55	13	01				14	30	175			17
18	20	20	133	10					49	18	08	57		18
19	119	41		53							172	08		19
20	27	119	21	17							60	80		20
21	03	42	107	10	04	26				19	06	46		21
22	02		20	02		45		23		223	19	178		22
23	14		17	30		29		84	[illegible]	36	104	36		23
24		16	02	41	14			140	03	74	06	112		24
25		43	69		02	17		28	[illegible]	09	78	03		25
26	07	02	28		08	11		59	05 [illegible]	175	22	34		26
27	02		432		01	03		05	09 [illegible]	140				27
28								68	144	150	02	178		28
29		47	20			136		163		55		184		29
30		x		35		11				95		06		30
31		x		x		x		30	x	62	x	03		31
TOTAL	55·0	193·9	132·9	35·5	32·2	50·5	32·2	80·2	43·6	174·6	214·5	159·2	Year's Total 1204·3	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*) .... (P.T.O.)

Exd 1967

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Falmouth Observatory

in the County of Cornwall

by M O.

Lat. .... Long. ....

Time of Observation Taken from

Nearest Railway Station Beckley Charts

Diameter of Funnel of Rain Gauge at M.O in.

Height of top of Gauge above Ground 9 A.M. in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.		Dec.	Date.
1	4.8	–	–	–	–	tm	2.4		0.6	11.6	11.4	2.6	—	1
2	8.0	3.7	9.2	–	–	2.1	0.5		10.7	3.4	5.5	13.1	—	2
3	1.4	53.6	–	–	4.7	–	–		–	18.2	14.4	4.7	.5	3
4	3.7	4.4	–	1.7	3.2	6.4	2.2		2.6	9.4	9.3	13.6	1.0	4
5	1.2	6.8	–	0.4	1.6	5.8	3.5		0.2	4.1	4.0	7.4	1.1	5
6	2.2	4.9	0.2	–	2.8	2.1	19.0		–	6.3	5.8	29.2	—	6
7	0.9	3.7	–	–	4.8	3.9	0.2		–	0.7	0.8	26.7	1.2	7
8	2.2	5.6	6.6	–	7.9	0.7	–		–	—	—	15.9	7.5	8
9	–	12.9	3.6	–	–	0.9	1.0		–	1.6	1.6	8.3	30.7	9
10	–	26.8	–	1.4	1.2	06 ~~0.4~~	–		–	—	—	.2	4.0	10
11	–	0.3	–	3.4	1.9	0.6 02	2.0		1.1	—	—	.4	9.0	11
12	1.8	3.0	3.4	1.8	0.2	–	1.2	1.0	–	4.2	3.9	.3	.6	12
13	–	8.1	3.6	1.2	0.2	–	–	6.0	–	—	—	.1	3.6	13
14	1.1	11.3	6.6	–	0.7	–	–	2.6	–	1.6	1.4	—	—	14
15	0.4	8.7	9.3	1.6	–	–	–	2.2	–	0.3	.3	–	7.5	15
16	3.8	5.3	–	2.9	–	–	0.2	8.4	–	10.2	9.6	26.8	—	16
17	4.1	1.8	5.5	1.3	0.1	–	–	–	1.4	2.9	3.0	17.5	—	17
18	2.0	2.0	13.3	1.0	–	–	–	–	4.9	1.5	1.8	.8	5.7	18
19	11 ~~0~~9	4.1	–	5.3	–	–	–	–	–	—	—	17.2	8.0 0.8	19
20	2.7	11.9	2.1	1.7	–	–	–	–	–	—	—	6.0	4.6	20
21	0.3	4.2	10.7	1.0	0.4	2.6	–	–	–	1.2	1.9	.6	17.8	21
22	0.2	–	2.0	0.2	–	4.5	–	2.3	–	24.9	22.3	1.9		22
23	1.4	–	1.7	3.0	–	2.9	–	8.4	–	3.3	3.6	10.4	3.6	23
24	–	1.6	0.2	4.1	1.4	–	–	14.0	0.3	8.1	7.4	.6	11.2	24
25	–	4.3	6.9	–	0.2	1.7	–	2.8	–	0.9	.9	7.8	.3	25
26	0.7	0.2	2.8	–	0.8	1.1	–	5.9	6.5	20.9	17.5	2.2	3.4	26
27	0.2	–	43.2	–	0.1	0.3	–	0.5	0.9	14.1	14.0	—	—	27
28	–	–	–	–	–	–	–	6.8	14.4	16.7	15.0	.02	17.8	28
29	–	4.7	2.0	–	–	13.6	–	16.3	–	5.8	5.5	—	18.4	29
30	–	✕	–	3.5	–	1.1	–	–	—	10.5	9.5	—	0.6	30
31	–	✕	–	✕	–	✕	–	3.0	✕	6.2	~~6.2~~		0.3	31
Total	55.0	193.9	132.9	35.5	32.1	50.5	32.2	80.2	43.6		174.6	214.5	159.2	YEAR'S TOTAL 1204.3
Rain Days.	2.17	7.63	5.23	1.40	1.27	1.99	1.27	3.16	1.72	←	6.87	8.44	6.27	47.42
	21	24	19	17	15	17	10	14	11	25		24	25	222

W. 8,000. VIII. 16

Mo. W. R. 1877

To be filled and returned
to DR. H. R. MILL, *Director*,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure.

FORM B.
BRITISH RAINFALL

RAINFALL IN 1917

At Falmouth

In the County of Cornwall

Rain Gauge
Diameter of Funnel .... in.
Height of Top: *Above Ground* .... ft. .... in.
Above Sea Level 167 ft.

Month.	Total Depth. m.m. Inches.	Greatest Fall in 24 hours. m.m. Inches.	Date.	Number of Days with ·01 or more recorded.
2·83 JAN.	72	25	7	12
1·18 FEB.	30	16	19	10
4·33 MAR.	110	26	4	20
1·65 APR.	42	9	5	16
2·48 MAY	63	17	26	10
2·64 JUNE	67	14	27	14
1·30 JULY	33	14	17	9
6·26 AUG.	159	38	27	22
2·16 SEPT.	55	20	18	15
7·40 OCT.	188	30	11	28
2·16 NOV.	55	12	2	14
1·81 DEC.	46	19	8	15
36·20 Total X	920 ✓			185 ✓

Signed Mo. O

[Please fill in the other side also.

W. 16,000. ix.17.

Section **A** for the entry of Daily Observations

Station No. 1913

METEOROLOGICAL OFFICE

METFORM 1090
(Rev. Feb. 1965)

REGISTER OF RAINFALL IN 19~~6~~17

Kept at FALMOUTH OBSERVATORY

in the County of CORNWALL

COPY

Diameter of funnel of gauge.................in.
Height of top of gauge above ground.................ft.................in.
Height of ground above sea level.................ft.

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read Notes and Instructions Overleaf**

Jan. 1, following

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	†	Date
MMS	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~	~~in.~~		
1	[illegible]			72		25					07	04		1
2	—		02	28		04	01			02	118			2
3	221		08	24			10	01		135	36			3
4	[illegible]	28	264						28	65				4
5	56		138	87		02			14	52	28			5
6	04		08	04		80				64	35	37		6
7	254			03			38	224	01	74	29	02		7
8	35		107	30			42	60	02	50	53	187		8
9	[illegible]		51	13	42			04	04	35	77	08		9
10	225		57	73				91		55	19	28		10
11	04		119	29						300	102			11
12	35		44		28			05		171		03		12
13	26		20	15		06		73	38	74				13
14				25			01	05	10	22				14
15	38			02	04		24		08	159		54		15
16		22		02				02	04	76		93		16
17		06	02	10	41		143	38	149	20				17
18		02		02	39	30	20		203	06				18
19		157	14			120		11	04					19
20		38	02		140	15		03	04			03		20
21		04	31			23		29		24		16		21
22	04	02			40			220		44				22
23		39			21	33		134	02	06	01	03		23
24						08	46	03		50	14	05		24
25		02	04					154	34	50				25
26	15				166	96		26	40	14	14	01		26
27						138	05	375		42				27
28			37			90	02	25		04	05	02		28
29		X	67					02		158		12		29
30		X	82					58		64	08			30
31		X	39	X	104	X		07	X	68	X			31
TOTAL	71·7	30·0	109·6	41·9	62·5	67·0	33·2	159·0	54·5	188·4	54·6	45·8	Year's Total 918·2	
*Days with .01 in. or more.														
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*).. (P.T.O.)

S. made

Ex HGole

REGISTER OF RAINFALL IN 1918.

Kept at Falmouth Obsy. check 9.

in the County of Cornwall

by M.O. (copied from Beckley charts by H.G.)

Lat. Long.

Time of Observation 9

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

24 3. 19

FORM A

BRITISH RAINFA

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·	2.5	·	2.3	1.8	·	·	6.2	·	0.3	26.9	·	1
2	·	9.2	·	1.3	2.0	·	·	21.7	·	·	·	15.5	2
3	·	5.4	·	11.8	6.5	·	·	·	5.5	2.7	8.2	3.5	3
4	·	3.0	·	1.3	·	·	·	7.4	7.8	·	8.1	18.2	4
5	2.4	2.3	5.9	4.5	·	·	·	4.0	7.2	7.8	1.7	3.3	5
6	8.3	9.4	6.4	1.4	·	0.7	·	0.4	·	3.7	·	4.1	6
7	1.0	8.5	·	·	·	0.2	·	1.3	23.8	1.4	10.7	9.8	7
8	·	2.1	·	·	·	2.0	0.2	·	1.6	18.0	·	0.5	8
9	3.4	·	·	·	·	0.6	6.1	·	14.5	1.0	0.1	12.5	9
10	0.4	0.4	·	2.4	·	·	5.3	·	3.7	1.8	·	6.4	10
11	0.4	1.2	3.0	·	·	·	4.6	·	9.1	12.0	0.7	3.8	11
12	1.8	2.9	·	·	9.3	·	0.7	·	0.8	5.7	·	1.7	12
13	·	·	·	·	2.3	·	2.7	·	17.4	7.2	·	13.0	13
14	14.3	·	·	·	0.4	2.1	5.3	·	7.5	1.6	·	9.3	14
15	18.0	·	·	·	0.2	0.8	14.0	·	4.5	2.1	·	7.7	15
16	24.8	·	·	4.4	·	1.4	5.2	·	8.2	0.2	·	2.4	16
17	3.9	·	·	6.5	0.2	0.2	1.3	0.3	0.4	0.4	·	12.7	17
18	30.5	2.8	6.0	·	·	16.3	1.0	1.4	8.9	5.2	·	10.0	18
19	4.6	1.2	0.2	2.8	·	·	3.7	·	1.8	0.1	·	2.8	19
20	6.2	5.7	0.2	3.9	·	0.1	4.8	0.4	4.6	·	·	0.3	20
21	6.6	·	·	0.6	·	0.2	6.0	·	10.1	7.9	·	18.0	21
22	0.3	·	·	·	1.8	·	13.6	·	12.5	0.2	0.9	9.2	22
23	3.0	1.0	·	·	0.4	0.3	0.1	·	5.4	·	6.4	4.8	23
24	0.6	8.0	·	·	·	0.2	0.1	4.3	3.6	·	5.9	5.2	24
25	0.4	0.3	·	·	1.2	·	2.9	4.9	·	1.7	7.4	·	25
26	0.6	2.4	·	·	·	·	0.5	·	3.3	0.4	0.4	14.8	26
27	·	7.5	7.6	·	·	·	·	3.0	5.3	1.3	3.8	0.6	27
28	·	16.4	4.3	·	·	·	·	·	13.5	1.5	2.0	3.0	28
29	·	×	4.6	·	·	·	·	·	26.1	·	2.5	2.3	29
30	·	×	8.2	10.4	·	·	·	0.2	1.6	2.0	2.9	11.3	30
31	·	×	1.0	×	·	×	3.0	0.6	×	12.7	×	1.1	31
Total	131.5	92.2	47.4	53.6	26.1	25.1	81.1	56.1	208.7	98.9	88.6	207.8	YEAR'S TOTAL 1117.1
Rain Days.	20	20	11	13	11	12	18	14	26	24	15	29	213
in.	5.18	3.63	1.86	2.11	1.03	.99	3.19	2.21	8.21	3.89	3.49	8.18	43.97

W. 6,500, VII. 18. W W G

3 1766

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Falmouth (M.O.)

in the County of Cornwall

by M.

Lat 50° 9′ N Long 5° 5′ W

Time of Observation 7h. G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

„ „ „ „ Sea Level 168 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	19.7	-	4.0	5.5	3.4	-	6.5	-	1.6	1.5	-	27.7	1
2	3.1	-	0.4	-	0.5	-	0.1	0.2	1.1	0.1	-	2.5	2
3	5.2	-	14.8	-	3.4	-	-	-	8.0	-	-	5.8	3
4	6.1	19.0	7.9	-	-	-	-	2.6	10.8	-	0.1	0.4	4
5	3.9	7.5	17.4	-	0.6	-	-	0.7	-	-	0.2	4.4	5
6	17.2	29.1	3.9	-	-	-	-	-	-	-	-	2.5	6
7	7.0	0.1	9.4	4.0	-	-	0.4	-	-	-	-	2.8	7
8	7.3	-	5.6	2.6	-	0.7	-	-	-	-	16.1	1.0	8
9	3.6	-	1.4	8.8	10.1	-	-	-	-	-	5.1	1.3	9
10	4.7	-	14.7	0.2	1.5	-	-	-	-	2.4	0.4	17.4	10
11	3.9	0.2	10.3	6.5	8.2	0.4	1.8	-	0.1	0.2	1.2	4.0	11
12	6.0	-	1.2	0.4	0.3	0.7	0.3	-	-	2.6	5.6	0.2	12
13	2.8	3.0	9.3	12.3	-	-	0.1	-	0.9	1.6	0.3	8.9	13
14	21.8	5.0	0.7	5.6	-	-	-	-	0.9	1.8	-	3.6	14
15	6.0	1.6	-	0.8	-	-	-	-	0.2	1.1	-	12.0	15
16	2.0	28.2	0.3	-	1.7	0.2	-	-	-	-	5.6	0.3	16
17	1.1	17.5	-	-	0.2	0.4	0.5	-	-	-	10.9	4.4	17
18	1.8	9.2	3.9	-	0.1	-	5.1	5.3	0.6	-	8.0	0.6	18
19	22.5	8.1	6.1	-	6.9	8.1	0.1	21.0	3.3	-	5.8	1.7	19
20	8.9	0.3	4.0	-	9.7	5.1	-	2.5	3.2	-	2.2	1.3	20
21	15.6	20.0	1.6	-	-	-	2.1	-	5.8	-	2.0	5.0	21
22	-	1.0	1.1	-	-	0.3	0.5	1.0	0.9	0.4	1.1	2.0	22
23	-	-	0.4	-	-	-	-	1.8	0.2	6.6	2.5	3.8	23
24	-	0.2	-	-	-	3.0	-	0.2	0.1	6.8	3.2	4.3	24
25	1.4	3.0	-	0.2	-	2.2	-	17.0	-	0.5	2.1	5.0	25
26	3.6	2.2	0.2	1.2	-	-	-	1.6	3.8	0.1	1.0	17.8	26
27	3.8	-	2.2	13.0	-	-	-	31.0	1.3	4.8	-	3.2	27
28	0.5	3.3	18.9	7.4	-	-	-	3.0	0.6	5.5	6.5	23.8	28
29	0.2		0.5	2.7	-	-	-	3.1	-	4.1	0.1	2.2	29
30	-		0.2	2.2	-	3.6	-	3.2	-	0.8	11.0	19.8	30
31	-		2.4		-		0.2	-		-		18.0	31
TOTAL	179.7	158.5	142.8	73.4	46.6	24.7	17.7	~~93.2~~ 94.2	43.4	40.9	91.0	207.7	1120.6 YEAR'S TOTAL
Days with 0·2 mm. or more	26	18	27	16	12	11	9	15	16	15	20	31	216

(44,284). .Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. form 3201.

94.2

from Weather Reports

30

To be filled and returned
to THE DIRECTOR,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure.

11.7.19

FORM B.
BRITISH RAINFALL

RAINFALL IN 1918

At Falmouth

In the County of Cornwall

Rain Gauge
- Diameter of Funnel .... in.
- Height of Top
  - *Above Ground* ...... ft. ...... in.
  - *Above Sea Level* 167 ft.

PLEASE FILL IN

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	mm	mm	Date.	
JAN.	135	30	18	21
FEB.	93	16	28	20
MAR.	47	10	28	11
APR.	50	13	3	13
MAY	28	7	12	11
JUNE	23	16	18	7
JULY	77	18	15	18
AUG.	57	22	2	13
SEPT.	206	36	29	26
OCT.	96	16	8	24
NOV.	93	31	1	16
DEC.	201	18	21	29
Total	1106	43·58		209

+

Signed Met Office

[Please fill in the other side also.

W. 13,000. vii.18. w w c

from mo.

FORM B.
BRITISH RAINFALL

13.1.19

To be filled and returned
to THE DIRECTOR,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure.

RAINFALL IN 1918

At Falmouth

In the County of Cornwall

Rain Gauge
Diameter of Funnel .... in.
Height of Top — *Above Ground* .... ft. .... in.
Height of Top — *Above Sea Level* .... ft.

PLEASE FILL IN.

Month.	Total Depth.	Greatest Fall in 24 hours.		Number of Days with ·01 or more recorded.
	Inches.	Inches.	Date.	
JAN.	5·32			
FEB.	3·66			
MAR.	1·85			
APR.	1·97			
MAY	1·10			
JUNE	·91			
JULY	3·04			
AUG.	2·25			
SEPT.	8·11			
OCT.	3·78			
NOV.	3·66			
DEC.	7·93			
Total	43·58			

Signed Met. Office

[*Please fill in the other side also.*

W. 13,000. vii.18. W W C

Form A

(104)

To be filled and returned
to THE DIRECTOR,
BRITISH RAINFALL ORGANIZATION,
62 CAMDEN SQUARE, LONDON, N.W. 1.
Copies of this form will be supplied with pleasure.

29.4.19

FORM B.
BRITISH RAINFALL

RAINFALL IN 1918

At Falmouth Obsy Check G.

In the County of Cornwall 2

Rain Gauge
Diameter of Funnel .... in.
Height of Top: *Above Ground* .... ft. .... in.
Above Sea Level .... ft.

PLEASE FILL IN

Read in m.m.	Month.	Total Depth. Inches.	Greatest Fall in 24 hours. Inches.	Greatest Fall in 24 hours. Date.	Number of Days with ·01 or more recorded.
131.5	JAN.	5·18	1·20	18	20
92·2	FEB.	3·63			20
47·4	MAR.	1.86			11
53·6	APR.	2·11			13
26·1	MAY	1.03			11
25·1	JUNE	·99			12
81·1	JULY	3.19			18
56·1	AUG.	2·21			14
208·7	SEPT.	8·21			26
98·9	OCT.	3·89			24
88·6	NOV.	3·49			15
207·8	DEC.	8·18			29
1117·1	Total	43·97			213

Signed The Meteorological Office

[*Please fill in the other side also.*

W. 13,000. vii.18. W W C

Berkley Charts

1082

Form A 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Falmouth Observatory (M.O.)
in the County of Cornwall
by M. O.

Lat. 50° 9' N Long. 5° 5' W
Time of Observation 7h.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 167 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	8.5	-	0.1	1.1	15.6	-	18.6	-	0.3	0.3	0.5	18.6	1
2	10.5	-	-	1.8	0.5	-	12.1	0.9	4.7	2.1	-	2.9	2
3	7.7	1.8	-	7.4	1.2	-	2.7	0.1	0.4	20.9	-	10.2	3
4	-	-	0.2	0.3	-	-	-	19.9	0.2	10.3	-	0.6	4
5	-	-	2.3	-	1.7	-	3.1	5.9	-	5.8	-	-	5
6	-	-	4.6	-	8.4	-	5.2	0.3	-	6.3	-	-	6
7	2.8	-	1.7	8.6	0.9	-	11.9	-		-	-	3.7	7
8	2.5	0.6	2.2	5.9	2.7	-	1.1	0.7	-	0.2	0.2	5.7	8
9	16.3	0.8	0.5	1.6	0.2	0.5	7.6	0.6	0.4	-	-	-	9
10	26.3	6.6	5.3	3.9	-	5.7	9.2	-	-	-	-	-	10
11	16.5	1.1	4.3	16.8	7.5	0.6	6.6	-	-	-	-	-	11
12	11.9	3.9	3.4	4.8	0.4	-	1.1	-	-	0.6	-	-	12
13	3.3	2.0	13.5	0.7	-	7.8	-	-	-	6.3	2.2	2.8	13
14	4.2	3.5	11.4	16.7	-	-	2.5	-	3.8	9.8	0.5	-	14
15	1.6	2.5	1.4	6.9	1.2	-	-	-	1.8	15.5	4.4	-	15
16	0.5	-	1.8	0.6	0.2	2.5	2.0	-	10.8	19.7	5.4	-	16
17	3.1	-	0.2	5.6	12.1	-	-	-	20.5	35.5	7.0	-	17
18	5.3	-	-	1.9	3.3	9.1	0.5	6.0	-	-	0.3	-	18
19	2.3	0.3	-	10.0	-	15.2	-	-	6.7	1.7	-	-	19
20	1.4	-	-	6.5	2.5	2.9	-	-	1.2	13.0	-	12.1	20
21	-	-	-	7.2	-	-	-	-	6.0	1.1	-	3.6	21
22	3.6	-	-	1.0	-	-	0.7	-	-	-	-	13.6	22
23	1.0	-	1.2	-	-	-	4.0	0.5	-	-	-	15.0	23
24	1.0	-	10.1	-	-	-	0.8	0.6	-	-	6.4	4.3	24
25	0.3	1.0	3.2	-	0.7	-	17.4	-	-	-	-	-	25
26	10.4	-	8.1	-	-	0.4	1.5	-	-	-	0.3	0.6	26
27	17.7	0.1	3.4	0.6	-	6.7	1.0	-	-	-	11.4	10.5	27
28	10.1	0.4	14.1	1.3	-	4.1	5.7	-	0.1	-	0.1	4.2	28
29	10.6	0.5	9.0	2.2	0.8	0.3	-	-	1.8	-	7.9	9.4	29
30	6.3	X	0.5	-	-	10.9	17.1	-	43.0	5.2	8.4	15.5	30
31	3.9	X	9.0	X	-	X	0.4	-	X	14.3	X	7.3	31
TOTAL	189.6	25.1	111.5	113.4	59.9	66.7	132.8	35.5	101.7	168.6	55.0	140.6	YEAR'S TOTAL 1200.4
Days with 0·2 mm. or more	27	13	23	23	17	13	23	9	14	18	13	18	211
	23	8	19	11	10	9	19	3	10	15	8	16	161

(44,284). Wt. 2[illegible] 500. 10/1[illegible]. Gp.132. A.&E.W.

Form 333a.

METEOROLOGICAL OFFICE.

Falmouth Daily Values of Beckley & Check Gauges for Jan-June 1913

	January.		February.		March.		April.		May.		June.		July.	August.	September.	October.	November.	December.	Year.	Name of Observer and Notes.
	Beckley	Check	Beckley	Check	Beckley	Check	Beckley	Check	Beckley	Check	Beckley	Check								
1	0·01	0·01	0·22	0·22	0·32	0·33	0·20	0·20	0·26	0·26	—	—								
2	0·02	0·02	0·19	0·19	0·01	0·01	0·44	0·44	0·36	0·36	0·12	0·12								
3	0·22	0·22	—	—	0·17	0·16	—	—	0·15	0·15	—	—								
4	0·59	0·60	—	—	0·11	0·11	0·04	0·04	—	—	0·05	0·06								
5	0·17	0·17	0·05	0·05	0·03	0·02	—	—	0·22	0·22	0·16	0·16								
6	0·20	0·20	0·22	0·21	0·04	0·05	—	—	0·12	0·12	0·32	0·32								
~~Leave blank row~~ 7	0·07	0·08	0·40	0·40	0·06	0·05	—	—	0·87	0·87	0·07	0·07								
8	0·30	0·30	0·40	0·40	—	—	—	—	0·21	0·21	—	—								
9	0·10	0·10	0·03	0·04	0·01	0·01	—	—	0·01	0·01	0·02	0·02								
10	1·03	1·04	—	—	—	—	—	—	0·12	0·11	0·04	0·04								
11	0·27	0·27	—	—	—	—	—	—	0·53	0·53	0·11	0·11								
12	0·20	0·20	—	—	—	—	0·02	0·02	0·04	0·04	—	—								
~~Leave blank row~~ 13	0·08	0·08	—	—	0·17	0·17	0·12	0·12	—	—	—	—								
14	0·36	0·37	—	—	0·13	0·13	0·02	0·02	0·24	0·24	—	—								
15	0·23	0·24	—	—	0·68	0·68	0·92	0·91	—	—	0·00	0·00								
16	0·40	0·40	—	—	0·48	0·48	0·11	0·11	—	—	—	—								
17	0·12	0·13	—	—	0·12	0·12	0·19	0·19	—	—	—	—								
18	0·34	0·34	—	—	0·39	0·39	0·26	0·26	—	—	0·02	0·02								
~~Leave blank row~~ 19	0·38	0·38	—	—	0·11	0·10	—	—	0·08	0·08	0·03	0·03								
20	0·11	0·11	—	—	0·11	0·11	0·53	0·53	—	—	0·03	0·03								
21	0·25	0·25	—	—	0·51	0·50	0·36	0·36	0·13	0·13	0·04	0·04								
22	0·13	0·14	—	—	0·32	0·32	0·02	0·02	—	—	0·27	0·28								
23	0·03	0·03	—	—	0·01	0·01	0·02	0·02	—	—	—	—								
24	0·03	0·04	0·14	0·15	—	—	0·10	0·10	0·01	0·00	0·12	0·12								
~~Leave blank row~~ 25	—	—	—	—	0·01	0·01	0·46	0·46	—	—	—	—								
26	—	—	—	—	—	—	1·03	1·08	—	—	—	—								
27	0·57	0·57	—	—	0·19	0·20	0·15	0·14	—	—	—	—								
28	—	—	—	—	0·06	0·06	0·13	0·13	0·17	0·16	—	—								
29	0·17	0·17	·	·	0·42	0·42	0·31	0·30	0·01	0·01	—	—								
30	0·82	0·85	·	·	—	—	0·07	0·07	0·13	0·12	—	—								Yearly Total
~~Leave blank row~~ 31	0·27	0·27	·	·	0·47	0·46	·	·	—	—	·	·								Beckley Check
Totals.	6·47	6·58	1·65	1·66	4·93	4·91	5·50	5·52	3·66	3·63	1·40	1·42								
Leave blank row																				

Additional Notes.

(107,291). Wt.33,019—8210. 500. 11/14. A.&E.W.

Form 333a.

METEOROLOGICAL OFFICE.

Falmouth Daily Values of Beckley + Check Gauges for 1912

	January.		February.		March.		April.		May.		June.		July.	
	Beckley	Check	Beckley	Check	Beckley	Check	Beckley	Check	Beckley	Check	Beckley	Check	Beckley	Check
1	—	—	—	—	·11	·11	—	—	—	—	·68	·67	·21	·20
2	—	—	—	—	·26	·26	·03	·03	—	—	·40	·41	—	—
3	·01	·01	—	—	·53	·53	—	—	—	—	·39	·39	—	—
4	·29	·29	·05	·05	·14	·14	—	—	·02	·02	·07	·07	—	—
5	1·16	1·17	·27	·27	·34	·34	—	—	·09	·09	—	—	·45	·45
6	·48	·46	·03	·03	·07	·07	—	—	·59	·59	—	—	·14	·15
~~Leave blank row~~ 7	·15	·16	·60	·61	·36	·36	·01	·01	·03	·03	·21	·22	·09	·10
8	·42	·42	·05	·05	·17	·18	—	—	·01	·01	·12	·12	·02	·02
9	—	—	·27	·26	·15	·15	·04	·04	·01	·01	·16	·16	·32	·32
10	·43	·43	·07	·07	·21	·21	·07	·07	—	—	·04	·04	·25	·26
11	—	—	·41	·41	·13	·13	—	—	—	—	·05	·05	·04	·05
12	·03	·04	·29	·29	·35	·35	·02	·02	·25	·25	—	—	·22	·22
~~Leave blank row~~ 13	·46	·48	—	—	·02	·03	·02	·03	—	—	·02	·03	—	—
14	·03	·04	·16	·17	·36	·36	—	—	·05	·05	—	—	—	—
15	·80	·83	·09	·10	·09	·09	—	—	·06	·06	·44	·44	—	—
16	·05	·05	—	—	·49	·48	—	—	—	—	·12	·12	—	—
17	—	—	—	—	·43	·42	—	—	·03	·04	·02	·02	—	—
18	—	—	·11	·11	·36	·35	—	—	—	—	—	—	—	—
~~Leave blank row~~ 19	—	—	·15	·14	·31	·31	—	—	·04	·04	·01	·01	·05	·06
20	·08	·07	·15	·15	·46	·46	—	—	·17	·17	—	—	—	—
21	—	—	·83	·85	·31	·30	—	—	·33	·34	—	—	·58	·58
22	·36	·36	·11	·11	·51	·50	—	—	—	—	·20	·20	·32	·32
23	·36	·35	·47	·48	·36	·36	—	—	—	—	·02	·02	·12	·12
24	·20	·20	·06	·06	·08	·08	—	—	—	—	·34	·34	·15	·15
~~Leave blank row~~ 25	—	—	—	—	—	—	—	—	—	—	·16	·16	—	—
26	—	—	·02	·02	—	—	—	—	—	—	—	—	·04	·04
27	—	—	·06	·06	—	—	—	—	—	—	·38	·37	·39	·39
28	—	—	·12	·13	—	—	—	—	—	—	·11	·11	·20	·20
29	—	—	·19	·20	·04	·04	—	—	—	—	·19	·19	·15	·13
30	—	—	·	·	·07	·07	·01	·01	·08	·08	·09	·09	·46	·45
~~Leave blank row~~ 31	—	—	·	·	·29	·29	·	·	·22	·23	·	·	·10	·10
Totals	5·31	5·36	4·46	4·52	7·00	6·97	0·20	0·21	1·97	2·00	4·22	4·23	3·80	3·85
~~Leave blank row~~														

	August.		September.		October.		November.		December.		Year.	Name of Observer and Notes.
	Beckley	Check	Beckley	Check	Beckley	Check	Beckley	Check	Beckley	Check		
1	·04	·05	·18	·18	·48	·48	—	—	·25	·26		
2	·13	·13	—	—	·03	·03	—	—	—	—		
3	1·91	1·90	·09	·09	—	—	—	—	·04	·04		
4	·11	·10	—	—	—	—	·36	·36	—	—		
5	1·16	1·15	—	—	—	—	—	—	·15	·17		
6	·14	·14	—	—	—	—	·02	·02	—	—		
~~Leave blank row~~ 7	·14	·15	—	—	—	—	·04	·05	·12	·13		
8	—	—	—	—	—	—	—	—	—	—		
9	·16	·16	—	—	—	—	—	—	·90	·90		
10	—	—	—	—	—	—	·26	·26	·19	·19		
11	·80	·80	—	—	—	—	·27	·27	·49	·49		
12	·78	·77	—	—	—	—	·27	·27	·05	·05		
~~Leave blank row~~ 13	·12	·12	—	—	·09	·09	·02	·03	·35	·34		
14	·04	·05	—	—	—	—	—	—	·15	·16		
15	·07	·06	—	—	·04	·04	·02	·02	·73	·74		
16	·34	·34	—	—	·11	·12	·03	·04	·12	·12		
17	·52	·52	—	—	—	—	·16	·16	·22	·22		
18	1·24	1·25	—	—	·07	·08	·02	·02	·04	·04		
~~Leave blank row~~ 19	·51	·51	—	—	·03	·03	—	—	·02	·02		
20	·06	·07	—	—	·57	·56	·02	·02	—	—		
21	·02	·02	—	—	·60	·60	—	—	—	—		
22	·27	·27	—	—	·09	·09	·08	·08	·16	·17		
23	1·04	1·06	—	—	·08	·07	·18	·18	·25	·25		
24	·02	·02	—	—	·08	·08	—	—	·19	·20		
~~Leave blank row~~ 25	·15	·15	—	—	·44	·44	·43	·43	·58	·62		
26	·04	·04	—	—	·12	·13	·65	·68	·87	·86		
27	·01	·02	·02	·02	1·22	1·23	·20	·20	·78	·80		
28	·68	·69	·35	·35	·22	·22	·40	·40	·59	·59		
29	·01	·01	·15	·15	·26	·25	·26	·26	·08	·08		
30	—	—	·20	·20	·18	·18	·06	·06	—	—		Yearly Totals
~~Leave blank row~~ 31	·01	·01	·	·	·07	·07	·	·	·28	·28		Beckley Check
Totals	10·52	10·58	0·99	0·99	4·79	4·80	3·75	3·81	7·60	7·72		54·61 55·04.
~~Leave blank row~~												

Additional Notes.

(107,291). Wt.33,019—8210. 500. 11/14. A.&E.W.

FORM A. 1. METEOROLOG ORGANIZATION.

REG 1920.

CORNWALL.

FALMOUTH.

"THE CROSSWAYS"

1920

JAN 1921

Kept at The Crossw

in the County of Corn

by Commander A. Hogu

Long 5·4·30 W

n Gᵃ

ation Falmouth.

l of Rain Gauge 5 in.

uge above Ground 1 ft. 6 in.

,, Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26		·01	·06	·62	-	·69	[illegible]	·03	·62	·02	·67	1
2	·47		·01	·06	·	-	·33	·03	·20	·08		·1	2
3	·32	·08	-	·3	·33	-	·1	·02	·02	·74		·48	3
4	-	·	·01	-		-	·	·7		·39		·01	4
5	·1	·	·07	·	·04	-	·13	·24		·20			5
6	·	·	·18	·02	·34	·	·23	-		·25			6
7	·11	-	-	·31	·03	·	·43			·02	·01	·14	7
8	·17	·03	·12	·22	·1	·	·04	·01		·02		·21	8
9	·9	·04	·04	·04	·	·03	·28	·01		~~1·68~~			9
10	1·04	·32	·18	·15	·	·22	·33				·01		10
11	·46	·02	·17	·65	·3	·02	·26						11
12	·51	·16	·13	·18		-	·03			·03	·12	·01	12
13	·14	·07	·56	·02		·3	·			·30		·12	13
14	·19	·1	·45	·61			·09		·15	·32	·15		14
15	·04	·09	·03	·21	·05		-		·03	·62	·21		15
16	·03	-	·07	·03	·01	·07	·06		·60	·67	·36		16
17	·14	·01	·01	·18	·44	·61	·		·75	1·18			17
18	·2	·	·	·06	·09	·33	·01	·23	·27				18
19	·11	·03	·01	·37		·51			·27	·09			19
20	·07	-	·01	·23	·1	·1				·44		·43	20
21	·	·	·01	·27						·03		·21	21
22	·15	·	-	·03			·42	·03		·01		·46	22
23	·01	·	·07	-				·02				·57	23
24	·02	·01	·32	·			·4				·27	·14	24
25	·09	·04	·11	·	·03		·41				·02		25
26	·37	·	·31	·	-	·02	·05					·03	26
27	·57	·01	·10	·03	-	·26	·04				·59	·39	27
28	·49	·	·63	·03	-	·15	·24		·03		·02	·16	28
29	·37	·02	·33	·07	·03	·01	·01		·08		·29	·31	29
30	·26	✕	·11	-	-	·43	·7		1·63	·30	·27	·64	30
31	·17	✕	·36	✕	-	✕			✕	·50	✕	·21	31
TOTAL	7·66	1·03	~~3·04~~ 4·41	4·13	2·21	2·46	5·28	1·29	~~4·16~~ 4·06	~~6·12~~ 6·21	2·37	5·29	YEAR'S TOTAL ~~45·39~~ 46·40
Days with ·01 in. or more	3 28	7 15	6 27	6 23	5 14	5 14	3 22	6 9	3 12	5 20	5 13	3 10	216
Days with ·04 in. or more	2[illegible] 24	8	19	17	7 9	8 9	18 19	3	8	14	8	16	154

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. METEOROLOG ORGANIZATION.

JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at The Crossways Falmouth
in the County of Cornwall
by Commander A. Rogers RNR retd

Lat. 50·8 N Long. 5·4·30 W
Time of Observation 9 am
Nearest Railway Station Falmouth.
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·26		·01	·06	·62	-	·69	~~·33~~	·03	·62	·02	·67	1
2	·47		·01	·06	·	-	·33	·03	·20	·08		·1	2
3	·32	·08	-	·3	·33	-	·1	·02	·02	·74		·48	3
4	-	·	·01	-		-	·	·7		·39		·01	4
5	·1	·	·07	·	·04	-	·13	·24		·30			5
6	·	·	·18	·02	·34	·	·23	-		·25			6
7	·11	·	-	·31	·03	·	·43			·02	·01	·14	7
8	·17	·03	·12	·22	·1	·	·04	·01		·02		·21	8
9	·9	·04	·04	·04	-	·03	·28	·01		~~1·68~~			9
10	1·04	·32	·18	·15	·	·22	·33				·01		10
11	·46	·02	·17	·65	·3	·02	·26						11
12	·51	·16	·13	·18		-	·03			·03	·12	·01	12
13	·14	·07	·56	·02		·3	·			·30		·12	13
14	·19	·1	·45	·61			·09		·15	·32	·15		14
15	·04	·09	·03	·21	·05		-		·03	·62	·21		15
16	·03	-	·07	·03	·01	·07	·06		·60	·67	·36		16
17	·14	·01	·01	·18	·44	·61	·		·78	1·18			17
18	·2	·	-	·06	·09	·33	·01	·23	·27				18
19	·11	·03	·01	·37		·57			·27	·09			19
20	·07	-	·01	·23	·1	·1				·44		·43	20
21	·	·	·01	·27						·03		·21	21
22	·15	·	-	·03			·42	·03		·01		·46	22
23	·01	·	·07	-				·02				·57	23
24	·02	·01	·32	-		·	·4				·27	·14	24
25	·09	·04	·11	·	·03		·41				·02		25
26	·37	·	·31	·	-	·02	·05					·03	26
27	·57	·01	·10	·03	-	·26	·04				·59	·39	27
28	·49	·	·63	·03	-	·15	·24		·03		·02	·16	28
29	·37	·02	33	·07	·03	·01	·01		·08		·29	·31	29
30	·26	╳	·11	-	-	·43	·7	-	1·63	·30	·27	·64	30
31	·17	╳	·36	╳	-	╳			╳	·50	╳	·21	31
TOTAL	7·66	1·03	~~3·44~~ 4·41	4·13	2·21	2·46	5·28	1·29	~~4·16~~ 4·06	~~6·12~~ 6·21	2·37	5·29	YEAR'S TOTAL 46·40 ~~45·39~~
Days with ·01 in. or more	3 28	7 15	6 27	6 23	5 14	5 14	3 22	6 9	3 12	5 20	5 13	3 19	216
Days with ·04 in. or more	2[illegible]3 24	8	19	17	7 9	8 9	18 19	3	8	14	8	16	154

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REG

1926 —

FOWEY

1916 – 20

FORM A. BRITISH RAINFALL. 4 JAN 1917

Kept at Fowey … 38 W

in the County of Corn … Fowey

by C. I. Weller

…uge ……… in.

…round ……… ft. ……… in.

…ea Level ……… ft.

IMPORTANT NOT… e result entered to the previous day. If an Obs… universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	×	·00	·10	·00	trace	·00	·10	·00	·05	·58	·05	·00	1
2	×	·08	·09	·00	·00	·00	·08	·00	·36	·35	·14	trace	2
3	·45	·83	·00	·00	·20	·16	·14	·00	·02	·52	·05	·03	3
4	·10	·10	·00	trace	·05	·27	·00	·00	·09	·10	·68	·00	4
5	·05	·12	·03	·00	·05	·07	·005	·00	·00	·14	·16	·00	5
6	·07	·10	trace	·00	·14	·00	·60	·00	·00	·19	·78	·00	6
7	·05	·35	·00	·00	·15	·00	·02	·00	·00	·12	·90	·10	7
8	·03	·12	·00	·00	·25	·35	·00	·00	·00	·00	·19	·35	8
9	·00	·25	·00	·00	·00	·10	·06	·00	·00	·16	·35	·88	9
10	·00	1·04	·00	·10	·06	·05	trace	·00	·00	trace	·02	·06	10
11	·00	·01	·00	·10	·10	·00	trace	·00	·06	·00	trace	trace	11
12	·06	·09	·06	·05	·005	·00	·12	·05	·00	·10	·00	·00	12
13	·00	·26	·08	·05	trace	·00	·01	·50	·00	·00	·00	·09	13
14	·01	·40	·09	·00	·04	·00	·00	·15	·00	·10	·00	·00	14
15	·01	·28	·20	·10	·00	·00	·00	·02	·00	·00	·00	·04	15
16	·10	·18	·00	·12	·00	·00	·02	·36	·00	·32	·58	·00	16
17	·08	·08	·06	·04	·00	·00	·00	trace	·12	·12	·44	·00	17
18	·04	·15	·35	·05	·00	·00	·00	·00	·20	·31	·05	·21	18
19	·18	·05	trace	·25	·00	·00	·00	·00	·03	·00	·31	·06	19
20	·05	·43	·05	trace	·00	·00	·00	·00	·00	·00	·15	·40	20
21	·01	·05	·08	trace	·05	·00	·00	·00	·00	trace	·01	·07	21
22	·00	·00	·01	·00	·00	·15	·04	·02	·00	·41	·06	·51	22
23	·06	trace	trace	·03	·00	·12	·00	·50	·00	·10	·12	·12	23
24	trace	·10 s	·05	·12	·10	trace	·00	·43	·00	·26	·005	·35	24
25	·05	·13 s	·15	·00	trace	·05	·00	·15	·00	·05	·16	·03	25
26	trace	·01	·14	·00	·005	·08	·00	·43	·80	·55	·13	·10	26
27	·01	·00	1·02	·00	·00	·06	·00	·42	·12	·70	·00	·00	27
28	·00	·00	trace	·12	·00	trace	·00	·19	·50	·31	·00	·36	28
29	·00	·13	·05	·00	·00	·38	·00	·40	·01	·12	·00	·42	29
30	·00	×	·00	·00	·00	·005	·00	trace	·00	·34	·00	·03	30
31	·00	×	·00	×	·00	×	·00	·06	×	·21	×	·01	31
Total	1·41	5·34 ~~5·21~~	2·61	1·13	1·20	1·845	1·195	3·68 ~~3·38~~	2·36	6·16	5·34	4·22	YEAR'S TOTAL 36·49 36·49
Rain Days.	18 ~~20~~	24 ~~25~~	17 ~~21~~	12 ~~15~~	12 ~~16~~	13 ~~15~~	10 ~~13~~	14 ~~15~~	12	23 ~~25~~	21 ~~22~~	20 ~~21~~	196

W. 8,000, VIII. 16

X Results being entered to previous day. Jan 1st is of course entered to Dec 31st.

REG

38 W.

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Fowey

in the County of Cornwall

by C. J. Wellington

Time of Observation 9 A.M.

Nearest Railway Station Fowey

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

X IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	×	·00	·10	·00	trace	·00	·10	·00	·05	·58	·05	·00	1
2	×	·08	·09	·00	·00	·00	·08	·00	·36	·35	·14	trace	2
3	·45	·83	·00	·00	·20	·16	·14	·00	·02	·52	·05	·03	3
4	·10	·10	·00	trace	·05	·27	·00	·00	·09	·10	·68	·00	4
5	·05	·12	·03	·00	·05	·07	·005	·00	·00	·14	·16	·00	5
6	·07	·10	trace	·00	·14	·00	·60	·00	·00	·19	·78	·00	6
7	·05	·35	·00	·00	·15	·00	·02	·00	·00	·12	·90	·10	7
8	·03	·12	·00	·00	·25	·35	·00	·00	·00	·00	·19	·35	8
9	·00	·25	·00	·00	·00	·10	·06	·00	·00	·16	·35	·88	9
10	·00	1·04	·00	·10	·06	·05	trace	·00	·00	trace	·02	·06	10
11	·00	·01	·00	·10	·10	·00	trace	·00	·06	·00	trace	trace	11
12	·06	·09	·06	·05	·005	·00	·12	·05	·00	·10	·00	·00	12
13	·00	·26	·08	·05	trace	·00	·01	·50	·00	·00	·00	·09	13
14	·01	·40	·09	·00	·04	·00	·00	·15	·00	·10	·00	·00	14
15	·01	·28	·20	·10	·00	·00	·00	·02	·00	·00	·00	·04	15
16	·10	·18	·00	·12	·00	·00	·02	·36	·00	·32	·58	·00	16
17	·08	·08	·06	·04	·00	·00	·00	trace	·12	·12	·44	·00	17
18	·04	·15	·35	·05	·00	·00	·00	·00	·20	·31	·05	·21	18
19	·18	·05	trace	·25	·00	·00	·00	·00	·03	·00	·31	·06	19
20	·05	·43	·05	trace	·00	·00	·00	·00	·00	·00	·15	·40	20
21	·01	·05	·08	trace	·05	·00	·00	·00	·00	trace	·01	·07	21
22	·00	·00	·01	·00	·00	·15	·04	·02	·00	·41	·06	·51	22
23	·06	trace	trace	·03	·00	·12	·00	·50	·00	·10	·12	·12	23
24	trace	·10 s	·05	·12	·10	trace	·00	·43	·00	·26	·005	·35	24
25	·05	·13 s	·15	·00	trace	·05	·00	·15	·00	·05	·16	·03	25
26	trace	·01	·14	·00	·005	·08	·00	·43	·80	·55	·13	·10	26
27	·01	·00	1·02	·00	·00	·06	·00	·42	·12	·70	·00	·00	27
28	·00	·00	trace	·12	·00	trace	·00	·19	·50	·31	·00	·36	28
29	·00	·13	·05	·00	·00	·38	·00	·40	·01	·12	·00	·42	29
30	·00	×	·00	·00	·00	·005	·00	trace	·00	·34	·00	·03	30
31	·00	×	·00	×	·00	×	·00	·06	×	·21	×	·01	31
Total	1·41	5·34 ~~5·21~~	2·61	1·13	1·20	1·845	1·195	3·68 ~~3·38~~	2·36	6·16	5·34	4·22	YEAR'S TOTAL 36·49 36·49
Rain Days.	18 ~~20~~	24 ~~25~~	17 ~~21~~	12 ~~15~~	12 ~~16~~	13 ~~15~~	10 ~~13~~	14 ~~15~~	12	23 ~~25~~	21 ~~22~~	20 ~~21~~	196

W. 8,000, VIII. 16 X Results being entered to previous day. Jan 1st is of course entered to Dec 31st.

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

14. JAN 1918

Kept at Fowey
in the County of Cornwall
by C. J. Wellington

Lat. 50·21 Long. 4·38 W
Time of Observation 9 A.M.
Nearest Railway Station Fowey
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·00	·00	·12	·00	·14	·00	·00	trace	·00	·12	·00	1
2	~~·005~~	·00	·04	·18	·00	·04	·00	·00	·00	·00	·15	·00	2
3	·08	·00	·00	·04	·00	·00	·02	·00	·00	·28	·35	·00	3
4	·00	·00	·56	·00	·00	·00	·00	·00	·22	·26	trace	·00	4
5	·16	·00	·40	·15	·00	·00	·00	·00	trace	·22	·10	·00	5
6	trace	·00	·20	·05	·00	·18	·00	·00	·00	·06	·06	·01	6
7	·77	·00	·00	·13	·00	~~·005~~	·35	·62	·00	·05	·12	·01	7
8	·08	·00	·73	·15	·00	·05	·24	·20	·06	·30	·19	·58	8
9	·00	·00	·13	·09	·05	·00	trace	·00	·00	·20	·36	·04	9
10	·55	·00	·24	·29	·00	·00	·00	·25	·00	·15	·06	·00	10
11	·04	·00	·69	·21	·00	·00	·00	·05	·00	·71	·43	·00	11
12	·28	·00	·04	·04	·43	·00	·00	·01	·00 ~~·05~~	·58	trace	·00	12
13	·25	·00	·15	·05	·00	·01	·00	·25	·12 ~~·08~~	·17	trace	·01	13
14	·00	·00	·00	·03	·02	·00	·03	·15	·05 ~~·02~~	·12	trace	trace	14
15	·08	·00	·00	trace	·07	·00	·20	trace	·08 ~~·61~~	·28	·00	·37	15
16	·00	·25	·00	trace	trace	·00	trace	·03	·02 ~~·58~~	·27	trace	·26	16
17	·00	trace	·00	·11	·08	·00	·40	·05	·61 ~~trace~~	·08	·00	·00	17
18	·00	·01	·00	·04	·21	·11	·20	·00	·58 ~~·06~~	·03	·00	·00	18
19	·00	·75	·06	·00	·00	·20	trace	·00	trace ~~·00~~	trace	·00	·00	19
20	·00	·20	·05	·00	·73	·42	·00	·05	·06	·00	trace	·00	20
21	·00	·00	·18	·00	·03	·16	·00	·01	·00	·05	·00	trace	21
22	·00	·00	·00	·00	·12	·09	·00	·42	·00	·12	·00	·00	22
23	·00	·24	·00	·00	·07	·04	trace	·26	·00	·10	·03	·00	23
24	·00	trace	·00	·00	trace	·10	·33	·06	·00 ~~·73~~	·22	·00	·00	24
25	·00	·05	·05	·00	·00	·00	·02	·15	·01 ~~·00~~	·12	·10	·00	25
26	·00	·00	trace	·00	·29	·30	trace	·11	·13 ~~·00~~	·11	·06	·00	26
27	·00	·00	·00	·00	·00	·70	trace	1·05	·00 ~~trace~~	·24	trace	·00	27
28	·00	·00	·15	·00	·00	·42	trace	·25	·00	·07	trace	·11	28
29	·00		·07	·00	·00	trace	·00	trace	trace	·29	trace	·08	29
30	·00	X	·10	·00	·00	·00	·00	·21	·00	·08	trace	·00	30
31	·00	X	·20	X	·15	X	·00	trace	X	·30	X	·00	31
Total	2·305	1·50	4·04	1·68	2·25	2·965	1·79	4·18	1·94	5·46	2·13	1·47	YEAR'S TOTAL 31·70
Rain Days.	~~12~~ 10	~~8~~ 6	~~19~~ 18	~~17~~ 15	~~14~~ 12	~~17~~ 15	~~16~~ 9	~~22~~ 19	~~15~~ 11	~~28~~ 27	~~23~~ 13	~~11~~ 9	202

W. 8,000, IX. 17.

Exd.

38

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
4·1·19

Kept at Fowey

in the County of Cornwall

by C. I. Wellington

Lat. 50·21 Long. 4·38 W

Time of Observation 9 AM

Nearest Railway Station Fowey

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
0·48

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00 ~~0·3~~	·20	·00	·10	·05	·00	·00	·76	·00	·00	·63		1
2	·00 ~~6·7~~	·37	·00	·09	trace	·00	·00	·26	·09	·00	·00		2
3	·00	·15	·00	·26	·19	·00	·00	trace	·06	·04	·23		3
4	·00	·04	·00	·06	·00	·00	·00	·22	·32	·00	·41		4
5	·02	trace	·22	·09	·00	·00	·00	·48	·37	·23	trace		5
6	·48	·24	·18	·20	·00	·00	·00	·11	·00	·10	·00		6
7	·10	·20	·00	·05	·00	trace	·00	·04	·80	·05	·24		7
8	·04	·05	·00	·00	·00	·00	·00	·00	·00	·21	·00		8
9	·11	·00	·00	trace	·00	·15	·14	·00	·30	·41	·00	no records taken in December.	9
10	·07	·00	·00	·26	·00	·00	·21	·00	·11	·06	trace		10
11	·04	trace	·14	·00	·00	·00	·09	·00	·32	·22	·00		11
12	·06	·10	·00	·00	·24	·00	·12	·00	·00	·11	·00		12
13	trace	·00	·00	·00	·12	·00	·28	·00	·39	·13	·00		13
14	·27	·00	trace	·00	·06	·12	·03	·00	·28	·10	·00		14
15	·60	·00	·00	·00	trace	trace	1·05	·00	·10	·35	·00		15
16	·70	·00	·00	·12	·00	·06	·08	·00	·10	·06	·00		16
17	·09	·00	·00	·16	·00	trace	·18	·00	·09	·00	·00		17
18	·94	·04	·21	·00	·00	·30	·11	trace	·58	·21	·00		18
19	·02	·06	trace	·09	·00	trace	·18	trace	·13	·00	·00		19
20	·18	·11	·00	·20	·00	·04	·01	trace	·10	·00	·00		20
21	·16	·02	·00	·06	·00	trace	·14	·00	·34	·56	·00		21
22	trace	trace	·00	·00	·09	·00	·50	·00	·26	·00	·00		22
23	·07	trace	·00	·00	·05	·00	·26	·00	·12	·00	·00		23
24	·05	·18	·00	·00	·00	trace	·06	·03	·14	·00	·42		24
25	trace	·00	·00	trace	·10	·00	·22	·52	·00	·07	·24		25
26	·00	·14	·00	·00	·00	·00	·11	·00	·09	·00	·10		26
27	·01	·27	·14	·00	·00	·00	·00	·07	·00	·06	·26		27
28	·00	·00	·09	·00	·00	·00	·00	trace	·03	·00	·14		28
29	·00	~~·00~~	·20	·00	·00	·00	·00	·00	1·29	·00	·04		29
30	·00	X	·21	·18	·00	·00	·00	·05	·16	trace	·00		30
31	·00	X	·08	X	·00	X	·18	·00	X	·12	X		31
Total	4·01	2·17	1·47	1·92	·90	·67	3·95	2·54	6·57	3·09	2·71	X	YEAR'S TOTAL ~~30·00~~
Rain Days.	19 22	15 19	9 11	14 16	8 10	5 11	19	10 15	24	18 19	10 12		~~178~~

W. 6,500, VII. 18. W W C

24 RF

MAR 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Fowey (M.O.)
in the County of Cornwall
by C. [illegible]

Lat. 50° 21' N Long. 4° 38' W
Time of Observation 9h
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0·48	-	0·11	-	0·10	-	0·19	-	0·08	0·09	-	0·50	1
2	0·21	-	-	-	-	-	-	-	-	0·05	-	0·11	2
3	0·15	-	0·32	-	0·12	-	-	-	0·23	-	-	0·12	3
4	0·18	0·68	0·59	-	-	-	-	0·20	0·34	-	-	-	4
5	0·10	0·22	0·23	-	-	-	-	-	-	-	-	0·07	5
6	0·27	1·27	0·21	-	-	-	-	-	-	-	-	-	6
7	0·18	-	0·14	0·21	-	-	-	-	-	-	-	0·24	7
8	0·15	-	0·20	0·18	-	-	-	-	-	-	0·23	-	8
9	0·13	-	-	0·29	0·26	-	-	-	-	-	0·53	0·03	9
10	0·04	-	0·56	-	-	-	0·14	-	-	0·06	-	0·46	10
11	0·09	-	0·29	0·20	0·23	-	-	-	-	-	0·21	0·12	11
12	0·27	-	0·11	0·03	-	-	-	-	-	0·11	0·14	-	12
13	0·15	0·20	0·24	(0·34)	-	-	-	-	-	0·10	-	0·09	13
14	0·43	0·31	0·08	0·53	0·24	-	-	-	0·04	0·14	-	0·31	14
15	0·16	0·12	-	0·11	-	-	-	-	-	0·04	-	0·38	15
16	0·15	0·68	-	-	0·05	-	0·03	-	-	-	0·41	-	16
17	0·03	0·26	-	-	-	0·05	-	-	-	-	0·36	0·04	17
18	0·19	0·30	0·34	-	-	-	0·16	0·12	0·09	-	0·27	0·03	18
19	0·49	0·17	0·13	-	-	0·23	0·05	0·45	0·01	-	0·10	0·07	19
20	0·16	0·14	0·18	-	0·15	0·15	-	0·08	(·20)	-	0·26	0·11	20
21	0·38	0·44	-	-	0·75	-	0·09	-	0·07	-	0·17	0·09	21
22	-	-	-	-	-	-	0·04	-	0·17	-	-	0·11	22
23	-	-	-	-	-	-	-	-	0·12	0·17	0·06	0·16	23
24	-	-	-	-	-	0·06	-	0·04	-	0·23	0·14	0·26	24
25	0·16	0·04	-	-	-	-	-	0·48	-	0·01	0·10	0·13	25
26	0·06	-	-	0·17	-	-	-	0·05	-	0·04	0·11	0·48	26
27	0·40	0·06	0·18	0·63	-	-	-	0·86	-	0·02	-	0·08	27
28	-	0·07	0·52	0·42	-	-	-	-	-	0·10	0·57	0·54	28
29	-	×	-	0·06	-	-	-	0·18	-	-	-	0·05	29
30	-	×	-	0·07	-	0·13	-	0·09	-	-	0·19	0·52	30
31	-	×	-	×	-	×	-	-	×	-	×	0·61	31
TOTAL	5·01	4·96	4·43	3·24	1·90	0·62	0·70	2·55	1·35	1·16	3·85	5·71	YEAR'S TOTAL 35·48
Days with ·01 in. or more	24	15	17	13	8	5	7	10	~~9~~ 10	13	16	26	~~163~~ 164

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203.

CY MT 1689

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

7 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Fowey
in the County of Cornwall
by C. J. Wellington

Lat. 50·21 Long. 4·38 W
Time of Observation 9 A.M.
Nearest Railway Station Fowey
Diameter of Funnel of Rain Gauge 5½ in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·00	·00	·02	·15	·42	·00	·47	·00	·03	·27	·45	·32	1
2	·32	·00	·00	·09	·02	·00	·08	·12	·06	·14	·00	·16	2
3	·35	·03	·00	·03	·00	·00	·03	·00	·00	·48	·00	·24	3
4	·00	·00	·00	·00	·00	·00	·00	·41	·00	·31	·00	·00	4
5	·00	·00	·16	·00	·24	·00	·25	·02	·00	·15	·00	·00	5
6	·00	·00	·14	·12	·16	·00	·21	·00	·00	·20	·00	·00	6
7	·00	·00	·13	·34	·06	·00	·31	·00	·00	·00	·00	·18	7
8	·11	·03	·00	·26	·04	·00	·00	·00	·00	·00	·00	·31	8
9	·85	·24	·00	·03	·00	·00	·32	·00	·00	·00	·00	·00	9
10	·19	·02	·00	·05	·00	·32	·14	·00	·00	·00	·00	·00	10
11	·67	·08	·20	·32	·26	·00	·25	·00	·00	·00	·00	·00	11
12	·22	·04	·21	·16	·00	·00	·05	·00	·00	·09	·08	·00	12
13	·18	·05	·32	·01	·00	·16	·00	·00	·00	·37	·00	·125	13
14	·29	·10	·61	·40	·00	·00	·04	·00	·12	·64	·13	·00	14
15	·04	·00	·06	·14	·00	·00	·00	·00	·00	·62	·11	·00	15
16	·00	·00	·11	·03	·00	·06	·00	·00	·51	·07	·09	·00	16
17	·06	·00	·00	·02	·24	·00	·06	·00	·59	·17	·00	·00	17
18	·16	·00	·00	·00	·03	·39	·00	·22	·02	·00	·00	·00	18
19	·11	·00	·00	·42	·00	·23	·00	·00	·00	·04	·00	·00	19
20	·04	·00	·00	·18	·00	·39	·00	·00	·02	·41	·00	·09	20
21	·00	·00	·00	·24	·00	·00	·00	·00	·05	·00	·00	·12	21
22	·06	·00	·00	·03	·00	·00	·04	·00	·00	·00	·00	·25	22
23	·00	·00	·04	·00	·00	·00	·06	·05	·00	·00	·00	·41	23
24	·00	·00	·18	·00	·00	·00	·04	·00	·00	·00	·23	·07	24
25	·00	·00	·06	·00	·00	·00	·32	·00	·00	·00	·00	·04	25
26	·28	·00	·29	·00	·00	·00	·10	·00	·00	·00	·07	·00	26
27	·24	·09	·05	·11	·00	·22	·11	·00	·00	·00	·74	·31	27
28	·54	·00	·39	·06	·00	·06	·06	·00	·00	·00	·00	·13	28
29	·16	·00	·38	·02	·00	·10	·01	·00	·06	·00	·19	·12	29
30	·24		·00	·00	·00	·25	·38	·00	·93	·00	·20	·32	30
31	·11		·40		·00		·00	·00		·58		·12	31
													YEAR'S TOTAL
TOTAL	5·22	0·68	3·65	3·21	1·47	2·18	3·33	0·82	2·39	4·54	2·29	3·315	33·095
Days with ·01 in. or more	21	9	18	22	9	10	21	5	10	15	10	17	167 ✓
Days with ·04 in. or more	21	6	17	15	7	10	19	4	7	15	10	17	148 ✓

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1689

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Fowey (M.O)

in the County of Cornwall

by The Town Clerk

Lat. 50°21'N Long. 4°38'W

Time of Observation 9 h L.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground — ft. in.

" " " " Sea Level 51 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	-	0.02	0.15	0.42	-	0.47	-	0.03	0.27	0.45	0.32	1
2	0.32	-	-	0.09	0.02	-	0.08	0.12	0.06	0.14	-	0.16	2
3	0.35	0.03	-	0.03	–	-	0.03	-	-	0.48	-	0.24	3
4	–	-	-	-	–	-	-	0.41	-	0.31	-	0.00	4
5	-	-	0.16	-	0.24	-	0.25	0.02	-	0.15	-	0.00	5
6	–	-	0.14	0.12	0.16	-	0.21	-	-	0.20	–	0.00	6
7	–	-	0.13	0.34	0.06	-	0.31	-	-	-	-	0.18	7
8	0.11	-	-	0.26	0.04	-	-	-	-	-	-	0.31	8
9	0.85	0.03	-	0.03	-	-	0.32	-	-	-	-	0.00	9
10	0.19	0.24	-	0.05	-	0.32	0.14	-	-	-	-	0.00	10
11	0.67	0.02	0.20	0.32	0.26	-	0.25	-	-	-	-	0.00	11
12	0.22	0.08	0.11	0.16	-	0.16	0.05	-	-	0.09	0.08	0.00	12
13	0.18	0.04	0.32	0.01	-	-	-	-	-	0.37	-	0.125	13
14	0.29	0.05	0.61	0.40	-	-	0.04	-	0.12	0.64	0.13	0.00	14
15	0.04	0.10	0.06	0.14	-	–	-	-	-	0.62	0.11	0.00	15
16	–	-	0.11	0.03	-	0.06	-	-	0.51	0.07	0.09	0.00	16
17	0.06	-	-	0.02	0.24	-	0.06	-	0.59	0.17	-	0.00	17
18	0.16	-	-	-	0.03	0.39	-	0.22	0.02	-	-	0.00	18
19	0.11	-	-	0.42	-	0.23	-	-	-	0.04	-	0.00	19
20	0.04	-	-	0.18	-	0.39	-	-	0.02	0.41	-	0.09	20
21	–	-	-	0.24	-	-	-	-	0.05	-	-	0.12	21
22	0.06	-	-	0.03	-	-	0.04	-	-	-	-	0.25	22
23	–	-	0.04	-	-	-	0.06	0.05	-	-	-	0.41	23
24	–	-	0.18	-	-	-	0.04	–	-	-	0.23	0.07	24
25	–	-	0.06	-	-	-	0.32	-	-	-	-	0.04	25
26	0.28	-	0.29	-	-	-	0.10	-	-	-	0.07	0.00	26
27	0.24	0.09	0.05	0.11	-	0.22	0.11	-	-	-	0.74	0.31	27
28	0.54	-	0.39	0.06	-	0.06	0.06	–	-	-	-	0.13	28
29	0.16	-	0.38	0.02	-	0.10	0.01	-	0.06	-	0.19	0.12	29
30	0.24	╳	-	-	-	0.25	0.38	-	0.93	-	0.20	0.32	30
31	0.11	╳	0.40	╳	-	╳	-	–	╳	0.58	╳	0.12	31
TOTAL	5.22	0.68	3.65	3.21	1.47	2.18	3.33	0.82	2.39	4.54	2.29	3.315	YEAR'S TOTAL 33.095
Days with ·01 in. or more	21	9	18	22	9	10	21	5	10	15	10	17	167
	2	6	17	15	7	10	19	4	7	15	10	17	148

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Copied from M.O 3203

GWENNAP
(TREVINCE)
CORNWALL

1911 - 1920

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

R 11

Kept at Trevin ... 8 in.
... above Ground 1 ft. in.
in the County of Corn ... „ Sea Level 240 ft.
... a.m.
by E B Be ... Name Redruth
Distance 3 Direction NW

IMPORTANT NO ... nd the result entered to the previous day. If an ... niversal rule, he is earnestly requested to add the r ... year in the space provided for it at the end of ... ement of rain, the selection and pla ... British Rainfall Organization are given ... free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13			12	46					03	09	04	1
2	01		02	10	27			40		·44	16	34	2
3			02		29			01	04		31	·13	3
4			10					87		05	32	62	4
5	68		31					29		08	27	15	5
6	26		12					01		02	20	1.32	6
7	08										66	04	7
8	02		23								14	60	8
9	10		04								18	64	9
10	08	14	1.22		08						15	28	10
11	70								29		62	15	11
12	01		70		02			06	60		08	34	12
13			32					01	09		12	19	13
14		24	16								24	68	14
15		15	01			27					35	11	15
16			01			75					11	41	16
17		03	80	16	02	20				19	31	68	17
18		31	38	31		07				04	21	42	18
19		07	01	05		14			58	21	11	76	19
20	02	03	08	14		08			44	98	01	79	20
21	03	15	15			11			28	20		26	21
22		09		07		14			55	16		54	22
23	03	35	01			08		30	05	55	07	43	23
24	02	13		02		34		05		21		58	24
25	01			21		01		01	16	38		06	25
26		16		53			01	35		30		29	26
27		75	15	04		02		34	09	23		23	27
28		21	08	49			05		08	01	06		28
29		×	05	27	04	54	76		18	25			29
30		×				06	10		05	32	30	09	30
31		×		×		×	16		×	10	×		31
Total	2.88	2.81	4.47	2.51	1.18	2.81	1.08	2.70	3.48	4.74	5.07	11.17	TOTAL for year
	~~2.18~~	~~5.69~~	~~10.16~~	~~12.67~~	~~13.85~~	~~16.66~~	~~17.74~~	~~20.44~~	~~23.92~~	~~28.66~~	~~33.73~~	~~44.91~~	44.70
No. of Rain Days	15	14 29	22	13	7	14	5	12	14	20	23	28	
			51	64	71	85	90	100	114	134	157	185	187

9,000, IX. '10.

R 11

FORM A2.
BRITISH RAINFALL.
11 JAN 1912

Kept at Trevince

in the County of Cornwall 2

by E B Beauchamp

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 240 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Redruth
Distance 3 Direction N W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	13			12	46					03	09	04	1
2	01		02	10	27			40		·44	16	34	2
3			02		29			01	04		31	·13	3
4			10					87		05	32	62	4
5	68		31					29		08	27	15	5
6	26		12					01		02	20	1·32	6
7	08										66	04	7
8	02		23								14	60	8
9	10		04								18	64	9
10	08	14	1·22		08						15	28	10
11	70								29		62	15	11
12	01		70		02			06	60		08	34	12
13			32					01	09		12	19	13
14		24	16								24	68	14
15		15	01			27					35	11	15
16			01			75					11	41	16
17		03	80	16	02	20				19	31	68	17
18		31	38	31		07				04	21	42	18
19		07	01	05		14			58	21	11	76	19
20	02	03	08	14		08			44	98	01	79	20
21	03	15	15			11			28	20		26	21
22		09		07		14			55	16		54	22
23	03	35	01			08		30	05	55	07	43	23
24	02	13		02		34		05		21		58	24
25	01			21		01		01	16	38		06	25
26		16		53			01	35		30		29	26
27		75	15	04		02		34	09	23		23	27
28		21	08	49			05		08	01	06		28
29		×	05	27	04	54	76		18	25			29
30		×				06	10		05	32	30	09	30
31		×		×		×	16		×	10	×		31
Total	2·[illegible]8	2.81	4·97	2·51	1·[illegible]8	2·81	1·08	2·70	3·48	4·74	5·07	11·17	TOTAL for year 4470
	~~2·18~~	~~5·19~~	~~10·16~~	~~12·67~~	~~13·85~~	~~16·66~~	~~17·74~~	~~20·44~~	~~23·92~~	~~28·66~~	~~33·73~~	~~44·91~~	
No. of Rain Days	15	14	22	13	7	14	5	12	14	20	23	28	
		29	51	64	71	85	90	100	114	134	157	185	184

9,000, IX. '10.

cnd fr auth 14.11.13 Copy B 14.11.13

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.

3 - JAN 1913

Kept at Trevince

in the County of Cornwall 2

by E B Beauchamp

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 240 ft.

Time of Observation 9 a m

Nearest Railway Station
Name Redruth
Distance 3 m Direction [illegible]

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	01		10	05		47	18	—	13	38	12	43	1
2			41	06		82	08	18		44		02	2
3	04	~~08~~	35	03		15		2·35	08			11	3
4	30	06	30		07	35		·11			40		4
5	88	58	37	02	08		41	1·35			01	32	5
6	50	20	08	03	37		05	·25				02	6
7	13	79	45	04	03		10	·34			03	19	7
8	50	08	35	01		26		–					8
9	02	28	12	14		09	35	·09			03	89	9
10	31	07	24				30	—	05		34	18	10
11		36					03	·56			16	74	11
12	44	27	28	08			25	·95			45	06	12
13	60		01			05		·22		11	07	11	13
14	12	25	51			03		·22		03	64	02	14
15	1·22	22	08		05	59		·05			04	57	15
16	07	02	80			05		·44		14	08	15	16
17			34		02	10		·52			15	31	17
18		10	29					·75		17	08	02	18
19		27	28	02	04	03	10	1·24		04	02	06	19
20	09	21	55		12	05		27		64	06		20
21		63	40		36	01	38	·05		37			21
22	49	29	45			18	26	·21		02	05	15	22
23	44	42	29			04	16	·96		15	13	43	23
24	37	08	02			48	09	·02		13		17	24
25	01	01				05	03	·16		27	35	50	25
26		02					36	–		37	94	61	26
27		43				53	36	06	06	1·16	22	70	27
28		17	01			17	16	·80	41	13	40	54	28
29		25	07			52	21	·05	16	34	09	13	29
30		X	01	05	03	11	22	–	17	28		01	30
31		X	43	X	25	X	28	·02	X	16	X	20	31
Total	6.54	5.66 ~~12.20~~	7.59 ~~19.79~~	.53 ~~20.32~~	1.42 ~~21.74~~	5.32 ~~27.06~~	4.36 ~~31.42~~	12.22 ~~43.64~~	1.06 ~~44.70~~	4.93 ~~49.64~~	4.23 ~~53.87~~	7.64 ~~61.51~~	TOTAL for year 61.51
No. of Rain Days.	~~19~~	~~25~~ 44	~~27~~ 71	~~11~~ 82	~~11~~ 93	~~22~~ 115	~~21~~ ~~136~~	~~26~~ 162	~~7~~ 169	~~19~~ ~~188~~	~~23~~ ~~211~~	~~27~~ ~~238~~	

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 19 13

Exp B14

BRITISH RAINFALL FORM A.

7 JAN 1914

Kept at Trevince

in the County of Cornwall 2

by E B Beauchamp

Lat. 50.13.14 Long. 5.10.40
Time of Observation 9 a m
Nearest Railway Station Perranwell & Scorrier
Diameter of Rain Gauge 8 in. and 3 Redruth miles
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	02	17	45	03	05				03	07	49	02	1
2	05	14	02	50	31	11					17	03	2
3	16		08		13				49	55		41	3
4	62	01	04	02		13			23		14	28	4
5	15	05			22	40			2.14	05	62	1.31	5
6	55	17	08		17	25	04		05	22	40	09	6
7	16	61	10		1.00	13	07	01		30	40	01	7
8	45	35			37		.13	36			01		8
9	17	05			04			07	03		88	06	9
10	1.21				15	02				97	05		10
11	52		01		66	16		36	03		40	02	11
12	28			05	05	02			20		25	07	12
13	20		04	05	05	02	05	02	39		25		13
14	60		22	06	03		08		21	05	21		14
15	12		65	1.01					07		37	04	15
16	64		44	08			01		08		01		16
17	22		03	22			02				07		17
18	26		41	21		04			20		15		18
19	57		11		16	03				34			19
20	14		10	47	03	03	~~04~~		12	18	77		20
21	23		39	31	03	03	04	04	04	05	48		21
22	12		60		03	31		17		18		.40	22
23	02		03		01			02	11		30	1.02	23
24	02	19		13		09			02		17	02	24
25	01			47						04	07	10	25
26	01		01	1.26		04		01	56	05	02	35	26
27	60		33	39				31		27	05	10	27
28	01		14	31	16					1.10	01	11	28
29	19	X	49	44	04	~~04~~	01			23	02	55	29
30	58	X		03	22					05	01		30
31	17	X	36	X		X			X	46	X		31
Total	9.09	1.74 ~~10.83~~	5.13 ~~15.96~~	6.04 ~~22.00~~	3.91 ~~25.91~~	1.81 ~~27.72~~	.47 ~~28.19~~	1.37 ~~29.56~~	5.00 ~~34.56~~	4.76 ~~39.32~~	6.77 ~~46.09~~	4.99 ~~51.08~~	YEAR'S TOTAL 51.08
Rain Days.	~~31~~	~~9~~ ~~40~~	~~23~~ ~~63~~	~~19~~ ~~82~~	~~21~~ ~~103~~	~~16~~ ~~119~~	~~9~~ ~~128~~	~~10~~ ~~138~~	~~18~~ ~~156~~	~~18~~ ~~174~~	~~27~~ ~~201~~	~~19~~ ~~220~~	~~220~~

W. 7,500, XI. 12

cnd fr auth 10.11.15 ~~W~~ DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

8 JAN 1915

Kept at Trevince – Redruth

in the County of Cornwall 2

by E B Beauchamp

Lat. 50.30.10 N Long. 5.10.40 W

Time of Observation 9 a.m.

Nearest Railway Station Redruth. Scorrier. Perranwell each 3 miles

Diameter of Rain Gauge 8 – in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			13	20		18	08	67			32	04	1
2	04		02		10	03	40	02				70	2
3	08		14	28	50					02	02	27	3
4	22	01	19	56	10		1.19	61	06			97	4
5	33		16	15				01				10	5
6	02	30	09	09	19		10	12				83	6
7	10	57	20	12	09	36	24	20	74			26	7
8	08		77	20		50	01	09	04		01	02	8
9	04	22	21	02	10	1.19		29	21		01	09	9
10	12	58	04	47	25	11			28		05	91	10
11	02	60	96		01	05			12		07	77	11
12		77	17				03		11	07	16	07	12
13		64	59				25		14	31	17	12	13
14		38	34			08	01		03		74	18	14
15		02	17						08		50	40	15
16		01	01				09	01	45				16
17		75	53				03		01			1.00	17
18		20	07				03		20	02		47	18
19		22	48				80		02		18	20	19
20		30	08			18	10	25	04	01	03	44	20
21		52	03	01		03	04			46			21
22		05	10		03	05		04		31		10	22
23		05	27			07	01	14		20			23
24			12			01	02		01	04	07		24
25	15		70				18	54		66	04	73	25
26	09	12	72				32			33	43	59	26
27	17	13					05			12	39	44	27
28	04	05	40				02			59	13	90	28
29	40	X	35		15					15	1.00	04	29
30	01	X	17				01			06	53	74	30
31	02	X		X		X	92		X	56	X	59	31
Total	1.93	6.49 ~~8.42~~	8.21 ~~16.63~~	2.10 ~~18.73~~	1.52 ~~20.25~~	2.84 ~~23.09~~	4.93 ~~28.02~~	2.49 ~~31.41~~	2.54 ~~33.55~~	3.91 ~~37.46~~	4.85 ~~42.31~~	11.97 ~~51.28~~	YEAR'S TOTAL ~~51.28~~ 54.28
Rain Days.	17	21 ~~39~~	29 ~~68~~	10 ~~78~~	10 ~~88~~	13 ~~101~~	23 ~~124~~	13 ~~137~~	16 ~~153~~	18 ~~169~~	19 ~~188~~	27 ~~216~~	~~214~~ 214

W.7,000, XI. 13

cwd fr auth 16.111.16

2025

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Trevince, Redruth

in the County of Cornwall

by E B Beauchamp

2

Lat. 50.30.10 N Long. 5.10.40 W

Time of Observation 9 a.m.

Nearest Railway Station Redruth. Scorrier. Perranwell each 3 miles

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	30	40			07			37	22	50	04	07	1
2	28	24	14	03		18			30	01		84	2
3	20	14	20	17	15		05	04				57	3
4	30	31			30							19	4
5	09	70		47				48				1.34	5
6	92	26		58			72	03				07	6
7	41	85		06			30			1.45	03	46	7
8	40	58						13		21	15	29	8
9	04	35		32				04			07	82	9
10	20	34	11	25			02	08		46	04	06	10
11	11	05	02	01	02			02		03	1.03	33	11
12	13	79		06	55			17		05	33	08	12
13	01	67			40			06	04	02	21	12	13
14	04	24		04	02	07	29		22	01	18	1.85	14
15	10	01			23	05	52		02		10	32	15
16	03	2.06			59		98			07		06	16
17	11	30					01		[illegible]			01	17
18		09					03						18
19	06	12		04	33		17						19
20	47	05		06	02	27				51	02	01	20
21	03	14			03	60	38			01		01	21
22	12	26	33	05		03	25		08	28		60	22
23	18	10				07	09		02	20		41	23
24				04		62	01		1.10	23		22	24
25	05			01	20	26	06		22		04	11	25
26	07	63				18	03		07			84	26
27		09				36	10		08	95			27
28		18				22		10	07	18		15	28
29		X				01		07	60	94	17	13	29
30	16	X		01		04	02		38	44	63	59	30
31	07	X		X		X	38	10	X	45	X	20	31
Total	4.88	9.95	.80	2.20	2.91	2.96	4.41	1.69	3.42	7.42	3.04	10.75	YEAR'S TOTAL
	~~4.88~~	~~14.83~~	~~15.63~~	~~17.83~~	~~20.74~~	~~23.70~~	~~28.11~~	~~29.80~~	~~33.22~~	~~40.64~~	~~43.68~~	~~54.43~~	~~54.43~~ 54·43
Rain Days.	~~26~~	~~26~~	~~5~~	~~16~~	~~13~~	~~14~~	~~19~~	~~13~~	~~14~~	~~20~~	~~14~~	~~28~~	206
		~~52~~	~~57~~	~~73~~	~~86~~	~~100~~	~~119~~	~~132~~	~~146~~	~~166~~	~~180~~	~~208~~	~~208~~

W. 8,000. X. 14.

~~W~~ Eglos ~~cnd praath~~ 1970

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

4 JAN 1917

Kept at Trevince

in the County of Cornwall Cornwall

by E B Beauchamp

Lat. 50.13.10 Long. 5.10.30

Time of Observation 9 a m

Nearest Railway Station Redruth

Diameter of Funnel of Rain Gauge 8 in in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	16		03		01		20	3	05	34	06	01	1
2	13	12	52			04	01		44	21	64		2
3	01	1.44	04		22	04	07			63	15	03	3
4	20	25	03	11	14	17	01		13	18	73	05	4
5	01	10	05	02	13	33	05		02	16	31		5
6	02	30			06	04	63			15	1.02	02	6
7	02	20			28	06				14	1.00	04	7
8	07	45			28						21	32	8
9	01	29	40			02	05			07	24	75	9
10	01	1.23		10	07	02						15	10
11		02		49	18	03			07			41	11
12	10	16	24	05	03		20	15		19			12
13		19	21	01	03		04	34	02	—		41	13
Kl 14	05	44	24		03			29		16			14
Kl 15	03	13	51	06				08		02		09	15
16	18	10		09			05	32		29	1.30		16
17	30	05	24	08				01	06	20	1.25		17
18	02	08	65	01					23	09	05	23	18
19	37	14	03	14				01	01		50	11	19
20	11	64	18	22							17	44	20
21		17	22	01		11				03	08	20	21
22	04		08		02	26		07		66	06	80	22
23	06		03	20		20		30		22	60	24	23
24			09	14	08			48		74		43	24
25	01	24	24		03	08		17	02	07	38	01	25
26	01	10	18		03	06		34	41	1.14	23		26
27	01		2.07		10	43		08	04	63		14	27
28		02				01		17	64	63	02	20	28
29		28	12			50		56	41	21		47	29
30		X				06				30		01	30
31		X		X		X		15	X	17	X	05	31
Total	1.93	7.59 ~~9.52~~	6.40 ~~15.92~~	1.33 ~~17.25~~	1.76 ~~19.01~~	2.06 ~~21.07~~	1.31 ~~22.44~~	3.52 ~~25.92~~	2.59 ~~28.51~~	7.63 ~~36.14~~	9.00 ~~45.14~~	5.61	YEAR'S TOTAL 50.73
Rain Days.	~~23~~	~~24~~ ~~47~~	~~22~~ ~~69~~	~~15~~ ~~84~~	~~17~~ ~~101~~	~~14~~ ~~114~~	~~10~~ ~~129~~	~~16~~ ~~155~~	~~14~~ ~~159~~	~~25~~ ~~184~~	~~20~~ ~~204~~	~~24~~	~~223~~

W. 8,000. X. 15. 7.59 1.33

[illegible] ~~W~~ C 7 2

1882

FORM A. BRITISH RAINFALL.

4 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Treviner

in the County of Cornwall

by E B Beauchamp

Lat. 50.13.10 N Long. 5.10.30 W

Time of Observation 9 a m

Nearest Railway Station Redruth

Diameter of Funnel of Rain Gauge 9 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	08			20		08			01		03	04	1
2			01	05		03	02			04	73		2
3	13		05	07			18	03		45	16		3
4		05	1.10	01					27	34	02		4
5	23	05	63	34					08	14	14		5
6	03		21	03		34				10	49	04	6
7	63			–		02	15	60		19	10	01	7
8	14		56	08			26	12	04	20	23	88	8
9	02		10	02	11				04	24	16	06	9
10	77		43	40				34	01	24	14	04	10
11	09		59	21				19		24	44		11
12	11		13	02	27			11		43			12
13	17		14	06		08		40	23	48		02	13
14				07			05	06	16	12	01	02	14
15	13		01		06		01			64		20	15
16	10	12	01	03			03	01	03	34		24	16
17		04		06	12	18	50	11	38	12			17
18		02		02	30	44	34	04	84				18
19		65	07			30	01	01	05		02		19
20		16			70	20			01		01		20
21		05	18		04	11		17		09	02	12	21
22		01			13	12		94		15	03		22
23		10			18	08	01	47		05	05	03	23
24						03	07	09		17	04	03	24
25		04	05			25	01	52	08	43		02	25
26	15		02		33	62		06	09	07	05		26
27						77	02	1.50		21	49		27
28			21				08	14			06		28
29		X	31					01		71	02	08	29
30		X	25					24	01	18	02		30
31		X	18	X	40	X		03	X	30	X		31
Total	2.78	1.29 ~~4.07~~	5.24 ~~9.31~~	1.67 ~~[illegible]~~	2.64 ~~12.63~~	3.65 ~~[illegible]~~	1.74 ~~19.02~~	6.19 ~~25.21~~	2.33 ~~27.54~~	6.77 ~~34.31~~	2.62 ~~[illegible]~~	1.83 ~~[illegible]~~	YEAR'S TOTAL 38.75
Rain Days.	14	~~11~~ ~~25~~	21 46	16 62	11 73	16 89	15 ~~101~~	23 ~~127~~	16 ~~143~~	26 ~~169~~	23 ~~192~~	15 ~~207~~	207

W. 8,000, VIII. 16

FORM A. BRITISH RAINFALL. 19.1.19

REGISTER OF RAINFALL IN 1918

Kept at Treviner

in the County of Cornwall

by E B Beauchamp

Lat. 50.13.10 N Long. 5.10.30 W

Time of Observation 9 a m

Nearest Railway Station Redruth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		25		18	11			24	01	03	1.55		1
2		38		06	05			78	05	01	04	01	2
3		23		58	26			05	11	09	37	02	3
4		05		08				31	80		71	82	4
5	07	07	35	09				05	36	41	10	14	5
6	31	15	49	14				10		13		13	6
7	8 30	23				10		02	58	09	59	47	7
8	8	09				05	01		34	60	01	03	8
9	07			11		12	32		67	08	01	63	9
10	04			22			43		15	13		39	10
11	02		15	04			08		44	65	04	12	11
12	05	13			24	23	04		03	30		01	12
13					13		21		52	36		13	13
14	48				05	19	02		30	31		59	14
15	72	01			02	09	61		29	18		55	15
16	70			26		03	21		28			09	16
17	11			16	01	01	26	05	04	52		28	17
18	1.37	09	24			62	03	06	41	06		29	18
19	33	05	09	14			18	03	18	01		14	19
20	19	07		11		03	05	01	26	02			20
21	33	01		02		02	18		52	24		87	21
22	02	04			09		1.04		34	04	06	18	22
23	13				02	02	23		06	01	30	15	23
24	02	33				05	06	23	10		19	27	24
25	01				11	08	32	31		11	26	01	25
26	05	25					04		13	02	03	07	26
27	01	44	23					09	22	04	14	62	27
28	02	45	23					03	40	05	22	08	28
29		X	19						1.01	01	19	07	29
30		X	50	35				05	14	09	12	65	30
31		X	07	X		X	01	03	X	49	X	05	31
Total	5.35	3.32 ~~8.74~~	2.54 ~~11.32~~	2.54 ~~13.86~~	1.49 ~~14.95~~	1.64 ~~16.60~~	4.33 ~~20.93~~	2.46 ~~23.39~~	8.74 ~~32.10~~	5.08 ~~37.38~~	4.93 ~~41.31~~	7.88 ~~49.19~~	YEAR'S TOTAL 49.90
Rain Days.	22	~~14~~ ~~42~~	~~10~~ ~~52~~	~~15~~ ~~67~~	~~11~~ ~~78~~	~~14~~ ~~92~~	~~20~~ ~~112~~	~~17~~ ~~129~~	~~28~~ ~~157~~	~~28~~ ~~185~~	~~18~~ ~~203~~	~~29~~ ~~232~~	~~232~~

W. 8,000, IX. 17.

49·90

not for auth. 1768

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Trevince

in the County of Cornwall

by E B Beauchamp

Lat. 50.13.14 N. Long. 5.10.30 W.
Time of Observation 9 a.m.
Nearest Railway Station Redruth
Diameter of Funnel of Rain Gauge 8
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	–						~~23~~	~~02~~					
1	63		17	27	09		.23	.02	.67	24		1.01	1
2	21		05						01			03	2
3	19		24		11				12			11	3
4	12	1.04	30			01		22	44			02	4
5	21	05	26		22			01			05	17	5
6	64	1.17	16									08	6
7	32		19	16								19	7
8	37		30	20		02					.70	08	8
9	13		05	26	35						.34	06	9
10	13		73		03					10		99	10
11	10	02	50	18	40	07	12			02		18	11
12	26		19	11		02			01	23	30	01	12
13	28	30	54	59					05	06		48	13
14	68	15	03	26					07	02		18	14
15	17	30		02								43	15
16	13	1.10	04		19		03	01			26	63	16
17	02	78	01		02	03	02	01		01	19	03	17
18	23	62	19		01		28	25	14		28	01	18
19	60	30	14		02	.42		75	22		10	10	19
20	45	17	14		30	.25		06	10	01	12	05	20
21	.74	79	01		38		06		29		04	06	21
22	3	01	03			04	05	03	06	01	07	06	22
23								10		26	19	05	23
24	02			01		32			01	30	13	21	24
25	16	13		01				41		01	10	19	25
26	08	12	09	07				07	20	03		45	26
27	10	01		44				1.42	10	22	–	.06	27
28	06	23	10	29				11		19	28	51	28
29	04	X	12	20				27		12	04	09	29
30		X	05	21		.19		12	02		69	85	30
31		X	11	X		X	08		X		X	98	31
Total	~~7.10~~ 7.07	7.29 ~~14.39~~	4.74 ~~19.13~~	3.28 ~~22.41~~	2.09 ~~24.50~~	~~1.27~~ 1.37 ~~26.17~~	.87 ~~26.94~~	3.86 ~~30.80~~	2.51 ~~33.31~~	1.87 ~~35.18~~	3.88 [illegible]	8.35 ~~8.45~~ [illegible]	YEAR'S TOTAL 47.18
Rain Days	~~27~~	~~18~~ ~~45~~	~~26~~ ~~71~~	~~16~~ ~~87~~	~~12~~ ~~99~~	~~14~~ [illegible]	~~8~~ ~~11~~	~~16~~ ~~129~~	~~16~~ ~~145~~	~~16~~ ~~161~~	~~18~~ ~~179~~	~~37~~	215

W. 6,500, VII. 18. W W C

W R [illegible] 1684

17 JAN '21

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Trevince
in the County of Cornwall
by E B Beauchamp

Lat 50.13.10 N Long 5.10.36 W
Time of Observation 9 a.m.
Nearest Railway Station Redruth
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	05		03	47	82		1.12		06	20	02	91	1
2	25			09			03		42	14		21	2
3	24	06		34			20	08	02	83		22	3
4			05					92	01	77		02	4
5		01	14		23		19	01		60			5
6		04	52	04	15		48		02	13			6
7	03	03	09	29	05		58		06	01		03	7
8	08	05		17	06		13	05				18	8
9	54	12		03		02	60			03			9
10	76	08	36	17		36	20				04	01	10
11	36	10		35	18	02	18			05			11
12	18	02	28	20	01	02	11		01	04	14		12
13	16	16	48	32		31				32	08		13
14	11	12	40	85		01	05	01	20	67	17		14
15	02		23	42					01	80	13		15
16			03	01	05	13	10		40	48	18		16
17	01	01			46	13	01		61	2.64			17
18	26			14	06	20		30	40				18
19	06			52		38			37	09			19
20	07			05		10			25	41		64	20
21	02			29					04			24	21
22	05		02	01			09			03		52	22
23	03		06				26	13				55	23
24	05		44	03			03	02			45	17	24
25	20	03	04		02		79						25
26	57		45			01	12		01		06	45	26
27	60		17	10		33	05				44	19	27
28	31	02	37			20	14				08	29	28
29	47	01	20	05	05	11			65		33	46	29
30	18	╳				42	85		1.25	68	34	91	30
31	12	╳	48	╳		╳ 2.75	02 6.33		╳	46 9.38	╳	17	31 79 51.79
TOTAL	5.86	.86	4.84	4.87	2.14	~~2.75~~	~~6.24~~	1.52	4.79	+~~9.53~~	2.46	5.99	YEAR'S TOTAL
	~~6.72~~		~~11.56~~	~~16.43~~	~~18.57~~	~~21.32~~	~~27.56~~	~~29.04~~	~~33.27~~	~~43.40~~	[illegible]	~~51.67~~	~~51.81~~
Days with ·01 in. or more	27	~~15~~	~~26~~	~~22~~	~~12~~	~~16~~	~~23~~	~~5~~	~~17~~	~~20~~	~~18~~	~~19~~	212
		~~42~~	62	~~82~~	~~94~~	~~112~~	~~135~~	~~143~~	~~161~~	~~181~~	~~199~~	~~212~~	

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

27 8 17 18 10 11 19 5 12 17 12 15 166

~~+9.53~~

Entd 1·XII·14

FORM A.
BRITISH RAINFALL.

2 MAR 1914

HELLAND

(TREDETHY)

CORNWALL

1912 - 1914

REC

Kept at Tredethy

in the County of Co

by Colonal F. J.

a m

Bodmin

five in.

ove Ground 1 ft. 6 in.

Sea Level 279 ft.

IMPORTANT NO … the result entered to the previous day. If an O … iversal rule, he is earnestly requested to add the rea … ear in the space provided for it at the end of th … ement of rain, the selection and placin … ritish Rainfall Organization are given i … application to Dr. H. R. Mill, 62, Camden Square, London,

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·08	—	·06	1·00	·08	·24	·21	·30	·01	·23	1
2	—	—	·28	·09	—	1·45	·02	·01	—	·01	—	·09	2
3	·04	—	·26	·03	—	·15	—	·94	·09	—	—	·01	3
4	·48	—	·53	—	·03	·06	—	·35	—	—	·39	—	4
5	·65	·17	·21	·03	·07	—	·09	1·48	·01	—	·02	·14	5
6	·25	·05	·01	·02	·34	·02	—	·41	—	—	·03	·11	6
7	·18	·85	·32	·05	·11	·17	·07	·57	—	—	·06	·08	7
8	·02	·13	·07	·01	—	·31	—	—	—	—	—	·01	8
9	·35	·27	·12	·05	—	·42	·30	·01	—	—	·01	·70	9
10	—	·12	·12	·11	—	·68	·12	·01	—	—	·45	·14	10
11	·02	·10	—	—	—	—	·01	·03	—	—	·33	·72	11
12	·29	·10	·25	—	·08	—	·33	·35	—	—	·47	·02	12
13	·19	—	·01	·03	·01	·06	·01	·07	—	·09	·01	·29	13
14	·71	·07	·50	—	·02	·02	—	·24	·01	·01	—	·04	14
15	·29	·02	·03	—	·11	·89	—	·01	—	·13	·04	·50	15
16	·38	—	·35	—	—	·14	—	·33	—	—	·09	·30	16
17	—	—	·20	—	·06	·19	—	·63	—	—	·13	·20	17
18	—	·10	·25	—	—	·05	—	1·30	—	·14	·12	·03	18
19	—	·09	·32	·01	·05	—	·06	·33	—	·08	·02	·03	19
20	·06	·07	·33	—	·03	—	—	·13	—	·48	·03	—	20
21	—	·29	·28	—	·37	·11	·47	·09	—	·15	—	—	21
22	·16	·20	·22	—	—	·16	·02	·39	—	·05	·01	·19	22
23	·04	·47	·20	—	—	·11	·07	·94	—	·62	·11	·33	23
24	·07	·04	·03	—	—	·28	·12	·02	—	·18	—	·19	24
25	·01	·01	—	—	—	·25	·01	·09	—	·42	·65	·62	25
26	—	·01	—	—	—	—	·22	·15	—	·28	·50	·55	26
27	—	·03	·01	—	—	·42	·77	·24	—	·90	·02	·50	27
28	—	·01	·01	—	—	·25	·38	·68	·39	·27	·42	·66	28
29	—	·38	—	—	·01	·30	·14	·05	·30	·35	—	·17	29
30	—		·03	·04	·17	·13	·24	—	·11	·72	—	—	30
31	—		·42		·56		·19	·04		·22	~~3·92~~	·12	31
													YEAR'S TOTAL
Total	4·19	3·58	5·44	·47	2·08	5·62	3·72	10·13	1·12	5·40	3·92	6·87	54·54 ✓
Rain Days.	18	22	27	11	16	24	21	29	7	19	22	27	243

W. 7,500, XI. ·12

Ent'd 1.XII.14

REC

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Tredethy Bodmin

in the County of Cornwall.

by Colonel F. J. Hext J H Nicholas Gardener

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Bodmin

Diameter of Rain Gauge five in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 279 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·08	—	·06	1·00	·08	·24	·21	·30	·01	·23	1
2	—	—	·28	·09	—	1·45	·02	·01	—	·01	—	·09	2
3	·04	—	·26	·03	—	·15	—	·94	·09	—	—	·01	3
4	·48	—	·53	—	·03	·06	—	·35	—	—	·39	—	4
5	·65	·17	·21	·03	·07	—	·09	1·48	·01	—	·02	·14	5
6	·25	·05	·01	·02	·34	·02	—	·41	—	—	·03	·11	6
7	·18	·85	·32	·05	·11	·17	·07	·57	—	—	·06	·08	7
8	·02	·13	·07	·01	—	·31	—	—	—	—	—	·01	8
9	·35	·27	·12	·05	—	·42	·30	·01	—	—	·01	·70	9
10	—	·12	·12	·11	—	·68	·12	·01	—	—	·45	·14	10
11	·02	·10	—	—	—	—	·01	·03	—	—	·33	·72	11
12	·29	·10	·25	—	·08	—	·33	·35	—	—	·47	·02	12
13	·19	—	·01	·03	·01	·06	·01	·07	—	·09	·01	·29	13
14	·71	·07	·50	—	·02	·02	—	·24	·01	·01	—	·04	14
15	·29	·02	·03	—	·11	·89	—	·01	—	·13	·04	·50	15
16	·38	—	·35	—	—	·14	—	·33	—	—	·09	·30	16
17	—	—	·20	—	·06	·19	—	·63	—	—	·13	·20	17
18	—	·10	·25	—	—	·05	—	1·30	—	·14	·12	·03	18
19	—	·09	·32	·01	·05	—	·06	·33	—	·08	·02	·03	19
20	·06	·07	·33	—	·03	—	—	·13	—	·48	·03	—	20
21	—	·29	·28	—	·37	·11	·47	·09	—	·15	—	—	21
22	·16	·20	·22	—	—	·16	·02	·39	—	·05	·01	·19	22
23	·04	·47	·20	—	—	·11	·07	·94	—	·62	·11	·33	23
24	·07	·04	·03	—	—	·28	·12	·02	—	·18	—	·19	24
25	·01	·01	—	—	—	·25	·01	·09	—	·42	·65	·62	25
26	—	·01	—	—	—	—	·22	·15	—	·28	·50	·55	26
27	—	·03	·01	—	—	·42	·77	·24	—	·90	·02	·50	27
28	—	·01	·01	—	—	·25	·38	·68	·39	·27	·42	·66	28
29	—	·38	—	—	·01	·30	·14	·05	·30	·35	—	·17	29
30	—		·03	·04	·17	·13	·24	—	·11	·72	—	—	30
31	—		·42		·56		·19	·04		·22	~~3·92~~	·12	31
													YEAR'S TOTAL
Total	4·19	3·58	5·44	·47	2·08	5·62	3·72	10·13	1·12	5·40	3·92	6·87	54·54
Rain Days.	18	22	27	11	16	24	21	29	7	19	22	27	243

W. 7,500, XI. 12

S. made

Eced. M.Br.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2 MAR 1914

Kept at Tredethy . Bodmin
in the County of Cornwall
by J. H. Nicholas Gardener to Mrs Hext

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Bodmin
Diameter of Rain Gauge five in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 279 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·34	·35	·03	·10	—	—	—	—	·03	·29	·05	1
2	·11	·21	·20	·15	·24	·08	—	—	—	·89	·24	·05	2
3	·14	—	·10	—	·11	·01	—	—	·97	·07	—	·33	3
4	·93	—	—	—	—	·09	—	—	·01	—	·18	·50	4
5	·09	·03	·01	—	·30	·30	·10	—	·35	—	·50	·88	5
6	·06	·09	·10	—	·03	·21	—	—	—	·44	·49	·17	6
7	·06	·43	·07	—	1·15	·08	·10	·01	—	·54	·22	·01	7
8	·27	·17	—	—	·29	—	·12	—	—	·08	—	·02	8
9	·08	·06	·03	—	·09	·07	·01	·05	·07	—	·79	·04	9
10	·72	—	·01	·10	·25	·03	—	·02	—	·92	·32	—	10
11	·72	·01	·01	—	·50	·22	—	·20	·05	·01	·57	·08	11
12	·07	—	—	—	—	·01	—	—	·10	—	·38	·07	12
13	·03	·01	·19	—	·09	—	·09	·04	·64	—	·23	—	13
14	·70	—	·35	—	—	—	·19	—	·11	·05	·28	—	14
15	·03	—	·32	1·23	—	—	—	—	·04	—	·34	·02	15
16	·69	—	·81	·22	—	—	·04	—	·14	—	·01	—	16
17	·08	—	·17	·10	—	—	·01	—	—	—	·10	—	17
18	·10	—	·23	·20	—	—	—	—	—	—	·10	—	18
19	·56	—	·03	—	·12	·01	·05	—	·28	·28	—	—	19
20	·10	—	·15	·28	·10	·13	—	—	·07	·13	·60	—	20
21	·13	—	·06	·04	·01	·01	·08	·11	·13	—	·15	—	21
22	·20	—	1·06	·03	·02	·35	—	·10	·06	·18	—	·35	22
23	·04	—	·01	—	—	—	—	·11	·03	—	·25	·96	23
24	—	·42	—	·10	—	·11	—	—	—	—	·03	·01	24
25	·03	—	—	·50	—	—	—	—	·10	·08	·09	·44	25
26	—	—	—	·84	—	·02	—	—	·01	·02	·01	—	26
27	·38	—	·19	·29	—	—	—	·11	—	·42	·04	·15	27
28	·03	—	·09	·08	·19	—	—	—	·17	·50	·03	·18	28
29	·05		·25	·36	·02	—	—	—	—	·17	·04	·10	29
30	·77		·01	·12	·13	—	—	—	—	·33	·01	—	30
31	·33		1·05		—		—	·11		—		—	31
Total	7·53	1·77	5·85	4·67	3·74	1·73	·79	·86	3·33	5·14	6·29	4·41	YEAR'S TOTAL 46·11
Rain Days.	29	10	25	17	18	16	10	10	18	18	26	19	216

W.7,000, XI. 13

Entd IX. 15   loc   corr by own stats 27. IX. 15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
26 AUG 1915

Kept at ~~Mrs Heal~~ Tredethy. Bodmin

in the County of Cornwall

by Mrs Heal

Lat.   Long.

Time of Observation 9 am

Nearest Railway Station Bodmin

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 9 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	·15	·24	—	·15	—	·72	—	—	(1·02)	·25	1
2	·03	—	·05	·01	·11	—	·45	·02	—	—	—	·43	2
3	·10	—	·19	·15	·39	—	—	·32	—	—	·09	·37	3
4	·39	—	·07	·23	·21	—	1·01	·47	·37	—	·03	·60	4
5	·28	—	·37	·27	·19	—	·09	·04	—	—	·10	—	5
6	·02	·14	·24	·09	·01	—	·08	·09	—	—	·06	·53	6
7	—	·37	·51	·27	·03	·27	·38	·29	·96	—	—	·18	7
8	·05	—	1·20	·03	—	·35	—	·11	·17	—	·01	—	8
9	·01	·11	·16	·01	·23	·82	—	·19	·27	—	—	·01	9
10	·13	·43	·13	·61	·18	·08	—	—	·10	—	·05	·48	10
11	—	·32	·59	·01	·05	·15	—	—	·12	—	·14	·55	11
12	—	·64	·23	—	—	·01	—	—	·20	·06	·14	·30	12
13	—	·34	·25	—	—	—	·11	—	·21	·64	·35	·16	13
14	—	·13	·37	—	—	·28	·09	·12	·04	·07	·36	·64	14
15	—	·02	·17	—	—	—	—	·06	·05	—	·64	1·17	15
16	—	—	·01	—	—	—	·06	—	·25	—	—	·01	16
17	—	·50	·42	—	—	—	·06	—	·01	—	—	·86	17
18	—	·20	·24	—	—	—	·05	—	·30	—	—	·33	18
19	—	·04	·87	—	—	—	·83	—	·03	—	·15	·13	19
20	—	·39	·24	—	—	(1·17)	·02	·03	—	—	—	·30	20
21	—	·28	·02	—	—	·03	—	—	—	·36	—	—	21
22	—	·04	·20	—	·01	—	—	·01	—	·37	—	—	22
23	—	—	·15	—	·02	·03	·01	·14	—	·24	—	—	23
24	—	—	·01	—	—	·05	·09	·01	—	·01	·09	—	24
25	·19	·02	·19	—	—	—	·01	·37	—	·47	·02	·46	25
26	·01	(·44)	·24	—	—	—	·31	·01	—	·10	·33	·54	26
27	·19	·04	·02	—	—	—	·22	—	—	·15	·43	·29	27
28	·01	—	·27	—	·16	—	·38	—	—	·40	·11	·96	28
29	·36	—	·31	—	—	—	—	—	—	·06	·44	·06	29
30	—	X	·10	—	·02	—	·60	—	—	·06	·48	·50	30
31	—	X	—	X	—	X	—	—	X	·19	X	·45	31
Total	1·80	4·45	7·97	1·92	1·51	3·39	4·85	3·00 ~~2·[illegible]~~	3·08	3·18	5·04	10·56	~~[illegible]~~ 50·75
Rain Days.	14	18	30	11	13	12	19	17	14	14	20	25	207

W. 8,000. X. 14.

1947

—

LAUNCESTON, HEXWORTHY

~~1909 — 30~~

1912 — 1920

FORM A. BRITISH RAINFALL.

27 JAN 1913

R

Kept at Hexwor

in the County of Corn ... in. Snowdon

by R. A. Rogers ... ove Ground ....ft. ....in.

Sea Level ....ft.

IMPORTANT N ... the result entered to the previous day. If an ... iversal rule, he is earnestly requested to add the r ... ar in the space provided for it at the end of ... measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·24	·05	·08	·61	·09	·22	·15	·38	—	·25	1
2	—	—	·33	—	—	·53	·01	—	—	—	—	—	2
3	·03	—	·33	~~·005~~	—	·25	—	·84	·06	—	—	·07	3
4	·24	—	·99		—	·12	—	·28	—	—	·34	—	4
5			·14		·03	—	·02	1·93	·005	—	·03	·19	5
6	1·65		·02	·05	·35	·005	—	·49	—	—	·01	·05	6
7			·42			·32	·02	·54	—	—	·02	·18	7
8	·49	1·72	·13	·09	—	·26	·09	—	·02	—	—	~~·005~~	8
9	·01		·02		—	·06	·05	·01	—	—	—	·55	9
10	·44		·14	·03	—	—	·07	·08	·005	—	·33	·13	10
11	·01		~~·005~~	—	—	·06	·02	·03	—	—	·34	·52	11
12	·04		·18	—	·01	·01	·23	·27	—		·11	·01	12
13	·42		·005	—	—	·01	·13	·19	—		—	·32	13
14			·52	—	·27	·01	—	·14	—		—	·06	14
15		·29	·09	—	·18	·58	—	·005	—	·18	·01	·41	15
16			·45	—	·05	·03	—	·24	—		·03	·11	16
17	·94		·09	—		·14	—	·72	—		·07	·10	17
18			·22	—		—	—	·63	·01	·06	·03	·03	18
19			·30	—		·02	·01	·37	—	·06	·03	·11	19
20			·48	—	·86	·005	—	·18	—	·29	·05	—	20
21			·26	—		—	·16	·05	—	·36	·005	—	21
22	·11	1·35	·53	—		·07	·03	·21	—	·07	—	·12	22
23			·18	—		·04	·04	·74	—	·11	·07		23
24			·05	—		·38	·31	·01	—	·07	—		24
25			—	—		·27	·03	·16	—	·22	·41		25
26	·48		—	—		—	·02	·29	—	·50	·75	3·39	26
27		·64	—	—	—	·71	·47	·18	—	1·39			27
28			—	—	—	·44	·15	·88	·33	·24	·49		28
29	—		·005	—	·01	·04	·11	·04	·57	·68	—		29
30	—		·02	—	·15	·12	·31	—	·12	·49	—		30
31	—		·29		·01		·36	·005		·04			31
Total	4·86	4·00	6·435	·225	2·00	5·09	2·73	9·87	1·27	5·14	3·125	6·60	YEAR'S TOTAL 51·33 ✓
Rain Days.			24			23	22	26	7				

J. made ✓

RE

Kept at Heleworthy

in the County of Cornwall 3

by R. A. Rogers.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in. Snowdon

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

FORM A.
BRITISH RAINFALL.
27 JAN 1913

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·24	·05	·08	·61	·09	·22	·15	·38	—	·25	1
2	—	—	·33	—	—	·53	·01	—	—	—	—	—	2
3	·03	—	·33	·005	—	·25	—	·84	·06	—	—	·07	3
4	·24	—	·99	·05	—	·12	—	·28	—	—	·34	—	4
5	1·65	1·72	·14		·03	—	·02	1·93	·005	—	·03	·19	5
6			·02		·35	·005	—	·49	—	—	·01	·05	6
7			·42			·32	·02	·54	—	—	·02	·18	7
8	·49		·13	·09	—	·26	·09	—	·02	—	—	·005	8
9	·01		·02		—	·06	·05	·01	—	—	—	·55	9
10	·44		·14	·03	—	—	·07	·08	·005	—	·33	·13	10
11	·01		·005	—	—	·06	·02	·03	—	—	·34	·52	11
12	·04	·29	·18	—	·01	·01	·23	·27	—	·18	·11	·01	12
13	·42		·005	—	—	·01	·13	·19	—		—	·32	13
14			·52	—	·27	·01	—	·14	—		—	·06	14
15	·94		·09	—	·18	·58	—	·005	—		·01	·41	15
16			·45	—	·05	·03	—	·24	—		·03	·11	16
17			·09	—	·86	·14	—	·72	—		·07	·10	17
18			·22	—		—	—	·63	·01	·06	·03	·03	18
19		1·35	·30	—		·02	·01	·57	—	·06	·03	·11	19
20			·48	—		·005	—	·18	—	·29	·05	—	20
21			·26	—		—	·16	·05	—	·36	·005	—	21
22	·11		·53	—		·07	·03	·21	—	·07	—	·12	22
23	·48		·18	—		·04	·04	·74	—	·11	·07	3·39	23
24			·05	—		·38	·31	·01	—	·07	—		24
25			—	—		·27	·03	·16	—	·22	·41		25
26		·64	—	—		—	·02	·29	—	·50	·75		26
27			—	—	—	·71	·47	·18	—	1·39			27
28			—	—	—	·44	·15	·88	·33	·24	·49		28
29	—		·005	—	·01	·04	·11	·04	·57	·68	—		29
30	—		·02	—	·15	·12	·31	—	·12	·49	—		30
31	—		·29		·01		·36	·005		·04			31
Total	4·86	4·00	6·435	·225	2·00	5·09	2·73	9·87	1·27	5·14	3·125	6·60	YEAR'S TOTAL 51·33
Rain Days.			24			23	22	26	7				

W. 7,500, XI. 12

made

Feb., letter sent, 27.11.13

REGISTER OF RAINFALL IN 1912

Ex RR

FORM A.
BRITISH RAINFALL.
27 JAN 1913

Kept at Hexworthy

in the County of Cornwall 3

by R. H. Rogers

Lat. ...... Long. ......

Time of Observation ......

Nearest Railway Station ......

Diameter of Rain Gauge ...... in. Lander recording

Height of top of Gauge above Ground ...... ft. ...... in.

" " " " Sea Level ...... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·17	—	·07	·62	·09	·24	·15	·37	—	·22	1
2	—	—	·40	·03	—	·58	·015	—	—	—	—	—	2
3	·03	—	·32	—	—	·24	·01	·79	·04	—	—	·06	3
4	·24	—	·92	—	—	·12	—	·27	—	—	·35	—	4
5	·71	·16	·13	—	·02	—	·02	1·92	·01	—	·02	·21	5
6	·55	·06	·03	—	·24	·05	—	·48	·005	—	·01	·05	6
7	·15	1·00 ~~·72~~	·41	·03	·09	·26	·03	·53	—	—	·01	·35	7
8	·47	·09	·10	—	—	·23	·07	—	·02	—	—	·01	8
9	—	·21	·02	·08	—	·06	·03	·01	—	—	·01	·58	9
10	·45	·02	·19	·02	—	—	·06	·07	·005	—	·30	·14	10
11	·01	·02	·005	—	—	·06	·01	·03	—	—	·28	·77	11
12	·03	·06	·17	—	·01	·01	·22	·27	—	—	·14	·01	12
13	·03	·01	—	—	—	·01	·12	·21	—	·06	—	·30	13
14	·04 ~~·59~~	·07 ~~·29~~	·49	—	·26	·01	—	·12	·005	—	—	·04	14
15	·59 ~~·04~~	·01	·09	—	·18	·37	—	·01	—	—	—	·41	15
16	·14	·04	·43	—	·04	·02	—	·23	·01	·10	·04	·12	16
17	·04	—	·08	—	·08	·14	—	·73	—	·01	·07	·09	17
18	—	·02	·20	—	—	—	—	·60	—	·04	·05	·02	18
19	—	siphon dribbling	·25	—	·06	·01	·01	·52	—	·06	·01	·10	19
20	·04		·55	—	—	·01	—	·15	—	·27	·03	—	20
21	—	~~1·35~~	·22	—	·68	—	·16	·03	—	·35	—	—	21
22	·10	(1.35)	·35	—	·12	·07	·02	·20	—	·07	—	·12	22
23	·02		·17	—	—	·04	·04	·74	—	·09	·06	·37	23
24	·24		·03	—	—	·38	·31	·01	—	·07	—	·23	24
25	·03		—	—	—	·25	·02	·04	—	·19	·40	·74	25
26	—	·05	—	—	—	—	·02	·29	—	·30	·76	·48	26
27	—	·02	—	—	—	·72	·48	·17	—	1·41	·01	·36	27
28	—	~~·64~~ ·27	—	—	—	·41	·15	·89	·33	·22	·48	·64	28
29	—	·28	—	—	—	·04	·10	·03	·57	·66	—		29
30	—		·02	—	·15	·08	·32	—	·12	·46	—	—	30
31	—		·28	~~·16~~	·01		·31	·01		·03		·16	31
Total	3·91	~~4·00~~ (3·74)	6·025	·16	2·01	4·99	2·615	9·59	1·265	4·76	3·03	6·58	YEAR'S TOTAL 48·66
Rain Days.	19		24	4	14	25	23	28	8	18	18	26	...

W. 7,500, XI. 12

I made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH. RAINFALL.
5 FEB 1914

Kept at Hexworthy Imp. Ext.
3
in the County of Cornwall
by R. B. Rogers

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge ....in. Lander self registering
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·22	·32	·07	·16	—	—	—	·01	·09	·41	·03	1
2	·27	·34	·04	·37	·12	·01	—	—	—	·07	·11	·01	2
3	·28	·005	·13	—	·45	—	—	—	·64	·14	—	·34	3
4	·92	—	·11	—	·01	·15	—	—	·01	·04	·06	·44	4
5	·11	·05	—	—	·21	·30	·05	—	·85	·01	·34	·43	5
6	·31	·10	·15	—	·05	·08	—	—	—	·23	·36	·16	6
7		·83	·09	—	·99	·26	—	—	—	1·02	·15	·01	7
8		·21	—	—	·31	—	·05	·47	—	·10	—	·01	8
9	2·03	·03	·005	—	·06	·05	·02	·07	·02	—	·69	·04	9
10		—	—	·03	·01	·03	—	·04		·96	·21	—	10
11		—	—	·03	·47	·07	—	—		·01	1·00	·03	11
12	·09	—	—	·015	·09	—	—	—	·42	—	·42	·03	12
13	·40	—	·17	·03	·15	—	·015	·01		—	·11	·005	13
14		—	·31	·02	—	—	·01	—		—	·25	—	14
15	·22	—	·48	·99	—	—	—	—	·17	—	·12	·01	15
16	·46	—	·65	·14	—	—	—	·41	·15	—	·01	—	16
17	·04	—	·03	·13	—	—	—	—	·005	—	·06	—	17
18	·06	—	·40	·19	·015	—	—	·01	—	—	·11	—	18
19	·44	—	·03	·005	·04	·04	·02	—	·23	·31	—	—	19
20	·22	—	·16	·23	·005	—	—	—	·04	·29	·63	—	20
21	·06	—	·10	·20	·10	—	·01	·04	—	—	·04	—	21
22	·21	—	·90	·04	·005	·25	—	·06	·04	·01	—		22
23	—	—	·005	—	·005	—	—	·09	—	—	·03		23
24	·02	·33	—	·07	—	·06	—	—	—	—	·10		24
25	—	·01	—	·59	·005	—	—	·005	·06	·07	·02	N.B. register failing	25
26	—	—	—	1·57	—	—	—	·02	·01	·05	—		26
27	·28	—	·24	·27	—	—	—	·14	—	·74	—		27
28	·07	—	·02	·27	·10	—	—	—	·02	·46	—		28
29	·09		·32	·82	·01	—	—	—	—	·20	·01	·01	29
30	·78		—	·10	·08	—	—	—	—	·37	—	—	30
31	·19		·20		·01		—	·30		·02			31
Total	7·57	2·125	4·86	6·18	3·455	1·30	·175	1·665	2·675	5·53	5·24	Imp.	YEAR'S TOTAL
Rain Days.	28	9 10	20 21	2X 22	20 22	11	7	12 13	18	20	22		

W.7,000, XI. 13

Imade

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
5 FEB 1914

Kept at Hexworthy Sx RA
in the County of Cornwall
by R. N. Ryan.

3

Lat. .... Long. ....
Time of Observation 9 A.M.
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·27	}·40	·11	·14	·01	—	—	·01	·10	·41	·02	1
2	·29	·34		·29	·12	·005	—	—	—	·08	·24	·01	2
3	·31	·005	·14	·005	·46	—	—	—	·54	·13	—	·35	3
4	1·08	—	·12	—	·005	·08	—	—	·10	·05	·08	·50	4
5	·06	·05	—	—	·22	·40	·05	—	·83	·01	·35	·44	5
6	·33	·10	·15	—	·04	·10	—	—	—	·23	·40	·16	6
7	·20	·83	·11	—	1·03	·27	—	—	—	1·04	·23	·01	7
8	·22	·22	—	—	·32	—	·05	·43	—	·10	·01	·005	8
9	·15	·03	·005	—	·06	·04	·03	·08	·01	—	·67	·04	9
10	·95	—	—	·025	·01	·02	—	·05	—	·79	·23	—	10
11	·49	·005	—	·04	·48	·09	—	—	·025	·19	·99	·03	11
12	·10	—	—	·015	·10	—	—	—	·02	—	·38	·04	12
13	·02	—	·12	·03	·15	—	·015	·01	·40	—	·12	—	13
14	·40	—	·36	·02	—	—	·01	—	·005	—	·21	—	14
15	·22	—	·48	1·10	—	—	—	—	·16	—	·15	·01	15
16	·42	—	·67	·16	—	—	—	·41	·17	—	·01	—	16
17	·04	—	·03	·13	—	—	—	—	—	—	·03	—	17
18	·08	—	·41	·23	·01	—	—	—	—	—	·14	—	18
19	·47	—	·04	—	·04	·03	·035	—	·25	·30	·005	—	19
20	·24	—	·18	·27	—	—	—	—	·06	·29	·52	—	20
21	·03	—	·06	·26	·11	—	·01	·025	—	—	·18	—	21
22	·28	—	·89	·06	·01	·25	—	·10	·04	·005	·005	·27	22
23	·005	—	·005	—	—	—	—	·09	—	—	·22	·87	23
24	—	·34	—	·08	—	·07	—	·01	—	—	·10	—	24
25	·02	·02	—	·58	—	—	—	·005	·07	·07	·03	·06	25
26	—	—	—	1·52	—	—	—	·02	—	·055	—	·35	26
27	·29	—	·24	·31	—	—	—	·15	—	·74	·01	·06	27
28	·06	—	·03	·29	·11	—	—	—	·02	·47	—	·37	28
29	·09		·34	·83	·015	—	—	—	—	·42	·01	·04	29
30	·75		—	·09	·08	—	—	—	—	·53	·005	—	30
31	·21		·22		·015		—	·29		·03		—	31
Total	7·815	2·21	5·00	6·445	3·525	1·365	·20	1·67	2·71	5·63	5·735	3·635	YEAR'S TOTAL 45·94
Rain Days.	28 29	9 10	20 21	21 22	20	11 12	7	12 13	15 16	19	24 25	18 19	204 21

W.7,000, XI. 13

Smale

Ex LMcC

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
28 JAN 1915

Kept at Hexworthy Launceston

in the County of Cornwall 3

by R. N. Rogers.

Lat. Long.

Time of Observation 9 A.M.

Nearest Railway Station Launceston

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·54	·21	—	·26	—	·62	—	—	·46	·11	1
2	·01	—		·12	·08	·01	·15	—	—	—	·005	·47	2
3	·02	—		·14	·43	·04	—	·43	—	·005	·14	·08	3
4	·21	—		·30	·18	—	·86	·20	·10	—	·09	·91	4
5	·23	—	·26	·25	·05	—	·01	·005	—	—	—	·06	5
6	·02	·14	·21	·10	·08	·01	·39	·05	—	—	—	·56	6
7	·03	·95	·51	·13	·08	·17	·32	·20	·79	—	—	·22	7
8	·04	—	·98	·10	·02	·36	·005	·06	·05	—	—	·005	8
9	·015	·04	·29	·17	·06	·55	—	·06	·73	—	·005	—	9
10	·04	·86	·12	·39	·10	—	—	—	·30	—	—	·12	10
11	—	·24	·64	—	—	·11	—	—	·02	—	·08	·41	11
12	—	·66	·15	—	—	—	—	—	·19	·01	~~·08~~ ·11	·14	12
13	—	·61	·64	—	—	—	·14	—	·25	·61	~~·77~~ ·49	·22	13
14	—	·54	·43	—	—	·05	—	·26	·02	·20	~~·49~~ ·43	·28	14
15	—	·005	·26	—	—	—	·16	·09	·15	—	~~·43~~ ·34	·67	15
16	—	·015	·035	—	—	—	·08	—	·36	—	~~·34~~	·03	16
17	—	·47	·41	—	—	—	·005	—	—	—	—	1·26	17
18	—	·13	·08	—	—	—	·06	—	·21	—	—	·26	18
19	—	·03	·65	—	—	—	1·11	—	·09	—	·09	·03	19
20	—	·51	·36	—	—	·56	·01	·23	—	—	·03	·19	20
21	—	·61	·01	—	—	—	—	—	—	·37	—	·03	21
22	—	·04	·03	·01	·01	·06	—	·02	—	·28	—	—	22
23	—	·03	·12	—	·01	—	·10	·03	—	·09	—	—	23
24	—	·03	·06	—	—	—	·03	·04	·005	·02	·05	—	24
25	·09	—	·17	—	·07	—	·11	·49	—	·43	·05	·49	25
26	·13	·02	·14	—	—	—	·31	—	—	·05	·35	·74	26
27	·10	·10	—	—	—	—	·05	—	—	·10	·30	·36	27
28	·01	·02	·35	—	·11	—	—	—	—	·32	·29	·90	28
29	·39		·26	—	·08	—	1·58	—	—	·06	·96	·11	29
30	·01	╳	·15	—	—	—	·005	—	—	·06	·30	·94	30
31	·12	╳	—	╳	·03	╳	·67	—	╳	·60	╳	·66	31
Total	1·465	6·05	7·855	1·92	1·39	2·18	6·155	2·785	3·265	3·205	4·77	10·255	YEAR'S TOTAL 51·295
Rain Days.	16	~~20~~ 21	29	11	15	11	19	15	13	15	18	26	204 209

W. 8,000. X. 14.

[illegible]

ExLMcc

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

28 JAN 1915

Kept at Alsworthy Launceston

in the County of Cornwall 3

by R. B. Rogers

Lat. .... Long. ....

Time of Observation Lander recording gauge

Nearest Railway Station ....

Diameter of Rain Gauge 4¾ in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·01	·13	·26	—	·27	—	·62	—	—	·38	·10	1
2	~~·01~~	—	·07	·06	·07	—	·15	—	—	—	·005	·47	2
3	·02	—	·24	·14	·45	·03	—	·44	—	~~·03~~	·15	·40	3
4	·21	—	·05	·28	·18	—	·73	·19	·10	—	·08	·61	4
5	·28	–	·23	·28	} ·16	—	·01	—	—	—	—	·04	5
6	~~·02~~	·19	·18	·10	}	·01	·40	·04	—	—	·005	·60	6
7	·03	·89	·57	·11		·16	·30	·20	·77	—	—	·21	7
8	·03	—	·98	·15	·01	·38	—	·06	·06	—	—	—	8
9	~~·015~~	·04	·31	·11 ~~·38~~	·05	·53	—	·06	·73	—	—	—	9
10	·03	·87	·10	·38	·08	—	—	—	·28	—	—	·30	10
11	—	·24	·65	–	—	·10	—	—	·02	—	·07	·24	11
12	—	·58	·13	—	–	—	—	—	·18	·01	·14	·09	12
13	—	·67	·61	—	–	—	·13	—	·26	·61	·43	·27	13
14	—	·55	·43	—	—	·05	—	·27	·02	·20	·44	Not recording properly	14
15	—	·005	·25	–	–	—	·14	·09	·15	—	·32		15
16	—	·01	·03	–	–	—	·05	—	·33	—	—		16
17	—	·46	·41	—	—	—	·005	—	—	—	—		17
18	—	·13	·07	—	–	—	·12	—	·21	—	—		18
19	—	·02	·64	–	—	—	·96	—	·08	—	·09		19
20	—	·50	·34	—	–	·58	·01	·23	–	—	·01		20
21	—	·60	·01	—	—	—	—	—	–	·38	—		21
22	—	·02	·03	–	·005	·05	—	·02	–	·25	—		22
23	—	·03	·17	–	·01	—	·08	·03	–	·08	—		23
24	—	·03	·11	—	—	—	·03	·04	–	·01	·05		24
25	·09	—	·06	–	·07	—	·10	·51	–	·41	·05		25
26	·14	·01	·13	–	—	—	·31	·01	–	·06	·34		26
27	·09 ~~·52~~	·09	—	–	—	—	·06	—	–	·10	·28		27
28	—	·02	·33	–	·10	—	—	—	–	·27	·17	·90	28
29	·52		·26	–	·06	—	1·57	—	–	·04	1·02	·08	29
30	·02	✕	·16	–	—	–	—	—	—	·04	·55	1·00	30
31	·17	✕	—	✕	·03	✕	·66	—	✕	·66	✕	·68	31
Total	1·55	5·965	7·68	1·87	1·275	2·16	5·815	2·81	3·19	3·12	4·58	imp	YEAR'S TOTAL imp
Rain Days.	12	22	29	10	~~14~~ 13	10	18	15	13	14	18	..	..

W. 8,000. X. 14.

2053

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
22 JAN 1916

Kept at Hexworthy
in the County of Cornwall
by R. B. Rogers

3

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·47	·27	—	—	·03	—	—	·75	·35	·24	·005	·26	1
2	·28	·52	·10	·05	—	·08	—	·21	·07	—	—	·49	2
3	·16	·34	·10	·04	·45	—	·08	·005	—	—	—	·57	3
4	·06	·54	·005	—	·02	—	—	—	—	—	—	·28	4
5	·03	1·05	—	·17	—	—	—	·20	—	—	—	1·14	5
6	·91	·17	—	·27	—	—	·52	·005	—	—	—	·14	6
7	·35	·63	·02	·12	—	—	·50	—	—	·26	·01	·24	7
8	·20	·40	—	—	—	—	·05	·07	—	·01	·06	·15	8
9	·01	·37	—	·19	—	—	—	·01	—	—	·61	·82	9
10	·46	·57	·04	·07	—	·005	—	·12 {	—	·14	·08	·06	10
11	·07	—	·17	·005	—	—	—		—	·01	·88	·19	11
12	·07	·60	—	·05	·57	—	—	·28	—	·09	·35	·09	12
13	·02	1·43	—	—	·57	—	·01	·08	·11	·005	·22	·06	13
14	·05	·015	·01	—	—	—	·35	·22	·05	·07	·13	1·23	14
15	·23	—	—	—	·30	—	·24	·005	·01	—	·13	·06	15
16	·10	1·73	—	—	·37	—	1·31	—	—	·04	—	·11	16
17	·02	·22	·01	—	·02	—	—	—	—	—	—	·02	17
18	·03	·07	·005	—	—	—	—	—	—	—	—	—	18
19	·04	·06	—	·02	·30	—	·09	—	—	·005	—	—	19
20	·61	—	—	·08	} ·18	·16	—	—	·01	·24	—	—	20
21	·23	·11	—	—		·09	·12	—	—	—	—	·30	21
22	·04	·18	·11	·09	—	—	·35	—	·01	·07	—	·45	22
23	·08	·04	·04	—	—	·06	·09	—	·11	1·15	·01	·68	23
24	—	—	—	·03	—	·08	·03	—	·22	·31	—	·48	24
25	—	—	—	—	—	·08	·46	—	·005	—	·03	·46	25
26	·015	·31	—	—	·005	·47	·10	—	·19	—	—	·79	26
27	·005	} ·15	—	—	—	·11	·15	—	·05	·64	—	—	27
28	—		—	·005	—	·15	—	·08	·28	·12	·01	·03	28
29	—		—	—	—	·44	—	—	·16	—	·16	·22	29
30	·25	╳	—	—	—	·19	—	—	·05	·81	·56	·51	30
31	·01	╳	—	╳	—	╳	·20	·15	╳	·37	╳	·41	31
Total	4·82	9·775	·61	1·19	2·815	1·915	4·65	2·185	1·675	4·58	3·245	10·24	YEAR'S TOTAL 47·70
Rain Days.	26	23	~~9~~ 10	12 13	~~11~~ 12	11	17	12 14	14	18 17	14 15	27	192 197

W. 8,000. X. 15.

Slip made

end [illegible] 16.III.16

~~2063~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

2 JAN 1916

3

Kept at Hexworthy

in the County of Cornwall

by R B [illegible]

Lat. .... Long. Lander recording

Time of Observation gauge.

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 4¾ in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·44	·26	—	—	·02	—	—	·74	·30	—	·01	·23	1
2	·27	·55	·10	·04	—	·07	—	·13	·07	—	—	·49	2
3	·16	·30	·10	·04	·45	—	·02	·005	—	—	—	·69	3
4		·50	—	—	·01	—	·02	—	—	—	—	·21	4
5		1·01	—	·22	—	—	—	·19	—	—	—	1·06	5
6		·20	—	·23	—	—	·50	—	—	—	—	·13	6
7		·62	·02	·15	—	—	·50	·005	—	·26	·01	·22	7
8		·42	—	—	—	—	·04	·08	—	—	—	·14	8
9		·36	—	·17	—	—	—	·01	—	—	·66	·77	9
10		·57	·03	·05	—	—	—	·10	—	·12	·06	·04	10
11		—	·17	·005	—	—	·005	·01	—	·03	·77	·12	11
12		·53	—	·05	·57	—	—	·26	—	·06	·48	·06	12
13		?	—	—	·55	—	·01	·07	·10	—	·21	·07	13
14		·01	—	—	—	—	·36	·21	·03	·04	·13	1·21	14
15		—	—	—	·30	—	·22	·005	—	—	·13	·07	15
16		1·74	—	—	·34	—	1·37	—	—	·04	—	·08	16
17	·	·20	·01	—	·02	—	—	—	—	—	—	·02	17
18	·05	·06	—	—	—	—	—	—	—	—	—	—	18
19	·03	·05	—	·08	·30	—	·09	—	—	—	—	—	19
20	·47	·01	—	·02	·04	·15	—	—	·01	·24	—	—	20
21	·20	·10	—	—	·14	·10	·14	—	—	—	—	·28	21
22	·15	·16	·08	·07	—	—	·30	—	·03	·06	—	·42	22
23	·09	·04	·04	—	—	·05	·08	—	·07	·98	—	·64	23
24	—	—	—	·03	—	·12	·13	—	·15	·45	—	·46	24
25	—	—	—	—	—	·05	·37	—	—	—	·03	·45	25
26	·005	·31	—	—	·005	·43	·09	—	·24	—	—	·71	26
27	—	·03	—	—	—	·01	·14	—	·08	·64	—	—	27
28	—	·10	—	—	—	·14	—	·08	·27	·12	·01	·02	28
29	·01		—	—	—	·46	—	—	·12	—	·15	·18	29
30	·26	╳	—	—	—	·18	—	—	·01	·81	·55	·50	30
31	·01	╳	—	╳	—	╳	·15	·15	╳	·36	╳	·39	31
Total	imp	imp ~~8·13~~	·55 ✓	1·155 ✓	2·745 ✓	1·70 ✓	4·455 ✓	2·045 ✓	1·48 1·48	4·21 ✓	3·20 ✓	9·66 ✓	YEAR'S TOTAL
Rain Days.		24	8 ✓	12 13	11 ✓	11	17 18	12 13	13 ✓	14 ✓	13 ✓	27 ✓	

Check and [illegible]

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

13 JAN 1917

Kept at Hexworthy

in the County of Cornwall

by R. N. Rogers

Lat. Long.
Time of Observation 9
Nearest Railway Station
Diameter of Funnel of Rain Gauge 4·75 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	—	·06	—	·23	·06	·18	—	·005	·18		—	1
2	·35	·08	·04	—	·03	—	·005	—	·22	·12	·89	—	2
3	·01	1·76	·01	—	·35	·04	·02	—	·12	·52		—	3
4	·23	·21	—	·05	·03	·37	·08	—	·06	·05	1·12	—	4
5	·01	·15	·03	—	·02	·09	·02	—	—	·13	·44	—	5
6	·05	·15	—	—	·13	·66	·42	—	—	·20	1·26	—	6
7	·17	·38	·06	—	·26	·14	·03	—	—	·01	·85	·12	7
8	—	·24	·04	—	·16	·30	·01	—	—	—	·10	·26	8
9	—	·12	·05	—	·06	—	·02	—	—	·18	·13	·96	9
10	—	·75	—	·09	·03	·02	—	—	—	·01	—	·12	10
11	—	·03	—	·06	·01	·005	—	—	—	—	—	—	11
12	·06	·04	·02	·05	·09	—	·11	·03	—	·12	—	—	12
13	—	·27	·04	·01	·005	—	—	·31	·02	·02	—	·15	13
14	·02	·48	—	·01	·03	—	—	·20	—	·13	—	—	14
15	·01	·30	—	·15	—	—	—	·01	—	·03	—	—	15
16	·20	·16	—	·09	—	—	—	·72	—	·24	—	—	16
17	·18	·13	—	·02	—	—	—	—	·28	·23	·74	—	17
18	·005	·27	·17	·08	—	—	—	·01	·22	·04	·08	·08	18
19	·26	·11	—	·15	—	—	—	—	—	—	·51	·06	19
20	·08	·35	·11	—	—	—	—	—	—	—	·22	·50	20
21	—	·03	·07	—	·04	—	—	—	—	—	·25	·02	21
22	—	—	·02	—	—	·08	—	·08	—	·92	·02	·52	22
23	·10	—	—	·08	—	·09	—	·23	—	·35	·33	·19	23
24	—	·03	·01	—	·005	—	—	·20	—	·57	·005	·23	24
25	—	·25	·20	—	·02	·03	—	·35	—	·12	·40	—	25
26	·01	·03	·05	—	—	·03	—	·24	·53	1·04	·03	—	26
27	—	—	1·20	—	—		—	·04	·12	·58	—	·01	27
28	—	·04	·01	—	—	·48	—	·10	·22	·57	—	·60	28
29	—	·20	·01	—	—		—	·61	—	·16	—	·40	29
30	—	✕	—	—	—	·05	—	—	—	·24	—	—	30
31	—	✕	—	✕	—	✕	—	·05	✕	·19	✕	—	31
Total	1·945	6·56	2·20	·84	1·50	2·445	·895	3·18	1·795	6·95	7·375	4·22	YEAR'S TOTAL 39·905
Rain Days.	17	25	19	12	~~15~~ 16	15	~~8~~ 10	15	9	26	18	15	~~195~~ 197

W. 8,000, VIII. 16

1995

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

13 JAN 1917

Kept at Hexworthy
in the County of Cornwall
by R. A. Rigby

Lat. Long.
Time of Observation 9 A.M.
Nearest Railway Station Launceston
Diameter of Funnel of Rain Gauge 5" in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·18	—	·08	—	·10	·06	·18	—	·005	·19	·01	—	1
2	·39	·10	~~·04~~ ·13	—	·05	—	·005	—	·22	·13	·52	—	2
3	·01	1·83	·01	—	·36	·05	·03	—	·12	·53	·36	—	3
4	·24	·22	—	·05	·04	·37	·08	—	·07	·05	·88	—	4
5	·03	·16	·03	—	·02	·15	·015	—	—	·12	·46	—	5
6	·06	·18	—	—	·14	·32	·42	—	—	·24	·89	—	6
7	·20	·38	·09	—	·28	·14	·04	—	—	·01	·81	·13	7
8	·01	·25	~~·04~~ ·07	—	·22	·32	·02	—	—	—	·13	·25	8
9	—	·14	·005	—	—	·02	·02	—	—	·18	·15	1·09	9
10	—	·77	—	·10	·05	·02	—	—	—	·01	·01	·16	10
11	—	·03	—	·07	·05	·005	—	—	—	—	·005	—	11
12	·07	·06	·025	·07	·06	—	·12	·03	—	·12	·005	—	12
13	—	·40	·04	·02	·005	—	—	·31	·02	·02	—	·14	13
14	·03	·52	—	—	·05	—	—	·21	—	·14	—	—	14
15	·02	·37	—	·13	—	—	—	~~·72~~ ·01	—	·03	—	—	15
16	·20	·12	—	·14	—	—	—	·72	—	·23	—	—	16
17	·18	·14	—	·02	—	—	—	~~·07~~	·28	·23	·75	—	17
18	·005	·38	·16	·07	—	—	—	·01	·23	·05	·12	·09	18
19	·28	·14	·02	·18	—	—	—	—	—	—	·54	·06	19
20	·10	·48	·12	—	—	—	—	—	—	—	·24	·52	20
21	·08	·03	·08	·005	·04	—	—	—	—	—	·21	·04	21
22	—	—	·03	—	—	·10	·005	·09	—	·94	·03	·55	22
23	·06	·01	—	·09	—	·10	—	·23	—	·44	·35	·25	23
24	—	·05	·02	·15	·01	—	—	·21	—	·59	·02	·25	24
25	—	·24	·28	—	·02	·04	—	·41	—	·13	·38	—	25
26	·01	·03	·05	—	—	·03	—	·23	·40	1·04	·03	—	26
27	—	—	1·20	—	—	·06	—	·04	·25	·66	—	·02	27
28	—	·06	·02	—	—	—	—	·10	·24	·58	—	·61	28
29	—	·28	·02	—	—	·42	—	·61	·02	·17	—	·43	29
30	—	✕	—	—	—	·06	—	—	—	·26	—	·005	30
31	—	✕	—	✕	—	✕	—	·07	✕	·19	✕	—	31
Total	2·155	7·39	2·47	1·095	1·495	2·265	·935	3·28	1·855	7·28	~~7·375~~ 6·90	4·595	YEAR'S TOTAL 41·715
Rain Days.	~~18~~ 19	26	20	12	~~15~~ 16	16	~~9~~ 10	15	~~10~~ 11	26	~~20~~ 21	15	~~202~~ 207

W. 8,000, VIII. 16

1904

FORM A.
BRITISH RAINFALL.
6 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Hexworthy

in the County of Cornwall

by R. B. Rogers

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Launceston

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. ..... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	·005	·26	—	·18	—	·03	·05	—	·01	—	1
2	·005	—	—	·22	—	·04	—	—	—	—	·02	·01	2
3	·09	—	—	·21	—	—	·12	—	—	·45	·52	—	3
4	—	·17	·76	·005	—	—	·03	—	·02	·33	—	—	4
5	·17	—	·48	·42	—	·40	—	·01	—	·31	·12	—	5
6	·005	—	·24	·02	—	·39	—	—	—	·08	·18	·01	6
7	·53	—	·005	—	—	·005	·09	·11	—	·31	·23	·03	7
8	·06	—	·19	·14	—	·17	·36	·29	·02	·45	·19	·34	8
9	—	—	·09	·08	·10	—	·03	—	·005	·38	·53	·03	9
10	·34	—	·37	·31	—	—	—	·25	·07	·05	·05	—	10
11	·03	—	·23	·29	—	—	—	·76	·005	·36	·38	—	11
12	·29	—	·02	·03	·26	—	—	·12	—	·63	—	—	12
13	·25	—	·21	·04	—	·005	—	·47	·19	·44	—	·05	13
14	—	—	—	·13	—	—	·02	·38	·03	·24	—	·01	14
15	·12	—	—	·02	—	—	·02	—	—	·34	—	·28	15
16	—	·06	—	·03	—	·11	·15	·04	—	·17	·01	·34	16
17	—	·01	·02	·31	·04	—	·29	·16	·27	·17	—	—	17
18	—	·47	—	—	·14	·14	·26	·02	·63	·07	—	—	18
19	—		·03	—	—	·11	—	·01	·02	—	·01	—	19
20	—	·52	·03	—	·62	·13	—	·19	·02	—	·03	·02	20
21	—	·005	·07	—	·005	·06	·005	·05	—	·03	·10	·13	21
22	—	—	·005	—	·02	—	—	·62	—	·17	—	—	22
23	·03	·05	—	—	·14	·02	—	·49	—	·26	·01	—	23
24	—	·03	—	—	—	·04	·23	·09	—	·27	·12	—	24
25	—	·06	·04	—	—	·01	·03	·37	·06	·29	·03	—	25
26	—	—	·01	—	·38	·06	—	·14	·06	·12	·05	—	26
27	—	·01	—	—	—	·87	·005	1·15	—	·25	·01	—	27
28	—	·02	·15	—	·05	1·62	—	·52	—	·15	—	·03	28
29	—		·26	—	—	·07	—	·005	·005	·75	·005	·06	29
30	—	×	·09	—	—	—	·03	·18	·005	·05	·01	—	30
31	—	×	·03	×	·43	×	—	·07	×	·19	×	·01	31
Total	1·93	1·405	3·335	2·515	2·185	4·43	1·67	6·525	1·46	7·31	2·615	1·35	YEAR'S TOTAL 36.73
Rain Days.	~~11~~ 12	11	~~19~~ 20	15	~~10~~ 11	~~17~~ 18	~~13~~ 14	~~24~~ 25	~~12~~ 14	27	20	14	[illegible] 201

W. 8,000, IX. 17.

Exe Ol

55

FORM A.
BRITISH RAINFALL.

37.

REGISTER OF RAINFALL IN 1918

Kept at Hexworthy, Launceston

in the County of Cornwall

by R. A. Rogers.

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·21	·005	·14	·04	—	—	·66	—	·01	1·39	—	1
2	—	·53	—	·04	—	—	—	—	·01	·02	·06	·36	2
3	—	·31	—	·08	·09	·005	—	·02	·13	·10	·27	·06	3
4	—	·03	—	—	·005	—	—	·23	·39	—	·85	·70	4
5	—	·07	·12	·21	·09	—	—	1·21	·60	·36	·05	·15	5
6	·20	·35	·33	·22	—	—	—	·49	—	·24	—	·19	6
7	·03	·18	—	·04	—	·03	—	·01	·31	·16	·57	·51	7
8	·05	·08	—	—	—	·04	·02	—	·17	·28	·005	·005	8
9	·11	·01	—	·02	—	·36	·59	—	·50	·03	·02	·38	9
10	·13	—	—	·23	—	·005	·21	—	·14	·07	·005	·27	10
11	·01	·03	·15	·05	·05	—	·23	—	·36	·03	·04	·14	11
12	·005	·10	·01	—	·14	—	·11	—	·03	·04	—	·01	12
13	·06	·04	—	—	·09	—	·11	—	·40	·19	—	·30	13
14	·44	—	·01	—	·03	·06	·07	—	·25	·25	—	·16	14
15	1·10	—	—	—	—	·20	·75	—	·17	·29	—	·48	15
16	·67	—	—	·44	—	·13	·07	—	·17	·005	—	·19	16
17	·32	—	—	·07	·02	·005	·04	·01	·10	—	—	·25	17
18	1·22	—	·15	—	—	·70	·11	·02	·26	·25	—	·29	18
19	·35	·04	·09	·09	—	—	·17	—	·13	·01	—	·52	19
20	·38	·11	—	·13	—	·06	·08	—	·43	—	—	·01	20
21	·44	·03	—	·005	—	·12	·24	—	·51	·12	—	·36	21
22	·01	—	—	—	·09	—	1·34	—	·26	·05	·07	·38	22
23	·12	—	—	—	·04	·02	·01	—	·10	—	·09	·35	23
24	·03	·22	—	—	—	·01	·005	·44	·07	—	·35	·25	24
25	·02	·005	—	·14	·14	—	·14	·51	—	·11	·22	·01	25
26	·04	·15	—	·20	—	—	·14	·04	·10	·07	·02	·20	26
27	·02	·17	·29	—	—	—	—	·12	·17	·02	·20	·03	27
28	—	·29	·11	—	—	—	—	—	·12	·03	·16	·04	28
29	—		·18	—	—	—	—	—	·84	—	·02	·07	29
30	—	X	·29	·42	—	—	—	·03	·05	·10	·09	·12	30
31	—	X	·25	X	—	X	—	—	X	·07	X	·03	31
Total	5·755	2·955	1·985	2·525	·825	1·745	4·435	3·79	6·77	2·905	4·48	6·815	YEAR'S TOTAL 44·985
Rain Days.	21	19	12	16	11	11	18	13	27	24	17	29	218

W. 6,500, VII. 18. W W C

~~W.~~ [illegible]

1787

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Hexworthy Launceston

in the County of Cornwall

by R. B. Rogers

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. ...... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·60	—	·23	·06	·12	—	·16	—	·25	·29	—	1·03	1
2	·41	—	·04	—	·02	—	·34	—	·05	·06	·005	·05	2
3	·09	—	·37	—	·04	—	—	—	·13	—	·02	·17	3
4	·09	·37	·65	—	·005	·01	—	·19	·52	·01	—	·04	4
5	·11	·19	·31	—	·005	—	—	—	—	·005	—	·14	5
6	·90	·47	·23	—	—	—	—	—	—	—	—	·24	6
7	·53	—	·27	·12	—	·01	—	—	—	—	—	·27	7
8	·43	—	·20	·11	—	·01	—	—	—	—	·77	—	8
9	·30	—	·02	·37	·17	—	—	—	—	—	Snow 1·04	·03	9
10	·08	—	·65	·03	·04	—	—	—	—	·04	·06	·86	10
11	·11	—	·67	·13	·30	·005	·10	—	—	·02	—	·13	11
12	·33	—	·05	·04	—	·09	—	—	—	·16	·22	·01	12
13	·20	·10	·18	·41	—	—	·05	—	·01	·09	—	·31	13
14	·52	·16	—	·70	·75	—	·04	·005	—	·14	—	·34	14
15	·30	005	—	·04	—	—	—	—	—	·16	—	·51	15
16	·14	·85	—	—	·03	—	—	·10	—	—	·31	·01	16
17	·04	·26	·01	—	—	·02	—	·05	—	—	·60	·01	17
18	·14	·23	·58	—	·05	—	·17	·25	·04	—	·40	·02	18
19	·34	·26	·14	—	—	·10	·05	·65	·33	—	·26	·11	19
20	·45	·01	·12	—	·03	·13	—	·05	·16	—	·21	·11	20
21	·28	·78	—	—	·26	—	·08	·005	·10	—	·02	·07	21
22	·005	·03	—	—	·005	—	·08	—	·38	—	·02	·11	22
23	—	—	—	—	—	—	—	·14	—	·35	·09	·24	23
24	—	—	—	·02	—	·29	—	·08	—	·22	·05	·42	24
25	·10	·03	—	—	—	—	—	·88	—	·02	·19	·20	25
26	·11	—	·16	·19	—	—	·005	·10	·08	·05	·15	·56	26
27	·25	·06	·15	·22	—	—	—	·66	—	—	—	·09	27
28	·02	—	·30	·15	—	—	—	—	—	·10 {	·48	·50	28
29	—		·03	·15	—	—	—	·17	—		·005	·09	29
30	—	✕	·31	·18	—	·20	—	·09	—	—	·62	·66	30
31	—	✕	·14	✕	—	✕	—	—	✕	—	✕	·19	31
Total	6·875	3·805	5·81	2·93	1·825	·865	1·075	3·42	2·05	1·715	5·52	7·52	Year's Total 43·41
Days with ·01 in. or more	25	~~14~~ 15	23	16	~~11~~ 12	~~9~~ 10	9	~~13~~ 14	11	~~15~~ 16	18 19	30	~~194~~ 200

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1705

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

1 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Hexworthy Launceston

in the County of Cornwall

by N. B. Rogers

Lat. 50· 30' Long. 4· 19' 15"

Time of Observation 9 A.M. (G.M.T.)

Nearest Railway Station Launceston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 270 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·02	·01	·67	—	1·01	·13	·05	·36	·02	·57	1
2	·59	—	—	·19	·01	—		·43	·04	·24	—	·17	2
3	·41	·06	—	·20	·02	—	·005	—	·01	1·70	—	·38	3
4	—	—	·04	—	·005	—	—	·92	—	·50	—	—	4
5	—	—	·26	—	·19	—	·28	·14	—	·33	—	—	5
6	—	—	·27	·05	·17	—	·27	—	—	·12	—	—	6
7	·03	—	·09	·28	·05	—	·31	—	—	—	—	·04	7
8	·06	·02	—	·20	·05	—	·16	·01	—	—	—	·10	8
9	1·18	·07	—	·06	—	·08	·47	·005	·01	—	—	—	9
10	1·43	·15	·03	·005	—	·36	·11	—	—	—	·02	—	10
11	·37	·005	·14	·63	·18	·30	·15	—	—	—	—	—	11
12	·27	·10	·20	·35	·005	·10	·05	—	—	·09	·17	—	12
13	·21	·02	·50	·02	—	·13	—	·31	—	·33	—	—	13
14	·06	·08	·52	·80	—	·005	·08	—	·07	·65	·40	·01	14
15	·01	·23	·02	·62	·13	—	—	—	·04	·74	·08	—	15
16	—	·01	·03	·04	—	·05	·12	—	·42	·20	·17	—	16
17	·04	—	·02	·02	·44	—	·02	·01	·54	·12	·005	—	17
18	·19	·01	·02	·11	·06	·29	·01	·26	·04	—	—	—	18
19	·12	·04	—	·62	·005	·25	·005	·005	·32	—	—	—	19
20	·04	—	—	·20	·10	·07	·01	—	·04	·21	—	·36	20
21	—	—	·005	·07	—	—	·04	—	—	·005	—	·25	21
22	·03	—	—	·03	—	—	·10	—	—	—	—	·27	22
23	·005	—	·02	—	—	—	·39	·09	—	—	·005	·47	23
24	·02	·01	·39	—	—	—	·04	·02	—	—	·08	·23	24
25	·12	·03	·18	·02	—	—	·85	—	—	—	·01	·06	25
26	·49	·02	·22	—	—	—	·08	—	·01	—	·50	·06	26
27	·91	·04	·23	·24	—	·24	·12	—	—	—	·89	·47	27
28	·70	—	·36	·04	—	·09	·05	—	—	—	·10	·08	28
29	·63	—	·34	·03	·13	·05	—	—	—	—	·41	·36	29
30	·24	✕	—	·05	·01	·25	·09	—	·93	·45	·41	·67	30
31	·18	✕	·30	✕	—	✕	·05	—	✕	·45	✕	·15	31
Total	8·385	·895	4·205	4·885	2·225	2·265	4·87	2·33	2·52	6·495	3·27	4·70	Year's Total 47·045
Days with ·01 in. or more	25	~~15~~ 16	22	~~24~~ 26	~~14~~ 15	~~13~~ 14	25	~~10~~ 11	13	~~15~~ 16	~~13~~ 14	18	214 ~~207~~
Days with ·04 in. or more	21	8	15	18	11	13	~~21~~ 22	7	10	15	10	17	167 ~~166~~

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

LAUNCESTON
'LANDUE'
CORNWALL
1911 - 1920

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGI

Kept at Landue ,
in the County of —
by (Miss) Sophie

in.
und – ft. 11 in.
Level 225 ft.
m.
ame Launceston
istance 4¼ m. Direction N.N.W.

IMPORTANT NOTE … he result entered to the previous day. If an Obs … rsal rule, he is earnestly requested to add the read … ar in the space provided for it at the end of this … ent of rain, the selection and placing of … itish Rainfall Organization are given in "*Rules for Rainfall Observers,* … application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	..	·02	·06	·30	1·75	..	..	..	·01	·02	·02	1
2	..	..	·02	·04	·30	..	..	·32	..	·13	·19	·40	2
3	..	..	·06	..	·35	..	..	·02	·06	..	·35	·20	3
4	..	..	·05	..	..	..	..	·32	..	..	·30	·68	4
5	·65	..	·25	..	..	..	..	·30	..	·04	·33	·12	5
6	·20	..	·09	..	..	..	..	·01	..	..	·11	1·60	6
7	·03	..	..	·01	..	..	..	..	..	..	·60	·05	7
8	..	..	·20	..	..	..	..	..	..	..	·06	·81	8
9	·03	..	·05	..	..	..	..	..	..	..	·30	1·03	9
10	·10	·06	·73	..	·03	..	..	..	..	..	·17	·41	10
11	·30	..	..	..	·03	..	..	..	·02	..	·46	·18	11
12	..	..	·55	..	·01	..	..	..	·49	..	·16	·44	12
13	..	..	·08	..	..	..	..	..	·12	·03	·11	·23	13
14	..	·07	·10	..	..	..	..	..	..	·01	·29	·55	14
15	..	·02	·16	..	..	·05	..	..	..	..	·35	·10	15
16	·02	·03	·01	..	..	·39	..	..	..	..	·19	·63	16
17	..	·04	·04	·13	..	·23	·01	..	..	..	·37	1·15	17
18	..	·29	·02	·29	..	·38	..	..	..	·16	·68	·75	18
19	·03	·03	..	·06	..	·42	..	..	·36	·07	·37	·95	19
20	·04	·08	·04	·16	..	·03	..	·01	·44	1·08	..	·70	20
21	·03	·24	·02	..	..	·06	..	·20	·39	·43	..	·17	21
22	·02	·08	·03	·15	..	·11	..	..	·23	·14	·01	·59	22
23	·02	·24	·05	..	..	·17	..	·25	·10	·39	·10	·28	23
24	..	·19	..	..	..	·55	..	·10	..	·43	..	·32	24
25	..	·06	..	·11	..	·07	..	·02	·13	·23	..	·12	25
26	..	·10	..	·36	·24	..	..	·10	·02	·61	·01	·23	26
27	..	·55	..	·02	..	·02	..	·30	·09	·12	..	·26	27
28	..	·09	..	·62	..	..	..	·03	..	·02	·44	·01	28
29	..		·05	·22	·64	·35	·61	..	·12	·45	..	..	29
30	..		·02	..	..	·01	·16	..	·02	·41	·38	·03	30
31	..		·18		·95		·03	..		·05		·02	31
Total	1·52	2·17	2·82	2·23	2·85	4·59	·81	1·98	2·59	4·81	6·35	13·03	Total for year 45·75
No. of Rain Days.	13.	16.	23	13	9	15	4	13	14	19	24	30	193.

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Landue, near Launceston,

in the County of Cornwall 3

by (Miss) Sophie E Tregoning

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground – ft. 11 in.
" " " Sea Level 225 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name Launceston
Distance 4¼ m. Direction N.N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	..	·02	·06	·30	1·75	..	..	..	·01	·02	·02	1
2	..	..	·02	·04	·30	..	..	·32	..	·13	·19	·40	2
3	..	..	·06	..	·35	..	..	·02	·06	..	·35	·20	3
4	..	..	·05	..	..	..	..	·32	..	..	·30	·68	4
5	·65	..	·25	..	..	..	..	·30	..	·04	·33	·12	5
6	·20	..	·09	..	..	..	..	·01	..	..	·11	1·60	6
7	·03	..	..	·01	..	..	..	..	..	..	·60	·05	7
8	..	..	·20	..	..	..	..	..	..	..	·06	·81	8
9	·03	..	·05	..	..	..	..	..	..	..	·30	1·03	9
10	·10	·06	·73	..	·03	..	..	..	..	..	·17	·41	10
11	·30	..	..	..	·03	..	..	..	·02	..	·46	·18	11
12	..	..	·55	..	·01	..	..	..	·49	..	·16	·44	12
13	..	..	·08	..	..	..	..	..	·12	·03	·11	·23	13
14	..	·07	·10	..	..	..	..	..	..	·01	·29	·55	14
15	..	·02	·16	..	..	·05	..	..	..	..	·35	·10	15
16	·02	·03	·01	..	..	·39	..	..	..	..	·19	·63	16
17	..	·04	·04	·13	..	·23	·01	..	..	..	·37	1·15	17
18	..	·29	·02	·29	..	·38	..	..	..	·16	·68	·75	18
19	·03	·03	..	·06	..	·42	..	..	·36	·07	·37	·95	19
20	·04	·08	·04	·16	..	·03	..	·01	·44	1·08	..	·70	20
21	·03	·24	·02	..	..	·06	..	·20	·39	·43	..	·17	21
22	·02	·08	·03	·15	..	·11	..	..	·23	·14	·01	·59	22
23	·02	·24	·05	..	..	·17	..	·25	·10	·39	·10	·28	23
24	..	·19	..	..	..	·55	..	·10	..	·43	..	·32	24
25	..	·06	..	·11	..	·07	..	·02	·13	·23	..	·12	25
26	..	·10	..	·36	·24	..	..	·10	·02	·61	·01	·23	26
27	..	·55	..	·02	..	·02	..	·30	·09	·12	..	·26	27
28	..	·09	..	·62	..	..	..	·03	..	·02	·44	·01	28
29	..	×	·05	·22	·64	·35	·61	..	·12	·45	..	..	29
30	..	×	·02	..	..	·01	·16	..	·02	·41	·38	·03	30
31	..	×	·18	×	·95	×	·03	..	×	·05	×	·02	31
Total	1·52	2·17	2·82	2·23	2·85	4·59	·81	1·98	2·59	4·81	6·35	13·03	TOTAL for year 45·75
No. of Rain Days.	13.	16.	23	13	9	15	4	13	14	19	24	30	193.

W. 8,000, X. '11.

1521

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

3

Kept at Landue

in the County of Cornwall 3

by Sophie V. Tregonning

Lat. 50° 35' 58" Long. 4° 19' 43"

Time of Observation 9 — entered to previous day

1913

Nearest Railway Station Launceston

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 11 in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1			·22		·05	·65	·12	·30	·15	·63		·27	1
2			·32	·03		·56	·01					·02	2
3	·02		·40	·01		·25	·01	·84	·04			·06	3
4	·25		·90		·01	·10		·26			·27		4
5	·82	·14	·18		·02	·03	·03	1·53			·04	·18	5
6	·72	·08	·03		·28	·01		·68			·02	·06	6
7	·18	·97	·46	·03	·09	·40	·14	·47			·01	·20	7
8	·55	·24	·14	·02		·28	·01		·02			·02	8
9	·02	·29	·04	·13		·06	·07	·01			·01	·60	9
10	·43	·04	·14	·04			·09	·12	·01		·27	·12	10
11	...	·04				·05	·03	·03			·40	·48	11
12	·05	·07	·23		·02	·01	·24	·29			·15	·05	12
13	·28	·02				·02	·14	·09		·07		·32	13
14	·18	·13	·52		·25	·01		·28		·02	·01	·05	14
15	·78	·09	·09		·19	·56		·01			·02	·35	15
16	·18		·58		·16	·05		·33		·10	·02	·15	16
17	·09		·11		·47	·12		·67			·08	·10	17
18	...	·05	·24					·72		·05	·03	·03	18
19	·01	·12	·34		·07	·01	·02	·59		·06	·04	·10	19
20	·05	·06	·53	·01	·13			·16		·29	·07		20
21	...	·35	·28		·68		·55	·08		·31			21
22	·14	·39	·35		·05	·10	·03	·19		·08	·01	·12	22
23	·04	·38	·20			·03	·03	·69		·10	·08	·38	23
24	·12	·05	·05			·44	·13	·01		·03		·27	24
25	·34	·03				·31	·04	·14		·32	·49	·60	25
26		·04					·04	·25		·50	·46	·62	26
27		·05				·73	·52	·11		1·35	·08	·55	27
28		·29			·02	·30	·17	·90	·25	·25	·43	·50	28
29		·33	·02		·20	·13	·14	·04	·64	·61		·36	29
30		×	·02	·02		·09	·34		·12	·39			30
31		×	·27	×		×	·31	·01	×	·03	×	·17	31
Total	5·25	4·25	6·66	·29	2·39	5·30	3·21	9·80	1·23	5·19	3·20	6·73	YEAR'S TOTAL 53·50
Rain Days.	20	23	25	8	16	25	23	28	7	18	21	27	241

Ex J. L.

FORM A.
BRITISH RAINFALL.

14 JAN 1914

REGISTER OF RAINFALL IN 1913.

Kept at Landue

in the County of Cornwall 3

by

Lat. 50·35·38 Long. 4·19·43
Time of Observation 9 a. m.
Nearest Railway Station Launceston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 11 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	28	33	10	09	..	..	..	01	11	39	03	1
2	·37	23	07	28	15	02	..	..	..	09	24	02	2
3	·32	..	15	02	35	..	..	..	80	17	0·	38	3
4	1·12	..	09	..	..	09	01	..	18	04	08	55	4
5	05	06	..	..	25	40	08	..	1·02	02	45	50	5
6	39	10	18	..	5	09	..	..	..	28	44	10	6
7	19	69	10	..	1.15	25	..	..	..	90	24	02	7
8	18	20	01	..	32	1·	05	31	..	16	01	01	8
9	20	03	..	..	08	05	05	07	01	..	76	05	9
10	87	..	..	03	04	02	..	05	..	96	23	00	10
11	63	..	..	04	49	08	..	..	01	09	1·04	03	11
12	10	02	12	02	10	..	..	..	04	..	48	05	12
13	03	01	..	03	18	01	02	01	31	..	15	..	13
14	45	..	30	02	..	..	02	..	01	..	17	..	14
15	16	..	43	1.15	..	..	..	..	16	..	04	..	15
16	43	..	66	17	..	..	03	43	26	..	02	..	16
17	08	..	04	14	..	..	..	..	..	..	05	..	17
18	11	..	40	17	..	..	..	..	..	..	12	..	18
19	45	..	05	..	03	07	..	..	28	30	01	..	19
20	20	..	17	26	..	..	01	..	05	42	48	..	20
21	05	..	10	15	12	..	02	03	..	..	17	..	21
22	25	..	96	12	01	24	..	09	05	..	..	30	22
23	..	..	01	..	..	..	..	08	01	..	23	95	23
24	03	34	..	09	..	07	..	..	..	..	06	02	24
25	..	02	..	53	..	..	..	01	08	05	03	07	25
26	..	..	..	1.52	..	..	..	03	01	05	..	31	26
27	33	..	30	30	..	..	..	18	..	48	01	07	27
28	07	..	03	25	11	..	..	..	06	47	01	15	28
29	08	X	35	65	03	..	..	..	..	41	01	..	29
30	74	X	..	10	08	..	..	..	01	55	01	..	30
31	19	X	20	X	04	X	..	27	X	2	X	..	31
Total	8·09	1·98	5·05	6·14	3·67	1·39	·29	1·56	3.36	5·57	5·93	3·61	YEAR'S TOTAL 46·64
Rain Days.	28.	11.	22.	22.	19.	12.	9	12	19.	19	27	19	278.

W.7,000, XI. 13

Exe DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
11 JAN 1915

Kept at Landue. in Lezant
in the County of Cornwall 3
by S. E. Tregoning

Lat. ______ Long. ______
Time of Observation 9 AM.
Nearest Railway Station Launceston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ______ ft. ______ in.
" " " " Sea Level 228 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			14			28	2	62			50	7	1
2	2		13	22	9	2	23				1	53	2
3	2		24	17	45	2		47			15	11	3
4	23		5	15	18		93	23	6		10	89	4
5	32		26	30	6		1	2			1	6	5
6		18	23	25	10		39	5				62	6
7	5	1·02	52	9	12	29	33	23	89		1	22	7
8	5		1·13	13	3	41	1	7	10			1	8
9	2	6	32	12	6	55		6	72				9
10	4	34	15	18	8	1			19		3	15	10
11		25	68	40		13			3		10	40	11
12		65	15	2					21		12	20	12
13		52	59				15		24	68	45	19	13
14		44	56			6		19	3	14	53	24	14
15		2	25				6	9	15	2	30	63	15
16		2	4				6		42		1	4	16
17		48	42				1		2			1·27	17
18		15	10				10		22			26	18
19		4	79				1·24		9		12	6	19
20		55	38			55		15	2			18	20
21		65	2				1	1		43		2	21
22		5	5	2	1	7		3		28			22
23		5	16		1		9	4		15			23
24		3	7				8	3		3	12		24
25	9	1	18		6		19	56		48	6	59	25
26	12	3	14				32			6	35	76	26
27	12	14	1				6			7	33	49	27
28	2	3	38		11					29	18	88	28
29	42		20		8		1·32			6	1·04	1·11	29
30	2		15	1						6	48	97	30
31	12				3		72			65		68	31
Total	1·66	5·71	8·49	2·06	1·47	2·39	6·33	2·85	3·39	3·40	5·00	11·63	YEAR'S TOTAL 54·38
Rain Days.	~~15~~	~~22~~	~~30~~	~~13~~	~~15~~	~~11~~	~~21~~	~~16~~	~~15~~	~~14~~	~~21~~	~~27~~	~~220~~

W. 8,000. X. 14.

ELMC

2052

FORM A.
BRITISH RAINFALL.

19. JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Landue.

in the County of Cornwall

by Sophie V Tregonning

3

Lat. 50° 35' 55" Long. 4° 19' 43"
Time of Observation 9 AM.
Nearest Railway Station Launceston.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	38	34		1	3			89	35	25	1	28	1
2	28	46	12	6		3		7	6			49	2
3	24	40	11	3	45		9	1				70	3
4	6	55	1		6		1	1				23	4
5	5	1 33		20				18				1 23	5
6	95	20		25			60	1				17	6
7	35	61	3	13			48			32	1	24	7
8	18	37					4	7		2	11	17	8
9	1 04	44		17				2			58	85	9
10	41	61	5	8		1		13		12	10	7	10
11	11		10				1	3		2	99	21	11
12	5	72		4	62			48	1	9	35	10	12
13	2	1 35		2	59		2	10	12	1	18	7	13
14	6	1					33	27	7	8	18	1 35	14
15	25	2	1		32		31	1	2		15	6	15
16	5	1 85		1	38		41			6		14	16
17	5	21	1		2		1 35					2	17
18	5	9	1					1		1			18
19	6	4	1	6	25		1						19
20	58	1		4	5	16	9		2	25			20
21	24	10			7	11				2		25	21
22	5	15		7		1	17		3	8		45	22
23	19	8	12			7	35		16	1 15		78	23
24			4	4		14	15		8	42		44	24
25	4					7	4		1		5	54	25
26	2	38				57	38		12			83	26
27	1	7				11	9		10	75			27
28		13				15	25	6	35	13	2	5	28
29		X				55			19		21	22	29
30	27	X				15	7	1	7	92	50	57	30
31	3	X		X		X	21	23	X	53	X	41	31
Total	6·07	10·52	·62	1·21	2·84	2·13	5·46	2·59	1·76	5·23	3·44	10·92	YEAR'S TOTAL 52·79
Rain Days.	28	25	12	15	11	13	22	18	16	19	14	27	220

W. 8,000. X. 15.

REGISTER ~~W~~ OF RAINFALL IN 1916

and for auth

1946

FORM A. BRITISH RAINFALL. 16 JAN 1917

Kept at Landue near Launceston

in the County of Cornwall

by S. E. Tregoning

Lat. 50° 35′ 58″ Long. 4° 19′ 43″
Time of Observation 9 A.M. (Green: Time)
Nearest Railway Station Launceston.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	24		11		8	6	19		1	20	2		1
2	35	13	16		5		1		26	13	55		2
3	2	1·95			35	6	4		12	58	36	5	3
4	25	25		5	5	35	12		8	12	99	2	4
5	4	16	5		4	18	4			15	29		5
6	5	17	1		15	24	48			28	98		6
7	20	35	17		29	2	10			2	78	12	7
8	2	25	12		27	33	2				9	24	8
9		18	4			5	4			18	16	1·23	9
10		80		10	6					2	1	6	10
11		4		6	5	1	2				1		11
12	7	8	2	5	9		12	6		13	1		12
13		37	6		1		1	24	2	4	1	6	13
14	2	48	1	2	4			20		16			14
15	2	31	2	16				3	1	3			15
16	24	10		9				71		26	3		16
17	22	13		2					25	26	96		17
18	2	31	21	7					27	15	12	10	18
19	30	15	1	20							40	7	19
20	10	62	12					2			26	58	20
21	7	5	11	3	5						12	4	21
22	2		5			15		10		95	4	60	22
23	6	5	1	11		18		24		33	49	19	23
24		10	5	17	2			28		63	6	37	24
25		33	24		2	6		50		9	40	2	25
26	2	8	6			4		38	55	1·09	12		26
27	1		1·25			15		2	10	62	1		27
28		6	5					11	25	70		64	28
29		1·28	4			48		65	3	21		8	29
30		✕				8		2		28		29	30
31		✕		✕		✕		8	✕	21	✕		31
Total	2·34	7·78	2·97	1·13	1·62	2·44	1·19	3·64	1·95	7·82	7·27	4·76	YEAR'S TOTAL 44·91
Rain Days.	21	26	23	13	16	16	12	16	12	26	25	18	224

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FOR A. BRITISH RAINFALL 1946
12 JAN. 19

Kept at Landue
in the County of Cornwall
by S. E. Tregoning

Lat. 50° 35' 38" Long. 4° 19' 43"
Time of Observation 9 . A M.
Nearest Railway Station Launceston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1		1	28		16		2	7		2		1
2	1			23		3				1	3	.3	2
3	12			20			8			45	52		3
4		19	78	2			5		2	35	1	1	4
5	20		58	44		58				42	14		5
6	2		26	2		38				13	15	1	6
7	53					4	18	13		30	23	1	7
8	10		25	7		16	28	24	2	41	18	35	8
9			9	8	18		6		1	48	60	7	9
10	32		33	30				29	2	10	4		10
11	7		24	31				1·03	1	40	40		11
12	27		3	4	24			20		61		1	12
13	25		20	5		1		45	18	34		5	13
14	2			9	1		2	26	4	19	1	2	14
15	26			2			2	1	1	39		.31	15
16		5		1		7	13	7	1	18	2	.35	16
17	1	2	.3	30	5		31	17	28	15			17
18		.3			22	15	28	8	65	13			18
19		45	4			14		6			1		19
20		54	5		60	15		18	5		2	3	20
21		1	8		1	10		6		4	7	18	21
22					5			63		18			22
23	4	5			15	3		68	1	25	2	5	23
24		13				4	25	8		29	15	4	24
25		4	8			1	1	40	7	30	10		25
26		1	2		43	9		16	7	15	7		26
27						81	2	1·23		18	1		27
28		1	18		4	1·46		51		13	1		28
29		X	30		1	11				75	1	7	29
30		X	12				5	17		3	2	1	30
31		X	4	X	48	X		8	X	18	X	2	31
Total	2·23	1·53	3·71	2·46	2·47	4·52	1·74	7·19	1·52	7·52	2·84	1·62	YEAR'S TOTAL 39·35
Rain Days.	15	12	20	16	13	19	14	24	16	28	24	18	219

W. 8,000, IX. 17.

54

1946

FORM A. BRITISH RAINFALL

29. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Landue near Launceston

in the County of Cornwall

by Sophie E. Tregoning

Lat. .... Long. ....

Time of Observation 9 A.M.

Nearest Railway Station Launceston

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		37	1	14	4			59	1	2	1·51		1
2		58		4						1	3	34	2
3		32		10	10			13	18	10	43	5	3
4		4			1			27	34		74	78	4
5		7	18	22	9			97	60	31	2	17	5
6	21	41	30	20				63		26		20	6
7	5	20		5				3	33	16	56	52	7
8	6	9				11	3		22	28	13	1	8
9	13	1		3		34	65		60	3	3	34	9
10	12			23			20		11	10		28	10
11	2	4	16	4	4		9		39	3	5	14	11
12		11	1		13	1	17		4	4		1	12
13	10	4			10		12		51	24		29	13
14	50		1		3	7	15		22	18		15	14
15	1·12				1	32	83		19	30		58	15
16	73			48	1	7	7		16	3	—	23	16
17	35			9	2	2	7	02	10			20	17
18	1·30		20			78	15	02	29	25		37	18
19	38	2	9	8			19		10	1		54	19
20	38	14		14		7	11		53			1	20
21	45	3		1		15	28		50	15		35	21
22	2				7		1·30		23	9	6	35	22
23	15				4	3	8		15		10	42	23
24	8	25				2	3	47	8		37	26	24
25	3			19	14		15	44		12	23	1	25
26	5	14		26			20	5	14	8	10	18	26
27	3	15	28					13	10	2	28	2	27
28		33	9						24	5	11	4	28
29		✕	22						85		3	2	29
30		✕	30	44				2	8	11	7	14	30
31		✕	32	✕		✕			✕	13	✕	5	31
Total	6·26	3·34	2·17	2·74	·83	1·99	4·87	3·77	4·29	3·10	4·85	7·05	YEAR'S TOTAL 48·26
Rain Days.	21	19	13	17	14	12	19	13	27	25	18	30	228

1786

1946

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Landue

in the County of Cornwall

by Miss Sophie E. Tregoning

Lat. 50° 35′ 38″ Long. 4° 19′ 43″ W

Time of Observation 9.0 a.m.

Nearest Railway Station Launceston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 11 in.

" " " " Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	53	...	25	8	7	...	21	...	30	29	...	95	1
2	42	...	3	...	1	...	16	...	5	6	...	5	2
3	8	...	37	...	3	...	...	...	14	...	3	12	3
4	14	45	77	...	1	1	...	18	51	1	...	4	4
5	10	13	17	...	...	...	...	...	1	1	...	10	5
6	92	50	30	...	...	...	...	...	...	...	...	33	6
7	50	...	14	12	...	...	...	...	1	...	...	21	7
8	42	...	19	12	...	1	...	...	...	...	82	...	8
9	28	...	03	31	20	...	...	...	...	...	91	4	9
10	10	...	53	4	2	...	...	...	...	5	...	82	10
11	9	...	63	10	30	1	11	...	1	3	...	12	11
12	35	...	14	4	...	5	...	...	...	19	22	1	12
13	32	10	21	38	...	...	6	...	2	8	...	28	13
14	43	15	...	56	61	...	2	...	...	11	...	31	14
15	39	4	...	4	...	...	...	...	...	16	1	45	15
16	12	...	...	...	4	...	...	5	...	...	31	1	16
17	6	90	2	...	...	1	...	5	...	...	45	1	17
18	21	25	53	...	4	...	17	26	8	...	38	1	18
19	28	26	13	...	...	12	4	66	31	...	18	7	19
20	45	27	14	...	5	15	1	6	13	...	20	11	20
21	30	76	...	...	31	...	8	...	12	...	2	7	21
22	...	03	...	...	1	...	8	...	35	...	1	7	22
23	··1	...	...	...	...	...	...	13	...	35	6	27	23
24	...	...	...	3	...	29	...	9	1	25	6	44	24
25	11	4	...	1	...	1	...	93	...	2	21	15	25
26	23	...	12	20	...	...	...	13	7	7	11	55	26
27	22	10	4	23	...	...	...	72	...	...	...	7	27
28	3	3	29	22	...	...	...	...	...	1	49	50	28
29	...		4	17	...	...	...	23	...	2	...	7	29
30	...		20	12	...	19	...	13	1	...	53	67	30
31	...		13		...		...	...		...		20	31
TOTAL	7·09	4·01	5·40	2·77	1·70	·85	·94	3·62	2·13	1·71	5·00	7·10	YEAR'S TOTAL 42·32
Days with ·01 in. or more	26	15	23	17	13	10	10	13	16	16	18	30	207

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1704
1946
JAN 19

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Landue
in the County of Cornwall
by Sophie E. Tregoning

Lat. 50° 35′ 58″ Long. 4° 19′ 43″
Time of Observation 9 A.M.
Nearest Railway Station Launceston.
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground ft. 11 in.
„ „ „ „ Sea Level 225 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·89

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			2	2	69		85	17	3	40	3	67	1
2	67			22	1		10	42	3	30		15	2
3	50	6		23	3		1		2	1·68		33	3
4			3		2			94		47			4
5			27		20		27	15		31	7		5
6			37	6	14		26			20			6
7	1		13	19	4		42					5	7
8	7	2		17	4		13	3				10	8
9	94	7		6		8	42		3			1	9
10	1·04	9	2	1		34	10				2		10
11	28	1	20	·61	18	14	16						11
12	21	11	21	·26	1	8	7	1		13	17	4	12
13	21	1	48	2		16		25		32			13
14	7		47	68			9		9	61	32		14
15		33	2	43	15				1	77	9		15
16	1	1	3	12		5	9		37	21	14		16
17	3		2	2	38		2	1	38	8			17
18	16	1	1	10	6	24		24	6				18
19	8	4		57	1	25			25				19
20	3			17	13	7	2		2	26		35	20
21				9			4			1		28	21
22	3			2			10					30	22
23			3				40	8				49	23
24	2	1	·35	1			3	3			11	17	24
25	·16	2	15	2			78		1		1	7	25
26	40	2	·20			1	12		1		33	8	26
27	70	3	18	22		22	12			1	82	55	27
28	72		33	2		7	3				12	9	28
29	49		43	1	10	2					·39	34	29
30	20	×		5		23	9		91	48	40	71	30
31	10	×	34	×		×			×	50	×	17	31
TOTAL	7·13	·84	4·29	4·38	2·19	1·96	4·72	2·33	2·22	6·74	3·02	4·95	YEAR'S TOTAL 44·77
Days with ·01 in. or more	24	15	22	26	16	14	24	11	14	17	14	19	216
Days with ·04 in. or more	18	6	14	17	11	12	19	7	6	15	11	18	154

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

✓

REGISTE

CORNWALL.

LAUNCESTON,

"OLD TREE HOUSE"

1913-1917, 1920.

FORM A.
BRITISH RAINFALL.
12 JAN 1914

4·23

·30. a.m.

Kept at Old Tree H

in the County of Cornwall

by Mrs J. W. Saunder

Launceston

8 in.

ve Ground 1 ft. 6 in.

Sea Level 600 ft.

IMPORTANT NOTE.—Ra l the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·24	·32	·06	·02	·	·	·	·01	·10	·02	·06	1
2	·15	·25	·04	·18	·23	·	·	·	·	·66	·50	·33	2
3	·20	″	·15	″	·24	·03	·	·	·40	·12	″		3
4	·86	″	·10	″	·01	·06	·	·	·36	·01	·10	·45	4
5	·04	·05	·02	″	·19	·55	·13	·	·38	·11	·10	·48	5
6	·24	·08	·15	″	·03	·13	·	·	·	·24	·35		6
7	·18	·59	·10	″	·87	·18	·01	·	·	·63	·18	·	7
8	·12	·19	″	″	·27	·	·05	·34	·	·10	·02	·	8
9	·12	·02	·02	·01	·14	·09	·05	·04	·02	″	·92	·	9
10	·72	″	″	·03	·04	·08	·	·04	·	·85	·43	·01	10
11	·48	″	″	·05	·32	·12	·	·	·03	·11	·65	·02	11
12	·04	″	″	·04	·13	·	·	·	·12	″	·43	·05	12
13	·03	″	·15	·01	·05	·	·07	·01	·44	″	·11	·	13
14	·38	″	·23	″	″	·	·04	·	·05	·02	·20	·03	14
15	·07	″	·55	1·04	″	·	·	·	·	″	·11	·05	15
16	·33	″	·59	·16	″	·	·02	·05	·32	·	″	·	16
17	·10	″	·05	·21	″	·	·01	·	″	·	·07	·	17
18	·12	″	·31	·18	″	·	·	·	″	″	·10	·	18
19	·45	″	·04	″	·06	·06	·03	·	·20	·53	″	·	19
20	·31	″	·15	·21	″	·	·	·	·08	·03	·50	·	20
21	·02	″	·18	·05	·12	·01	·02	·06	″	″	·09	·	21
22	·26	″	·70	·07	·03	·21	·	·12	·06	·02	″	·	22
23	·02	″	″	″	·	·02	·	·10	·02	″	·18	·20	23
24	·02	·33	″	·06	·	·05	·	·	″	·	·14	·88	24
25	″	·02	″	·44	·	·	·	·	·09	·02	·03	·05	25
26	″	″	″	1·25	·	·	·	·02	·01	·02	″	·32	26
27	·24	″	·28	·18	·	·	·	·16	″	·59	·02	·10	27
28	·09	″	·04	·27	·19	·	·	·	·03	·48	·02	·06	28
29	·04		·27	·59	·04	·	·	·	″	·20	″	·06	29
30	·60		″	·21	·08	″	·	·	·02	·43	·03	″	30
31	·18		·24		·		·	·30		″		″	31
Total	6·43	1·77	4·68	5·30	3·06	1·59	·43	1·24	2·64	5·27	5·30	3·15	YEAR'S TOTAL 40·86
Rain Days.	29	9	22	21	19	13	10	11	18	20	24	18	214

W.7,000, XI. 13

√

REGISTE

Kept at Old Tree House

in the County of Cornwall. 3

by Mrs J. W. Saunders.

Lat. [illegible] Long. 4·23

Time of Observation 9·30. a. m.

Nearest Railway Station Launceston

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 600 ft.

FORM A.
BRITISH RAINFALL
12 JAN 1914

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·24	·32	·06	·02	·	·	·	·01	·10	·02	·06	1
2	·15	·25	·04	·18	·23	·	·	·	·	·66	·50	·33	2
3	·20	"	·65	"	·24	·03	·	·	·40	·12	"		3
4	·86	"	·10	"	·01	·06	·	·	·36	·01	·10	·45	4
5	·04	·05	·02	"	·19	·55	·13	·	·38	·11	·10	·48	5
6	·24	·08	·15	"	·03	·13	·	·	·	·24	·35		6
7	·18	·59	·10	"	·87	·18	·01	·	·	·63	·18	·	7
8	·12	·19	"	"	·27	·	·05	·34	·	·10	·02	·	8
9	·12	·02	·02	·01	·14	·09	·05	·04	·02	"	·92	·	9
10	·72	"	"	·03	·04	·08	·	·04	·	·85	·43	·01	10
11	·48	"	"	·05	·32	·12	·	·	·03	·11	·65	·02	11
12	·04	"	"	·04	·13	·	·	·	·12	"	·43	·05	12
13	·03	"	·15	·01	·05	·	·07	·01	·44	"	·11	·	13
14	·38	"	·23	"	"	·	·04	·	·05	·02	·20	·03	14
15	·07	"	·55	1·04	"	·	·	·	·	"	·11	·05	15
16	·33	"	·59	·16	"	·	·02	·05	·32	"	"	·	16
17	·10	"	·05	·21	"	·	·01	·	"	"	·07	·	17
18	·12	"	·31	·18	"	·	·	·	"	"	·10	·	18
19	·45	"	·04	"	·06	·06	·03	·	·20	·53	"	·	19
20	·31	"	·15	·21	"	·	·	·	·08	·03	·50	·	20
21	·02	"	·18	·05	·12	·01	·02	·06	"	"	·09	·	21
22	·26	"	·70	·07	·03	·21	·	·12	·06	·02	"	·	22
23	·02	"	"	"	·	·02	·	·10	·02	"	·18	·20	23
24	·02	·33	"	·06	·	·05	·	·	"	"	·14	·88	24
25	"	·02	"	·44	·	·	·	·	·09	·02	·03	·05	25
26	"	"	"	1·25	·	·	·	·02	·01	·02	"	·32	26
27	·24	"	·28	·18	·	·	·	·16	"	·59	·02	·10	27
28	·09	"	·04	·27	·19	·	·	·	·03	·48	·02	·06	28
29	·04		·27	·59	·04	·	·	·	"	·20	"	·06	29
30	·60		"	·21	·08	·	·	·	·02	·43	·03	"	30
31	·18		·24		·		·	·30		"		"	31
Total	6·43	1·77	4·68	5·30	3·06	1·59	·43	1·24	2·64	5·27	5·30	3·15	YEAR'S TOTAL 40·86
Rain Days.	29	9	22	21	19	13	10	11	18	20	24	18	214

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
[illegible]-JAN 1915

Kept at Old Tree House. Launceston.
in the County of Cornwall. 3
by Mrs Saunders.

Lat. Long.
Time of Observation 9·30 a.m.
Nearest Railway Station Launceston.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	..	..	·17	·22	..	·25	..	·52	..	.	·29	·22	1
2	·03	..	·05	·01	·10	·05	·26	·02	..	.	..	·63	2
3	·03	..	·27	·21	·40	·01	..	·50	..		·13	·43	3
4	·20	..	·28	·32	·10	..	82	·24	·01	.	·07	·39	4
5	·21	..	·14	·30	·05	..	·02	·05	..	.	.	·03	5
6	[illegible]	32	·08	·11	·11	·02	·18	·03	..	.	·02	·54	6
7	·05	·56	·62	·12	·08	·23	·34	·31	·70	.	.	·14	7
8	·02	..	·87	..	·02	·33	..	·04	·07	.	.	.	8
9	·01	·07	·06	·10	·21	·50	..	·06	·77	.	.	.	9
10	·07	·61	·09	·57		..	..	..	·83	.	·05	.	10
11	..	·16	·72	..	..	·12	..	..	·02	.	·10	·50	11
12	..	·73	·17	..	..	..	..	..	·25	·04	·25	·10	12
13	..	·49	·48	..	..	..	20	..	·31	·19	·33	·19	13
14	..	·35	·37	..	.	·02	..	·22	·03	·03	·53	·24	14
15	..	..	·24	..	..	..	·15	·11	..	·02	·36	·60	15
16	..	..	·04	..	..	..	·02	..	·26	..	.	..	16
17	..	·35	·32	..	..	·15	..	..	..	..	.	·93	17
18	..	·15	·09	..	..	..	·03	..	·20	..	.	·30	18
19	..	·03	·63	..	..	..	..	..	·08	..	·13	·07	19
20	..	·42	·35	..	..	·54	1·16	·03	..	..	.	·21	20
21	..	·45	..	..	..	..	·03	..	..	·34	.	.	21
22	..	·10	..	·02	..	·01	·10	..	..	·31	.	.	22
23	-	.	·17	..	..	..	..	·08	..	·18	.	.	23
24	-	..	·05	..	..	..	·11	..	·06	·04	·08	.	24
25	..	..	·12	..	·03	..	·09	·42	..	·45	.	·43	25
26	·22	-	·12	..	..	..	·12	..	..	..	·04	·80	26
27	·11	·10	-	..	..	..	·32	..	..	·20	·28	·43	27
28	..	·02	·29	..	..	..	·14	..	..	·24	·05	·78	28
29	·32	✕	·22	·23	·18	..	..	..	..	·04	·78	·28	29
30	·03	✕	·14	..	..	..	·32	..	..	..	·46	·92	30
31	·06	✕	..	✕	..	✕	·57	..	✕	·74	✕	·72	31
Total	1·36	4·91	7·15	2·21	1·28	2·23	4·98	2·63	3·59	2·82	3·95	9·88	YEAR'S TOTAL 46·99
Rain Days.	13	16	27	11	11	12	19	14	13	13	17	23	189

W. 8,000. X. 14.

Crdly mm stats 16.11.16

2055

FORM A.
BRITISH RAINFALL.

8. JAN. 1916

REGISTER OF RAINFALL IN 1915.

Kept at Old Tree House, Launceston

in the County of Cornwall. 3

by Wm Saunders.

Lat. 50·38 Long. 4·25 W.

Time of Observation 9·30. a.m.

Nearest Railway Station Launceston.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·29	·28	"	"	·03	·	·	·99	·25	24	·02	·40	1
2	·27	·33	·11	·11	"	·10	·06	·07	·05	"	"	·35	2
3	·13	·35	·11	·09	·34	·	·07	"	"	"	"	·55	3
4	·06	·37	-	"	·03	·	"	"	"	"	"	·34	4
5	·07	1·04	"	·26	"	·02	"	·19	"	"	"	·17	5
6	·72	+	"	·18	"	·	·48	·03	"	"	"	·23	6
7	·34	2·05 +	"	·09	"	·	·48	"	"	·30	·03	·20	7
8	·22	+	"	·02	"	·	·03	·19	"	"	·10	·45	8
9	"	·36	"	·17	"	·	"	·05	-	-	·59	·65	9
10	·45	·40	·11	·08	"	·	·	·14	"	·15	·07	·17	10
11	·03	"	·08	"	"	·	·03	·06	"	·05	·86	·20	11
12	·07	·55	"	·03	"	·	"	·21	"	·07	·41	"	12
13	·01	·99	"	·04	·55	·	"	·10	·15	·03	·21	·18	13
14	"	"	"	·01	"	·	·37	·17	·20	·02	·16	1·15	14
15	·17	"	"	"	·41	·	·27	·03	·02	·04	·11	·04	15
16	·07	1·69	"	"	·28	·	1·05	·02	"	"	"	"	16
17	"	·25	"	"	"	·	"	"	"	"	"	"	17
18	·06	·39	·02	"	"	·	·03	"	"	"	"	"	18
19	·04	·02	"	·09	·25	·	·11	"	"	"	"	"	19
20	·65	"	"	"	·03	·12	"	·02	"	·23	"	"	20
21	·07	·15	"	"	·09	·10	·26	"	"	·03	"	·29	21
22	·03	·13	·10	·04	"	·02	·26	"	·07	·23	"	·45	22
23	·08	·05	"	"	"	·05	·27	"	·05	·70	"	·70	23
24	"	"	·03	·05	"	·16	·17	"	·05	·57	"	·39	24
25	"	"	"	"	"	·07	·07	·	"	"	·07	·50	25
26	"	·25	"	"	·05	·61	·14	"	"	"	"	1·10	26
27	"	·05	"	"	"	·11	(·10)	·	·16	[illegible]	"	"	27
28	"	·09	"	"	"	·16	·	·14	·11	·20	"	·14	28
29	"		"	"	"	·55	"	"	·18	"	"	"	29
30	·20		"	"	·	·03	"	·02	·02	·87	·17	·26	30
31	·		"		"		·24	·12		·35		·50	31
Total	4·03	9·79	·56	1·26	2·06	2·10	4·49	2·55	1·31	4·08	2·80	9·41	YEAR'S TOTAL 44·44
Rain Days.	21	22	7	14	10	13	19	18	12	16	12	23	187

W. 8,000. X. 15.

1997

FORM A.
BRITISH RAINFALL.
6 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Old Tree House.
in the County of Launceston Cornwall
by Wm. Saunders.

Lat. 50·38. Long. 4·24. W.
Time of Observation 9. a. m.
Nearest Railway Station Launceston
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·31	〃	〃	·	·	·12	·10	·	〃	·	·	·	1
2	·36	·20	·11	〃	·20	·02	〃	·	·19	·39	·50	·	2
3	·	1·80	·	〃	〃	·09	〃	〃	·09	·54	·	·	3
4	·24	·21	〃	·04	·37	·41	·41	·	·09	·04	·90	·05	4
5	·06	·19	·07	〃	〃	·14	·01	·	·	·37	·61	·	5
6	·16	·13	〃	〃	·11	·25	·32	·	·	·17	·99	·	6
7	·11	·32	·11	〃	·14	·05	〃	·	·	·	·55	·11	7
8	·02	·29	·07	〃	·36	·20	·03	·	·	·	·19	·34	8
9	〃	·20	〃	〃	·18	·	·10	·	·	·14	·15	1·42 Snow.	9
10	〃	·82	〃	·14	·10	·	·	·	·	·	·	·	10
11	〃	〃	〃	·10	〃	·	·	·	·	·	·	·	11
12	·09	·13	〃	·07	·16	·	·09	·03	·	·21	·	·	12
13	〃	·54	·04	〃	·13	·	·	·25	·07	·	·	·11	13
14	·04	·18	〃	〃	〃	·	〃	·21	·	·06	·	·	14
15	〃	·14	·	·17	·15	·	〃	·13	·	〃	·	·	15
16	·13	·10	〃	·09	〃	·	·	·48	·	·31	·	·	16
17	·20	·15	〃	·01	·	·	·	·	·46	·19	·	·	17
18	〃	〃	·19	·08	·	·	·	·	·25	·15	·35	·	18
19	·30	·97	〃	·20	·	·	·	·	·01	·	·23	·	19
20	·09	·04	29	·02	·	·	·	·	·	·	·50	·35	20
21	·07	·04	·03	〃	·05	·	·	·	·	·	·33	·32	21
22	〃	〃	·02	〃	·	·13	·	·11	·	·72	·17	·40	22
23	·05		〃	·13	·	·17	·	·25	·	·13	·12	·80	23
24	〃		·07	·06	·	·01	·	·14	·	·62	·35	·	24
25	〃		·32	〃	·05	·03	·	·53	·64	·10	·	·	25
26	·	·79 Snow.	1·34 snow.	·	·	〃	·	·11	·	·57	·30	·	26
27	〃			·	·	·10	·	·12	·34	·68	·19	·	27
28	〃		〃	·	·	·	·	·10	·	·55	·	·85	28
29	〃		〃	·	·	·52	·	·80	·10	·25	·	·45	29
30	〃	✕	〃	·	·	·13	·	〃	·	·31	·	·	30
31	〃	✕	〃	✕	·	✕	·	·09	✕	·08	✕	·	31
Total	2·23	7·24	2·66	1·11	2·00	2·37	1·06	3·35	2·24	6·58	6·43	5·20	YEAR'S TOTAL 42·47
Rain Days.	15	23	12	12	12	15	7	14	10	21	16	11	168.

W. 8,000, VIII. 16

W.C.[illegible]

1907

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.
2[illegible] FEB 1918

Kept at Old Tree House
in the County of Launceston Cornwall
by Mr Saunders.

Lat. 50.39 Long. 4.24
Time of Observation 9.30.
Nearest Railway Station Launceston.
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03			·15		·50							1
2	·14		·09	·10		·13					·20	·15	2
3				·18						·67	·33		3
4		·11	·77						·04	·25			4
5			·71	·37						·35	·10		5
6				·27		·50				·08	·18		6
7				·12		·25				·34	·18		7
8	·73		·03	·17			·11	·13		·57	·02		8
9			·20	·05				·43		·42	·19		9
10			·33	·38				·30		·07	·30		10
11	·24		·34	·31	·10			·20		·47			11
12	·11				·20			·45		·73			12
13	·17		·23	·17				·13	·31	·35		·37	13
14								·30	·04	·18			14
15	·36							·31		·19		·15	15
16			·05					·20	·01	·50		·02	16
17					·09		·50	·01	·27	·17			17
18		·13			·20		·41		·74	·20			18
19		·42				·05		·08	·01				19
20		·46	·05		·69			·02	·03	·01	·04		20
21			·12					·06		·01	·12	·17	21
22								·75		·23	·04		22
23		·15						·54		·10	·04		23
24		·10			·09		·21	·17		·33	·04		24
25		·05	·04				·04	·69		·25	·12		25
26								·19	·15	·10			26
27			·44		·30	·81		1·28			·01		27
28						1·46		·40		·10			28
29					·11	·11		·01	·02	·18			29
30		X						·20	·03	·10			30
31		X		X		X	·04	·10	X	·24	X		31
Total	1·78	1·42	3·40	2·27	1·78	3·81	1·31	6·75	1·65	7·19	1·91	·86	YEAR'S TOTAL 34·13
Rain Days.	7	7	15	11	8	8	6	23	11	27	15	5	143

W. 8,000, IX. 17.

obst agrees

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

18 JAN 1921

Kept at Old Tree House Launceston
in the County of Cornwall
by C M Saunders (Mrs)

Lat. 50·37 Long. 4·24
Time of Observation 9 a.m.
Nearest Railway Station Launceston
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 6 in.
„ „ „ „ Sea Level 600 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	"	·02	·13	·66	"	·96	·10	·04	·03	·02	·42	1
2	·65	"	"	·26	·01	"	·12	·26	·09	·26	"	·12	2
3	·45	·04	"	·21	·02	"	·04	"	·01	1·34	"	·33	3
4	"	"	·07	"	·02	"	"	·83	"	·44	"	"	4
5	"	"	·16	"	·16	"	·22	·15	"	·36	"	"	5
6	"	"	·39	·02	·27	"	·19	"	"	·24	·02	"	6
7	·04	"	·09	·43	·04	"	·65	"	·02	"	"	·07	7
8	·05	·05	·05	·23	·06	"	·24	·01	"	"	"	"	8
9	1·32	·10	·02	·02	"	·14	·34	·02	·02	"	"	"	9
10	1·13	·25	·03	·15	"	·26	·24	"	"	"	·03	"	10
11	·18	"	·12	·53	·12	·06	·14	"	"	"	"	"	11
12	·44	·12	·10	·31	·01	·09	·08	·02	"	·09	·19	(·07)	12
13	·20	·06	·50	·15	"	·02	"	·30	"	·53	"	"	13
14	·05	·12	·47	·75	"	"	·07	"	·11	·50	·44	"	14
15	"	·23	·02	·53	·10	"	"	"	·05	·58	·08	"	15
16	"	·02	·06	"	·06	·07	·15	"	·15	·45	·25	"	16
17	·11	"	·03	·02	·27	·05	·07	"	·30	·17	"	"	17
18	·19	·02	·03	·10	·10	·13	"	·26	·11	"	"	"	18
19	·15	·08	"	·35	"	·24	"	·01	·04	"	"	"	19
20	·06	"	"	·37	"	·07	"	"	·09	·12	"	·35	20
21	"	"	"	·17	"	"	·03	"	·01	·06	"	·27	21
22	·03	"	"	·03	"	"	·08	"	"	"	"	·28	22
23	·02	"	·03	"	"	"	·43	·17	"	"	"	·46	23
24	·05	·01	·33	"	"	"	·03	·04	·01	"	·15	·17	24
25	·09	·04	·18	·01	"	"	·87	·01	"	"	"	·04	25
26	·45	·02	·30	"	"	·03	·16	"	·02	"	·33	·07	26
27	·90	·08	·23	·29	·02	·29	·10	"	"	"	1·35	·46	27
28	·70	·02	·37	·02	"	·12	·06	"	"	"	·12	·07	28
29	·51	·01	·40	·07	·16	·14	"	"	"	"	·38	·32	29
30	·26		"	·05	·01	·20	·07	"	·98	·66	·40	·68	30
31	·19		·20		"		·04	"		·75		·18	31
TOTAL	8·30	1·27	4·20	5·20	2·09	1·91	5·38	2·18	2·05	6·58 ~~5·58~~	3·76 ~~2·76~~	4·30	YEAR'S TOTAL 47·22 ~~45·22~~
Days with ·01 in. or more	25	17	24	24 ~~25~~	17	15	24	13	16	16	13	17	~~222~~ 221
	23	11	17	18	11	13	22	8	10	15	10	17	175

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Old Tree House.
Launceston. Cornwall.

Sir.
I am obliged by your communication, & regret the error in the totals for October & November. The daily totals will be correct.

Yours truly
C M Saunders.

6 MAR 14

POST CARD

TO BE USED FOR WRITTEN OR PRINTED MATTER

ONLY THE ADDRESS TO BE WRITTEN HERE

POSTAGE REVENUE
ONE PENNY

LAUNCESTON
MR

The Superintendent.
British Rainfall Organization.
62 Camden Square.
London. N.W.1.

CORNWALL.

LINKINHORNE,
PHOENIX MINES

1913

FORM A.
BRITISH RAINFALL.

2 - JAN 1914

REGISTER

Kept at Phœnix Mines, Link

in the County of Cornwall

by Phœnix Mines (Cornwall

eard. G.W.R.

in.

und 1 ft. — in.

Level 870 ft.

IMPORTANT NOTE.—Rain sh result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·45	·53	·19	·09	–	–	–	·03	·10	·68	·225	1
2	·265	·15	·15	·24	·315	·025	–	–	–	·11	·355	·115	2
3	·75	·01	·50	—	·15	–	–	–	·56	·20	–	·51	3
4	1·04	–	·32	–	–	·185	–	–	·05	·07	·25	·60	4
5	·055	·05	·02	–	·62	·72	–	–	1·22	–	·54	·75	5
6	1·0	·25	·20	–	·10	·44	–	–	–	·35	·38	·26	6
7	·5	1·12	·09	–	1·64	·27	–	–	–	·69	·40	·12	7
8	·19	·53	–	–	·425	–	–	·48	–	·16	–	·13	8
9	·34	·07	·22	·03	·11	·16	·20	–	–	–	1·63	·14	9
10	1·45	–	·13	·06	–	·16	–	·11	–	1·17	·20	–	10
11	·75	–	·03	·04	1·12	·175	·10	–	·06	·08	1·38	·25	11
12	·05	–	–	–	–	–	–	–	·32	–	·55	·03	12
13	·10	–	·33	·03	·19	–	·03	·05	·25	–	·33	–	13
14	·72	–	·435	·015	–	–	·05	–	·05	·07	·50	·065	14
15	·10	–	·48	1·92	–	–	–	–	·11	–	·20	·10	15
16	·56	–	·90	·18	–	–	·08	·24	·20	–	·05	–	16
17	·09	–	·20	·20	–	–	·06	–	–	–	·26	–	17
18	·25	–	·87	·49	–	·03	–	–	–	–	·23	-	18
19	·63	–	·03	·08	·15	·18	·05	–	·51	·44	–	–	19
20	·25	–	·13	·54	–	–	–	–	·07	·055	1·20	–	20
21	·04	–	·07	·08	·20	–	·045	·14	·02	–	·40	–	21
22	·58	–	·90	·16	·09	·43	–	·27	·14	·15	–	·34	22
23	·03	–	·03	–	–	–	–	·03	·05	–	·31	–	23
24	·03	·47	–	·25	–	·09	–	–	–	–	·085	·06	24
25	—	·01	–	·77	–	–	–	–	·10	·07	·12	·48	25
26	·02	–	–	2·00	–	–	–	·03	–	·06	·01	·59	26
27	·83	–	·30	·275	·13	–	–	·08	–	·58	·015	·31	27
28	·31	–	·04	·305	·03	–	–	–	·19	·80	–	·62	28
29	·09	–	·42	·88	·18	–	–	–	–	·335	·08	–	29
30	1·28	–	–	·21	–	–	–	–	–	·503	·13	–	30
31	·16	–	·27	–	–	–	–	·21		·035	–	–	31
Total	12·47	3·11	7·595	8·945	5·54	2·865	·585	1·64	3·93	6·028	10·285	5·695	YEAR'S TOTAL 68·688
Rain Days.	30	10	25	22	16	12	8	10	17	20	25	19	214

W.7,000, XI. 13

✓

REGISTER

FORM A. BRITISH RAINFALL

2 - JAN 1914

3

Kept at Phoenix Mines Linkinhorne

in the County of Cornwall

by Phoenix Mines (Cornwall) Ltd

Time of Observation 9 am.

Nearest Railway Station Liskeard G.W.R.

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 870 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·45	·53	·19	·09	–	–	–	·03	·10	·68	·225	1
2	·265	·15	·15	·24	·315	·025	–	–	–	·11	·355	·115	2
3	·75	·01	·50	–	·15	–	–	–	·56	·20	–	·51	3
4	1·04	–	·32	–	–	·185	–	–	·05	·07	·25	·60	4
5	·055	·05	·02	–	·62	·72	–	–	1·22	–	·54	·75	5
6	1·0	·25	·20	–	·10	·44	–	–	–	·35	·38	·26	6
7	·5	1·12	·09	–	1·64	·27	–	–	–	·69	·40	·12	7
8	·19	·53	–	–	·425	–	–	·48	–	·16	–	·13	8
9	·34	·07	·22	·03	·11	·16	·20	–	–	–	1·63	·14	9
10	1·45	–	·13	·06	–	·16	–	·11	–	1·17	·20	–	10
11	·75	–	·03	·04	1·12	·175	·10	–	·06	·08	1·38	·25	11
12	·05	–	–	–	–	–	–	–	·32	–	·55	·03	12
13	·10	–	·33	·03	·19	–	·03	·05	·25	–	·33	–	13
14	·72	–	·435	·015	–	–	·05	–	·05	·07	·50	·065	14
15	·10	–	·48	1·92	–	–	–	–	·11	–	·20	·10	15
16	·56	–	·90	·18	–	–	·08	·24	·20	–	·05	–	16
17	·09	–	·20	·20	–	–	·06	–	–	–	·26	–	17
18	·25	–	·87	·49	–	·03	–	–	–	–	·23	–	18
19	·63	–	·03	·08	·15	·18	·05	–	·51	·44	–	–	19
20	·25	–	·13	·54	–	–	–	–	·07	·055	1·20	–	20
21	·04	–	·07	·08	·20	–	·045	·14	·02	–	·40	–	21
22	·58	–	·90	·16	·09	·43	–	·27	·14	·15	–	·34	22
23	·03	–	·03	–	–	–	–	·03	·05	–	·31	–	23
24	·03	·47	–	·25	–	·09	–	–	–	–	·085	·06	24
25	–	·01	–	·77	–	–	–	–	·10	·07	·12	·48	25
26	·02	–	–	2·00	–	–	–	·03	–	·06	·01	·59	26
27	·83	–	·30	·275	·13	–	–	·08	–	·58	·015	·31	27
28	·31	–	·04	·305	·03	–	–	–	·19	·80	–	·62	28
29	·09	–	·42	·88	·18	–	–	–	–	·335	·08	–	29
30	1·28	–	–	·21	–	–	–	–	–	·503	·13	–	30
31	·16	–	·27	–	–	–	–	·21		·035	–	–	31
Total	12·47	3·11	7·595	8·945	5·54	2·865	·585	1·64	3·93	6·028	10·285	5·695	YEAR'S TOTAL 68·688
Rain Days.	30	10	25	22	16	12	8	10	17	20	25.	19	214

W.7,000, XI. 13

ccc j

REGIST 1.

CORNWALL.
LAUNCESTON.
"1, TAMAR TERRACE"
1911—1914

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at 1. Tamar Terrac 5 in.

e Ground — ft. 10 in.

in the County of Cornwa Sea Level 446 ft.

o7 N.M.

by Capt. L. Ching. Name Launceston

Distance 3/4 Direction North –

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	nil	.02	.09	.30	1.25	.01	nil	nil	nil	.02	nil	1
2	nil	nil	.01	.04	.19	nil	nil	.28	nil	.19	.26	.37	2
3	nil	nil	.06	nil	.36	nil	nil	.02	.03	nil	.25	.11	3
4	nil	nil	.07	nil	nil	nil	nil	.42	nil	nil	.33	.80	4
5	.67	nil	.23	nil	nil	nil	nil	.34	nil	nil	.27	.09	5
6	.08	nil	.03	nil	nil	nil	nil	.02	nil	nil	.36	1.65	6
7	.03	nil	nil	nil	nil	nil	nil	nil	nil	nil	.80	.03	7
8	.01	nil	.19	nil	nil	nil	nil	nil	nil	nil	.06	.79	8
9	.02	nil	nil	nil	nil	nil	nil	nil	nil	nil	.34	.90	9
10	.07	.04	.63	nil	.06	nil	nil	nil	nil	nil	.17	.57	10
11	.26	nil	nil	nil	nil	nil	nil	nil	.04	nil	.37	.15	11
12	nil	nil	.41	nil	.02	nil	nil	nil	.34	nil	.31	.61	12
13	nil	nil	.06	nil	nil	nil	nil	nil	.08	.02	.09	.14	13
14	nil	.09	.09	nil	nil	nil	nil	nil	nil	nil	.37	.54	14
15	nil	nil	.09	nil	nil	.06	nil	nil	nil	nil	.31	.08	15
16	nil	.06	nil	nil	nil	.40	nil	nil	nil	nil	.18	.53	16
17	nil	.06	.04	.16	nil	.22	nil	nil	nil	nil	.31	1.80	17
18	nil	.30	.03	.44	nil	.19	nil	nil	nil	.17	.40	.76	18
19	nil	.08	nil	.10	nil	.65	nil	nil	.40	.04	.29	1.05	19
20	.05	.05	.03	.16	nil	.02	nil	nil	.40	.95	nil	.54	20
21	.03	.24	nil	nil	nil	.08	nil	.01	.35	.45	nil	.30	21
22	.03	.08	nil	.08	nil	.13	nil	nil	.28	.21	nil	.30	22
23	nil	.23	.04	nil	nil	.05	nil	.27	.11	.35	nil	.25	23
24	.04	.21	nil	nil	nil	.44	nil	.02	nil	.40	nil	.31	24
25	.01	.06	nil	.13	nil	.07	nil	nil	.11	.22	nil	.14	25
26	nil	.08	nil	.40	.13	nil	nil	.10	.02	.74	nil	.23	26
27	nil	.61	nil	nil	.02	nil	.01	.27	.11	.08	nil	.26	27
28	nil	.07	.01	.74	nil	.03	nil	.04	nil	nil	.54	.02	28
29	nil	—	nil	.32	.24	.43	.50	nil	.17	.45	nil	.01	29
30	nil	—	.03	nil	nil	.08	.16	nil	nil	.40	.38	.06	30
31	nil	—	.21	—	.09	—	.03	nil	—	.05	—	.02	31
Total	1.32	2.26	2.28	2.66	1.41	4.10	0.71	1.79	2.44	4.72	6.41	13.41	TOTAL for year 43.51 ✓
No. of Rain Days	13	15	19	11	9	15	5	11	13	15	21	30	177 ✓

9,000, IX. '10.

ccc

REGIST 1.

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

Kept at 1. Tamar Terrace; Launceston

in the County of Cornwall 3

by Capt. L. Ching, R.N.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 10 in.
" " " Sea Level 446 ft.

Time of Observation 10 A.M.

Nearest Railway Station
Name Launceston
Distance 3/4 Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1; following.
0.02

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.02	nil	.02	.09	.30	1.25	.01	nil	nil	nil	.02	nil	1
2	nil	nil	.01	.04	.19	nil	nil	.28	nil	.19	.26	.37	2
3	nil	nil	.06	nil	.36	nil	nil	.02	.03	nil	.25	.11	3
4	nil	nil	.07	nil	nil	nil	nil	.42	nil	nil	.33	.80	4
5	.07	nil	.23	nil	nil	nil	nil	.34	nil	nil	.27	.09	5
6	.08	nil	.03	nil	nil	nil	nil	.02	nil	nil	.36	1.65	6
7	.03	nil	nil	nil	nil	nil	nil	nil	nil	nil	.80	.03	7
8	.01	nil	.19	nil	nil	nil	nil	nil	nil	nil	.06	.79	8
9	.02	nil	nil	nil	nil	nil	nil	nil	nil	nil	.34	.90	9
10	.07	.04	.63	nil	.06	nil	nil	nil	nil	nil	.17	.57	10
11	.26	nil	nil	nil	nil	nil	nil	nil	.04	nil	.37	.15	11
12	nil	nil	.41	nil	.02	nil	nil	nil	.34	nil	.31	.61	12
13	nil	nil	.06	nil	nil	nil	nil	nil	.08	.02	.09	.14	13
14	nil	.09	.09	nil	nil	nil	nil	nil	nil	nil	.37	.54	14
15	nil	nil	.09	nil	nil	.06	nil	nil	nil	nil	.31	.08	15
16	nil	.06	nil	nil	nil	.40	nil	nil	nil	nil	.18	.53	16
17	nil	.06	.04	.16	nil	.22	nil	nil	nil	nil	.31	1.80	17
18	nil	.30	.03	.44	nil	.19	nil	nil	nil	.17	.40	.76	18
19	nil	.08	nil	.10	nil	.65	nil	nil	.40	.04	.29	1.05	19
20	.05	.05	.03	.16	nil	.02	nil	nil	.40	.95	nil	.54	20
21	.03	.24	nil	nil	nil	.08	nil	.01	.35	.45	nil	.30	21
22	.03	.08	nil	.08	nil	.13	nil	nil	.28	.21	nil	.30	22
23	nil	.23	.04	nil	nil	.05	nil	.27	.11	.35	nil	.25	23
24	.04	.21	nil	nil	nil	.44	nil	.02	nil	.40	nil	.31	24
25	.01	.06	nil	.13	nil	.07	nil	nil	.11	.22	nil	.14	25
26	nil	.08	nil	.40	.13	nil	nil	.10	.02	.74	nil	.23	26
27	nil	.61	nil	nil	.02	nil	.01	.27	.11	.08	nil	.26	27
28	nil	.07	.01	.74	nil	.03	nil	.04	nil	nil	.54	.02	28
29	nil	—	nil	.32	.24	.43	.50	nil	.17	.45	nil	.01	29
30	nil	—	.03	nil	nil	.08	.16	nil	nil	.40	.38	.06	30
31	nil	—	.21	—	.09	—	.03	nil	—	.05	—	.02	31
Total	1.32	2.26	2.28	2.66	1.41	4.10	0.71	1.79	2.44	4.72	6.41	13.41	TOTAL for year 43.51
No. of Rain Days	13	15	19	11	9	15	5	11	13	15	21	30	177

9,000, IX. '10.

made

FORM A2.
BRITISH RAINFALL.

6 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at 1, Tamar Terrace, Launceston
in the County of Cornwall. 3
by Capt. L. Ching. R.N.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground — ft. 10 in.
" " " Sea Level 446 ft.
Time of Observation 10h. A.M.
Nearest Railway Station
Name Launceston
Distance 3/4 Direction North

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0.10

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	nil	nil	·16	nil	·04	·81	·07	·48	·22	·62	nil	·21	1
2	nil	nil	·21	·08	nil	·66	nil	nil	nil	nil	nil	·03	2
3	·02	nil	·43	nil	·01	·25	nil	1·04	·08	nil	nil	·05	3
4	·27	nil	·80	·02	·01	·05	nil	·29	nil	nil	·38	nil	4
5	·76	·22	·21	·01	·04	·02	·05	1·50	nil	nil	·05	·20	5
6	·09	·10	·04	nil	·30	·08	nil	·45	nil	nil	·02	·08	6
7	·17	1·00	·50	·04	·08	·22	·08	·60	nil	nil	·02	·19	7
8	·47	·08	·07	nil	nil	·50	nil	nil	·02	nil	nil	nil	8
9	·03	·34	·03	·08	nil	·02	·09	nil	nil	nil	·02	·62	9
10	·43	·07	·16	·03	nil	·02	·09	·03	nil	nil	·28	·05	10
11	nil	·03	nil	nil	nil	nil	·02	·04	nil	nil	·24	·50	11
12	·06	·03	·16	nil	nil	·05	·29	·20	nil	nil	·10	·04	12
13	·25	nil	nil	nil	nil	·02	·11	·16	nil	~~nil~~ ·07	nil	·33	13
14	·23	nil	·50	nil	·15	·03	nil	·15	nil	nil	nil	·07	14
15	·80	·10	·09	nil	·14	·71	nil	·01	nil	nil	·02	·43	15
16	·15	·07	·50	nil	·03	·06	nil	·28	nil	·15	·05	·15	16
17	nil	nil	·15	nil	·04	·17	nil	·64	nil	nil	·07	·17	17
18	nil	nil	·30	nil	nil	·01	nil	·95	nil	·06	·05	·02	18
19	·02	·03	·33	nil	·07	·09	nil	·59	nil	·10	nil	·12	19
20	·06	·12	·45	·02	·07	·01	nil	·25	nil	·42	·05	nil	20
21	nil	·05	·25	nil	·72	·07	·14	·14	nil	·19	nil	nil	21
22	·18	·30	·32	nil	·05	·02	·03	·23	nil	·08	·01	·14	22
23	·05	·30	·23	nil	nil	·04	·05	·77	nil	·12	·07	·37	23
24	·20	·52	·06	nil	nil	·39	·04	·01	nil	·10	nil	·17	24
25	·18	·05	nil	nil	nil	·48	·04	·17	nil	·33	·45	·64	25
26	nil	·09	nil	nil	nil	·01	·02	·26	nil	·48	·84	·47	26
27	nil	·05	nil	nil	nil	·09	·45	·10	nil	1·38	·02	·49	27
28	nil	·31	nil	nil	nil	·10	·35	·85	·24	·20	·45	·48	28
29	nil	·38	nil	nil	nil	·08	·15	·05	·64	·31	nil	·15	29
30	nil	—	·01	·03	·09	·24	·32	nil	·09	·45	nil	nil	30
31	nil	—	·26	—	nil	—	·27	·02	—	·02	—	·10	31
Total	5·02	4·24	6·22	0·31	1·84	5·90	2·66	10·26	1·29	5·08	3·19	6·27	TOTAL for year 52·28
No. of Rain Days.	19	21	24	8	15	29	19	27	6	17	19	26	230

W. 8,000, X. '11.

Smaker

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

Kept at 1, Tamar Terrace, Launceston -
in the County of Cornwall - 3
by Capt. L. Ching. R. N.

Lat. 50-38 N. Long. 4° 21 W.
Time of Observation 10 AM
Nearest Railway Station 3/4 mile - Launceston -
Diameter of Rain Gauge Five in.
Height of top of Gauge above Ground —— ft. 9 in.
" " " " Sea Level 446 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. Nil.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·29	·31	·08	·02	nil	nil	nil	·01	·07	·35	·05	1
2	·18	·38	·07	·25	·16	·01	nil	nil	nil	·28	·21	·02	2
3	·45	nil	·17	nil	·25	nil	nil	nil	·58	·10	nil	·52	3
4	·81	nil	·11	nil	nil	·10	nil	nil	·02	·07	·10	·45	4
5	·08	·05	·01	nil	·24	·01	·06	nil	·58	·09	·36	·41	5
6	·32	·14	·18	nil	·03	·11	nil	nil	nil	·15	·35	·13	6
7	·18	·56	·05	nil	1·02	·16	nil	nil	nil	1·08	·22	·01	7
8	·13	·25	nil	nil	·29	nil	·06	·55	nil	·12	nil	·02	8
9	·20	·05	·01	nil	·04	·14	·08	·10	nil	nil	·80	·04	9
10	·98	nil	nil	·01	·03	·02	nil	·05	nil	·96	·20	nil	10
11	·55	nil	nil	·05	·36	·14	nil	nil	·03	·03	·93	·05	11
12	·09	·02	nil	·02	·11	nil	nil	nil	·11	nil	·50	·05	12
13	·04	·02	·20	·02	·04	nil	·06	·02	·39	nil	·14	nil	13
14	·41	·01	·24	·02	nil	nil	·01	nil	·02	nil	·18	nil	14
15	·08	nil	·51	1·06	nil	nil	nil	nil	·02	nil	·11	nil	15
16	·42	nil	·74	·16	nil	nil	·02	·25	·39	·01	·02	·04	16
17	·10	nil	·07	·28	nil	nil	nil	nil	nil	nil	·07	nil	17
18	·13	nil	·37	·19	·02	·02	nil	nil	nil	nil	·09	nil	18
19	·55	nil	·04	nil	·08	·07	·04	nil	·26	·42	·01	nil	19
20	·39	nil	·17	·29	nil	nil	nil	nil	·07	·10	·60	nil	20
21	·05	nil	·22	·09	·09	nil	·01	·10	nil	nil	·08	nil	21
22	·28	nil	·76	·06	·05	·25	nil	·07	·07	·01	nil	·36	22
23	·02	nil	nil	nil	nil	nil	nil	·07	·01	nil	·19	·48	23
24	·02	·34	nil	·08	nil	·06	nil	·02	nil	nil	·10	·02	24
25	Nil	·03	nil	·55	nil	nil	nil	nil	·10	·04	·03	·04	25
26	Nil	nil	nil	1·48	nil	nil	nil	·04	·01	·03	·01	·38	26
27	·28	nil	·22	·34	nil	nil	nil	·14	nil	·39	·01	·11	27
28	·05	nil	·03	·18	·18	nil	nil	nil	·03	·44	·01	·15	28
29	·06	——	·23	·56	·02	nil	nil	nil	nil	·41	·01	nil	29
30	·72	——	nil	·28	·07	nil	nil	nil	·01	·54	·02	nil	30
31	·32	——	·23	——	nil	——	nil	·32	——	nil	——	nil	31
Total	7·91	2.14	4·94	6.05	3.10	1·69	0.34	1.73	2.71	5.29	5.70	3.33	YEAR'S TOTAL 4493
Rain Days.	29	12	22	21	19	12	8	12	18	20	27	19	219

1,000, XI. '12

EDWARD STANFORD, Ltd., 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.

8 JAN 1915

REGISTER OF RAINFALL IN, 1914

Kept at 1, Tamar Terrace, Launceston.

in the County of Cornwall 3

by Capt. L. Ching, R.N.

Lat. 50° 38' N. Long. 4° 21' W.

Time of Observation 10 a.m.

Nearest Railway Station 3/4 mile

Diameter of Rain Gauge Five in.

Height of top of Gauge above Ground — ft. 9 in.

" " " " Sea Level 446 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0.56

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	Nil	Nil	.15	.15	Nil	.28	Nil	.66	Nil	Nil	.45	.22	1
2	.01	Nil	.04	.08	.09	.04	.14	.02	Nil	Nil	Nil	.55	2
3	.02	Nil	.24	.16	.46	.04	Nil	.56	Nil	Nil	.16	.46	3
4	.25	Nil	.07	.38	.13	Nil	.84	.18	.03	Nil	.11	.51	4
5	.15	Nil	.33	.27	.07	Nil	.01	.01	Nil	Nil	Nil	.11	5
6	.02	.25	.26	.18	.07	Nil	.17	.06	Nil	Nil	.06	.58	6
7	.05	.84	.50	.20	.08	.12	.34	.27	.44	Nil	Nil	.16	7
8	.04	Nil	.85	.12	.02	.19	.03	.05	.15	Nil	.02	Nil	8
9	.03	.05	.17	.20	.08	.53	Nil	.08	.72	Nil	Nil	Nil	9
10	.06	.75	.13	.58	.14	Nil	Nil	.06	.16	Nil	.02	.13	10
11	Nil	.21	.65	Nil	Nil	.10	Nil	Nil	.03	Nil	.08	.40	11
12	Nil	.93	.18	Nil	Nil	Nil	Nil	Nil	.24	Nil	.16	.12	12
13	Nil	.57	.48	Nil	Nil	Nil	.19	Nil	.28	.40	.40	.23	13
14	Nil	.40	.33	Nil	Nil	.02	Nil	.39	.08	.05	.48	.26	14
15	Nil	Nil	.23	Nil	Nil	Nil	.10	.10	Nil	Nil	.38	.73	15
16	Nil	Nil	.07	Nil	Nil	Nil	.05	Nil	.26	Nil	Nil	.03	16
17	Nil	.39	.36	Nil	Nil	Nil	.05	Nil	.01	Nil	Nil	1.07	17
18	Nil	.13	.11	Nil	Nil	Nil	.05	Nil	.18	Nil	Nil	.29	18
19	Nil	.05	.45	Nil	Nil	Nil	.04	Nil	.05	Nil	.07	.07	19
20	Nil	.50	.31	Nil	Nil	.66	1.10	.55	Nil	Nil	Nil	.23	20
21	Nil	.61	.02	Nil	Nil	Nil	.01	Nil	Nil	.34	Nil	Nil	21
22	Nil	.08	.06	.01	Nil	.06	Nil	.04	Nil	.18	Nil	Nil	22
23	Nil	.06	.15	Nil	Nil	Nil	.12	.06	Nil	.15	Nil	Nil	23
24	Nil	.02	.08	Nil	Nil	Nil	.07	.03	Nil	.05	.10	Nil	24
25	.13	Nil	.08	Nil	.12	Nil	.11	.42	Nil	.49	.04	.45	25
26	.11	.02	.10	Nil	Nil	Nil	.38	Nil	Nil	.09	.31	.79	26
27	.12	.11	Nil	Nil	Nil	Nil	Nil	Nil	Nil	.20	.26	.48	27
28	.01	.06	.34	Nil	.15	Nil	Nil	Nil	Nil	.37	.11	1.00	28
29	.34	—	.25	.02	.07	Nil	.52	Nil	Nil	.01	.70	.17	29
30	.02	—	.15	Nil	Nil	Nil	Nil	Nil	Nil	.02	.47	1.19	30
31	.08	—	Nil	—	.03	—	.64	Nil	—	.34	—	.65	31
Total	1.44	6.03	7.14	2.35	1.51	2.04	4.96	3.54	2.63	2.69	4.38	10.88	YEAR'S TOTAL 49.59
Rain Days.	16	19	29	12	13	10	20	17	13	13	19	25	206

W. 7,500, XI. ·12

P. made

REGISTI

7.

CORNWALL
LISKEARD

HERODSFOOT VICARAGE

1917

FORM A.
BRITISH RAINFALL.

VIII 8. JAN. 1918

Kept at Herodsfool – a.m. 4 miles Liskeard

in the County of Cornwall ain Gauge 5 in.

by John Wm Tim bove Ground 1 ft. 2 in.

„ Sea Level ft.

IMPORTANT NOTE.—I nd the result entered to the previous day. If an Observer niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	X			22		18			5		12		1
2	6		10	20		10				6	23		2
3				20						50	36		3
4	14		1-05	6					22	30	·		4
5	25		65	31		6				22	19		5
6			50	8		20		–6		20	14	15	6
7	80			22			20	60		22	16	10	7
8	18		46	10			~~42~~	42	6	48	28	55	8
9			25	6	11				5	22	55	5	9
10	65		42	36				40		7	5		10
11			70	20				85		60	50		11
12	45				30			12		75		15	12
13	30		35	11		9		40	23	35			13
14				6			5	50	5	10			14
15							8		5	60			15
16										30			16
17				30	10		60	20	65	22			17
18					28	12	40		66	6			18
19		1-25	10			15		8					19
20		35			90	47			16		5		20
21			20			37		8		15			21
22					17			50		17		10	22
23		32			7	11		25		16	5		23
24		10				20	25	10		26	10		24
25		16					5	35	22	16	7		25
26					55	54		17	12	8	15		26
27						84		1-40		8			27
28			25			70		36			5	6	28
29			30					5		70			29
30		X	15					35					30
31		X	14	X	35	X		5	X	25	X		31
Total	2-83	2-12	~~6-52~~ 5-62	2-48	2-83	4-13	2-5 2-05	7-29	2-52	7-26	3-5 3-05	1-16	YEAR'S TOTAL ~~44-34~~ 43-34
Rain Days.	8	5	15	14	9	14	8	21	12	26	16	7	155

W. 8,000, VIII. 16

P. made

REGIST

7.

FORM A.
BRITISH RAINFALL.

VIII
3 JAN 1918

Kept at Herodsfoot Vicarage

in the County of Cornwall

by John Wm Tinson

Time of Observation 9 - a m

Nearest Railway Station 4 miles Liskeard

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				22		18			5		12		1
2	6		10	20		10				6	23		2
3				20						50	36		3
4	14		1-05	6					22	30			4
5	25		65	31		6				22	19		5
6			50	8		20		-6		20	14	15	6
7	80			22			20	60		22	16	10	7
8	18		46	10			42	42	6	48	28	55	8
9			25	6	11				5	22	55	5	9
10	65		42	36				40		7	5		10
11			70	20				85		60	50		11
12	45				30			12		75		15	12
13	30		35	11		9		40	23	35			13
14				6			5	50	5	10			14
15							8		5	60			15
16										30			16
17				30	10		60	20	65	22			17
18					28	12	40		66	6			18
19		1-25	10			15		8					19
20		35			90	47			16		5		20
21			20			37		8		15			21
22					17			50		17		10	22
23		32			7	11		25		16	5		23
24		10				20	25	10		26	10		24
25		10					5	35	22	16	7		25
26					55	54		17	12	8	15		26
27						84		1-40		8			27
28			25			70		36			5	6	28
29			30					5		70			29
30			15					35					30
31			14		35			5		25			31
Total	2-83	2-12	6-52 5·62	2-48	2-83	4-13	2-5 2·05	7-29	2-52	7-26	3-5 3·05	1 16	YEAR'S TOTAL 44-34 43·34
Rain Days.	8	5	15	14	9	14	8	21	12	26	16	7	165

W. 8,000, VIII. 16

CORNWALL.

LISKEARD,

"10, DEAN TERRACE"

1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

RE 19 11

Kept at 10 Dean

in the County of Co

by Wm. Alfred

of top 5 in.

top above Ground 1 ft. 1 in.

" " Sea Level 400 ft.

ion 9 a.m.

Station { Name Liskeard
Distance ½ mile Direction S. E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	.	0·01	0·10	0·27	0·72	.	.	.	.	0·03	0·01	1
2	.	.	0·04	.	0·35	.	.	0·33	.	0·12	0·11	0·33	2
3	.	.	0·04	.	0·35	.	.	0·17	0·01	.	0·32	0·14	3
4	.	.	0·14	.	.	.	.	0·50	.	.	0·27	0·58	4
5	0·57	.	0·25	.	.	.	.	0·45	.	0·11	0·14	0·09	5
6	0·39	.	0·32	.	.	.	.	0·03	.	0·01	0·21	1·42	6
7	0·11	.	.	0·02	.	.	.	.	.	.	0·59	0·03	7
8	0·05	.	0·23	.	.	.	.	.	.	.	0·08	0·79	8
9	0·08	.	.	.	.	.	.	.	.	.	0·28	0·74	9
10	0·08	0·07	1·29	.	.	.	.	.	.	.	0·13	0·38	10
11	0·41	.	.	.	.	.	.	.	0·03	.	0·79	0·11	11
12	.	.	0·67	.	.	.	.	.	0·51	.	0·17	0·33	12
13	.	.	0·14	.	.	.	.	.	0·10	.	0·12	0·13	13
14	.	0·19	0·15	.	.	.	.	.	.	0·11	0·34	0·59	14
15	.	0·10	0·15	.	.	0·08	.	.	.	.	0·44	0·04	15
16	.	0·01	0·01	.	.	0·59	.	.	.	.	0·27	0·51	16
17	.	0·12	0·30	0·10	.	0·31	.	.	.	.	0·13	0·87	17
18	.	0·28	0·15	0·16	.	0·50	.	.	.	0·19	0·87	0·41	18
19	.	0·09	.	0·05	.	0·58	.	.	0·67	0·04	0·36	1·01	19
20	0·01	0·08	0·08	0·17	.	0·02	.	.	0·19	1·07	.	0·71	20
21	0·06	0·20	0·03	0·02	.	0·06	.	.	0·22	0·43	.	0·38	21
22	0·03	0·08	0·03	0·17	.	0·03	.	.	0·38	0·25	.	0·66	22
23	.	0·24	0·01	0·04	.	0·20	.	0·17	0·11	0·43	0·62	0·51	23
24	0·02	0·30	.	.	.	0·44	.	0·14	.	0·13	.	0·35	24
25	0·03	0·03	.	0·20	.	0·05	.	.	0·12	0·43	.	0·35	25
26	.	0·13	.	0·52	.	.	0·01	0·24	.	0·62	.	0·34	26
27	.	0·77	.	0·03	0·05	0·02	.	0·29	0·16	0·10	.	0·44	27
28	.	0·23	0·03	0·37	.	.	.	.	.	.	0·27	0·01	28
29	.		.	0·27	0·16	0·64	0·92	0·04	.	0·46	0·01	0·01	29
30	.		0·03	.	.	0·07	0·27	.	0·03	0·41	0·40	0·19	30
31	.		0·09		.		0·05	.		0·04		.	31
Total	1·86	2·92	4·19	2·22	1·18	4·31	1·25	2·36	2·53	4·95	6·95	12·46	TOTAL for Year 47·18
No. of Rain Days.	13	16	22	14	5	15	4	10	12	17	23	30	181

W. 8,000, X. '11.

RE 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at 10 Dean Tce: Liskeard

in the County of Cornwall 2

by Wm. Alfred Jenkin

Rain Gauge
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 1 in.
" " " Sea Level 400 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Liskeard; Distance ½ mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02	-	0·01	0·10	0·27	0·72	-	.	.	.	0·03	0·01	1
2	.	.	0·04	.	0·35	.	.	0·33	.	0·12	0·11	0·33	2
3	.	.	0·04	.	0·35	.	.	0·17	0·01	.	0·32	0·14	3
4	.	.	0·14	.	.	.	.	0·50	.	.	0·27	0·58	4
5	0·57	.	0·25	.	.	.	.	0·45	.	0·11	0·14	0·09	5
6	0·39	.	0·32	.	.	.	.	0·03	.	0·01	0·21	1·42	6
7	0·11	.	.	0·02	.	.	.	.	.	.	0·59	0·03	7
8	0·05	.	0·23	-	.	.	.	.	.	.	0·08	0·79	8
9	0·08	.	.	.	.	.	.	.	.	.	0·28	0·74	9
10	0·08	0·07	1·29	.	.	.	.	.	.	.	0·13	0·38	10
11	0·41	.	.	.	.	.	.	.	0·03	.	0·79	0·11	11
12	.	.	0·64	.	.	.	.	.	0·51	.	0·17	0·33	12
13	.	.	0·14	.	.	.	.	.	0·10	.	0·12	0·13	13
14	.	0·19	0·15	.	.	.	.	.	.	0·11	0·34	0·59	14
15	.	0·10	0·15	.	.	0·08	.	.	.	.	0·44	0·04	15
16	.	0·01	0·01	.	.	0·59	.	.	.	.	0·27	0·51	16
17	.	0·12	0·30	0·10	.	0·31	.	.	.	.	0·13	0·87	17
18	.	0·28	0·15	0·16	.	0·50	.	.	.	0·19	0·87	0·41	18
19	.	0·09	.	0·05	.	0·58	.	.	0·67	0·04	0·36	1·01	19
20	0·01	0·08	0·08	0·17	.	0·02	.	.	0·19	1·07	.	0·71	20
21	0·06	0·20	0·03	0·02	.	0·06	.	.	0·22	0·43	.	0·38	21
22	0·03	0·08	0·03	0·17	.	0·03	.	.	0·38	0·25	.	0·66	22
23	.	0·24	0·01	0·04	.	0·20	.	0·17	0·11	0·43	0·62	0·51	23
24	0·02	0·30	.	.	.	0·44	.	0·14	.	0·13	.	0·35	24
25	0·03	0·03	.	0·20	.	0·05	.	.	0·12	0·43	.	0·35	25
26	.	0·13	.	0·52	.	.	0·01	0·24	.	0·62	.	0·34	26
27	.	0·77	.	0·03	0·05	0·02	.	0·29	0·16	0·10	.	0·44	27
28	.	0·23	0·03	0·37	.	.	.	.	.	.	0·27	0·01	28
29	.		.	0·27	0·16	0·64	0·92	0·04	.	0·46	0·01	0·01	29
30	.		0·03	.	.	0·07	0·27	.	0·03	0·41	0·40	0·19	30
31	.		0·09		.		0·05	.		0·04		.	31
Total	1·86	2·92	4·19	2·22	1·18	4·31	1·25	2·36	2·53	4·95	6·95	12·46	TOTAL for year 47·18
No. of Rain Days.	13	16	22	14	5	15	4	10	12	17	23	30	181

W. 8,000, X. '11.

CORNWALL.

LISKEARD,

"TREVILLIS"

1911–1920

REC 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Trevillis

in the County of Corn

by Lewis L. L

top 5 in.

p above Ground 1 ft. — in.

„ Sea Level 320 ft.

8.30 AM

ion { Name Liskeard
Distance ¼ N Direction NNE

IMPORTANT NOTE.— should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	—	.02	.13	.19	.66	—	—	—	—	.04	.01	1
2	—	—	.03	—	.29	—	—	.31	—	.11	.14	.36	2
3	—	—	.03	—	.35	—	—	.13	.01	—	.28	.15	3
4	—	—	.11	—	—	—	—	.33	—	—	.29	.58	4
5	.32	—	.26	—	—	—	—	.69	—	.09	.15	.08	5
6	.36	—	.14	—	—	—	—	.04	—	—	.11	.82	6
7	.08	—	—	.02	—	—	—	—	—	—	.63	.02	7
8	.03	—	.22	—	—	.03	—	—	—	—	.09	.71	8
9	.05	—	—	—	—	—	—	—	—	—	.25	.62	9
10	.05	.06	1.03	—	—	—	—	—	—	—	.08	.39	10
11	.34	—	—	—	—	—	—	—	.02	—	.77	.11	11
12	—	—	.59	—	—	—	—	—	.43	—	.16	.21	12
13	—	—	.14	—	—	—	—	—	.12	—	.11	.13	13
14	—	.19	.16	—	—	—	—	—	—	.06	.18	.54	14
15	—	.12	.16	—	—	.05	—	—	—	—	.59	.09	15
16	—	.02	.02	—	—	.44	—	—	—	—	.26	.42	16
17	—	.08	.17	.07	—	.22	—	—	—	—	.17	.72	17
18	—	.32	.11	.11	—	.39	—	—	—	.15	1.00	.42	18
19	—	.04	—	.08	—	.95	—	—	.57	.05	.32	1.02	19
20	.01	.18	.08	.16	—	—	—	—	.23	.93	—	.68	20
21	.04	.05	.03	—	—	.03	—	.18	.15	.44	—	.22	21
22	.01	.24	.01	.13	—	.04	—	—	.34	.27	—	.71	22
23	.01	.11	.02	.04	—	.21	—	.04	.19	.44	.57	.47	23
24	.02	.24	—	—	—	.44	—	.27	—	.12	—	.57	24
25	.01	.05	—	.17	—	.04	—	—	.10	.19	—	.18	25
26	.01	.12	—	.50	—	—	—	.17	—	.83	—	.28	26
27	—	.69	—	.44	.05	.01	—	.27	.22	.12	—	.42	27
28	—	.28	.02	.44	—	—	—	—	—	—	.25	.01	28
29	—		.03	.43	—	.61	.88	.05	.26	.38	.01	.01	29
30	—		.01	—	.18	.06	.22	—	.01	.38	.41	.11	30
31	—		.09		—		.03	—		.10		.01	31
Total	1.38	2.79	3.48	2.32	1.06	4.18	1.13	2.48	2.65	4.66	6.86	11.01	TOTAL for year 44.00
No. of Rain Days.	15	16	23	13	5	15	3	11	13	16	23	31	184

W. 8,000, X. '11.

REC 1911

FORM A2.
BRITISH RAINFALL.
2 - JAN 1912

Kept at Trevillis - Liskeard

in the County of Cornwall 2

by Lewis L. Foster

[illegible]

RAIN GAUGE: Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 320 ft.

Time of Observation 8.30 AM

Nearest Railway Station: Name Liskeard
Distance 1/4 M Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	—	.02	.13	.19	.66	—	—	—	—	.04	.01	1
2	—	—	.03	—	.29	—	—	.31	—	.11	.14	.36	2
3	—	—	.03	—	.35	—	—	.13	.01	—	.28	.15	3
4	—	—	.11	—	—	—	—	.33	—	—	.29	.58	4
5	.32	—	.26	—	—	—	—	.69	—	.09	.15	.08	5
6	.36	—	.14	—	—	—	—	.04	—	—	.11	.82	6
7	.08	—	—	.02	—	—	—	—	—	—	.63	.02	7
8	.03	—	.22	—	—	.03	—	—	—	—	.09	.71	8
9	.05	—	—	—	—	—	—	—	—	—	.25	.62	9
10	.05	.06	1.03	—	—	—	—	—	—	—	.08	.39	10
11	.34	—	—	—	—	—	—	—	.02	—	.77	.11	11
12	—	—	.59	—	—	—	—	—	.43	—	.16	.21	12
13	—	—	.14	—	—	—	—	—	.12	—	.11	.13	13
14	—	.19	.16	—	—	—	—	—	—	.06	.18	.54	14
15	—	.12	.16	—	—	.05	—	—	—	—	.59	.09	15
16	—	.02	.02	—	—	.44	—	—	—	—	.26	.42	16
17	—	.08	.17	.07	—	.22	—	—	—	—	.17	.72	17
18	—	.32	.11	.11	—	.39	—	—	—	.15	1.00	.42	18
19	—	.04	—	.08	—	.95	—	—	.57	.05	.32	1.02	19
20	.01	.18	.08	.16	—	—	—	—	.23	.93	—	.68	20
21	.04	.05	.03	—	—	.03	—	.18	.15	.44	—	.22	21
22	.01	.24	.01	.13	—	.04	—	—	.34	.27	—	.71	22
23	.01	.11	.02	.04	—	.21	—	.04	.19	.44	.57	.47	23
24	.02	.24	—	—	—	.44	—	.27	—	.12	—	.57	24
25	.01	.05	—	.17	—	.04	—	—	.10	.19	—	.18	25
26	.01	.12	—	.50	—	—	—	.17	—	.83	—	.28	26
27	—	.69	—	.44	.05	.01	—	.27	.22	.12	—	.42	27
28	—	.28	.02	.44	—	—	—	—	—	—	.25	.01	28
29	—		.03	.43	—	.61	.88	.05	.26	.38	.01	.01	29
30	—		.01	—	.18	.06	.22	—	.01	.38	.41	.11	30
31	—		.09		—		.03	—		.10		.01	31
Total	1.38	2.79	3.48	2.32	1.06	4.18	1.13	2.48	2.65	4.66	6.86	11.01	TOTAL for year 44.00
No. of Rain Days.	15	16	23	13	5	15	3	11	13	16	23	31	184

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
8 JAN 1913

Kept at Trevillis Liskeard

in the County of Cornwall 2

by Lewis C. Foster

RAIN GAUGE
Pattern Negretti & Zambra Snowdon
Diameter of top 5" in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 3.20 ft.

Time of Observation 8-30 am

Nearest Railway Station
Name Liskeard
Distance ¼ m Direction NNE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	.08	—	.03	.71	.15	.01	.23	.41	.01	.29	1
2	—	—	.19	.10	—	.36	—	.09	—	.03	—	.05	2
3	.03	—	.22	—	—	.25	.04	1.25	.11	—	—	.09	3
4	.31	—	.71	—	.06	.11	—	.24	—	—	.43	—	4
5	.78	.22	.25	.01	.05	.01	.05	2.27	—	—	.01	.23	5
6	.59	.07	.04	.01	.43	.02	—	.36	—	—	.02	.01	6
7	.12	.75	.28	.04	.16	.27	—	.46	—	—	.03	.17	7
8	.67	.18	23	.12	.01	.92	.04	.01	—	—	—	—	8
9	.01	.15	.01	.10	—	.08	.16	—	—	—	.01	.65	9
10	.54	.17	.20	.10	—	.04	.19	.06	—	—	.19	.21	10
11	.01	.07	—	—	—	—	.02	.13	—	—	.44	.61	11
12	.05	.18	.32	—	.09	—	.15	.28	—	—	.74	.02	12
13	.28	—	.01	—	—	.01	.06	.09	—	.07	—	.25	13
14	.19	.28	.48	—	.31	.01	—	.11	—	.01	—	.06	14
15	.25	.25	.08	—	.06	—	—	—	—	—	—	.54	15
16	—	—	.57	—	.01	.62	—	.46	—	.14	.03	.21	16
17	—	—	.21	—	.03	.15	—	.88	—	—	.08	.06	17
18	—	.08	.15	—	—	—	—	.66	—	.09	.04	.04	18
19	—	.11	.28	—	—	.02	—	.83	—	.07	.03	.05	19
20	.02	.11	.32	.01	.21	—	—	.31	—	.51	.13	—	20
21	—	.52	.32	—	.71	—	—	.08	—	.09	.01	—	21
22	.23	.49	.43	—	—	.08	.02	.38	—	.09	.01	.13	22
23	.06	.41	.31	—	—	.17	.09	1.08	—	.26	.13	.39	23
24	.05	.05	.03	—	—	.42	.01	.01	—	.07	.01	.28	24
25	.41	.01	.01	—	—	.16	.01	.11	—	.29	.47	.56	25
26	—	.05	—	—	—	—	.03	.08	—	.42	.62	.58	26
27	—	.03	—	—	—	1.08	.44	.35	—	1.61	.06	.73	27
28	—	.12	.01	—	—	.15	.03	.91	—	.23	.51	.39	28
29	—	.17	—	—	—	.13	.21	.15	.28	.66	—	.73	29
30	—		.03	—	.02	.21	.34	—	.78	.55	—	.19	30
31	—		.38		.32		43.	.01	.14	.09		.31	31
Total	4.60	4.47	6.15	.49	2.50	5.98	2.47	11.66	1.54	5.69.	4.01	7.83.	TOTAL for year 57.39
No. of Rain Days.	18	22	27	8	15	23	19	28	5	19	22.	27.	233

W. 8,000, X. '11.

.49

✓

REGISTER OF RAINFALL IN 1913

BRITISH RAINFALL FORM A.
- JAN 1914

Kept at Trevillis Liskeard
in the County of Cornwall ✓
by Lewis G. Foster

Lat. 4.28 W Long. 50.26
Time of Observation 8.30 AM
Nearest Railway Station Liskeard G.W.R
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.01	.19	.33	.25	.36	—	—	—	.03	.07	—	.04	1
2	.19	.13	.05	.15	.25	.01	—	—	—	.15	.42	.04	2
3	.32	—	.17	—	.15	—	—	—	.61	.35	.21	.24	3
4	.98	—	.14	—	—	.10	—	—	.06	.01	.12	.42	4
5	.07	.04	—	—	.42	.43	.06	—	.53	—	.32	.55	5
6	.39	.10	.21	—	.05	.20	—	—	.01	.44	.37	.14	6
7	.12	.42	.07	—	.99	.16	.01	.01	—	.63	.37	.01	7
8	.26	.21	—	—	.24	—	.18	.18	—	.07	.01	.04	8
9	.10	.04	.01	—	.04	.07	.02	.07	—	—	.92	.05	9
10	1.26	—	.02	—	.02	.05	—	.01	—	.43	.13	—	10
11	.84	—	—	—	.83	.10	—	.01	.02	.14	.94	.03	11
12	.09	—	.01	.02	.01	.01	—	—	.12	—	.29	.02	12
13	.18	—	.12	.01	.07	—	—	.02	.25	—	.16	—	13
14	.37	—	.29	.05	.02	—	.12	—	.01	.01	.12	—	14
15	.15	—	.48	1.01	—	—	—	—	.09	—	.15	.04	15 .04
16	.39	—	.71	.11	—	—	.01	—	.42	—	.01	—	16
17	.03	—	.11	.09	—	—	.00	—	—	—	.04	—	17
18	.06	—	.41	.25	.02	.01	—	—	.01	—	.18	—	18
19	.41	—	.08	—	.08	.01	—	—	.35	.21	—	—	19
20	.17	—	.09	.39	—	—	—	—	—	.13	.39	—	20
21	.11	—	.09	.11	.08	—	.01	.02	—	.02	.37	—	21
22	.28	—	.79	.07	.01	.23	—	.08	.09	.21	—	.29	22
23	.03	—	.02	—	—	—	—	.03	.01	—	.18	.81	23
24	.03	.29	—	.17	—	.04	—	—	—	.01	.03	.02	24
25	—	.01	—	.47	—	—	—	.01	.08	.02	.06	.16	25
26	—	—	—	.84	—	—	—	—	—	.02	—	.36	26
27	.82	—	.22	.23	—	—	—	.01	—	.27	—	.08	27
28	.21	—	.03	.18	.09	—	—	—	.12	.66	.01	.27	28
29	.09		.47	.66	.02	—	.01	—	—	.17	.01	.01	29
30	.58		—	.14	.14	—	—	—	—	.45	.02	—	30
31	.11		.17		—		—	.15		.07		—	31
Total	8.65	1.43	5.09	5.21	3.89	1.42	.42	.60	2.81	4.54	5.83	3.62	YEAR'S TOTAL 43.50
Rain Days.	29	9	24	19	20	13.	8	12	17	22	25	20	218

Exam'd

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
- JAN 1915

Kept at Liskeard (Trevillis)

in the County of Cornwall 2

by Lewis C. Foster

Lat. 4.28 w. Long. 50.26

Time of Observation 8.30 am

Nearest Railway Station Liskeard

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01 04	—	.16	.17	—	.11	—	.61	—	—	1.06	.09	1
2	.04 04	—	.10	.11	.12	.02	.28	—	—	—	.01	.28	2
3	.19 24	—	.32	.16	.44	—	—	.10	—	—	.07	.02	3
4	.21 42	—	.08	.34	.12	—	1.55	.21	.04	—	.02	.72	4
5	.01 65	—	.41	.23	.03	—	—	—	—	—	.01	.01	5
6	.05 14	.02	.24	.11	.15	—	.31	.07	—	—	.02	.85	6
7	01 01	.66	.46	.15	.27	.20	.21	.20	1.39	—	.01	.17	7
8	.11 04	—	.76	.02	—	.22	.01	.05	.07	—	.01	—	8
9	05 05	.11	.31	.09	.02	.67	—	.12	.45	—	—	—	9
10	.08 —	.63	.09	.61	.31	.13	—	.01	.30	—	.02	.17	10
11	— 03	.29	.91	—	.01	.08	—	—	.07	—	.05	.32	11
12	— 02	.29	.23	—	—	—	—	—	.19	.05	.21	.42	12
13	— —	.68	.37	—	—	—	.23	—	.27	.04	.55	.28	13
14	— —	.38	.41	—	—	.04	.06	.11	.04	.01	.59	.28	14
15	— 04	—	.22	—	—	—	.10	.06	.01	—	.42	1.05	15
16	— —	.01	.07	—	—	—	.05	—	.42	—	—	.05	16
17	— —	.41	.36	—	—	—	.01	—	—	—	—	.76	17
18	— —	.22	.01	—	—	—	.04	—	.21	—	—	.27	18
19	— —	.08	.61	—	—	.01	1.17	—	.05	—	.12	.29	19
20	— —	.37	.15	—	—	.23	—	—	—	—	—	.31	20
21	— —	.43	.03	—	—	.01	—	—	—	.45	—	.02	21
22	— 29	.61	.04	.02	—	.05	—	.04	—	.26	—	—	22
23	— 81	.04	.24	—	—	.01	.06	.02	—	.15	—	—	23
24	— 02	.01	.01	—	—	—	.04	.05	—	.01	.14	—	24
25	.17 16	—	.33	—	.01	—	.08	.76	—	.71	.02	.78	25
26	.03 36	.14	.26	—	—	—	.41	—	—	.04	.22	.45	26
27	.19 08	.39	—	—	—	—	.06	—	—	.05	.11	.33	27
28	06 27	.03	.39	—	.06	—	—	—	—	.14	.18	.85	28
29	39 01		.25	—	.08	—	.25	—	—	.05	.49	.22	29
30	.01 —	☒	.11	—	—	—	—	—	—	.05	.33	.52	30
31	.04 —	☒	—	☒	.01	☒	.95	—	☒	.57	☒	.22	31
Total	3.62 1.65	5.80	7.93	2.01	1.63	1.78	5.87	2.41	3.51	2.58	4.66	9.73	YEAR'S TOTAL 49.56
Rain Days.	17 20	20	29	11	13	13	19	14	13	14	22	26	211.

W. 8,000. X. 14.

2038

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Trevillis Liskeard

in the County of Cornwall

2

by Lewis. C. Foster.

Lat. 50°.26'.50" Long. 4.41.45"

Time of Observation 9 AM

Nearest Railway Station Liskeard G.W.R

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.26	.34	.01	—	.07	—	—	.55	.21	.38	—	13	1
2	.30	.31	.21	.09	—	.11	.01	.15	.11	—	—	43	2
3	.07	.22	.15	.14	.13	—	—	.02	—	—	—	48	3
4	.20	.38	.01	—	.09	—	.02	—	—	—	—	29	4
5	.08	.61	.01	.23	—	—	—	.22	—	—	—	1.24	5
6	1.06	.17	—	.52	—	—	.55	.02	—	—	—	12	6
7	.59	.42	—	.08	—	—	.38	.01	—	1.20	.04	30	7
8	.30	.35	—	.01	—	—	#	.07	—	.02	.09	11	8
9	.12	.15	—	.13	—	—	—	—	—	—	.55	1.12	9
10	.33	.63	.08	.05	—	.41	—	.12	—	.44	.21	13	10
11	.07	.03	.10	—	—	—	.02	.15	—	.01	1.[illegible]5	36	11
12	.17	.46	—	.02	.56	—	.17	.19	—	.06	.59	03	12
13	.02	1.05	—	—	.46	—	.01	.02	.02	.01	.13	10	13
14	.08	.07	—	—	—	.01	.01	.10	.26	.14	.10	1.75	14
15	.18	—	—	—	.31	—	.41	.01	.02	—	.10	07	15
16	.14	1.71	—	—	.55	—	1.18	—	.01	.01	—	09	16
17	.03	.12	—	—	—	—	—	—	—	—	—	—	17
18	.08	.16	.02	—	—	—	.02	—	—	—	—	—	18
19	.01	.06	—	—	.54	—	.23	—	—	—	—	—	19
20	.47	.02	—	.09	.01	.18	—	—	—	.33	—	—	20
21	.32	.08	—	—	.09	.12	.22	—	—	.04	—	11	21
22	.05	.18	.32	.03	—	—	.25	—	—	.09	—	56	22
23	.10	.10	.03	—	—	.04	.06	—	.07	.97	—	65	23
24	—	—	—	.01	—	.15	.12	—	.21	.44	—	39	24
25	.01	—	—	.01	—	.13	.42	—	—	—	—	41	25
26	.07	.39	—	—	—	.18	.16	—	.09	—	—	73	26
27	.03	.06	—	—	—	.15	.45	—	.08	.65	.01	01	27
28	—	.09	—	—	—	.11	.01	.02	.35	.25	.02	09	28
29	—	X	—	—	—	.22	—	.01	.25	.03	.17	15	29
30	.16	X	—	—	—	.05	—	—	.08	.57	.28	45	30
31	.03	X	—	X	—	X	.48	01	X	.54	X	23	31
Total	5.33	8.16	.94	1.41	2.81	1.86	5.18	1.58	1.76	6.18	3.44	10.53	YEAR'S TOTAL 49.18
Rain Days.	28	25	10	13	10	13	21	16	13	19	13	27	208

W. 8,000. X. 15.

~~[illegible]~~ Exley and for [illegible]

1983

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN, 1916

Kept at Trevillis Liskeard
in the County of Cornwall.
by Lewis C. Foster

Lat. 50° 26′ 50″ Long. 4° 41′ 45″
Time of Observation 9
Nearest Railway Station Liskeard
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.22	—	.02	—	.06	.06	.12	—	.02	.34	.08	—	1
2	.33	.13	.03	.01	.02	—	.02	—	.35	.23	.31	—	2
3	.04	1.71	—	—	.31	.05	.08	—	.04	.63	.17	—	3
4	.32	.31	—	.05	.09	.41	.20	—	.04	.15	.70	.02	4
5	.06	.21	.09	.01	.06	.04	—	—	—	.13	.52	—	5
6	.08	.26	—	—	.15	.11	.88	—	—	.31	.71	—	6
7	.15	.21	.06	—	.24	.04	—	—	—	.07	1.28	.11	7
8	.01	.25	.10	—	.45	.13	—	—	—	—	.28	.39	8
9	—	.20	.28	—	.02	.08	—	—	—	.07	.27	1.39	9
10	—	.17	—	.11	.06	.11	—	—	—	.02	.03	.21	10
11	—	1.04	—	.12	.07	—	.02	—	.05	—	.01	.01	11
12	.12	.01	.02	.11	.07	—	.09	.16	—	.21	—	—	12
13	—	.10	.06	.05	—	—	.07	.17	—	.02	—	.09	13
14	.03	.45	.10	—	.05	—	—	.30	—	.18	—	—	14
15	.02	.52	.16	.08	—	—	—	.05	—	.05	—	—	15
16	.26	.22	—	.15	.01	—	.02	.89	—	.28	.05	—	16
17	.21	.10	.02	—	—	—	—	—	.19	.38	1.79	—	17
18	.04	.18	.25	.04	—	—	—	—	.28	.09	.13	.05	18
19	.24	.28	.03	.25	—	—	—	—	.07	—	.65	.12	19
20	.10	.13	.02	.01	S.T.	—	—	—	—	—	.15	.47	20
21	.06	.81	.08	.38	.02	—	—	—	—	—	.19	.10	21
22	—	.16	.05	—	—	.26	.08	.03	—	.83	.08	.61	22
23	.09	—	.02	.14	—	.13	.01	.54	—	.37	.46	.14	23
24	—	.01	.18	.19	.09	.05	—	.15	—	.33	.03	.34	24
25	.01	.09	.34	—	—	.09	—	.58	—	.02	.37	.03	25
26	.01	.21	.07	—	.06	.08	—	.83	1.06	.64	.07	.03	26
27	.01	—	1.87	—	—	.05	—	.27	.55	.93	—	—	27
28	—	.01	.04	—	—	.46	—	.06	.41	.64	—	.41	28
29	—	.17	.05	—	—	.01	—	.47	.03	.29	—	.55	29
30	—	×	.03	—	—	.05	—	—	.02	.49	—	.03	30
31	—	×	—	×	—	×	—	.09	×	.28	×	.02	31
Total	2.41	7.94	3.97	1.70	1.83 1.83	2.21	1.59	4.59	3.11	7.98	8.33	5.12	YEAR'S TOTAL 50.73 50.38
Rain Days.	21	26	24	15	17	18	11	14	13	26	22	20	227

1894

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL
2 JAN 1918

Kept at Trevillis Liskeard
in the County of Cornwall
by Lewis. C. Foster.

Lat. 4.28 W Long. 50.26
Time of Observation 9. AM
Nearest Railway Station Liskeard GWR
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	.02												
1	.02	—	—	.17	—	—	—	—	.02	—	.08	.03	1
2	.09	—	.04	.15	—	.11	—	—	—	.01	—	—	2
3	—	—	—	.09	—	.01	.01	—	—	.09	.51	.01	3
4	.28	.17	.94	—	—	—	.05	—	.17	.44	—	—	4
5	.01	—	.43	.29	—	.04	—	—	—	.25	.12	—	5
6	.83	—	.55	.02	—	.19	—	.48	—	.07	.13	.03	6
7	.27	—	.01	.17	—	—	.21	.32	—	.20	.30	.07	7
8	—	—	.09	.13	—	—	.38	.34	.04	.42	.27	.49	8
9	.51	—	.05	.09	.11	—	—	—	.02	.28	.67	.05	9
10	.01	—	.43	.28	—	—	—	.41	—	.07	.09	—	10
11	.62	—	.62	.29	—	—	—	.81	—	.64	.46	—	11
12	.11	—	.04	.11	.27	—	—	.10	—	.78	.01	.03	12
13	.02	—	.24	.06	—	.04	—	.35	.25	.23	—	—	13
14	.08	—	—	.05	.02	—	.04	.56	.05	.14	—	.02	14
15		—	—	—	—	—	.13	—	.04	.48	—	.40	15
16	—	.11	—	.03	—	—	—	.04	.02	.31	—	.33	16
17	—	.03	.01	.21	.06	—	.45	.11	.60	.19	—	—	17
18	—	.04	—	.03	.31	.09	.43	.02	.50	.03	—	—	18
19	—	.65	.07	—	—	.16	—	—	.06	—	.01	—	19
20	—	.42	.04	—	.84	.38	—	.03	.15	—	.03	.01	20
21	—	—	.24	—	.01	.37	—	.02	.02	.08	—	.11	21
22	—	—	—	—	.06	.05	—	.43	—	.11	—	—	22
23	—	.19	—	—	.10	.05	.02	.31	—	.06	.04	—	23
24	—	.09	—	—	—	.12	.21	.04	—	.19	.13	.04	24
25	—	.08	.03	—	—	—	—	.37	.13	.12	.08	—	25
26	—	—	.04	—	.36	.38	—	.15	.09	.09	.12	—	26
27	—	—	—	—	—	.92	—	.75	—	.09	.02	—	27
28	—	.01	.25	—	.01	.99	—	1.10	—	.05	.02	—	28
29	—	X	.17	—	—	.04	—	.05	—	.63	.01	05	29
30	—	X	.21	—	—	—	.10	.26	—	.02	.03	—	30
31	—	X	.24	X	.30	X	—	.02	X	.17	X	—	31
Total	2.87	1.79	474	2.17	2.45	3.94	2.01	7.07	2.16	6.24	3.03	1.67	YEAR'S TOTAL 40.14
Rain Days.	13.	10	21	16	12	16	11	23	15	28	20	14	199

W. 8,000, IX. 17.

FORM A.
BRITISH RAINFALL.
8.1.19

REGISTER OF RAINFALL IN 1918

Kept at Trevillis Liskeard
in the County of Cornwall
by Lewis. C. Foster

Lat. 4.28W Long. 50.26
Time of Observation 9 A.M.
Nearest Railway Station Liskeard G.W.R.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.57	—	.14	.02	—	—	1.27	—	—	1.24	—	1
2	—	.58	—	.09	—	—	—	.01	—	—	—	.57	2
3	—	.36	—	.21	.14	—	—	.01	.05	.08	.22	.07	3
4	—	.03	—	.21	—	—	—	.30	.34	—	.73	1.07	4
5	—	.01	.35	.11	—	—	—	.72	.42	.53	.03	.25	5
6	.35	.41	.22	.19	—	—	—	.23	—	.13	—	.34	6
7	.08	.31	—	.03	—	—	—	.03	.59	.07	.52	.65	7
8	.02	.18	—	—	—	—	—	—	.11	.73	—	.01	8
9	.10	—	—	.05	—	.31	.29	—	.71	.16	.04	.53	9
10	.14	—	—	.15	—	—	.19	—	.14	.09	—	.38	10
11	.01	—	.21	.01	.01	—	.06	—	.30	.05	.07	.18	11
12	—	.10	—	—	.22	—	.16	—	.01	.12	—	.04	12
13	—	—	—	—	.12	.01	.25	—	.58	.50	—	.13	13
14	.40	—	.01	—	.08	.07	.03	—	.33	.09	—	.28	14
15	1.26	—	—	—	.01	.31	.90	—	.16	.67	—	.45	15
16	.77	—	—	.15	—	.08	.11	—	.25	.03	—	.15	16
17	.22	—	—	.11	.02	—	.07	.03	.04	—	—	.33	17
18	1.25	—	.29	—	—	.82	.15	.02	.37	.20	—	.55	18
19	.24	.09	.11	.03	—	—	.16	.04	.10	.01	—	.39	19
20	.15	.19	.01	.23	—	.02	.01	—	.24	—	—	.05	20
21	.28	.06	—	—	—	.24	.15	—	.45	.27	—	.62	21
22	.01	.01	—	—	.11	—	.81	—	.37	.11	.06	.31	22
23	.14	—	—	—	.03	—	.73	—	.23	—	.20	.24	23
24	.07	.19	—	—	—	.02	—	.29	.20	—	.35	.15	24
25	.03	—	—	.02	.13	—	.13	.38	—	.07	.30	.01	25
26	.03	.33	—	.04	—	—	.30	.01	.15	.05	.11	.35	26
27	.02	.48	.11	—	—	—	—	.09	.09	.06	.25	.02	27
28	—	.31	.24	—	—	—	—	—	.17	.06	.24	.07	28
29	—		.27	—	—	—	—	—	1.11	—	.04	.11	29
30	—	X	.37	.23	—	—	—	.11	.04	.10	.15	.12	30
31	—	X	.23	X	—	X	—	—	X	.09	X	.05	31
Total	5.57	4.16	2.42	2.00	.89	1.88	4.50	3.54	7.55	4.26	4.55	8.47	YEAR'S TOTAL 49.79
Rain Days.	20	17	12	17	11	9	17	15	26	23	16	30	213

W, 6,500, VII. 18. W W C

1778

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Trevillis Liskeard

in the County of Cornwall

by Col: Lewis C. Foster

Long ~~Lat.~~ 50° 26' 20" Long 4° 4' 45"

Time of Observation 9 A.M.

Nearest Railway Station Liskeard G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1.14	—	.44	.24	.13	—	.12	—	.21	.21	—	.78	1
2	.26	—	.15	—	.03	—	—	—	.04	—	.01	.11	2
3	.09	—	.37	—	.11	—	—	—	.45	—	.01	.10	3
4	.30	.77	.58	—	.01	—	.61	.47	.74	—	.02	.01	4
5	.14	.32	.45	—	.03	—	—	—	.01	—	—	.08	5
6.	.85	1.33	.24	—	—	—	—	—	—	—	—	.36	6
7	.41	—	.29	.11	—	—	—	—	.01	—	—	.30	7
8	.30	—	.25	.06	.01	—	—	—	—	—	.94	—	8
9	.22	—	.04	.43	.10	—	—	—	—	—	.31	.05	9
10	.10	—	.74	.02	.09	—	—	—	—	.05	—	1.26	10
11	.09	—	.39	.26	.42	.02	.12	—	.01	.01	.06	.15	11
12	.36	—	.07	.01	—	.03	.05	—	—	.17	.09	.01	12
13	.33	.16	.25	.46	—	—	.03	—	.01	.10	—	.45	13
14	.86	.26	.02	.68	.03	—	—	—	—	.20	—	.28	14
15	.22	.03	—	.11	—	—	.02	—	—	.09	—	.45	15
16	.16	1.01	—	.02	.10	.01	—	—	—	—	.57	.03	16
17	.09	.17	—	—	—	.02	.19	.02	—	—	.52	.03	17
18	.21	.68	.46	—	—	—	.07	.20	.06	—	.39	.02	18
19	.72	.44	.23	—	—	.19	.02	.45	.19	—	.12	.09	19
20	.32	.01	.08	—	.12	.21	.24	.17	.59	—	.39	.03	20
21	.39	.96	—	—	.98	—	.05	.02	.14	—	.05	~~.02~~ .21	21
22	—	.02	—	—	—	.05	—	.04	.19	.01	.05	.10	22
23	.01	—	—	—	—	—	—	.07	—	.38	.07	.20	23
24	—	—	—	.13	—	.18	—	.11	.01	.28	.12	.25	24
25	.28	.04	—	.01	—	.01	—	.62	—	.03	.23	.26	25
26	.08	.01	.16	.03	—	—	—	.03	.10	.01	.15	.61	26
27	.27	.08	.02	.42	—	—	—	1.09	—	—	—	.10	27
28	—	.08	.49	.22	—	—	—	.08	—	.04	.92	.62	28
29	—		—	.03	—	—	—	.17	—	.03	—	.07	29
30	—	×	.07	.09	—	.13	—	.20	—	—	.64	.78	30
31	—	×	.09	×	—	×	.04	—	×	—	×	.46	31
TOTAL	8.20	6.37	5.78	3.33	2.16	.85	1.56	3.74	2.76	1.61	5.66	8.25	YEAR'S TOTAL 50.27
Days with ·01 in. or more	25	17	22	18	13	10	12	15	15	14	20	30	211.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Sch. [illegible] 1696

8 JAN 1921

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Liskeard

in the County of Cornwall

by Lewis L. Foster

Lat. 4.41.45 Long. 50.26.50

Time of Observation 9 . A.M.

Nearest Railway Station Liskeard G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 320 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.04	—	—	.07	.68	—	.98	.02	.05	.26	.02	.99	1
2	.56	—	—	.27	—	—	.15	.43	.15	.05	.02	.16	2
3	.66	.04	—	.15	.02	—	.01	.01	.03	1.12	—	.44	3
4	—	—	.01	—	—	—	—	.92	.01	.47	—	—	4
5	—	—	.22	—	.19	—	.28	.08	—	.51	—	—	5
6	—	—	.21	.11	.26	—	.13	—	—	.24	—	—	6
03 7	.03	—	.08	.33	.06	—	.69	—	—	—	.01	—	7
8	.11	.02	.01	.34	.04	—	.05	.01	—	—	—	.28	8
9	.98	.06	—	.02	—	.02	.48	—	.05	—	—	—	9
10	1.26	.15	.09	.09	—	.54	.36	—	—	—	—	—	10
11	.50	—	.22	.67	.16	.02	.22	—	—	—	—	—	11
12	.27	.15	.12	.28	—	—	.08	—	—	.12	.16	—	12
13	.14	.03	.61	.14	—	—	—	—	—	.28	—	.08	13
14	.24	.09	.48	.69	—	—	.12	—	.14	.43	.16	—	14
15	.03	.25	.05	.41	.09	—	—	—	.08	.74	.17	—	15
16	—	.01	.14	.26	—	.05	.10	—	1.17	.31	.08	—	16
17	.07	—	.02	.29	.41	—	—	—	1.02	.30	—	—	17
18	.19	—	.03	.09	.14	.29	.03	.25	.05	—	—	—	18
19	.18	.04	—	.42	.15	.33	—	—	.18	—	—	—	19
20	.08	—	—	.40	.02	.14	—	—	—	.57	—	.33	20
21	.01	—	—	.25	—	—	.07	—	—	.02	—	.16	21
22	.05	—	.02	.12	—	—	.02	—	—	—	—	.30	22
23	.01	—	.02	—	—	—	.26	.06	—	—	—	.65	23
24	.02	—	.39	.02	—	—	—	.02	—	—	.15	.25	24
25	.03	.04	.16	—	—	—	.84	—	—	—	.01	~~.40~~ ·02	25
26	.36	.02	.28	—	—	.01	.04	—	.01	—	.30	~~.85~~ ·10	26
27	.66	.12	.08	.21	—	.26	.08	—	—	—	1.26	~~.20~~ ·58	27
28	.68	.01	.42	—	—	.14	.14	—	—	—	.02	~~.20~~ ·09	28
29	.55	.02	.50	.02	07	.05	.01	—	—	—	.46	~~.20~~ ·30.	29
30	.28	✕	—	—	—	.26	.39	—	1.23	.46	.33	.74	30
31	.13	✕	42	✕	—	✕	.01	—	✕	.67	✕	.18	31
Total	8.12	1.05	4.58	5.65	2.29	2.11	5.54	1.80	4.17	6.55	3.15	5.66	YEAR'S TOTAL 50.66
Days with ·01 in. or more	27 ~~5~~	15 ~~6~~	23 ~~6~~	23 ~~3~~	13 ~~2~~	12 ~~3~~	24 ~~5~~	9 ~~4~~	13 ~~3~~	16 X	14 ~~5~~	17 X	206 ~~44~~
Days with ·04 in. or more	22	8 9	17	20	11	9	19	5	10	15	9	16	~~162~~ 160

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

WD
REG

Kept at St. Pinnock
in the County of Cornw
by Revd Farwell

LISKEARD
ST. PINNOCK RECTORY
CORNWALL
1917 – 1920

FORM A.
BRITISH RAINFALL.

FEB 1918

·30·25 (approx)
4AM
Doublebois
Gauge 5 in.
e Ground ft. 3 in.
Sea Level 400 ft.

IMPORTANT NOT the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the reac r in the space provided for it at the end of this hent of rain, the selection and placing tish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Cam

Jan. 1, following.
0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.09		.05	.23		.41	.	.	.04	.	.25	.02	1
2	.09		.01	.25		.18	.	.	.	.	.17	.08	2
3	.07		.06	.21		.04	.	.	.	.03	.15	.01	3
4	.23		.	.15		.01	.01	.	.	.56	.43	.	4
5	.		1.18			.	.	.	.17	.40	.02	.	5
6	.29		.68	.41		.07	.	.	.	.31	.25	.	6
7	.		.61	.12		.23	.	.01	.	.15	.16	.07	7
8	1.		.	.24		.02	.18	.63	.	.26	.19	.06	8
9	.24		.34	.18		.05	.53	.50	.08	.60	.38	.56	9
10	.		.14	.12	.14	.	.	.	.06	.40	.68	.06	10
11	.80		.47	.39	.01	.	.	.	.	.10	.11	.	11
12	.03		.68	.34	.	.	.	.47	.	.73	.55	.	12
13	.17		.05	.06	.29	.	.	.11	.	.95	.02	.	13
14	.70		.29	.10		.08	.	.23	.35	.38	.	.07	14
15	.		.	.10	.04	.	.13	.63	.09	.16	.02	.05	15
16	.07		.	.03	.01	.	.15	.06	.07	.65	.	.34	16
17		.36	.	.05	.08	.	.06	.09	.05	.35	.	.41	17
18		.05	.05	.37	.33	.	.50	.20	.63	.36	.	.	18
19		.05	.	.04	.	.16	.68	.06	.75	.06	.	.	19
20		.87	.08		.	.18	.02	.03	.03	.	.03	.	20
21		.43	.07		.85	.50	.	.12	.18	.	.05	.06	21
22		.03	.12		.03	.45	.	.05	.	.14	.07	.12	22
23		.	.		.14	.01	.	.60	.	.16	.	.	23
24		.30	.		.10	.07	.	.32	.	.17	.10	.	24
25		.12	.02		.	.17	.03	.05	.	.33	.15	.08	25
26		.12	.03		.	.01	.12	.41	.22	.17	.17	.	26
27			.04		.43	.47	.03	.25	.02	.15	.21	.01	27
28			.			.89	.02	1.65		.	.09	.	28
29			.28			.90	.04	.85		.08	.06	.	29
30		✕	.27			.05		.06		.85	.03	.05	30
31		✕	.28	✕		✕		.38	✕	.04	✕	.	31
	—	.05	.23	—	.41	—	—	.04	—	.25	.02	—	YEAR'S TOTAL
Total	~~2.78~~	~~2.33~~	~~5.80~~	~~3.39~~	~~2.45~~	~~4.95~~	~~2.50~~	~~7.76~~	~~2.74~~	~~8.54~~	~~4.34~~	~~2.05~~	~~49.68~~
	3.69	2.38	5.98	3.16	2.86	4.54	2.59	7.80	2.79	8.79	4.11	2.03	50.54
Rain Days.	12	19	22	18	12	21	14	23	14	26	24	16	216

W. 8,000, IX. 17.

WD
REG

·30·25 (approx)

FORM A.
BRITISH RAINFALL.

FEB 1918

Kept at St Pinnock Rectory
in the County of Cornwall
by Revd Farwell Rose

Time of Observation 9 AM
Nearest Railway Station Doublebois
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 3 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09		·05	·23		·41	·	·	·04	·	·25	·02	1
2	·09		·01	·25		·18	·	·	·	·	·17	·08	2
3	·07		·06	·21		·04	·	·	·	·03	·15	·01	3
4	·23		·	·15		·01	·01	·	·	·56	·43	·	4
5	·		1·18			·	·	·	·17	·40	·02	·	5
6	·29		·68	·41		·07	·	·	·	·31	·25	·	6
7	·		·61	·12		·23	·	·01	·	·15	·16	·07	7
8	1·		·	·24		·02	·18	·63	·	·26	·19	·06	8
9	·24		·34	·18		·05	·53	·50	·08	·60	·38	·56	9
10	·		·14	·12	·14	·	·	·	·06	·40	·68	·06	10
11	·80		·47	·39	·01	·	·	·	·	·10	·11	·	11
12	·03		·68	·34	·	·	·	·47	·	·73	·55	·	12
13	·17		·05	·06	·29	·	·	·11	·	·95	·02	·	13
14	·70		·29	·10		·08	·	·23	·35	·38	·	·07	14
15	·		·	·10	·04	·	·13	·63	·09	·16	·02	·05	15
16	·07		·	·03	·01	·	·15	·06	·07	·65	·	·34	16
17		·36	·	·05	·08	·	·06	·09	·05	·35	·	·41	17
18		·05	·05	·37	·33	·	·50	·20	·63	·36	·	·	18
19		·05	·	·04	·	·16	·68	·06	·75	·06	·	·	19
20		·87	·08		·	·18	·02	·03	·03	·	·03	·	20
21		·43	·07		·85	·50	·	·12	·18	·	·05	·06	21
22		·03	·12		·03	·45	·	·05	·	·14	·07	·12	22
23		·	·		·14	·01	·	·60	·	·16	·	·	23
24		·30	·		·10	·07	·	·32	·	·17	·10	·	24
25		·12	·02		·	·17	·03	·05	·	·33	·15	·08	25
26		·12	·03		·	·01	·12	·41	·22	·17	·17	·	26
27			·04		·43	·47	·03	·25	·02	·15	·21	·01	27
28			·			·89	·02	1·65		·	·09	·	28
29			·28			·90	·04	·85		·08	·06	·	29
30		X	·27			·05		·06		·85	·03	·05	30
31		X	·28	X		X		·38	X	·04	X	·	31
	—	·05	·23	—	·41	—	—	·04	—	·25	·02	—	YEAR'S TOTAL
Total	~~2·78~~	~~2·33~~	~~5·80~~	~~3·39~~	~~2·45~~	~~4·95~~	~~2·50~~	~~7·76~~	~~2·74~~	~~8·54~~	~~4·34~~	~~2·05~~	~~49·68~~
	3·69	2·38	5·98	3·16	2·86	4·54	2·50	7·80	2·70	8·79	4·11	2·03	50·54
Rain Days.	12	19	22	18	12	21	14	23	14	26	24	16	216

W. 8,000, IX. 17.

45

FORM A.
BRITISH RAINFALL.

W A (except Sep tot) corr. W/ DL corr for mth

REGISTER OF RAINFALL IN 1918

Kept at St Pinnock Rectory
in the County of Cornwall
by S. H. Farnsell Ros

Lat. 50. 20. 75 Long. 4. 30. 25
Time of Observation 9. a.m.
Nearest Railway Station Doublebois 1¼ miles north
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 5 in.
" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (·04)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
								.	·02	·15			
1	.	·01	·34	·33	·21	.	.		·02	·02	·28	·17	1
2	.	·56	.	·17	·02	.	.	1·57	·02	·01	1·53	. .	2
3	.	·66	.	·11	·01	.	.	·10	·12	·13	·03	·84	3
4	.	·40	.	·11	·18	.	.	·02	·32	·01	·08	·17	4
5	.	·05	.	·40	.	.	.	·39	·68	·62	1·20	1·38	5
6		·12	·28	·18	.	.	.	·48	·01	·28	·06	·32	6
7	·32	·53	·32	·26	.	.	.	·29	·80	·15	. .	·36	7
8		·45	.	.	.	·01	.	·07	·17	·79	·61	·75	8
9		·14	.	·02	.	·06	.	.	·69	·21	. .	·04	9
10	·30	.	.	.	.	·45	·42	.	·12	·15	·06	·64	10
11	·17	.	.	14	.	.	·23	·01	·40	·16	·01	·45	11
12	·02	·05	·22	·02	·02	·02	·09	.	·03	·21	·10	·26	12
13		17	·01	.	·38	.	·13	.	·77	·60	. .	·07	13
14	·01	.	.	.	·08	.	·25	.	·50	·14	. .	·30	14
15	·59	.	·01	.	·10	·09	·04	.	·19	·40	. .	·33	15
16	1·30	.	.	.	·02	·30	1·00	.	·12	·05	. .	·42	16
17	·78	.	.	·16	.	·06	·18	.	·12	. .	. .	·22	17
18	·25	.	.	·10	.	.	·30	·03	·43	·30	. .	·43	18
19	1·55	·05	·25	x	.	·96	·10	·05	·14	. .	. .	·64	19
20	·28	·09	·11	·09	.	.	·23	·10	·26	. .	. .	·49	20
21	·30	·28	·02	·30	.	·08	·04	·01	·48	·33	. .	·07	21
22	·35	·08	.	·04	.	·28	·23	. .	·20	·15	. .	·70	22
23	·02	.	.	.	·13	.	1·53	·01	·16	. .	·05	·44	23
24	·15	.	.	.	·06	·03	·06	. .	·40	. .	·07	·37	24
25	·07	·28	.	.	.	·03	.	·51	. .	·08	·57	·17	25
26	·05	.	.	·02	16	.	·13	·35	·22	·07	·31	. .	26
27	·07	52	.	.		.	·33	·02	·11	·07	·10	·58	27
28	·02	61	.	.		.	·01	·17	·10	·06	·29	·09	28
29	. .		·31	.		.	.	·01	1·31	. .	·43	·14	29
30	01	×	·37	.		.	.	. .		·14	·04	·15	30
31		×	·26	×		×	.	·18	×		×	·20	31
	·01	·34	·33	·21		–	–	·02	·15	·25	·17	(·04)	YEAR'S TOTAL
Total	6·61	5·05	2,50	2·45	1·37	2·38	5·30	4·37	8·94	5·28	5·79	11·19	60·23
Rain Days.	6·62 20	5·38 18	2·49 12	2·33 16	1·16 12	2·37 12	5·30 18	4·39 ~~19~~ 20	9·04 29	5·38 23	5·71 18	11·06 29	61·23 229

W. 8,000, IX. 17.

Telegrams [illegible]

St Pinnock Rectory,
Liskeard.
Cornwall

10 Jan: 1919

Dear Sir

I have the pleasure of enclosing the Register of our Rain fall for 1918. I regret that in making the entries in the Register my amanuensis has for the months of September and October made the first entries on the wrong line. Fortunately this error has not made the results incorrect.

Yours faithfully

S. H. Farwell Rec

do. so say not. wored for WD ~~R~~ R/ confd auth + obs. agrees.

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at St. Pinnock

in the County of Cornwall

by Revd Farwell Roe

Lat. 50.20.75 Long. 4.30.25

Time of Observation 9. am

Nearest Railway Station Doublebois

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground: ft. 3 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 0.51

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·09		·15	·18	·15		·22	·10				·75	1
2	1·14		·48	·12	·18		·13		·30	·18		·84	2
3	·52		·06		·07		·01		·08			·17	3
4	·11		·40		·26				·38			·25	4
5	·27	·89	·67					·50	·70		·03		5
6	·07	·34	·43		·07				·04			·18	6
7	·84	1·26	·35								·01	·40	7
8	·45	·93	·47	·20		·02			·02			·47	8
9	·40		·36	·05	·04	·01					·73		9
10	·27		·06	·54	·16						·43	·10	10
11	·10		1·36	·03	·10					·18		1·42	11
12	·12		·56	·33	·42	·02	·15		·02	·02		·21	12
13	·46		·11	·04		·03			·01	·16		·01	13
14	·46	·15	·29	·64			·10		·04	·20		·60	14
15	1·05	·30	·02	·85	·05		·05		·01	·09		·37	15
16	·46	·07		·14						·07		·50	16
17	·20	1·23			·11	·02	·02				1·00	·05	17
18	·05	·93	·01			·05	·02	·04			·64	·12	18
19	·21	·28	·60				·23	·35	·08		·43	·05	19
20	·82	·58	·25			·24	·02	·61	·28	·02	·21	·28	20
21	·52	·04	·12		·15	·21		·17	·74		·50	·17	21
22	·40	1·14			·87		·30	·02	·24		·09	·32	22
23		·02				·07	·08	·05	·21	·02	·12	·33	23
24			·01					·08		·45	·08	·31	24
25				·08		·20		·07	·03	·27	·14	·40	25
26	·29	·06		·05		·01		·77	·02	·03	·19	·27	26
27	·06	·07	·25	·08				·04	·15	·01		·91	27
28	·22	·18	·02	·51				1·27		·01		·15	28
29	·05		·54	·37				·01		·02	·84	76	29
30		✕	·09	·14				·17		·05		·09	30
31		✕	·01	✕		✕		·24	✕		✕	1·07	31
TOTAL	– ~~9·63~~ 9·54	·15 ~~8·47~~ ~~7·34~~ 8·62	·18 ~~7·67~~ 7·70	·15 ~~4·35~~ 4·32	– ~~2·63~~ 2·48	·22 ~~·88~~ 1·10	·10 ~~1·33~~ 1·21	– ~~4·49~~ 4·39	– 3·32	– 1·78	·75 ~~5·44~~ 6·19	~~11·55~~ ~~11·45~~ 11·31	61·96 YEAR'S TOTAL ~~60·31~~
Days with ·01 in. or more	25 ~~26~~	18 ~~17~~	25	17	12 ~~13~~	12 ~~11~~	12	15 ~~16~~	18	16	16 ~~15~~	29	~~61·54~~ 215

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

2·48

Conf W D

1695

5 JAN 1921

FORM A. I. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION

REGISTER OF RAINFALL IN 1920.

Kept at St Pinnock

in the County of Cornwall

by Farwell Roe

Lat. 50.20.75 Long. 4.30.25

Time of Observation 9 A.M.

Nearest Railway Station Doublebois 1¼ miles

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~1~~ ft. 5 in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·29

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·51	·26		·61	·03		·38	·03		1·36	1·07	·26	1
2	·04			·10	·90		1·47	·02	·09	·84	·03	1·07	2
3	·71			·20	·03		·14	·30	·26	·36		·24	3
4	·68	·11		·05	·03		·04	·02	·10	1·15		·47	4
5			·03		·01		·01	1·11	·03	·71		·02	5
6		·01	·24		·34		·40	·12	·01	43			6
7			·35	·16	·22		·26		·01	·45	·01		7
8	·07		·08	·46	·08		·83				·02	·07	8
9	·14	·05	·02	·45	·09		·16	·04	·01	·02		·19	9
10	1·28	·11	·01	·04		·03	·68	·02	·02				10
11	1·79	·45	·18	·13		·52	·33				·01		11
12	·71	·02	·26	·95	·02	·01	·28						12
13	·33	·33	·26	·33	·01	·03	·10	·02		·22	·27		13
14	·16	·06	·80	·07		·02				·34	·01		14
15	·37	·15	·50	·87			·20		·20	·78	·55		15
16	·08	·34	·05	·66	·05			·01	·13	·63	·20		16
17	·02	·02	·26	·20	·01	·08	·14			·23	·11		17
18	·14		·05	·15	·64		·01	·30	·90	·40	·01		18
19	·29	·02	·07	·13	·17	·43	·08	·02	1·08			·10	19
20	·25	·04		·56	·17	·47	·01		·08	·01			20
21	·12			·29		·20	·02		·30	·63		·47	21
22	·01			·32		·03	·13		·36	·02		·20	22
23	·12		·05	·16			·10	·01		·01		·34	23
24	·02		·08				·30	·14				·84	24
25	·06	·02	·62	·13			·03	·02			·28	·38	25
26	·16	·07	·11				1·03		·02		·03	·02	26
27	·57	·03	·32			·03	·02		·02		·36	·06	27
28	·71	·24	·10	·27	·02	·40	·14				·97	·70	28
29	·65	·02	·44	·06		·25	·22				·03	·13	29
30	·72		·55	·01	·10	·05	·03		·03		·61	·48	30
31	·42				·02		·45			·42		1·02	31 66·00
TOTAL	·26 ~~11·13~~ 10·88	– ~~2·35~~ 2·09	·61 ~~5·43~~ 6·04	·03 ~~7·36~~ 6·78	– ~~2·94~~ 2·91	·38 ~~2·55~~ 2·93	·03 ~~7·99~~ 7·64	– ~~2·18~~ 2·15	1·36 ~~3·65~~ 5·01	1·07 ~~9·01~~ 8·72	·26 ~~4·57~~ 3·76	·29 ~~7·06~~ 7·09	YEAR'S TOTAL ~~66·22~~
Days with ·01 in. or more	3	7	3	1	9	6	7	9	8	4	8	32	68
Days with ·04 in. or more	25	~~12~~ 11	~~20~~ 21	24	10	8 9	2X2	6	10 11	15	9	17	178 177
	28	19	24	26	18	15	[illegible]	15 14	18 19	19	17	19	245

LOOE
(MORVAL)

CORNWALL

1911, 13, 15, 17-20.

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

11

Kept at Morv

in the County of

by A. H. T

p 6 in.
bove Ground 1 ft. — in.
" Sea Level 150 ft.

on Name Sandplace
Distance 1 mile Direction west

IMPORTANT N ... and the result entered to the previous day. If an ... universal rule, he is earnestly requested to add the ... g year in the space provided for it at the end of ... surement of rain, the selection and p ... e British Rainfall Organization are given in ... on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02		·04	·19	·20								1
2					·36	·15		·60		·14	·14	·25	2
3			·03		·34				·08		·21	·33	3
4	52		·17		·08			·73			·35	·50	4
5	33		·28					·28		·09	·30	1·13	5
6	·09		·15	·05				·03		·03	·67		6
7	·02		·24									·53	7
8											·29	·52	8
9											·18	·38	9
10	19	·19										·09	10
11	40		1·57								·79	·37	11
12	·06		·77		·06				·57		·11	·20	12
13			·16						·05		·20	·27	13
14		·20	·15							·16	·28		14
15		·08	·17			·14					·40	·08	15
16		·02				·54					·30	·43	16
17			·60								·27	·62	17
18		·44	·12	·17		·20			·70	·19	·55	·30	18
19		·11	·04	·05		1·33			·15	·08	·27	·86	19
20				·23		·10				·78		·67	20
21		·47	·05	·04				·27	·16			·26	21
22		·07				·20		·09	·78	·48			22
23		·58	·05					·29		·09		·75	23
24	·05					·20			·06	·40		·48	24
25						·02				·61		·22	25
26		·30		·94	·60		·05	·37	·25	·15		·70	26
27		·96						·26			·52		27
28		·05		·45		·59		·03					28
29			·05		·08		·74		·16	·54			29
30				·10			·19		·04	·28			30
31										·11	·33		31
Total	1·68	3·47	4·64	2·22	1·72	3·47	·98	2·95	3·00 3·00	4·13	6·16	9·94	TOTAL for year ~~44·36~~
No. of Rain Days.	9	12	17	9	7	10	3	10	11	15	18	22	143

W. 8,000, X. '11.

11

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Morval.

in the County of Cornwall 2

by A. H. Tremayne Esq

RAIN GAUGE
Pattern
Diameter of top 6 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 150 ft.

Time of Observation

Nearest Railway Station
Name Sandplace
Distance 1 mile Direction west

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02		.04	·19	.20								1
2				·36	·15			.60		·14	·14	.25	2
3			.03		·34				.08		·21	.33	3
4	52		·17		·08			·73			·35	.50	4
5	33		·28					·28		·09	·30	1.13	5
6	·09		·15	.05				·03		·03	·67		6
7	·02		·24									.53	7
8											·29	·52	8
9											·18	·38	9
10	19	.19										·09	10
11	40		1.57								.79	.37	11
12	.06		.77		·06				·57		·11	·20	12
13			·16						·05		·20	·27	13
14		.20	·15							·16	·28		14
15		·08	·17			·14					.40	·08	15
16		·02				·54					·30	·43	16
17			·60								·27	·62	17
18		·44	·12	·17		·20			·70	·19	·55	·30	18
19		·11	.04	.05		1.33			·15	·08	·27	·86	19
20				·23		·10				·78		·67	20
21		·47	.05	·04				·27	·16			·26	21
22		·07				·20		·09	·78	·48			22
23		·58	.05					·29		·09		·75	23
24	·05					·20			·06	·40		·48	24
25						·02				·61		·22	25
26		.30		.94	.60		·05	·37	·25	·15		·10	26
27		·96						·26			·52		27
28		·05		·45		·59		·03					28
29			.05		·08		·74		·16	·54			29
30				·10			·19		·04	·28			30
31										·11	·33		31
Total	1·68	3·47	4·64	2·22	1·72	3·47	·98	2·95	3·00 3·00	4·13	6·16	9·94	TOTAL for year 44·36
No. of Rain Days.	9	12	17	9	7	10	3	10	11	15	18	22	143

W. 8,000, X. '11.

Written re Sept. total 25·3·14

corr for arith 24·III·14

FORM A. BRITISH RAINFALL.

7 - JAN 1914

REGISTER OF RAINFALL IN 1913

2

Kept at Morval

in the County of Cornwall

by A. H. Tremayne Esq.

Lat. Long.

Time of Observation 10 A. M.

Nearest Railway Station Sandplace

Diameter of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·5	20	40	·6	·7					14	42		1
2	·17	20	·5	20	37	·5			·2	·8	21		2
3	·52	·4	26		26	13			58		17	32	3
4	·44	·				27			·2			55	4
5	·7	·			56		·6		92	17	28		5
6	28	11			·6	34	·2			57	22	40	6
7	·4	45	40		90	15	·2		·2	19	50	·2	7
8	19	39			21	·3	16		·3	13		·9	8
9	·6	·5			·8			6			70		9
10	128				10			22		59	15		10
11	·41		10		81	12					74		11
12	30				37				·6		26		12
13	43		13	19			·2	·5	35				13
14	30		37				·6		·5	·3	12	10	14
15	·4		57	118					15		11	·4	15
16	43		61	·8			·2		10		·2		16
17	·4		10	11							·9		17
18	·5		30	34						40	18		18
19	41					·5			60		73		19
20	·5		10	52		16					26		20
21	·8		21	42	10					28	23		21
22	33		60	·		41		·5	15	30			22
23				39				·6		·2		119	23
24	10	20		24		10					·3		24
25				53					·9	·6	·6	·9	25
26	·2			79		·3		·3		20		45	26
27	1.33		17	28				·6		19	·4		27
28	·2			13	10			·6	11	25		27	28
29	14			71	·3		·6			15			29
30	85		50	24	·9		·3			55	·5		30
31	14		89					24		13			31
Total	8·57	1·64	5·06	6·41	4·11	1·84	45	83	2·35	4·23	5·57	3·52	YEAR'S TOTAL 45·68
Rain Days.	29	8	17	17	15	12	9	9	15	19	22	12	184
	8·57			6·41				·83	3·25		5·57	3·52	45·68

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
23 FEB 1916

REGISTER OF RAINFALL IN 1915

Kept at Morval

in the County of Cornwall

by Geo Roberts

Lat. Long.

Time of Observation 10 a-m

Nearest Railway Station Sandplace

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	26	.	.	.	.	.	.	70	.9	53	.	12	1
2	.	18	30	10	.	26	.	.3	.7	.	.	50	2
3	30	27	20	.	3	.	.	.2	.	.	.	87	3
4	26	.	.3	.	18	.	.	53	.	.	.	100	4
5	13	25	.	75	.	.	.	.2	.	.	.	12	5
6	127	95	.	50	.	.	64	.6	.	.	3	10	6
7	41	85	.	.8	.	.	19	10	.	142	.	57	7
8	24	47	10	.2	.	.	.	.3	.	.	30	35	8
9	30	.7	.	11	.	.	.	.6	.	.	23	10	9
10	36	68	.	.7	.	74	.	.7	.	43	17	13	10
11	15	14	.	.	56	.	.	11	.	.4	49	35	11
12	10	46	45	.	66	.	.	.4	.	.5	131	16	12
13	6	.3	.	.	.	.	.6	.2	.	.	15	21	13
14	9	.	.	.	.	.	26	.4	39	.	.6	177	14
15	29	.	.	.	40	.	84	.	.	12	.	24	15
16	9	160	.	.	80	.	50	.	.	.	.	11	16
17	.	24	.	.	.	.	52	.	.	.	.	.	17
18	6	16	.	.	.	.	4	.	.	.	.	.	18
19	.	.4	.	.	63	.	20	.	.	.	.	.	19
20	41	.	.	.	.1	27	40	.	.	20	.	.	20
21	41	12	.	.	10	21	56	.	.	.	.	.5	21
22	5	17	.	.	.	.	.	.	.	.	.	50	22
23	5	10	.2	.	.	.9	.4	.	.	14	.	65	23
24	11	50	.3	.	.	16	25	.	.	150	.	24	24
25	2	.	.	.	.	12	83	.	.	.	.	31	25
26	.	.	.	.	.	20	17	.	.	.	.	80	26
27	.	.	.	.	.	22	.	.	.	104	.	1	27
28	.	17	.	.	.	31	.	.	.	84	7	17	28
29	.	.	.	.	.	17	.	.	74	13	.	18	29
30	.	×				.3	.	.	.	78	62	10	30
31	.	×		×		×	28	.	×	.	×	13	31
Total	5.42	7.45	1.13	1.63	3.37	2.78	5.78	1.83	1.29	6.84	3.43	9.84	YEAR'S TOTAL 50.79
Rain Days.	22	20	7	7	9	12	16	14	4	13	10	27	161

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL

Kept at Morval
in the County of Cornwall
by A. M. Tremayne.

Lat. Long.
Time of Observation 10 : AM.
Nearest Railway Station Sandplace (via Liskeard)
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 150. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. X

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	–	·76	–	–	–	–	·03	–	·11	–	1
2	·04	–	·08	·15	–	–	–	–	–	–	·30	·04	2
3	·05	–	–	·04	–	–	–	·04	–	–	·22	–	3
4	~~7~~	–	·84	–	–	–	·07	–	·22	·69	–	–	4
5	·27	–	·48	·19	–	–	–	–	–	·15	·17	–	5
6	·02	–	·30	–	–	·20	–	–	–	·19	–	·13	6
7	·76	–	–	·26	–	–	·30	–	–	·14	–	–	7
8	–	–	·70	–	–	–	·43	–	–	·40	·45	·56	8
9	·73	–	·14	·08	·15	–	·03	·54	·07	·20	·48	–	9
10	·01	–	·88	·20	–	–	–	·42	–	·06	–	·26	10
11	·37	–	–	–	–	–	–	–	·06	·75	·54	–	11
12	–	–	30	–	·36	–	–	–	–	·57	–	–	12
13	·27	–	–	·47	–	·06	–	·35	·15	·48	–	–	13
14		–	–	·10	–	–	·06	·32	·10	·05	–	–	14
15		–	–	–	·05	–	·09	·02	·08	·77	–	·57	15
16		–	–	–	–	–	–	·13	·04	·27	–	·36	16
17		·35	–	·16	·07	–	·63	–	·71	·11	–	–	17
18		·04	–	·10	·26	·20	·26	–	–	–	–	–	18
19		·92	–	–	–	·05	–	–	·70	–	–	–	19
20		·36	·37	–	·92	·30	–	·05	·07	–	–	·11	20
21		–	–	–	–	·15	–	·10	–	–	–	–	21
22		–	–	–	·12	·16	–	·33	–	–	–	–	22
23		·25	–	–	–	–	–	·23	–	·37	·04	–	23
24		–	–	–	–	·05	·56	·07	–	·29	·10	–	24
25		·05	·05	–	–	–	·04	·27	·23	·09	·10	–	25
26		–	–	–	·55	·47	–	·21	·17	·03	·08	–	26
27		–	·30	–	–	·84	–	1·38		·10	–	–	27
28		–	·20	–	50	·39	–	·36		·15	–	–	28
29		–		–	·12	·05	–	·31		–	–	·10	29
30		X		–				·02		–	–		30
31		X		X		X			X	·40	X		31
Total	2·52	1·97	4·64	2·51	3·10	2·92	2·47	5·15	2·63	6·26	2·59	2·13	YEAR'S TOTAL 38·89
Rain Days.	9	6	12	11	10	12	10	18	13	21	11	8 7	140

W. 8,000, IX. 17.

~~W~~ M

cnd for arith

42

REGISTER OF RAINFALL IN 1918

Kept at Morval, — Sandplace,
in the County of Cornwall
by Capt A Tremayne R.N.

Lat. 50'½ Long. 4'½
Time of Observation 10 A.M.
Nearest Railway Station Sandplace via Liskeard G.W.R.
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150. ft.

FORM A.
BRITISH RAINFALL
15. 1

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·90

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-	·42	-	-	·07	-	-	1·25	-	-	1·00	-	1
2	-	-	-	·25	-	-	-	·10	-	-	-	·25	2
3	-	·21	-	·20	-	-	-	-	·09	·06	·42	·57	3
4	-	-	-	·19	·14	-	-	·51	·43	-	·71	·86	4
5	·45	-	·42	-	-	-	-	·49	·07	·38	·06	·10	5
6	·04	-	·14	-	-	-	-	-	-	-	-	·42	6
7	-	-	-	-	-	·11	-	·05	·91	·23	-	·47	7
8	-	·58	-	-	-	·15	-	-	-	·89	·47	·02	8
9	-	-	-	·49	-	·17	·23	-	·82	·16	-	·50	9
10	-	·79	·32	-	-	-	·31	-	·06	·13	-	·45	10
11	·10	·07	-	-	-	-	-	-	·09	·06	-	·15	11
12	·04	-	-	-	·34	-	·37	-	·36	-	-	·02	12
13	-	-	-	-	·08	-	·39	-	-	·79	-	·03	13
14	·45	-	-	-	-	·14	·16	-	·64	·39	-	·40	14
15	·72	-	-	·18	-	·19	·75	-	·81	·23	-	·30	15
16	1·00	-	-	·13	-	·04	·07	-	-	-	-	·53	16
17	1·36	-	-	-	-	·02	·06	-	·17	-	-	·59	17
18	-	-	·48	-	-	·71	·09	·05	·42	·23	-	·52	18
19	-	-	-	·06	-	-	·18	-	·15	-	-	·24	19
20	-	·43	-	·18	-	-	·04	-	·19	-	-	·73	20
21	·18	-	-	-	-	·17	·26	-	·54	·39	-	·23	21
22	-	-	-	-	·19	-	1·11	·03	-	·11	·13	·18	22
23	-	·04	-	-	-	-	·03	-	·07	-	-	·14	23
24	·24	-	-	-	-	-	-	·50	·39	-	·55	-	24
25	-	-	-	-	-	-	·36	·17	-	·06	-	-	25
26	·08	·46	-	-	-	-	·25	-	·16	-	·37	·46	26
27	-	·18	·29	-	-	-	-	·11	·19	·11	·20	·05	27
28	-	-	-	-	-	-	-	-	-	-	·24	·07	28
29	-	-	·46	-	-	-	-	-	1·80	-	-	·09	29
30	-	X	-	·15	-	-	-	·08	·03	·12	·25	·06	30
31	-	X	·11	X	-	X	-	-	X	·09	X	·09	31
Total	4·66	3·78	2·22	1·83	·82	1·70	4·66 ~~4·65~~	3.34	8·39 ~~8·30~~	4·43	4·40	8·52	YEAR'S TOTAL 48·15 ~~48·05~~
Rain Days.	12	9	7	9	5	9	16	11	21	17	11	28	15~~6~~4

W. 6,500, VII. 18. W W

1774

12 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Morval

in the County of Cornwall.

by Capt A. H. Tremayne R.N.
per Miss Helen Tremayne

Lat. Long.
Time of Observation 10: A.M.
Nearest Railway Station Looe Station G.W.R.
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 150 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·90	--	·26	--	·18	--	·11	--	·24	·15	--	1·10	1
2	·28	--	--	--	--	--	--	--	·45	--	..	·20	2
3	·11	--	·39	--	·20	--	--	--	·83	--	--	·07	3
4	·33	1·05	1·00	--	--	--	·68	·42	..	..	·04	..	4
5	·11	·15	·10	--	--	--	--	--	..	..	--	·07	5
6	(·54)	1·54	·25	--	--	--	--	..	..	--	..	--	6
7	·36	--	·24	·18	--	·01	--	--	..	--	..	·59	7
8	·37	--	--	·08	·09	·02	--	..	..	..	1·07	--	8
9	·09	--	·35	·18	·24	--	..	--	..	..	·11	--	9
10	·09	--	·77	·05	--	--	..	--	..	·08	..	·95	10
11	·11	..	·34	·22	·47	·03	·15	..	·02	--	..	·23	11
12	·54	--	·25	--	--	..	..	..	--	·14	·21	..	12
13	·48	·26	·17	·38	--	--	·07	--	·02	·11	..	·70	13
14	·84	·25	--	·23	·06	--	·03	..	·04	·14	..	·40	14
15	·25	·13	--	·47	--	..	--	..	--	·06	--	·02	15
16	·23	1·33	--	--	·05	--	--	..	--	--	·41	·08	16
17	·03	·13	·10	--	·03	·03	--	..	--	..	·47	·05	17
18	·44	·71	·40	--	--	--	·41	·22	--	--	·35	..	18
19	·68	·34	--	--	--	·23	--	·53	·20	--	·13	·22	19
20	·35	·19	·34	--	·11	·20	--	·09	·47	--	·40	..	20
21	·36	·88	--	--	·98	--	--	--	·29	..	·08	·25	21
22	--	--	--	--	--	·03	--	--	--	..	·10	·15	22
23	--	--	--	--	--	--	--	·02	·05	·30	·18	..	23
24	--	--	--	--	--	·14	--	·05	--	·33	·11	·08	24
25	·23	·09	--	--	--	·14	--	·85	--	·01	·10	·16	25
26	·22	--	·15	--	--	--	--	·08	·15	--	--	1·15	26
27	·07	--	--	--	--	--	--	1·45	--	..	--	·05	27
28	..	·06	·48	·77	--	--	--	·04	..	·06	·96	·90	28
29	..		--	·11	--	--	--	·08	--	·03	·32	·10	29
30	..	X	·07	..	--	·18	--	--	--	--	·27	1·04	30
31	..	X	·17	X	..	X	·04	·12	X	--	X	·44	31
TOTAL	8·11	7·10	5·83	2·69	2·41	1·01	1·49	3·95	2·76	1·83	5·31	9·00	YEAR'S TOTAL 51·48
Days with ·01 in. or more	24	14	18	10	10	10	7	12	11	11	17	23	167

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

24 RR

1691

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

17 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Morval

in the County of Cornwall

by Capt. A. H. Tremayne

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·02	·20	·63	–	·96	–	·04	·12	–	·75	1
2	·52	–	–	·09	·01	–	·22	·13	·10	·06	–	·38	2
3	·60	·06	–	·18	–	–	·02	·01	·04	·70	–	·47	3
4	–	–	·02	–	·22	–	–	·91	–	·62	–	–	4
5	–	–	·33	·06	–	–	·27	·03	–	·17	–	–	5
6	·04	–	·15	·10	·34	–	·40	–	–	·25	–	–	6
7	·07	–	·09	·38	·07	–	·60	–	–	–	·03	·18	7
8	1·12	–	–	·38	·07	–	·17	·04	–	–	–	·43	8
9		–	·01	·08	–	·01	·60	–	–	–	–	–	9
10	1·71	·35	·47	·12	–	·44	·27	–	–	–	–	–	10
11		–		·64	·17	·02	·32	–	–	–	·05	–	11
12	·30	·26	·32	·31	·02	·03	·10	–	–	·12	·17	·04	12
13	·17	·18	·44	·23	–	–	–	–	–	·18	–	Snow ·31	13
14	·43		·69	·37	–	–	·08	–	·21	·88	·38	–	14
15	·07	·19	·04	·19	–	–	–	–	·05	·68	·15	–	15
16	·02	–	·15	·08	–	·06	·13	–	·40	·10	·03	–	16
17	·07	–	·02	·14	·53	[illegible]	·21	–	1·09	·08	–	–	17
18	·31	–	–	·08	·04	·52	–	·22	·03	–	·01	–	18
19	·12	·04	–	·64	·06	·77	–	–	·15	·09	–	–	19
20	·04	–	–	·14	–		–	–	–	·95	–	·39	20
21	–	–	–	·35		·02	·04	–	–	·02	–	–	21
22	·11	–	·02	·08	–	–	·04	–	·03	–	–	·42	22
23	·03	–	·10	[illegible]	–	–	·23	·05	–	–	–	·92	23
24	·15	–	·30	·02	–	–	·03	·03	–	–	–	·12	24
25	·47	–	–	–	·02	–	·84		–	–	·21	·02	25
26	·35	–	·36	–	–	–	–		·02	–	·40	·02	26
27	·73	–	–	·15	–	·28	·15		–	–	1·30	·38	27
28	·37	·09	·47	·05	–	·10	·36		–	–	·08	·16	28
29	·47	·02	·58	·02	·05	·09	[illegible]		·08	–	·39	·37	29
30	–	✕	–		·04	·41	·40		1·17	·59	·44	·84	30
31	·15	✕	·53	✕		✕	·04		✕	·54	✕	·25	31
TOTAL	8·42	1·19	5·11	5·08	2·27	2·75	6·48	1·42	3·41	6·15	3·64	6·45	YEAR'S TOTAL 52·37
Days with ·01 in. or more	15 ~~2~~	~~1~~ 8	~~5~~ 20	25 ~~2~~	14 ~~3~~	13 ~~4~~	23 ~~1~~	4 3	13 3	17 1	13 3	18 2	~~30~~ 197
Days with ·04 in. or more	23	7	16	23	11	8	21	5	10	16	10	16	166

196 days.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

CORNWALL.
~~LOST~~WITHIEL
LANWITHAN

1911 – 1920

REC 1911

Kept at Lanwitha

in the County of Cornw

by Miss Foster

f top .... in.

p above Ground .... ft. .... in.

„ Sea Level .... ft.

Station { Name ....
Distance .... Direction ....

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06				·21	·26					·05	·01	1
2					·33			·27		·28	·08	·34	2
3			·05		·30			·08	·02		·25	·20	3
4			·10					·44			·28	·66	4
5	·48		·26					·71		·05	·16	·05	5
6	·47		·39					·02		·02	·20	1·35	6
7	·04									·01	·48	·05	7
8	·01		·20			·22					·05	·65	8
9	·02										·20	·59	9
10	·04	·13	1·21		·10						·10	·30	10
11	·39								·05		·70	·13	11
12			·72						·38		·18	·28	12
13			·22		·02				·16		·20		13
14			·10							·06	·35	·81	14
15		·14	·12			·10					·40	·09	15
16						·54					·20	·50	16
17		·05	·45			·21					·83	·71	17
18		·35	·12	·23		·52				·04	·55	·32	18
19		·17		·05		·48			·47	·12	·49	·83	19
20		·14	·06	·20					·18	·76		·54	20
21	·02	·18	·10			·05			·22	·15		·25	21
22		·10		·14		·06			·54	·25		·74	22
23		·19	·05			·06		·10	·15	·45	·15	·52	23
24	·04	·28				·55		·27		25		·42	24
25				·23		·02			·11	·20		·24	25
26		·29		·54				·22		1·31		·38	26
27		·71	·06					·31	·15	·15		·29	27
28		·19	·02	·41					·03		·18		28
29			·03	·14	·13	·58	·75		·15	·57			29
30						·05	·28	·03	·03	·31	·44	·08	30
31							·15			·05			31
Total	1·57	2·92	4·26	1·94	1·09	3·70	1·18	2·45	2·64	5·03	6·52	11·33	TOTAL for year 44·63 ✓
No. of Rain Days	10	13	18	8	6	14	3	10	14	18	22	27	163 ✓

9,000, IX. '10.

REC 1911

FORM A2.
BRITISH RAINFALL.
15 JAN 1912

Kept at Lanwithan

in the County of Cornwall 2

by Miss Foster

Pattern

Rain Gauge: Diameter of top in.

Height of top above Ground ft. in.

" " " Sea Level ft.

Time of Observation

Nearest Railway Station: Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06				·21	·26					·05	·01	1
2					·33			·27		·28	·08	·34	2
3			·05		·30			·08	·02		·25	·20	3
4			·10					·44			·28	·66	4
5	·48		·26					·71		·05	·16	·05	5
6	·47		·39					·02		·02	·20	1·35	6
7	·04									·01	·48	·05	7
8	·01		·20			·22					·05	·65	8
9	·02										·20	·59	9
10	·04	·13	1·21		·10						·10	·30	10
11	·39								·05		·70	·13	11
12			·72						·38		·18	·28	12
13			·22		·02				·16		·20		13
14			·10							·06	·35	·81	14
15		·14	·12			·10					·40	·09	15
16						·54					·20	·50	16
17		·05	·45			·21					·83	·71	17
18		·35	·12	·23		·52				·04	·55	·32	18
19		·17		·05		·48			·47	·12	·49	·83	19
20		·14	·06	·20					·18	·76		·54	20
21	·02	·18	·10			·05			·22	·15		·25	21
22		·10		·14		·06			·54	·25		·74	22
23		·19	·05			·06		·10	·15	·45	·15	·52	23
24	·04	·28				·55		·27		25		·42	24
25				·23		·02			·11	·20		·24	25
26		·29		·54				·22		1·31		·38	26
27		·71	·06					·31	·15	·15		·29	27
28		·19	·02	·41					·03		·18		28
29			·03	·14	·13	·58	·75		·15	·57			29
30						·05	·28	·03	·03	·31	·44	·08	30
31							·15			·05			31
Total	1·57	2·92	4·26	1·94	1·09	3·70	1·18	2·45	2·64	5·03	6·52	11·33	TOTAL for year 44·63 ✓
No. of Rain Days	10	13	18	8	6	14	3	10	14	18	22	27	163 ✓

9,000, IX. '10.

made

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL
14 JAN 1913

Kept at Lanwithan
in the County of Cornwall 2
by Miss Foster

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge ....in.
Height of top of Gauge above Ground ....ft. ....in.
" " " " Sea Level ....ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·10		·04	·92	·10	·03	·18	·40		·29	1
2			·17	·02		·98	·02	·06	·01	·15			2
3	·03		·35			·18	·10	1·57	·09			·07	3
4	·23		·53		·12	·10		·08			·37	·01	4
5	·77	·29	·30		·10		·20	1·65			·03	·16	5
6	·47	·03	·03		·52	·03	·10	·60				·02	6
7	·10	·76	·43	·03	·12	·26		·35			·04	·10	7
8	·73	·24	·16			·75	·08	·01					8
9	·01	·23	·14	·05		·31	·42	·01				·77	9
10	·48	·16	·17				·19	·02			·19	·23	10
11		·18		·11			·09	·12			·39	·48	11
12	·06	·13	·38		·13		·28	·32			1·00		12
13	·38	·01	·01	·05			·01	·23		·07		·25	13
14	·24	·31	·49		·10			·26				·04	14
15	·77	·16	·05		·20	·53						·48	15
16	·25		·60		·09	·02		·34		·14	·05	·09	16
17			·10		·05	·22		·81			·10	·08	17
18		·10	·20					·73		·07	·05	·02	18
19			·40			·06	·02	·49		·12		·05	19
20	·05	·10	·42	·11	·10			·04		·52	·10		20
21		·38	·34		·55		·37	·11		·22			21
22	·23	·55	·40			·21	·02	·30		·13		·08	22
23	·14	·47	·45			·17	·04	1·02		·25	·12	·38	23
24	·05	·04	·04			·40	·12			·15		·22	24
25	·15	·02				·18	·02	·06		·46	·50	·53	25
26		·02					·22	·48		·55	·55	·66	26
27		·05				·74	·63	·09		1·47	·20	·71	27
28						·09	·17	·90	·23	·21	·40	·45	28
29		·24	·01			·63	·15	·04	·46	·18		·20	29
30			·05		·04	·12	·25		·20	·31			30
31			·35		·11		·46	·05		·13		·23	31
													YEAR'S TOTAL
Total	5·14	4·47	6·67	·37	2·27	6·90	4·06	10·77	1·17	5·53	4·09	6·60	58·04
Rain Days.	18	21	26	6	14	20	23	28	6	18	15	25	220

W. 7,500, XI. ·12

made

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

Kept at Lanwithan

in the County of Cornwall

by Miss Foster

2

Lat. N 50° 20″ Long. W 40° 38″

2 JAN 1914

Time of Observation 9 a.m.
Nearest Railway Station Lostwithiel
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.01	.22	.38	.11	.06				.02	.04	.41	.01	1
2	.21	.21	.05	.31	.37	.07				.17	.25	.02	2
3	.30		.18		.21				.99	.35		.23	3
4	.79		.10	.01		.20			.06		.11	.26	4
5	.09	.05			.41	.38	.11		1.31		.40	.65	5
6	.22	.10	.20		.08	.29			.05	.59	.35	.12	6
7	.10	.54	.11		1.17	.24	.02			.25	.38	.02	7
8	.28	.22			.32		.10			.03		.07	8
9	.08	.07	.01		.02	.03	.01	.05		.47	1.15	.02	9
10	1.01			.06	.01	.03				.16	.45		10
11	.70				.86	.08	.02	.09	.01		.56		11
12	.05				.02				.05		.20		12
13	.20		.10	.01	.05			.01	.42		.22		13
14	.46		.24	.05	.05		.21		.05	.01	.18	.01	14
15	.12		.57	1.13					.02		.10	.02	15
16	.57		.59	.10			.02		.11				16
17	.04		.11	.05							.05		17
18	.08		.41	.32							.20		18
19	.56		.11		.05	.02			.50	.65			19
20	.12		.10	.47					.02	.06	.40		20
21	.10		.10	.35	.10	.05		.03			.31		21
22	.26		.88	.14	.05	.36	.02	.05	.17	.30		.30	22
23	.03		.02					.06	.02		.28	1.08	23
24	.02	.25		.21		.10		.01			.03		24
25				.51					.08	.08	.04	.06	25
26				.92				.02	.01	.02		.28	26
27	1.23		.24	.08				.08		.35	.01	.11	27
28	.08		.01	.05	.10				.05	.25		.30	28
29	.10		.39	.49	.05					.30		.01	29
30	.80			.08	.25		.07			.42	.01		30
31	.17		.20					.08		.10			31
Total	8.78	1.66	5.04	5.45	4.23	1.85	.58	.48	3.94	4.60	6.09	3.57	YEAR'S TOTAL 46.27
Rain Days.	29	8	22	20	19	12	9	10	18	19	22	18	206

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

12 JAN 1915

Kept at Lanwithan

in the County of Cornwall

by Miss Foster

Lat. N 50° 20" Long. W 40° 38"
Time of Observation 9 a.m
Nearest Railway Station Lostwithiel
Diameter of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.12	.19		.12	.02	.74			.95	.06	1
2	.03		.03	.06	.16	.02	.21					.35	2
3	.04		.22	.20	.55			.14				.01	3
4	.16		.06	.42	.10		1.66	.22	.05			.81	4
5	.28		.20	.23	.11							.08	5
6		.08	.09	.05	.15	.01	.24	.16			.09	1.01	6
7	.05	.65	.40	.16	.19	.14	.36	.25	1.28			.18	7
8	.12		.64	.05	.05	.16	.01	.08	.15				8
9	.04	.18	.39	.15	.04	.74		.13	.60				9
10	.16	.70	.09	.62	.18	.08			.25		.04	.35	10
11		.20	1.04			.10			.17		.05	1.22	11
12		.58	.20				.01		.19	.08	.12	.45	12
13		.63	.30				.39		.17	.15	.48	.30	13
14		.39	.29				.02	.10	.05	.08	.71	.25	14
15			.18				.04	.05	.06		.48	1.06	15
16			.02				.07		.54			.01	16
17		.51	.43				.03					.72	17
18		.23	.03				03		.27			.38	18
19		.13	.60				1.41		.02		.04	.22	19
20		.31	.25			.42				.05	.04	.46	20
21		.52	.02				.04			.40		.05	21
22		.07	.09	.01		.05		.06		.28			22
23		06	.32				.21	.05		.30			23
24			.01					.02		.01	.04		24
25	.21		.20				.01	.71		.84	.06	.82	25
26	.03	.35	.06				.57			.08	.25	.65	26
27	.14	.45					.10			.18	.10	36	27
28	.02	.03	.41		.10					.30	.36	1.06	28
29	.44		.20		.10		.21			.04	.82	.21	29
30		X	.14							.05	.35	.38	30
31	.07	X		X		X	1.16		X	.38	X	.40	31
Total	1.79 ✓	6.07 ✓	7.03 ✓	2.14 ✓	1.73 ✓	1.84 ✓	6.74 ✓	2.71 ✓	3.80 ✓	3.22 ✓	4.98 ✓	11.85 ✓	YEAR'S TOTAL 53.90 ✓
Rain Days.	14	18	29	11	11	10	21	13	13	15	17	26	198 ✓

W. 8,000. X. 14.

2036

FORM A.
BRITISH RAINFALL.

13 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Lanwithan. Lostwithiel.
in the County of Cornwall
by Miss Foster

2

Lat. N 50° 20" Long. W 40° 38"
Time of Observation 9 a.m
Nearest Railway Station Lostwithiel
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.38	.43			.10			.32	.30	.51		.18	1
2	.17	.21	.18	.05		.26		.21	.09			.37	2
3	.08	.16	.15	.09	.13		.06					.55	3
4	.18	.35	.01		.10							.36	4
5	.25	.65	.01	.12				.31				.34	5
6	1.17	.32		.53			.50	.01				.15	6
7	.35	.56		.16			.38			1.91	.05	.36	7
8	.20	.35		.01				.06		.06	.14	.12	8
9	.06	.20		.28							.56	1.10	9
10	.25	.30	.06	.16		.16		.16		.90	.10	.07	10
11	.40		.08					.18		.06	1.05	.36	11
12	.08	.64		.02	.52		.03	.23		.10	.40	.14	12
13	.01	.65		.02	.48			.05	.03		.18	.03	13
14	.06	.16				.01	.17	.04	.20	.06	.26	1.52	14
15	.15				.30		.46		.04		.08	.05	15
16	.02	1.62			.56		1.32			.05		.05	16
17	.10	.15			.11							.02	17
18	.12	.25	.02				.04						18
19	.01	.10			.59		.17						19
20	.53			.07		.81	.01			.33		.01	20
21	.20	.11			.10	.16	.23						21
22	.14	.28	.48	.03		.05	.46			.43		.38	22
23	.05	.10	.01			.05	.11		.14	.53		.65	23
24						.07	.08		.04	.68		.28	24
25	.09			.01		.16	.03					.27	25
26	.21	.40			.12	.49	.01		.20			.82	26
27		.08				.47	.37		.03	.94	.05		27
28		.06				.07		.01	.33	.18		.13	28
29						.04		.01	.42		.17	.05	29
30	.15	X				.01			.07	.67	.27	.75	30
31	.02	X		X		X	.74		X	.54	X	.24	31
Total	5.43	8.13	1.00	1.55	3.11	2.81	5.17	1.59	1.89	7.95	3.31	9.35	YEAR'S TOTAL 57.29
Rain Days.	27	23	9	13	11	14	18	12	12	16	12	27	194

W. 8,000. X. 15.

Exd FW

1921

FORM A.
BRITISH RAINFALL.
16. JAN 1917

REGISTER OF RAINFALL IN 1916

t at Lanwithan

n the County of Cornwall

by Miss Foster

Lat. N. 50°20" Long. W. 4°0 38"

Time of Observation 8-30

Nearest Railway Station Lostwithiel

Diameter of Funnel of Rain Gauge 10 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28		·08		·08	·09	·11		·02	·53	·07		1
2	·28	·15	·11						·60	·21	·32		2
3	·02	1·82	·01		·11	·10	·46		·05	·76	·15	·04	3
4	·20	·34		·02	·08	·34			·09	·13	·65		4
5	·05	·17			·09	·03	·03			·17	·37	·03	5
6	·02	·24	·05		·12		·73			·26	·90		6
7	·04	·20			·24		·18			·24	1·22	·15	7
8	·04	·33	·19		·38		·01				·21	·34	8
9		·28	·03				·03			·08	·48	1·03	9
10		1·13		·09	·09	·12					·02	·17	10
11		·03		·06	·11				·01		·01	·03	11
12	·06	·08	·03	·06	·10		·14	·18		·14			12
13		·33	·10	·02	·01		·06	·14			·01	·13	13
14	·01	·41	·28		·01			·38		·10			14
15	·01	·15	·35	·09				·09				·04	15
16	·16	·10	·18	·11				1·61		·31	·17		16
17	·24	·10	·03					·03	·07	·42	2·06		17
18	·04	·13	·50	·03					·25	·22	·11	·18	18
19	·19	·08	·10	·29							·66	·07	19
20	·09	·61	·01								·17	·52	20
21	·04	·12	·12	·62	·02	X					·12	·07	21
22	·01		·05	·01		·25	·07	·02		·42	·12	·56	22
23	·08		·02	·12		·17		·41		·22	·33	·22	23
24		·05	·20	·19				·18		·47	·03	·44	24
25	·02	·17	·29		·12	·12		·62		·05	·27	·03	25
26	·01	·01	·14		·02	·12		·71	·69	·96	·23	·04	26
27	·01	·02	2·12			·05		·55	·32	·76			27
28		·01		·53		05		·11	·33	·87	·01	·48	28
29		·18	·08			·77		·46	·06	·47		·41	29
30		X				·05				·48			30
31		X		X		X		·13	X	14	X	·01	31
Total	1·90 ✓	7·24	5·07 ✓	2·24 ✓	1·58 ✓	2·26 ✓	1·82 ✓	5·62 ✓	2·49 ✓	8·41 ✓	8·69 ✓	4·99 ✓	YEAR'S TOTAL 52·31 ✓
Rain Days.	22 ✓	26 ✓	23 ✓	14 ✓	15 ✓	13 ✓	10 ✓	15 ✓	11 ✓	23 ✓	24 ✓	21 ✓	217 ✓

X Summer time from May 21st to Oct. 1st

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Lanwithan

in the County of Cornwall

by Miss Foster

Lat. N 50° 20" Long. W 40° 38"
Time of Observation 8-30
Nearest Railway Station Lostwithiel
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0-1			·21		·12			0·3		·08		1
2			·02	·12		·15					·01		2
3	0·7			·05						·23	·62		3
4		·15	·91						·22	·34			4
5	·18		·55	·20		·05			·08	·25	·11		5
6	·03		·60	·05		·21				·18	·14	·06	6
7	·84			·08		·01	·42	·96		·121	·11	·06	7
8	·05		·46	·13		·38	·24	·29	·02	·34	·21	54	8
9			·09	·09	·12				·04	·22	·39	·08	9
10	·85		·45	·28				·32		·23	·07	·01	10
11	·07		·77	·23				·20		·61	·44		11
12	·44		·03	·03	·32			·02		·62		·01	12
13	·35		·20	·07				·20	·16	·42		·02	13
14				·05				·46	·04	·17		·01	14
15	·02			·02	·05		·03		·06	·39		·26	15
16		·16		·01			·07	·01	·03	·25	·01	·36	16
17		·03		·17	·05		·56	·08	·48	·10			17
18		·02		·05	·26	·15	·34	·01	·60	·05			18
19		·78	·10			13	01		·05				19
20		·42	·08		·66	·48		·02	·12				20
21		·01	·19		·02	·25		·06		·05	·05	·09	21
22					·05	·05		·78		·18	·01		22
23		·27			·18	·07	·03	·26		·12	·01	·01	23
24		·07				·09	·11	·03		·17	·06	·09	24
25		·06	·03				·01	·87	·12	·14	·04		25
26			·02		·48	·61		·23	·09	·09	·09		26
27						·80	·03	1·28		·17	·03		27
28		·02	·22			·82		·25		·09	·02		28
29			·33			·01		·02		·50	·01	·08	29
30		X	·19					·35		·02	·01		30
31		X	·18	X	·31	X		·05	X	·27	X		31
Total	2·91	1·99	5.42	1·84	2.50	4·38	1·85	6·75	2·14	6·32	2.52	1·68	YEAR'S TOTAL 40·30
Rain Days.	11	11	19	17	11	17	11	22	15	27	21	14	196

W. 8 000, IX. 17.

Ex MZ

43

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

11. 1 19

Kept at Lanwithan, Lostwithiel

in the County of Cornwall

by Miss Foster

Lat. N 50° 20" Long. W 40° 38

Time of Observation 8 30 a m.

Nearest Railway Station Lostwithiel

Diameter of Funnel of Rain Gauge 6 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		·41		·14	·04			·72			1·43	·01	1
2		·61		·04				·13		·01	·15	·58	2
3		·36		·26	·22			·03	·05	·08	·29	·10	3
4		·02		·07				·30	·68		·65	1·09	4
5		·08	·25	·08				·26	·94	·33		·78	5
6	·43	·31	·57	·22				·28		·17		·23	6
7	·16	·31		·04		·04		·04	·55	·14	·45	·53	7
8	·02	·12							·13	·62		·03	8
9	·12			·01		·20	·16		·48	·10	·05	·45	9
10	·15			·17			·21		·10	·11		·39	10
11	·05	·01	·21	·01			·03		·26	·25	06	·10	11
12	·02	·09	·02		·24		·16			·10		·01	12
13					·02		·15		·60	·60		·18	13
14	·35		·01		·07	·31	·10		·40	·10		·21	14
15	·87				·02	·08	1·18		·21	·32		·31	15
16	·69			·14		·05	·18		·17	·07		·26	16
17	·28		·02	·12	·02		·22		·05			·35	17
18	1·29	·09	·14			·49	·15	·01	·60	18		·41	18
19	·16	·05	·17	·09			·20	·02	·18			·21	19
20	·19	·20	·01	·26			·04		·21			·05	20
21	·39			·08			·13		·40	·38		·64	21
22	·01	·02			·07		·60		·18		·02	·20	22
23	·13				·03		·75		·11		·01	·19	23
24	·05	·25				·30		·59	·10		·55	·20	24
25	·05				·05		·06	·27		·05	·25	·01	25
26	·03	·17					·25		·12	·05	·06	·38	26
27	·01	·18	·05					·09	·14	·06	·20	·01	27
28		·33	·30						·06	·04	·21	·05	28
29			·21						1·35		·04	·10	29
30		✕	·33	·22				·05	·19	·04	·18	·21	30
31		✕	·24	✕		✕		·02	✕	·23	✕	·04	31
Total	5·45	3·61	2·53	1-95	·78	1·47	4·57	2-81	8·26	4-03	4-60	7-71	YEAR'S TOTAL 47-77
Rain Days.	21	18	14	16	10	7	17	14	25	22	16	31	211

W, 6,500, VII. 18. W W C

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

10 JAN 20

REGISTER OF RAINFALL IN 1919.

Kept at Lanwithan, Lostwithiel

in the County of Cornwall

by Miss Foster

Lat. 50° 20" Long. 40° 38" W

Time of Observation 8.30 a.m.

Nearest Railway Station Lostwithiel

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·80		·30	·25	·05		·13		·18	·15		·93	1
2	·29		·03				·01		·06			·09	2
3	·05		·36		·12				·36			·09	3
4	·10	1·06	·38		·01			·27	·41		·01		4
5	·13	·28	·30		·04							·03	5
6	·70	1·29	·22									·20	6
7	·32		·22	·15								·15	7
8	·28		·27	·02							·70		8
9	·19		·05	·28	·32						·25	·04	9
10	·08		·85		·02					·07		·97	10
11	·10		·40	·18	·30		·10		·01		·29	·10	11
12	·46		·18	·05		·02				·07	·11	·01	12
13	·23	·20	·33	·40			·02			·22		·51	13
14	·71	·28	·06	·45	·30		·03		·02	·32		·20	14
15	·13	·05		·12						·06		·42	15
16	·16	·96			·12						·79	·06	16
17	·07	·41				·03		·01			·39	·11	17
18	·21	·75	·33				·13	·25	·05		·26	·01	18
19	·61	·51	·28			·18	·01	·44	·13		·10	·11	19
20	·40	·01	·23		·20	·20		·22	·26		·44	·06	20
21	·38	·98			·80		·07		·10		·11	·21	21
22						·01	·02		·10	·02	·01	·08	22
23			·02					·06		·22	·04	~~·12~~	23
24	·01	·01						·01		·17	·09	·24	24
25	·19	·04				·20		·61			·15	·14	25
26	·09	·08	·12	·02				·09	·08	·08	·21	·78	26
27	·27	·02	·08	·75				1·17				·05	27
28	·05	·14	·43	·50				·01		·14	·90	·80	28
29			·10	·11				·24		·04		·08	29
30		×		·10		·11		·17			·55	·81	30
31		×	·10	×		×	·01		×		×	·66	31
TOTAL	7·01	7·07	5·64	3·38	2·28	·75	·53	3·55	1·76	1·56	5·40	8·06	YEAR'S TOTAL 46·99
Days with ·01 in. or more	26	17	23	14	11	7	10	13	12	12	18	29	192

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1693

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920

22 JAN 192

Kept at Lanwithan
in the County of Cornwall
by Miss Foster

Lat. N 50° 20" Long. W 40° 33"
Time of Observation 9 . a. m.
Nearest Railway Station Lostwithiel
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 80 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1				·11	·71		1·15		·07	·26	·01	1.02	1
2	·44			·18	·01		·11	·09	·11	·15		·18	2
3	·60	·05		·05			·02		·01	1·05		·29	3
4			·02					·83		·45		·05	4
5			·20		·26		·32	·08		·21			5
6			·25	·09	·20		·35			·27			6
7	·02		·18	·26	·05		·73					·09	7
8	·09	·02		·37	·05		·06	·01		·01		·54	8
9	·99	·05	·01	·03		·01	·43	·01					9
10	1·11	·20	·17	·06		·45	·35				·01		10
11	·26	·02	·21	·60	·30		·29						11
12	·25	·20	·10	·30			·05			·13	·16		12
13	·21	·03	·54	·09		.20				1·30		·17	13
14	·28	·15	·55	·61			·06		·13	·40	·27		14
15	·02	·17	·03	·55	·02				·11	·61	·17		15
16		·02	·12	·14		·05	·05		·58	·21	·08		16
17	·09		·01	·15	·46				·60	·31			17
18	·21			·08	·07	·43	·05	·19	·03				18
19	·11	·01		·36	·08	·51							19
20	·07			·25		·11			·08	·67		·38	20
21				·31		·8	·04	~~·01~~	·02	·01		·16	21
22	·06		·01	·09			·05	·01				·35	22
23	·02		·02				·20	10				·81	23
24	·04		·29	·01			·06				·37	·19	24
25	·08	·05	·09				·60				·01	·01	25
26	·44	·01	·22			·01	·05		·01		·12	·02	26
27	·66	·06	·10	·13		·28	·10				·90	·52	27
28	·60		·45	·01		·11	·18				·03	·15	28
29	·44	·01	·51	·02	·18	·02			·02		·60	·30	29
30	·29	✕		·01		·46	·24		1·77	·39	·26	·71	30
31	·14	✕	·46	✕		✕			✕	·79	✕	18	31
TOTAL	7·52	1·05	4·54	4·86	2·39	2·72	5·54	1·32	3·54	7·22	2·99	6.10	YEAR'S TOTAL 49·79
Days with ·01 in. or more	25	15	22	25	12	13	23	8	13	17	13	19	205
Days with ·04 in. or more	22	9	16	20	10	10	22	5	8	15	9	17	~~163~~ 2

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

162

2020

FORM A.
BRITISH RAINFALL.

15 FEB 1916

CORNWALL

MARAZION,

"PORTH-EN-ALLS"

1915-1917

REGISTE

Kept at Porth-en-all

in the County of Cornwall

by F. F. Page

a.m

Marazin

5 in.

ve Ground 1 ft. — in.

Sea Level ft.

IMPORTANT NOTE.—Ra the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. Nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·2	·24								1·13			1
2	·21	·3	·14			·32						·75	2
3	·11	·2		·22	·3							·51	3
4	·23	·21	·19					·56				·3	4
5	·1	·43					·61					·88	5
6	·5	·17		·29								·08	6
7	·81	·36		·23						·75		·82	7
8	·47	·5											8
9	·09	·26						·4			·31	·36	9
10	·29	·6		·23							·13		10
11		·04	·11	·26		·33							11
12	·23	·38		·12	1·08						·55		12
13		·32										·5	13
14	·1	·5					·4				·43	1·37	14
15	·13	1·15			·68		·46					·19	15
16	·06	·23					·99			·38		·01	16
17	·1												17
18	·13	·11											18
19										·41			19
20	·1	·1			·33						·14		20
21	·68					1·1						·36	21
22		·28	·18				·18						22
23			·11	·3	·31		·43	~~·5~~	·5			·78	23
24								~~·43~~	·43	·39			24
25	·42					·73					·11	·1	25
26		·3				·3							26
27		·14								·78		·64	27
28		·05										·3	28
29						·2	·73	·42		·07	·55	·11	29
30												·25	30
31	·13								·4	·51		·13	31
Total	4·49	6·87	·73	1·67	2·7	2·98	3·8	1·38	1·35	4·42	2·22	8·44	YEAR'S TOTAL 41·05
Rain Days.	20	21	5	7	8	7	7	3	3	8	8	21	~~118~~

W.7,000, XI. 13

2020

FORM A.
BRITISH RAINFALL.

15 FEB 1916

REGISTE

Kept at Porth-en-alls
Marazion
in the County of Cornwall
by F. F. Page

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Marazion
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
Nill

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·2	·24								1·13			1
2	·21	·3	·14			·32						·75	2
3	·11	·2		·22	·3							·51	3
4	·23	·21	·19					·56				·3	4
5	·1	·43					·61					·88	5
6	·5	·17		·29								·08	6
7	·81	·36		·23						·75		·82 }	7
8	·47	·5											8
9	·09	·26						·4			·31	·36	9
10	·29	·6		·23							·13		10
11		·04	·11	·26		·33							11
12	·23	·38		·12	} 1·08						·55		12
13		·32										·5	13
14	·1	·5					·4				·43	1·37	14
15	·13	1·15			·68		·46					·19	15
16	·06	·23					·99			·38		·01	16
17	·1												17
18	·13	·11											18
19										·41			19
20	·1	·1			·33						·14		20
21	·68					1·1						·36	21
22		·28	·18				·18						22
23			·11	·3	} ·31		·43	~~·5~~	·5			·78 }	23
24								~~·43~~	·43	·39			24
25	·42					·73					·11	·1	25
26		·3				·3							26
27		·14								·78		·64	27
28		·05										·3	28
29						·2	·73	·42		·07	·55 {	·11	29
30												·25	30
31	·13								·4	·51		·13	31
Total	4·49	6·87	·73	1·67	2·7	2·98	3·8	1·38	1·35	4·42	2·22	8·44	YEAR'S TOTAL 41·05
Rain Days.	20	21	5	4	8	7	7	3	3	8	8	21	~~118~~

W.7,000, XI. 13

✓

1965

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

10 JAN 1917

Kept at Porth-en-alls Marazion
in the County of Cornwall
by F. F. Page

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·21			·07	·03		·39	·51	·07		1
2		·27	·31				·21			·55	·49		2
3	·11	1·05			·11	·21	·47		·13	·65	·11		3
4		·09		·08	·14	·18			·06	·17	·57		4
5	·34	·24			·03	·07	·19		·03	·03	·38	·15	5
6	·24		·15		·14		·76			·19	·5		6
7		·19	·5		·16						·48	·06	7
8		·31	·23		·24	·04				·09	·18	·22	8
9		·37					·18				·39	·67	9
10	·07	·88			·08		·07				·02	·1	10
11		·03		·2	·17		·08		·07			·04	11
12				·12	·1			·07			·04		12
13		·27	·31					·19			·02	·18	13
14		·42	·38		·03			·09		·26			14
15		·23	·39	·15				·25				·14	15
16		·11		·12				·19		·5	·55		16
17	·24	·11	·18					·03	·1	64	·13	·22	17
18	·22	·09	·31	·05					·12		·2		18
19	·09	·27		·32				·1					19
20		·4	·06								·73	·43	20
21	·09		·36							·57		·19	21
22			·07			·22					·05	·46	22
23		·79		·09		·11		·55		·12	·22	·29	23
24				·1	·58			·27	·03	·4	·14	·32	24
25					·04			·12		(·02)	·23	·14	* 25
26			·31			·11					·5		26
27			1·85						·07	1·30			27
28								·33				·37	28
29		·28	·23			·34		·64				·57	29
30		✕	·01	·21		·14		·01		·33		·02	30
31		✕		✕		✕		·07	✕	·14	✕	·01	31
Total	1·40	6·04	5·86	1·44	1·82	1·49	1·99	2·89	1·00	6·47	5·94	4·58	YEAR'S TOTAL 40·92
Rain Days.	8	22	17	10	12	10	9	14	10	19	21	19	171

* Gauge blown over during gale.

W. 8,000, VIII. 16

1876

FORM A.
BRITISH RAINFALL.

6 FEB 1918

REGISTER OF RAINFALL IN 1917

Kept at Porth-en-alls Marazion
in the County of Cornwall
by F. F. Page

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ....

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1						·07	·7				·03		1
2				·75			·81				·47		2
3	·07		·61							·72	1·2		3
4											·1	·33	4
5	·2		·92			·23							5
6						·03				·33	·31	·15	6
7	·82							·66		·16			7
8	·19		·25		·18		·26	·37					8
9	·7		·18	1·79				·3			1·01		9
10	·05		·15					·24	·9				10
11	·13		·64					·15					11
12			·16					·52		2·14			12
13						·02		·35					13
14									·52				14
15													15
16		·26					·05	·1					16
17		·03					·46		·55				17
18		·59				·57			·78				18
19						·19	·22			1·36			19
20			·11			·17							20
21			·8					·17					21
22		·04						1·18					22
23					1·16			·44					23
24						·11		·17					24
25	·61					·14		·83		·23			25
26						·36		·59					26
27	·03		·12					·13					27
28		·03	·23			·12		·01					28
29			·26			·38				·06			29
30		✕				·9				·11			30
31		✕		✕	·37	✕	·24		✕		✕		31
Total	2·8	·95	4·43	2·04	1·66	3·29	2·74	6·21	2·75	5·11	3·15	·48?	YEAR'S TOTAL 35·61?
Rain Days.	9												

W. 8,000, IX. 17.

To the best of my belief the accompanying forms constitute a correct statement of the rainfall here. It is a matter of regret however that owing to bad health the records have not been so regularly kept as one would have wished.

F. R. Jay

2009

FORM A.
BRITISH RAINFALL.

3 JAN 1916

—

MULLION

CORNWALL

1915, 1918-1919

REG

Kept at Mull

in the County of Cor

by R Lh

22 —

Helstōn

Gauge 5 in.

ve Ground 1 ft. in.

Sea Level 230 ft.

IMPORTANT NOT the result entered to the previous day. If an Ol versal rule, he is earnestly requested to add the rea ar in the space provided for it at the end of thi ment of rain, the selection and placing itish Rainfall Organization are given in application to Dr. H. R. Mill, 62, Can

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	··7	·35						··2	··3	·53		··9	1
2	·14	·08	··5			·17		·17				·88	2
3	··4	··6	··8		·19			·12				·75	3
4	··7	·35	··1	·10	·16							··4	4
5	··2	·30			~~·19~~		·32	·15			·13	·75	5
6	·80			·21			··6	··3				··5	6
7	·17	·37		·27				·10				·14	7
8	··6	·20		··2						1.50	··1	·31	8
9	·10	··5		·34						·10	··5	·38	9
10		·14	··1			··8		··4			·15	··5	10
11	··3	··3		·11						·41			11
12	·19	·50			·60			·13		··4	·74	·10	12
13	··1	·65			·46		··2					··9	13
14		··5			··2	·16	·25			··4	·19	1·11	14
15	··2	1.22			·31		·75		·13		·11	··5	15
16	··5	·10			·52							··5	16
17	··4	·10					··6			·38			17
18		··4											18
19	··2	··3		··9	·31							·24	19
20	·18					·50							20
21	··7		·22		··2	1·35	·20		··5	·21		·24	21
22	·35	·13		··6			·25						22
23	··5	·10		··6		··5				·46		·52	23
24					·30	·90				·21			24
25	··2				··1	·12			··5	·11	··9		25
26	··6	·20							··4			··7	26
27		··3				·22			·10	··5		·40	27
28						·16		··7	··1	·46		··9	28
29						·12	··8	··8	·24	··7		·16	29
30	··6	X		··5			·24		·10	·31	·55	59	30
31		X		X		X		·14	X	·	X	11	31
Total	2.62	5.08 5.08	·37	1.31	2.90	3.83	2.23	1.05 1.05	.75	4.90	2.02	7.26	YEAR'S TOTAL 34.32
Rain Days.	23	22	5	10	11	11	10	11	9	15	9	24	160

W. 8,000. X. 15.

2009

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REG

Kept at Mullion
in the County of Cornwall 2
by R Thomas

Lat. Long.
Time of Observation 9. 22 —
Nearest Railway Station Helston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	··7	·35						··2	··3	·55		·9	1
2	·14	·08	··5			·17		·17				·88	2
3	··4	··6	··8		·19			·12				·75	3
4	··7	·35	··1	·10	·16							··4	4
5	··2	·30			~~19~~		·32	·15			·13	·75	5
6	·80			·21			··6	··3				··5	6
7	·17	·37		·27				·10				·14	7
8	··6	·20		··2						1.50	··1	·31	8
9	·10	··5		·34						·10	··5	·38	9
10		·14	··1			··8		··4			·15	··5	10
11	··3	··3		·11						·41			11
12	·19	·50			·60			·13		··4	·74	·10	12
13	··1	·65			·46		··2					··9	13
14		··5			··2	·16	·25			··4	·19	1·11	14
15	··2	1.22			·31		·75		·13		·11	··5	15
16	··5	·10			·52							··5	16
17	··4	·10					··6			·38			17
18		··4											18
19	··2	··3		··9	·31							·24	19
20	·18					·50							20
21	··7		·22		··2	1·35	·20		··5	·21		·24	21
22	·35	·13		··6			·25						22
23	··5	·10		··6		··5				·46		·52	23
24					·30	·90				·21			24
25	··2				··1	·12			··5	·11	··9		25
26	··6	·20							··4			··7	26
27		··3				·22			·10	··5		·40	27
28						·16		··7	··1	·46		··9	28
29						·12	··8	··8	·24	··7		·16	29
30	··6	X		··5			·24		·10	·31	·55	59	30
31		X		X		X		·14	X	·	X	·11	31
Total	2.62	5.08	·37	1.31	2.90	3.83	2.23	1.05	75	4.90	2.02	7.26	YEAR'S TOTAL 34.32
Rain Days.	23	22	5	10	11	11	10	11	9	15	9	24	160

W. 8,000. X. 15.

Exe end fr part WD 18

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

3. 1. 18

Kept at Mullion
in the County of Cornwall
by R Thomas

Lat. Long.
Time of Observation 9. a-m
Nearest Railway Station Helston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				..5	.22						.50	..5	1
2		.8		..2	.10				..1		.82		2
3		.9		.33	.13			.66		..5	..3	.20	3
4		.3		.10	.30					..9	.82	..5	4
5	.15	.10		..4				.31			..4	.40	5
6	.33	.2	.17	..6				.11	.83		..3	..6	6
7		.12	.37	..5					.30	.14		.12	7
8	.20	.15						..2	.13	..7	.30	.30	8
9		..5		.18					.38	..4	~~12~~	.17	9
10	..4					.10	.28		..6	..4	.	..2	10
11							.7		.33	.48		..4	11
12			.10				.23						12
13					.20		.10		..8	.11		..2	13
14	.64				.13		.26					.12	14
15	.32				..3		.55		.70	..6			15
16	.40				..8	..2	.35		.10			.10	16
17	..4			.19		..3	..3		.41			.10	17
18	.60			.21		..1	..2		.40	.18		.15	18
19	..8	.13	.14	..8			.10		..8				19
20	.11	..3		.19			.14		..5				20
21	.17	..6					..9		.30			.48	21
22	..1						~~.50~~		..9	.17		.12	22
23	..4				..3		.50			..1	..8	.10	23
24									..3		..2	..5	24
25		.12						.34	..3		.23	.14	25
26	..2				..4			.19		..5	..2	..2	26
27		..7	.13						..2	..5	..9		27
28		..7	.10					..3	..5	..5	..3		28
29		.46	..7								.15	..4	29
30	..3	X	.14						.95			.12	30
31		X	.41	X		X			X	.50	X .05		31
Total	3,18	1,58	1,53	1,50	1,26	.17?	2,72	1,66	5,33	~~1,59~~ 2·09	~~3,16~~ 2·71	~~2,97~~ 2·92	YEAR'S TOTAL 26,75
Rain Days.	16	15	9	12	10	4	13	7	21	15 16	14 13	23	159

W, 6,500, VII. 18. W W C

M.O. Form 3362.

1753.

17 JUN 20

METEOROLOGICAL OFFICE, LONDON.

Values of Rainfall Amounts

at Mullion, Cornwall 1919

- = nil
N = no record

Date	Jan.	Feb.	March	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.	Year
1	20.4	-	3.9	4.0	1.9	-	9.0	-	2.8	3.6	-		
2	9.4	-	3.2	trace	0.8	-	3.6	-	-	0.4	-		
3	-	-	1.1	-	6.3	-	-	-	3.1	-	-		
4	9.7	(~~N~~)	13.8	-	trace	0.3	-	2.3	8.7	-	1.2		
5	12.3	30.7	9.9	-	0.9	-	-	trace	-	-	0.5		
6	1.7	(3.0)	4.4	-	-	-	-	-	-	-	-		
7	13.8	34.2	4.0	6.5	-	0.01	-	-	0.01	-	-		
8	7.9	-	4.4	1.3	-	-	-	-	-	-	6.5		
9	8.7	-	7.5	8.2	8.0	-	-	~~N~~ -	-	-	2.9		
10	3.1	-	0.9	0.8	trace	-	-	-	-	1.2	trace		
11	2.6	-	12.1	7.4	8.5	-	2.3	-	0.3	trace	-		
12	6.3	0.4	4.3	1.5	trace	trace	-	-	~~N~~ -	2.6	1.4		
13	5.5	-	2.0	10.0	-	-	-	-	2.8	0.5			
14	3.7	9.3	7.9	5.7	0.9	-	-	~~N~~ -	2.2	1.5			
15	14.8	1.4	1.1	1.0	trace	-	-	~~N~~ -	0.2	0.3			
16	4.7	5.8	-	-	1.6	-	0.36	-	-	-			
17	08	24.8	-	-	-	0.4	0.6	-	-	-			
18	1.4	23.3	-	-	-	-	5.4	2.8	1.6	-			
19	29.0*	8.1	4.9	-	1.3	8.4	-	9.3	~~N~~ -	-			
20		8.2	4.1	-	5.9	2.3	-	1.7	3.7	~~N~~ -			
21	6.3	5.7	3.7	-	9.1	-	1.8	-	8.0	-			
22	14.8	15.9	2.3	-	-	0.8	0.75	-	4.3	1.0	(67.0)		
23	-	-	1.9	-	-	-	-	2.2	-	6.6			
24	-	-	-	-	-	6.1	-	0.25	trace	(6.0)			
25	-	1.5	-	0.5	-	0.4	-	19.6	-	-			
26	6.9	3.5	-	1.1	-	5.0	-	1.6	3.5	0.7			
27	(~~N~~)	0.9	3.0	8.4	-	(~~N~~)	-	34.6	0.8	6.3			
28	2.0	0.3	2.3	6.1	-	(~~N~~)	-	5.5	-	6.7			
29	0.9		15.4	2.1	-	-	-	3.0	-	2.4			
30	N		-	1.3	-	5.4	-	6.8	0.1	-			
31	0.3		0.9		-		1.9	trace		~~N~~			
	187.0	~~177.0~~ (180.0)	119.2	45.9	45.2	29.11	25.71	92.65	[illegible]	~~33.8~~ (39.8)	~~[illegible]~~ (79.5)	(200.0)	~~[illegible]~~ (1105.98)
	25	17	24	16	11	9	9	12	13	14	(22)	(30)	(202)

*Total for the 2 days

Authority and Remarks

E.W.B.

(47,474). Wt.34,260—273. 1000. 1/20. Gp.132. A.&E.W.

Daily Figs for Nov

REGISTER

CORNWALL.

MULLION,
"DRY TREE"
1917 - 1918

Kept at Mullion (D
in the County of Cornw
by The Met. Office R.N

5°10'15" W
.m.
Helston
Gauge 6 in.
e Ground 1 ft. 8 in.
Sea Level 370 ft.

FORM A.
BRITISH RAINFALL.
8. JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	nil	nil	·11	nil	·08	nil	nil	·07	nil	·04	·01	1
2	nil	nil	nil	·17	nil	nil	·32	nil	nil	·04	·08	nil	2
3	·08	nil	nil	nil	nil	nil	·01	nil	nil	·11	·75	nil	3
4	nil	·05	·89	nil	nil	nil	nil	nil	·41	·28	·08	·02	4
5	·10	·13	·68	·16	nil	nil	nil	nil	·05	·14	·08	·01	5
6	·02	·04	nil	·05	nil	·28	nil	nil	nil	·09	·08	·14	6
7	·68	nil	nil	·01	nil	·01	·26	1·37	nil	·24	·0925	nil	7
8	·12	nil	·33	·06	nil	nil	·15	·21	·04	·15	·0125	·78	8
9	·05	nil	·14	·02	·11	nil	nil	nil	·04	·05	·12	·11	9
10	·67	nil	·23	·14	nil	nil	nil	·34	nil	·25	·2	·04	10
11	·02	nil	·47	·37	nil	nil	nil	·03	nil	·83	·0125	nil	11
12	·12	nil	·04	nil	·13	nil	nil	·04	nil	·37	·2025	nil	12
13	·16	nil	·12	·03	nil	·02	nil	·35	·15	·10	·04	·01	13
14	nil	nil	nil	·07	nil	nil	·01	·02	·12	·15	nil	·01	14
15	·15	nil	nil	·03	·03	·01	·02	nil	·04	·35	nil	·15	15
16	nil	·04	nil	nil	nil	nil	nil	·08	·02	·47	nil	·14	16
17	nil	·02	nil	·01	·19	nil	·73	·16	·77	·04	·04	nil	17
18	nil	·01	nil	nil	·10	·16	·14	nil	·81	·02	nil	nil	18
19	·03	·51	nil	nil	nil	·34	nil	nil	·03	nil	nil	nil	19
20	·01	·08	·03	nil	·53	~~·10~~	~~nil~~	~~nil~~	·01	nil	·04	nil	20
21	·02	·02	·10	nil	nil	nil	nil	·15	nil	·06	·04	·24	21
22	·40	nil	nil	nil	·14	·10	nil	·80	nil	·12	·04	nil	22
23	nil	·15	nil	nil	·14	·01	·03	·38	nil	·05	nil	nil	23
24	nil	nil	nil	nil	nil	·03	·10	nil	nil	·12	·08	·01	24
25	·08	·02	nil	nil	nil	·01	·01	·59	·09	·10	·08	nil	25
26	·08	nil	·02	nil	·20	·49	nil	·15	·15	·10	·04	nil	26
27	nil	nil	nil	nil	nil	·95	·02	1·32	nil	·10	·08	nil	27
28	nil	nil	·16	nil	nil	·17	·02	·16	nil	·06	·04	nil	28
29	nil	—	·19	nil	nil	nil	nil	·05	nil	·43	·04	·03	29
30	nil		·31	nil	nil	nil	nil	·20	nil	·16	·04	·01	30
31	nil		·06		·35		nil	nil		·44		nil	31
Total	2·80 ✓	1·07 ✓	3·77 ✓	1·23 ✓	1·92 ✓	2·76 ✓	1·82 ✓	6·40 ✓	2·74 ✓	5·42 ✓	2·35 ✓	1·71 ✓	YEAR'S TOTAL 33·99 ✓
Rain Days.	18 ✓	11 ✓	15 ✓	13 ✓	10 ✓	15 ✓	13 ✓	18 ✓	15 ✓	28 ✓	24 ✓	15 ✓	195 ✓

W. 8,000, VIII. 16

Daily Figs for Nov

REGISTE

FORM A.
BRITISH RAINFALL.

8. JAN 1918

Kept at Mullion (Dry Tree)
in the County of Cornwall
by The Met^l Office R.N.A Station

Lat. 50°2'N Long. 5°10'15"W
Time of Observation 9 a.m.
Nearest Railway Station Helston
Diameter of Funnel of Rain Gauge 6 in.
Height of top of Gauge above Ground 1 ft. 8 in.
" " " " Sea Level 370 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	nil	nil	·11	nil	·08	nil	nil	·07	nil	·04	·01	1
2	nil	nil	nil	·17	nil	nil	·32	nil	nil	·04	·08	nil	2
3	·08	nil	nil	nil	nil	nil	·01	nil	nil	·11	·75	nil	3
4	nil	·05	·89	nil	nil	nil	nil	nil	·41	·28	·08	·02	4
5	·10	·13	·68	·16	nil	nil	nil	nil	·05	·14	·08	·01	5
6	·02	·04	nil	·05	nil	·28	nil	nil	nil	·09	·08	·14	6
7	·68	nil	nil	·01	nil	·07	·26	1·37	nil	·24	·0925	nil	7
8	·12	nil	·33	·06	nil	nil	·15	·21	·04	·15	·0125	·78	8
9	·05	nil	·14	·02	·11	nil	nil	nil	·04	·05	·12	·11	9
10	·67	nil	·23	·14	nil	nil	nil	·34	nil	·25	·2	·04	10
11	·02	nil	·47	·37	nil	nil	nil	·03	nil	·83	·0125	nil	11
12	·12	nil	·04	nil	·13	nil	nil	·04	nil	·37	·2025	nil	12
13	·16	nil	·12	·03	nil	·02	nil	·35	·15	·10	·04	·01	13
14	nil	nil	nil	·07	nil	nil	·01	·02	·12	·15	nil	·01	14
15	·15	nil	nil	·03	·03	·07	·02	nil	·04	·35	nil	·15	15
16	nil	·04	nil	nil	nil	nil	nil	·08	·02	·47	nil	·14	16
17	nil	·02	nil	·01	·19	nil	·73	·16	·77	·04	·04	nil	17
18	nil	·01	nil	nil	·10	·16	·14	nil	·81	·02	nil	nil	18
19	·03	·51	nil	nil	nil	·34	nil	nil	·03	nil	nil	nil	19
20	·01	·08	·03	nil	·53	·40	nil	nil	·01	nil	·04	nil	20
21	·02	·02	·10	nil	nil	nil	nil	·15	nil	·06	·04	·24	21
22	·40	nil	nil	nil	·14	·10	nil	·80	nil	·12	·04	nil	22
23	nil	·15	nil	nil	·14	·01	·03	·38	nil	·05	nil	nil	23
24	nil	nil	nil	nil	nil	·03	·10	nil	nil	·12	·08	·01	24
25	·08	·02	nil	nil	nil	·01	·01	·59	·09	·10	·08	nil	25
26	·08	nil	·02	nil	·20	·49	nil	·15	·15	·10	·04	nil	26
27	nil	nil	nil	nil	nil	·95	·02	1·32	nil	·10	·08	nil	27
28	nil	nil	·16	nil	nil	·17	·02	·16	nil	·06	·04	nil	28
29	nil	—	·19	nil	nil	nil	nil	·05	nil	·43	·04	·03	29
30	nil	×	·31	nil	nil	nil	nil	·20	nil	·16	·04	·01	30
31	nil	×	·06	×	·35	×	nil	nil	×	·44	×	nil	31
Total	2·80 ✓	1·07 ✓	3·77 ✓	1·23 ✓	1·92 ✓	2·76 ✓	1·82 ✓	6·40 ✓	2·74 ✓	5·42 ✓	2·35 ✓	1·71 ✓	YEAR'S TOTAL 33·99 ✓
Rain Days.	18 ✓	11 ✓	15 ✓	13 ✓	10 ✓	15 ✓	13 ✓	18 ✓	15 ✓	28 ✓	24 ✓	15 ✓	195 ✓

W. 8,000, VIII. 16

19

Escape

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

Kept at Mullion
in the County of Cornwall
by R.A.F. Meteorological Service

Lat. 50°3' Long. 5°30' 22.1
Time of Observation 9 am.
Nearest Railway Station Helston
Diameter of Funnel of Rain Gauge 8 10 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 375. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.
20.4 mm.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.8	6.0	0.0	1.5	2.3	0.0	0.0	2.7	0.0	0.5	31.0	~~3.4~~	1
2	0.0	5.5	0.0	1.5	5.7	0.0	0.0	11.1	0.0	0.2	0.6	0.0	2
3	0.0	5.0	0.0	12.0	3.0	0.0	0.0	0.0	5.0	2.7	8.9	8.8	3
4	0.0	3.2	0.0	1.1	0.0	0.0	0.0	11.8	9.5	0.0	5.4	3.2	4
5	0.0	1.8	3.5	1.5	0.0	0.0	0.0	1.2	12.4	7.5	2.3	20.0	5
6	14.0	6.3	4.6	3.3	0.0	1.0	0.0	2.7	0.0	1.7	0.0	3.1	6
7	0.6	6.6	0.0	0.0	0.0	0.2	0.0	1.0	12.4	2.6	12.0	9.1	7
8	1.8	1.8	0.0	0.0	0.0	2.3	0.2	0.0	2.3	16.4	1.1	10.3	8
9	2.6	0.0	0.0	0.0	0.0	0.7	5.0	0.0	11.1	0.7	0.0	6.0	9
10	1.5	0.2	0.0	0.5	0.0	0.0	1.7	0.0	2.2	2.5	0.0	3.3	10
11	1.8	0.3	3.3	0.0	0.0	0.0	8.0	0.0	5.6	9.4	0.4	4.9	11
12	2.8	1.1	0.0	0.0	8.3	12.4	0.6	0.0	0.0	0.0	0.4	3.0	12
13	0.0	0.0	0.0	0.0	3.5	0.0	4.7	0.0	20.1	11.1	0.0	1.0	13
14	15.0	0.0	0.0	0.0	1.0	1.6	5.3	0.0	10.8	0.0	0.0	7.0	14
15	19.0	0.0	0.0	0.0	0.6	0.9	16.6	0.0	4.6	1.3	0.0	2.3	15
16	19.0	0.0	0.0	4.5	0.0	4.1	6.7	0.0	8.1	0.0	0.0	5.7	16
17	3.9	0.0	0.0	6.7	0.3	2.1	0.6	0.8	0.5	0.2	0.0	1.7	17
18	22.4	3.4	6.0	0.0	0.0	12.0	1.2	3.8	10.0	2.5	0.0	8.0	18
19	4.5	3.3	0.5	2.2	0.0	0.0	3.9	0.6	2.0	0.0	0.0	7.0	19
20	5.1	3.0	0.0	3.2	0.0	1.0	5.8	0.3	2.6	0.0	0.0	1.1	20
21	5.8	0.0	0.0	0.0	0.0	0.0	3.8	0.0	12.2	5.3	0.0	0.4	21
22	5.7	0.0	0.0	0.0	1.8	0.3	12.3	0.0	2.4	0.5	2.0	21.3	22
23	2.8	0.9	0.0	0.0	0.0	0.6	0.0	0.0	1.0	0.2	9.0	8.1	23
24	1.0	3.9	0.0	0.0	0.0	0.0	0.0	8.1	2.2	0.0	1.0	2.5	24
25	0.6	0.0	0.0	0.0	1.6	0.0	0.8	5.0	0.0	2.0	9.1	2.0	25
26	1.1	3.5	0.0	0.0	0.0	0.0	0.7	0.0	1.5	1.3	0.0	0.0	26
27	0.1	4.8	5.5	0.0	0.0	0.0	0.0	1.6	7.0	1.2	1.6	10.5	27
28	0.2	15.6	2.5	0.0	0.0	0.0	0.0	0.0	20.0	1.9	2.6	0.4	28
29	0.0	X	5.2	0.0	0.0	0.0	0.0	0.0	20.8	0.1	5.9	2.0	29
30	0.0	X	12.3	8.0	0.0	0.0	0.0	0.0	1.2	2.0	3.7	1.9	30
31	0.0	X	0.3	X	0.0	X	0.8	1.1	X	10.3	X	6.7 20.4	31
Total	132.1	76.2	43.7	46.0	28.1	39.2	78.7	51.8	187.5	84.1	97.0	181.7	YEAR'S TOTAL 1046.1
Rain Days.	23	19	10	12	10	13	18	14	25	24	17	29	214

22

W, 6,500, VII. 18. w w c

MORWENSTOW

TORRACOMBE MANOR

CORNWALL

1914 - 1920

REC

II. 15.

4

FORM A.
BRITISH RAINFALL.
15 MAR 1915

Kept at Torracombe M

in the County of Cor

by W. Wa

a m

Bude

5 in.

ove Ground 1 ft. – in.

Sea Level 450 ft.

IMPORTANT NO … the result entered to the previous day. If an O … versal rule, he is earnestly requested to add the rea … ar in the space provided for it at the end of th … ment of rain, the selection and placin … ritish Rainfall Organization are given i … application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·03	·10		·30		·66			·14	·16	1
2	·02				·10		·62	·75				·38	2
3	·08		·12	·15	·44			·16			·03	·10	3
4	·28		·07	·27	·02		·95	·83			·20	·28	4
5	·04		·35	·25			·15	·02			·39	·04	5
6		·12	·14	·05	·09		·27	·04			·20	·13	6
7	·05	·27	·31	·14	·05	·05	·49	·33	·24			·31	7
8	·17	·02	·87			·39	·04	·09	·06			·09	8
9	·20	·08	·16	·05	·32	1·15		·45	·35			·03	9
10	·14	·21	·16	·41	·01	·03			·33			·03	10
11		·21	·59			·13			·03		·06	·47	11
12		·56	·33						·55		·11	·03	12
13		·31	·13				·13		·40	·27	·19	·27	13
14		·26	·28				·23	·75	·01	·02	·32	·16	14
15			·13					·11	·15		·95	·35	15
16			·33				·03		·21			·06	16
17		·39	·17				·05		·01			·53	17
18		·09	·18				·03		·21			·71	18
19		·62	·47				·94		·06		·03	·11	19
20		·36	·03			·25						·24	20
21		·29				·10	·24			·09		·03	21
22		·06		·04	·01	·08		·05		·50			22
23		·28	·33				·06	·04		·07	·05		23
24			·09			·03	·06			·15	·11		24
25	·31		·15				·03	·70		·46	·05	·28	25
26	·07		·03				·10			·07	·43	·37	26
27	·11	·06								·10	·33	·17	27
28	·03	·08	·26		·11					·26	·05	·54	28
29	·30		·41		·15					·21	·57	·07	29
30	·01	✕	·18							·07	·31	·10	30
31	·05	✕		✕	·04	✕	·68		✕	·38	✕	·16	31
Total	1·86	3·67	6·30	1·46	1·34	~~2·54~~ 2·51	5·10	4·98	2·61	2·65	4·46	6·20	YEAR'S TOTAL ~~43·22~~
Rain Days.	15	18	26	9	11	10	18	14	13	13	19	28	194

W. 8,000. X. 14.

43·14

II.15.

FORM A.
BRITISH RAINFALL.
15 MAR 1915

REGISTER OF RAINFALL IN 1914

Kept at Tonacombe Manor. Morwenstow

in the County of Cornwall.

by W. Waddon Martyn.

Lat. .... Long. ....

Time of Observation 9. a.m.

Nearest Railway Station Bude

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·03	·10		·30		·66			·14	·16	1
2	·02				·10		·62	·75				·38	2
3	·08		·12	·15	·44			·16			·03	·10	3
4	·28		·07	·27	·02		·95	·83			·20	·28	4
5	·04		·35	·25			·15	·02			·39	·04	5
6		·12	·14	·05	·09		·27	·04			·20	·13	6
7	·05	·27	·31	·14	·05	·05	·49	·33	·24			·31	7
8	·17	·02	·87			·39	·04	·09	·06			·09	8
9	·20	·08	·16	·05	·32	1·15		·45	·35			·03	9
10	·14	·21	·16	·41	·01	·03			·33			·03	10
11		·21	·59			·13			·03		·06	·47	11
12		·56	·33						·55		·11	·03	12
13		·31	·13				·13		·40	·27	·19	·27	13
14		·26	·28				·23	·75	·01	·02	·32	·16	14
15			·13					·11	·15		·95	·35	15
16			·33				·03		·21			·06	16
17		·39	·17				·05		·01			·53	17
18		·09	·18				·03		·21			·71	18
19		·62	·47				·94		·06		·03	·11	19
20		·36	·03			·25						·24	20
21		·29				·10	·24			·09		·03	21
22		·06		·04	·01	·08		·05		·50			22
23		·28	·33				·06	·04		·07	·05		23
24			·09			·03	·06			·15	·11		24
25	·31		·15				·03	·70		·46	·05	·28	25
26	·07		·03				·10			·07	·43	·37	26
27	·11	·06								·10	·33	·17	27
28	·03	·08	·26		·11					·26	·05	·54	28
29	·30		·41		·15					·21	·57	·07	29
30	·01	×	·18							·07	·31	·10	30
31	·05	×		×	·04	×	·68		×	·38	×	·16	31
Total	1·86	3·67	6·30	1·46	1·34	~~2·59~~ 2.51	5·10	4·98	2.61	2.65	4·46	6·20	YEAR'S TOTAL ~~43·22~~
Rain Days.	15	18	26	9	11	10	18	14	13	13	19	28	194

43·14

W. 8,000. X. 14.

Exc DL

2006

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.
4 - JAN 1916

Kept at Tonacombe Manor - Morwenstow

in the County of Cornwall. 1

by W. Waddon Martyn.

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Bude.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 500 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·30	·29			·19			·23	·35	·15	·04	·33	1
2	·27	·25	·11	·10	·03	·07		·10	·02	·04		·46	2
3	·05	·13	·17	·19	·10							·54	3
4	·07	·27	·07		·04		·01					·46	4
5	·02	·35	·02	·10		·04		·35				·68	5
6	·71	·13	·03	·24			·25	·35				·14	6
7	·30	·63		·10	·05	·02	·43	·03		·47		·44	7
8	·18	·38						·22			·27	·05	8
9	·03	·13		·10				·14			·35	·95	9
10	·40	·27	·20	·13		·02				·15	·01	·03	10
11	·06	·09	·04	·04						·04	·77	·03	11
12	·06	·25		·03	·35					·02	·34	·28	12
13	·07	·38		·06	·50		·16	·02	·09	·15	·13	·04	13
14	·04		·03	·03			·10	·45	·11		·05	·88	14
15	·17	·63			·33		·18		·11		·15	·22	15
16		·10			·28		1·75	·01					16
17	·04	·28			·70								17
18	·03	·08					·07						18
19	·03	·03		·12	·31		·36						19
20	·40	·38		·09	·06	·08			·04	·19			20
21	·07	·25			·07		·31			·24		·05	21
22	·01	·05	·23	·09		·11	·16			·39		·33	22
23	·08						·09			·53		·63	23
24				·03		·03	·09		·29	·35		·16	24
25						·12	·06			·16	·04	·12	25
26		·08				·15	·29		·27			·39	26
27		·12				·35	·09		·04	·38		·01	27
28		·04				·09		·01	·28	·16			28
29						·75			·37	·03	·42		29
30	·10	✕		·07		·08			·05	·30	·33	·15	30
31	·02	✕		✕		✕	·21	·03	✕	·43	✕	·15	31
Total	3·57	5·59	·90	1·52	3·01	1·91	4·61	1·94	2·02	4·18	2·90	7·52	YEAR'S TOTAL 39·61
Rain Days.	24	24	9	16	13	13	17	12	12	18	12	24	194

W. 8,000. X. 15.

[illegible] [illegible] 1952

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Tonacombe Manor
in the County of Cornwall.
by W. Waddon Martyn.

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Bude
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24				·9	·10	·26			·28	·2		1
2	·39	·9	·52		·2		·1	·2	·49	·64	·18		2
3	1	·95			·9	·8			·3	·55	·35		3
4	·25	·37		·1	·16	·37			21		·22		4
5	4	·7	·4		·7	·1	·2		·1	·8	·10		5
6	·11	·37			·8	·45	·41			·17	·38		6
7		·16	·7		·9					·3	·75	·25	7
8		·35	·9		·28	·3					·1	·14	8
9		·11			·2		·19			·8	·17	·35	9
10		1·22	·1	·11	·2						·10	·23	10
11				·11	·13				·9		·6		11
12	·2	·7	·2	·20	·34		·5	·4		·18	·1	·18	12
13		·41			·4			·20		·2		·8	13
14	·5	·39			·12			·2		·3			14
15	·2	·13	·5	·25	·3		·1	·19		·7			15
16	·1			·19	·2		·6	·13		·33			16
17	·18	·9	·6				·1		·65	·25	·42		17
18		·14	·15	·4					·7		·6	·10	18
19	·21	·7	·3	·5							·65	·12	19
20	·13	·99	·28								·17	·36	20
21	·3	·17	·5			·2					·47	·41	21
22		·1				·11		·9		·15	·14	·53	22
23		·5		·2		·35		·25		·14	·15	·9	23
24		·5	·6	·6	·3	·3		·9		·64	(·01) ·31	·27	24
25		·32	·6		·10	·10		·18	·2	·27	·30	·6	25
26	·4	·17	·3		·2	·23			·16	·49	·8		26
27	·4	·7	·95		·3	·7		·1	·44	·45			27
28		·13	·32					·2	·4	·50	·1	·65	28
29		·46	·6			·59		·55	·4	·10		·25	29
30		✕				·3		·1		·32		·1	30
31		✕		✕		✕		·11	✕	·43	✕	·7	31
Total	1·77	7·41	2·85	1·04	1·78	2·57	1·02	1·91	2·25	6·20	4·81	4·15	YEAR'S TOTAL 37·76
Rain Days.	16	26	18	10	20	15	9	15	12	23	23	18	205

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

Kept at Tonacombe Manor
in the County of Cornwall.
by W. Waddon Martyn.

Lat. Long.
Time of Observation 9. am
Nearest Railway Station Bude.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 450 ft.

FORM A. BRITISH RAINFALL. 7 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1		2	35		13			7		29		1
2	1		7	18		9				10	63		2
3	6	25		7		1	89			35	30		3
4		3	19	3			15		7	16			4
5	13		34	34		83				14	9		5
6	4		32	7		24				16	18	9	6
7	57					3	6	41		11	2		7
8			13	10			37	54	21	58	20	25	8
9	2		8	3	6	5		4	1	40	3		9
10	48		44	28				17		9			10
11	5		41	22						63	61		11
12	16		5		30			43		45			12
13	13		30	2	1	2		8	45	26			13
14				9				66	3	20	10		14
15									4	39		33	15
16		15							1	22	15	13	16
17		1	3	27			90	8	25	13	3		17
18		1		1	10	1	59	3	1.11	2			18
19		85	3			33							19
20		17			21	77		3					20
21			4					27		7		5	21
22		9			5	16		65		23			22
23		28			2	2		37		17			23
24		5				13	20	7		17			24
25		5					3	29	9	14			25
26					94	10		8	31	5			26
27			1			40	6	1.12		9	10		27
28			5		7	1.80	9	11		16			28
29			15			1				45	5	15	29
30		X	10					22		3			30
31		X	1	X	42	X		15	X	38	X		31
Total	1.66	1.94	2.77	2.06	2.18	5.13	3.34	5.80	2.65	6.33	2.78	1.00	YEAR'S TOTAL 37.64
Rain Days.	11	11	19	14	10	18	10	20	12	28	14	6	173

W. 8,000, IX. 17.

[illegible] daily [illegible] with Morwenstow

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL

7. 1. 19

Kept at Tonacombe Manor

in the County of Cornwall

by H. Waddon Martyn

Lat. Long. –

Time of Observation 9 a.m

Nearest Railway Station Bude.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				13	8			89	1	2	55		1
2		03						77		1	10	44	2
3		26		13	15				7	22	3	16	3
4		8						16	39	6	75	59	4
5				32	10	9		60	50	31			5
6	16		8	18		4		3	5	16		5	6
7		70				21		7	45	11	29	14	7
8	10	26				10	6		20	42			8
9				5			9	1	60	5	9	35	9
10	20	5		15			54		43	16		40	10
11	6		25		1		51		28	3		22	11
12		6			22		1		3	6	16	13	12
13	20	9					3		85	29		45	13
14		2			6	10	3		97	13		38	14
15	34				1	2	77		05	46		48	15
16	82			42			15	3	22	1		3	16
17	62			12	1		27	5	01	5		28	17
18	30		18			40	11	18	65	32		17	18
19	1.25	3	21	9			7	10	10			11	19
20		20		16		12	4		15				20
21	18	13				27	8		70	7		42	21
22	13				16		54		23	3	2	15	22
23		3				20	4		5		23	25	23
24	20	31					53	18	17		20	15	24
25				13	27		67	35		12	18		25
26		18					8	7	8	6	6	36	26
27		4	7					14	34	5	45		27
28		17							5	3	25	8	28
29			35						1.03		8		29
30		X	40	22				2	9	5	20	24	30
31		X	32	X		X			X	4	X	3	31
Total	4.56	2.64	1.86	2.10	1.07	1.55	4.62	3.65	8.75	3.32	3.64	6.05	YEAR'S TOTAL 43.79
Rain Days.	13	17	8	12	10	10	19	16	28	26	16	24	199

W, 6,500, VII. 18. w w c

W. 1886 cord by [illegible] 1745

FORM A. P. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Tonacombe Manor Morwenstow

in the County of Cornwall

by W. Waddon Martyn

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Bude

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	~~March~~ April	~~April~~ March	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·36		(·15)	15	6				13	20		1.03	1
2		5			1		3			5		23	2
3	·28				20				5			68	3
4	7	33		34	2	10		13	22			8	4
5	13	28			3							10	5
6	38	42		23							1	18	6
7	5		8	14					5		3	7	7
8	15		8	35							35		8
9	6		18		10	1					1.20	1	9
10	26		4	90	4					12	18	47	10
11	20		10	48	19	11	28		1	4	7	10	11
12	27		2	3	1	13				9	18		12
13	40		35	14			2		8	15		12	13
14	58	7	28		60					22		11	14
15	19	5	1							6		69	15
16	15	1.20					4				40	2	16
17		33				2	8	3			30	1	17
18	21	2	1	80			12	54	8		49	2	18
19	35	25		15	1	6		43	57		17	5	19
20	15				16	3		4	21		11	14	20
21	22	62			30		15	6	6		1	4	21
22						1	11		21		7	8	22
23								11		57	7	20	23
24			2			43		4	4	55	19	37	24
25	36							65	1	5	18	6	25
26	15		28	5		3		3	16	4	10	40	26
27	17		17			1		41		2		5	27
28			11	49				6			19	57	28
29			20	5				22		3	3	9	29
30			15	22		16		31			28	42	30
31			~~5~~	~~14~~			21					67	31
TOTAL	5·14	3.62	2.23	4.66	1.73	1.10	1.04	3.06	1.88	2.19	4.61	9.06	YEAR'S TOTAL 38.32
Days with ·01 in. or more	22	11	17	16	13	12	9	14	14	14	21	29	192

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible] crd for [illegible] 1665

JAN 1921

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Tonacombe Manor, Morwenstow

in the County of Cornwall.

by W. Walton Martyn

Lat. Long.

Time of Observation 9. a.m.

Nearest Railway Station Bude

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 450 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	5		12	04	38		1.08	20	21	26		31	1
2	41			21	01		20	18	43	23		35	2
3	34	18					08	01	12	37		12	3
4			3	01				54	01	37		11	4
5			10		·39		64	09		20			5
6			50	01	36		34			05	02		6
7	9		11	51	08		09		03	01	03		7
8		04		62	12		07	26					8
9	79	45	9	07		05	56	01			02	10	9
10	1.00	11	9	32		17	23				11		10
11	12	4	6	17	20	03	08						11
12	32	10	12	25	02	01	08	01		04	26		12
13	9	3	31	11		28			05	50			13
14	17	5	35	66			12			09	02	01	14
15	8	18		44	19	01			48	34	45		15
16	1	1	11		03	05	11			54	02		16
17	12		2		26	01		15	12	39	07		17
18	38			09	02	33		40	1.83				18
19	09	6		38	02	34	03	01	02				19
20	01			09		27	06		13	13			20
21				10			07		05	21		19	21
22	07		1	08			11					20	22
23	02		11				50	35				41	23
24	07		35	12		02	01	05				50	24
25	06	10	11			03	73					15	25
26	36		25			14			01				26
27	22	9	11	07	03	82	14				05	19	27
28	48	5	57	11		19	11				1.18	12	28
29	15	2	47	14	43	04	12		02			29	29
30	17	☒			01	32	14		1.16	1.10	17	43	30
31	19	☒	58	☒		☒	71		☒	58	☒	17	31
TOTAL	5.8[illegible] ~~5.92~~	1.51	4.57 ~~4.51~~	4.60	2.55	3.11	5.81	2.26	4.67	5.33 ~~6.25~~	2.40	3.65	YEAR'S TOTAL 46.32 ~~46.22~~
Days with ·01 in. or more	26	15	22	22	16	18	25	13	15	17	12	16	217
Days with ·04 in. or more	23	12	19	20	9	12 ~~13~~	23	9	10	16	7	15	175 ~~17[illegible]~~

CORNWALL

—

MORWENSTOW VIC:

1911 – 1920

REG 1911

FORM A2. BRITISH RAINFALL. 2 - JAN 1912

Kept at Morwens Howards

in the County of Corn

by The Rev: H Lyn

top 5 in.

above Ground – ft. 10 in.

„ Sea Level 331 ft.

9 a.m

tion { Name Bude
Distance 10 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.00	.01	.03	.11	.03	.00	.71	.00	.04	.29	.02	1
2	.00	.00	.03	.00	.12	.00	.00	.21	.00	.17	.35	.14	2
3	.00	.00	.06	.00	.42	.00	.00	.02	.02	.00	.18	.13	3
4	.00	.00	.26	.00	.02	.00	.00	.72	.00	.02	.33	.56	4
5	.34	.00	.26	.02	.00	.00	.00	.41	.00	.05	.09	.24	5
6	.22	.00	.06	.02	.00	.00	.00	.03	.00	.00	.32	.68	6
7	.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.43	.00	7
8	.24	.00	.16	.00	.00	.00	.00	.00	.00	.00	.26	.56	8
9	.20	.00	.01	.00	.00	.00	.00	.00	.00	.00	.43	.18	9
10	.04	.07	.50	.00	.60	.00	.00	.00	.00	.00	.02	.19	10
11	.39	.00	.01	.00	.00	.00	.00	.00	.06	.00	.49	.17	11
12	.00	.02	.65	.00	.00	.00	.00	.00	.44	.00	.13	.30	12
13	.00	.00	.03	.00	.27	.00	.00	.00	.11	.00	.06	.12	13
14	.00	.16	.10	.00	.02	.00	.00	.00	.00	.03	.11	.29	14
15	.03	.06	.22	.00	.00	.04	.00	.00	.00	.00	.33	.12	15
16	.03	.02	.02	.00	.00	.22	.00	.00	.00	.00	.10	.22	16
17	.01	.11	.15	.03	.00	.49	.03	.00	.00	.00	.28	.38	17
18	.00	.35	.04	.29	.00	.10	.00	.00	.00	.03	.27	.25	18
19	.00	.08	.11	.05	.00	.11	.00	.00	.90	.03	.12	.67	19
20	.01	.24	.10	.27	.00	.06	.00	.02	.30	.57	.01	.27	20
21	.03	.07	.01	.01	.00	.08	.00	.00	.29	.21	.00	.05	21
22	.04	.08	.02	.18	.00	.21	.01	.00	.20	.09	.00	.32	22
23	.03	.12	.00	.01	.03	.05	.00	.18	.34	.12	.01	.07	23
24	.03	.32	.00	.00	.00	.88	.00	.15	.03	.43	.00	.26	24
25	.07	.02	.00	.43	.00	.05	.00	.02	.04	.33	.00	.08	25
26	.04	.14	.00	.45	.10	.00	.00	.24	.01	.71	.03	.27	26
27	.00	.62	.02	.01	.00	.01	.00	.37	.19	.32	.00	.20	27
28	.00	.20	.01	.46	.00	.01	.00	.11	.00	.02	.02	.03	28
29	.00		.05	.11	.00	1.26	.29	.00	.24	.20	.00	.03	29
30	.00		.00	.01	.00	.02	.13	.00	.04	.21	.31	.07	30
31	.00		.00		.00		.04	.00		.03		.02	31
Total	2.00	2.68	2.89	2.38	1.69	3.62	.50	3.19	3.21	3.61	4.97	6.89	TOTAL for year 37.63
No. of Rain Days	18	17	24	16	9	16	5	13	15	19	24	30	206

9,000, IX. '10.

FORM A2. BRITISH RAINFALL.
2 - JAN 1912

REG 1911

Kept at Morwenstow Vicarage
in the County of Cornwall
by The Rev: H Lynne Jones

Rain Gauge
Howards
Diameter of top 5 in.
Height of top above Ground — ft. 10 in.
" " " Sea Level 331 ft.
Time of Observation 9 a.m.
Nearest Railway Station
Name Bude
Distance 10 Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.05	.00	.01	.03	.11	.03	.00	.71	.00	.04	.29	.02	1
2	.00	.00	.03	.00	.12	.00	.00	.21	.00	.17	.35	.14	2
3	.00	.00	.06	.00	.42	.00	.00	.02	.02	.00	.18	.13	3
4	.00	.00	.26	.00	.02	.00	.00	.72	.00	.02	.33	.56	4
5	.34	.00	.26	.02	.00	.00	.00	.41	.00	.05	.09	.24	5
6	.22	.00	.06	.02	.00	.00	.00	.03	.00	.00	.32	.68	6
7	.20	.00	.00	.00	.00	.00	.00	.00	.00	.00	.43	.00	7
8	.24	.00	.16	.00	.00	.00	.00	.00	.00	.00	.26	.56	8
9	.20	.00	.01	.00	.00	.00	.00	.00	.00	.00	.43	.18	9
10	.04	.07	.50	.00	.60	.00	.00	.00	.00	.00	.02	.19	10
11	.39	.00	.01	.00	.00	.00	.00	.00	.06	.00	.49	.17	11
12	.00	.02	.65	.00	.00	.00	.00	.00	.44	.00	.13	.30	12
13	.00	.00	.03	.00	.27	.00	.00	.00	.11	.00	.06	.12	13
14	.00	.16	.10	.00	.02	.00	.00	.00	.00	.03	.11	.29	14
15	.03	.06	.22	.00	.00	.04	.00	.00	.00	.00	.33	.12	15
16	.03	.02	.02	.00	.00	.22	.00	.00	.00	.00	.10	.22	16
17	.01	.11	.15	.03	.00	.49	.03	.00	.00	.00	.28	.38	17
18	.00	.35	.04	.29	.00	.10	.00	.00	.00	.03	.27	.25	18
19	.00	.08	.11	.05	.00	.11	.00	.00	.90	.03	.12	.67	19
20	.01	.24	.10	.27	.00	.06	.00	.02	.30	.57	.01	.27	20
21	.03	.07	.01	.01	.00	.08	.00	.00	.29	.21	.00	.05	21
22	.04	.08	.02	.18	.00	.21	.01	.00	.20	.09	.00	.32	22
23	.03	.12	.00	.01	.03	.05	.00	.18	.34	.12	.01	.07	23
24	.03	.32	.00	.00	.00	.88	.00	.15	.03	.43	.00	.26	24
25	.07	.02	.00	.43	.00	.05	.00	.02	.04	.33	.00	.08	25
26	.04	.14	.00	.45	.10	.00	.00	.24	.01	.71	.03	.27	26
27	.00	.62	.02	.01	.00	.01	.00	.37	.19	.32	.00	.20	27
28	.00	.20	.01	.46	.00	.01	.00	.11	.00	.02	.02	.03	28
29	.00		.05	.11	.00	1.26	.29	.00	.24	.20	.00	.03	29
30	.00		.00	.01	.00	.02	.13	.00	.04	.21	.31	.07	30
31	.00		.00		.00		.04	.00		.03		.02	31
Total	2.00	2.68	2.89	2.38	1.69	3.62	.50	3.19	3.21	3.61	4.97	6.89	TOTAL for year 37.63
No. of Rain Days	18	17	24	16	9	16	5	13	15	19	24	30	206

9,000, IX. '10.

Exe D.L

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL. 2 JAN 1913

Kept at Morwenstow Vicarage

in the County of Cornwall

by the Rev: H. Lynne Jones.

RAIN GAUGE
Pattern A & N. "Howard's"
Diameter of top 5 in.
Height of top above Ground * ft. 10 in.
" " " Sea Level 331 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Bude
Distance 10 Direction S. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.22	.01	.15	.31	.04	.01	.00	.82	—	.44	1
2	.00	.00	.25	.04	.10	1.04	.09	.00	.00	.04	.05	.00	2
3	.08	.03	.34	.06	.06	.15	.04	.87	.13	.00	—	.05	3
4	.42	.00	.64	.02	.12	.24	.00	.12	.00	.00	.30	.02	4
5	.62	.20	.21	.03	.15	.00	.00	.74	.00	.00	.02	.15	5
6	.28	.04	.14	.03	.32	.00	.29	.04	.00	.00	.10	.05	6
7	.09	.23	.11	.03	.20	.40	.14	.23	.00	.00	.05	.10	7
8	.43	.14	.02	.02	.01	.17	.01	.01	.02	.00	.01	.02	8
9	.02	.24	.15	.04	.00	.19	.24	.17	.03	.00	.02	.61	9
10	.47	.09	.40	.03	.01	.02	.21	.02	.01	.00	.21	.04	10
11	.02	.02	.02	.00	.02	.00	.02	.10	.00	.00	.19	.72	11
12	.05	.02	.32	.02	.11	.00	.33	.00	.00	.00	.53	.02	12
13	.33	.07	.09	.00	.00	.05	.08	.21	.00	.11	.02	.51	13
14	.13	.07	.77	.00	.02	.02	.00	.01	.00	.02	.02	.07	14
15	.10	.03	.05	.00	.04	1.31	.00	.20	.00	.00	.06	.67	15
16	.31	.00	.22	.00	.05	.13	.00	.57	.00	.09	.25	.04	16
17	.00	.00	.22	.00	.04	.22	.00	.45	.00	.01	.07	.21	17
18	.00	.03	.11	.00	.05	.02	.00	.98	.00	.18	.02	.06	18
19	.00	.05	.06	.00	.00	.02	.10	.17	.00	.08	.02	.05	19
20	.03	.07	.29	.00	.08	.02	.00	.15	.00	.66	.02	.00	20
21	.02	.22	.31	.00	.01	.00	.00	.30	.00	.18	.00	.00	21
22	.23	.20	.25	.00	.14	.14	.02	1.30	.00	.07	.07	.13	22
23	.02	.51	.27	.00	.01	.13	.05	.00	.00	.16	.21	.34	23
24	.01	.07	.10	.00	.00	.25	.01	.12	.00	.03	.02	.12	24
25	.07	.01	.02	.00	.00	.44	.02	.09	.00	.20	.72	.86	25
26	.00	.04	.02	.00	.00	.01	.00	.18	.00	.27	.45	.26	26
27	.00	.01	.10	.00	.00	.61	.86	.72	.00	.88	.00	.58	27
28	.00	.09	.02	.00	.00	.22	.21	.11	.21	.18	.44	.48	28
29	.00	.12	.01	.00	.00	.84	1.13	.00	.36	.20	.00	.11	29
30	.00		.23	.05	.02	.44	.28	.02	.03	.67	.00	.02	30
31	.00		.49		.01		.08	.07		.02		.18	31
Total	3.73	2.60	6.45	·38	1.72	7·39	4.25	7·96	·79	4.87	3.87	6.91	TOTAL for year 50.92
No. of Rain Days.	20	24	31	12	22	25	21	27	7	20	24	28	261

W. 8,000, X. '11.

cwd for auth 24·III·14

REGISTER OF RAINFALL IN 1913

FORM A2.
BRITISH RAINFALL.
2 - JAN 1914

Kept at Morwenstow Vicarage

in the County of Cornwall

by The Rev: H. Lynne Jones

RAIN GAUGE
Pattern Howards
Diameter of top 5 in.
Height of top above Ground ft. 10 in.
" " " Sea Level 331 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Bude
Distance 10 Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.04	.28	.27	.06	.09	.10	.00	.00	.00	.01	.12	.09	1
2	.04	.14	.02	.14	.21	.00	.00	.00	.00	.08	.17	.16	2
3	.03	.02	.08	.04	.21	.00	.00	.00	.15	.02	.00	.15	3
4	.74	.00	.04	.00	.02	.14	.00	.00	.37	.06	.15	.08	4
5	.17	.01	.02	.00	.37	.30	.05	.00	.08	.09	.42	.74	5
6	.02	.07	.17	.00	.13	.13	.00	.00	.00	.00	.34	.11	6
7	.01	.36	.04	.00	.66	.16	.02	.00	.00	.64	.10	.06	7
8	.04	.22	.02	.00	.28	.02	.10	.10	.00	.02	.00	.08	8
9	.02	.12	.06	.02	.13	.20	.02	.93	.06	.00	.44	.06	9
10	.41	.00	.07	.00	.15	.06	.00	.08	.02	.62	.07	.01	10
11	.32	.00	.03	.01	.40	.23	.06	.17	.11	.03	.32	.10	11
12	.11	.00	.01	.02	.05	.06	.03	.01	.01	.00	.21	.03	12
13	.06	.00	.29	.02	.02	.01	.06	.13	.58	.00	.20	.00	13
14	.11	.00	.16	.01	.00	.00	.00	.01	.34	.20	.19	.07	14
15	.12	.00	.39	.76	.00	.00	.00	.00	.01	.00	.03	.05	15
16	.46	.00	.58	.10	.00	.00	.07	.00	.06	.00	.05	.00	16
17	.17	.00	.02	.03	.00	.00	.07	.00	.00	.00	.12	.00	17
18	.12	.00	.12	.19	.00	.00	.03	.00	.00	.00	.07	.00	18
19	.57	.00	.10	.00	.15	.03	.00	.00	.40	.30	.02	.00	19
20	.16	.00	.16	.24	.02	.00	.01	.00	.05	.25	.43	.00	20
21	.02	.00	.32	.24	.07	.00	.10	.02	.02	.18	.21	.00	21
22	.40	.00	.90	.05	.08	.31	.00	.22	.19	.00	.00	.26	22
23	.03	.00	.03	.00	.03	.00	.00	.09	.08	.00	.25	.65	23
24	.05	.05	.00	.13	.02	.02	.00	.01	.00	.00	.15	.00	24
25	.00	.01	.00	.24	.02	.00	.00	.00	.08	.02	.11	.15	25
26	.00	.01	.00	.69	.00	.07	.00	.00	.07	.00	.02	.32	26
27	.60	.00	.10	.13	.00	.00	.00	.00	.00	.18	.03	.06	27
28	.05	.00	.23	.07	.19	.00	.00	.00	.12	.23	.04	.06	28
29	.01		.38	.49	.09	.00	.00	.00	.00	.57	.09	.00	29
30	.38		.00	.02	.04	.00	.00	.00	.00	.28	.07	.00	30
31	.18		.55		.17		.00	.21		.04		.00	31
Total	5.44	1.29	5.16	3.70	3.60	1.84	·62	1.98	2.86 2:80	3.82	4.42	3.29	TOTAL for year 37·96
No. of Rain Days.	29	11	27	22	24	15	12	12	19	19	27	20	237

W. 8,000, X. '11.

37·96

Cardy B. 10.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

2 - JAN 1915

Kept at Morwenstow Vicarage
in the County of Cornwall
by The Rev: H. Lynne Jones

Lat. 50.55 Long. 4.30 W
Time of Observation 9 a.m
Nearest Railway Station Bude
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.00	.00	.04	.09	.00	.34	.02	.64	.00	.00	.15	.08	1
2	.00	.00	.01	.01	.11	.01	.66	.57	.00	.01	.02	.32	2
3	.08	.00	.11	.23	.46	.00	.00	.14	.00	.00	.04	.13	3
4	.22	.00	.06	.31	.00	.00	1.12	.67	.00	.00	.20	.82	4
5	.04	.00	.32	.22	.02	.00	.08	.02	.00	.00	.33	.03	5
6	.00	.11	.11	.06	.07	.01	.35	.03	.00	.01	.23	.13	6
7	.07	.28	.28	.12	.07	.06	.53	.31	.25	.00	.02	.21	7
8	.12	.04	.85	.02	.02	.28	.05	.06	.09	.00	.02	.09	8
9	.17	.09	.18	.04	.19	1.10	.00	.28	.41	.00	.02	.03	9
10	.13	.18	.12	.39	.16	.04	.00	.01	.30	.00	.00	.04	10
11	.00	.22	.52	.01	.02	.15	.00	.00	.05	.00	.07	.59	11
12	.00	.58	.16	.01	.00	.00	.00	.00	.48	.00	.13	.03	12
13	.00	.29	.26	.01	.00	.00	.14	.00	.37	.20	.18	.16	13
14	.00	.22	.22	.00	.00	.00	.28	.77	.03	.02	.27	.17	14
15	.00	.02	.13	.00	.00	.00	.03	.12	.17	.00	.66	.27	15
16	.00	.33	.01	.00	.00	.00	.04	.00	.21	.00	.00	.07	16
17	.00	.38	.15	.00	.00	.00	.06	.00	.02	.00	.00	.46	17
18	.00	.14	.18	.00	.00	.00	.03	.00	.21	.00	.00	.58	18
19	.00	.03	.47	.00	.00	.00	1.01	.00	.06	.00	.04	.11	19
20	.00	.40	.31	.00	.00	.25	.00	.00	.00	.00	.00	.23	20
21	.00	.33	.02	.00	.00	.08	.22	.00	.00	.12	.00	.03	21
22	.00	.07	.11	.06	.03	.10	.00	.07	.00	.34	.00	.00	22
23	.00	.41	.20	.00	.01	.00	.07	.06	.00	.09	.03	.00	23
24	.00	.02	.10	.00	.00	.04	.05	.01	.00	.02	.10	.00	24
25	.28	.02	.17	.00	.00	.00	.04	.70	.00	.47	.04	.27	25
26	.05	.04	.04	.00	.00	.00	.12	.05	.00	.07	.34	.37	26
27	.10	.05	.01	.00	.00	.00	.01	.00	.00	.06	.30	.17	27
28	.03	.06	.29	.00	.11	.00	.00	.00	.00	.40	.05	.56	28
29	.26		.46	.00	.15	.00	.00	.00	.00	.19	.33	.06	29
30	.02		.15	.00	.00	.00	.00	.00	.00	.08	.63	.11	30
31	.03		.01		.04		.64	.00		.44		.21	31
Total	1.60	4.31	6.05	1.58	1.46	2.46	5.55	4.51	2.65	2.52	4.20	6.33	YEAR'S TOTAL 43.22
Rain Days.	14	23	31	14	14	12	21	17	13	15	23	28	225

W.7,000, XI. 13

cnd for auth 16. III. 16

2005

FORM A.
BRITISH RAINFALL.
4 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Morwenstow Vicarage

in the County of Cornwall

by The Rev: H. Lynne Jones

Lat. 50.55. n Long. 4.30. w.

Time of Observation 9 am

Nearest Railway Station Bude

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.27	.30	.00	.00	.13	.00	.00	.26	.26	.26	.07	.27	1
2	.36	.21	.13	.16	.00	.10	.00	.22	.05	.04	.00	.53	2
3	.05	.13	.14	.18	.12	.00	.01	.01	.00	.00	.00	.55	3
4	.08	.28	.04	.01	.03	.03	.00	.01	.00	.00	.00	.33	4
5	.03	.39	.02	.10	.01	.05	.00	.32	.00	.00	.00	.78	5
6	.67	.13	.02	.25	.00	.01	.25	.30	.00	.00	.00	.14	6
7	.30	.55	.00	.12	.08	.02	.30	.03	.00	.70	.02	.36	7
8	.22	.24	.00	.00	.00	.00	.02	.22	.00	.03	.31	.08	8
9	.04	.13	.02	.07	.00	.00	.00	.15	.00	.01	.30	.96	9
10	.37	.29	.16	.13	.00	.03	.00	.00	.00	.13	.02	.03	10
11	.05	.05	.04	.02	.03	.00	.01	.02	.00	.04	.86	.10	11
12	.06	.31	.01	.03	.43	.00	.00	.00	.00	.02	.26	.19	12
13	.08	.36	.01	.08	.63	.00	.13	.02	.09	.13	.08	.04	13
14	.04	.01	.02	.00	.00	.00	.12	.32	.10	.00	.07	.82	14
15	.01	.00	.00	.00	.35	.00	.22	.01	.09	.00	.13	.21	15
16	.02	.69	.00	.04	.23	.00	1.94	.01	.02	.00	.00	.02	16
17	.03	.11	.00	.00	.49	.00	.00	.01	.00	.00	.00	.02	17
18	.02	.22	.00	.00	.00	.00	.06	.00	.00	.00	.00	.00	18
19	.03	.03	.00	.12	.32	.00	.35	.00	.00	.00	.00	.01	19
20	.36	.02	.00	.06	.04	.18	.01	.00	.06	.20	.00	.00	20
21	.03	.43	.01	.00	.05	.04	.24	.00	.00	.32	.00	.05	21
22	.01	.23	.34	.08	.00	.04	.16	.00	.01	.40	.02	.28	22
23	.06	.03	.02	.00	.00	.06	.06	.00	.01	.66	.00	.65	23
24	.00	.00	.02	.05	.00	.03	.24	.00	.30	.32	.00	.15	24
25	.01	.00	.00	.00	.00	.14	.08	.00	.02	.04	.03	.16	25
26	.01	.13	.00	.00	.00	.11	.35	.00	.24	.00	.00	.40	26
27	.00	.10	.00	.00	.00	.33	.08	.00	.05	.54	.00	.02	27
28	.00	.02	.00	.00	.00	.07	.01	.03	.32	.15	.01	.01	28
29	.00	.	.00	.00	.00	.70	.00	.02	.32	.03	.36	.12	29
30	.12	.	.00	.10	.00	.08	.00	.00	.07	.30	.31	.14	30
31	.02		.00		.00		.25	.05		.51		.05	31
Total	3.35 3.35	5.39	1.00	1.60 1.60	2.94	2.02	4.89	2.01	2.01	4.83	2.85	7.47	YEAR'S TOTAL ~~40.28~~ 40.36
Rain Days.	27	25	15	17	14	17	21	18	16	20	15	29	234

W.7,000, XI. 13

1951

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at Morwenstow Vicarage
in the County of Cornwall
by The Rev: H. Lynne-Jones

Lat. 50.55 Long. 4.30 W
Time of Observation 9 a.m
Nearest Railway Station Bude
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 331. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.16	.00	.02	.01	.06	.23	.20	.00	.00	.30	.04	.01	1
2	.54	.10	.38	.00	.04	.00	.02	.00	.59	.71	.22	.00	2
3	.02	.96	.00	.00	.09	.11	.00	.04	.02	.48	.29	.00	3
4	.29	.32	.00	.02	.18	.30	.00	.00	.20	.03	.24	.00	4
5	.05	.06	.03	.00	.08	.02	.04	.00	.02	.06	.16	.00	5
6	.12	.22	.01	.00	.07	.36	.43	.00	.00	.11	.41	.00	6
7	.00	.15	.08	.00	.07	.01	.00	.00	.00	.03	.62	.00	7
8	.00	.29	.04	.02	.28	.03	.00	.00	.00	.01	.02	.23	8
9	.00	.05	.00	.00	.03	.00	.17	.00	.00	.07	.16	.10	9
10	.00	1.14	.02	.11	.03	.00	.01	.00	.00	.01	.07	.29	10
11	.00	.02	.00	.13	.13	.00	.01	.00	.07	.01	.05	.32	11
12	.02	.09	.00	.12	.31	.00	.04	.07	.00	.17	.02	.01	12
13	.00	.42	.05	.02	.05	.00	.01	.16	.02	.03	.01	.18	13
14	.07	.40	.00	.00	.13	.00	.00	.03	.00	.03	.01	.03	14
15	.02	.13	.08	.18	.03	.00	.01	.22	.00	.04	.00	.00	15
16	.02	.02	.08	.23	.03	.00	.07	.12	.00	.25	.00	.00	16
17	.16	.10	.00	.00	.03	.00	.00	.01	.58	.21	.67	.00	17
18	.02	.15	.15	.03	.00	.00	.00	.00	.00	.01	.06	.10	18
19	.18	.08	.05	.05	.00	.00	.00	.00	.00	.00	.57	.11	19
20	.12	1.04	.31	.00	.00	.00	.00	.00	.00	.00	.09	.39	20
21	.04	.15	.07	.00	.04	.08	.00	.00	.00	.00	.26	.40	21
22	.01	.01	.01	.00	.00	.07	.00	.14	.00	.13	.11	.57	22
23	.02	.04	.00	.07	.00	.22	.00	.26	.00	.10	.15	.12	23
24	.01	.03	.07	.05	.04	.02	.00	.09	.00	.54	.02	.36	24
25	.00	.31	.04	.00	.11	.15	.00	.17	.00	.22	.29	.05	25
26	.07	.14	.09	.00	.02	.22	.00	.04	.30	.58	.07	.00	26
27	.04	.08	1.97	.00	.05	.07	.00	.00	.31	.35	.00	.01	27
28	.00	.15	.00	.00	.01	.00	.00	.09	.07	.54	.02	.61	28
29	.00	.45	.03	.00	.00	.54	.00	.44	.05	.12	.00	.37	29
30	.00	X	~~1.97~~	.00	.00	.20	.00	.00	.00	.31	.00	.02	30
31	.00	X	.00	X	.00	X	.00	.08	X	.41	X	.06	31
Total	1.98	7.10	3.58	1.04	1.91	2.63	1.01	1.96	2.23	5.86	4.63	4.18	YEAR'S TOTAL 38.11
Rain Days.	20	28	20	13	23	16	11	15	11	28	25	21	231

W. 8,000. X. 15.

FORM A BRITISH RAINFALL.

2 JAN

REGISTER OF RAINFALL IN 1917

Kept at Morwenstow Vicarage

in the County of Cornwall

by The Rev: H. Lynne-Jones

Lat. 50. 55 N Long. 4. 30 W

Time of Observation 9 a.m

Nearest Railway Station Bude

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.00	.05	.38	.00	.10	.00	.01	.04	.00	.24	.00	1
2	.02	.00	.10	.12	.00	.07	.00	.01	.00	.08	.18	.00	2
3	.06	.78	.00	.05	.00	.02	.94	.00	.00	.35	.63	.00	3
4	13	.05	.24	.05	.00	.93	.17	.00	.10	.28	.02	.00	4
5	.00	.00	.36	.34	.00	.24	.00	.00	.00	.10	.07	.00	5
6	.03	.00	.40	.07	.00	.02	.00	.00	.00	.15	.15	.08	6
7	.49	.00	.16	.01	.00	.05	.08	.42	.00	.14	.04	.02	7
8	.03	.00	.08	.07	.00	.00	.32	.48	.17	.50	.17	.17	8
9	.00	.00	.24	.02	.08	.01	.00	.04	.02	.28	.05	.05	9
10	.48	.00	.58	.21	.00	.00	.00	.24	.00	.09	.06	.00	10
11	.04	.00	.43	.15	.00	.00	.00	.00	.00	.45	.59	.00	11
12	.17	.00	.03	.02	.39	.00	.00	.37	.00	.35	.02	.02	12
13	.12	.00	.31	.04	.02	.00	.00	.12	.31	.24	.03	.02	13
14	.01	.00	.00	.07	.02	.03	.02	.67	.04	.14	.11	.02	14
15	.00	.00	.00	.02	.00	.00	.00	.00	.04	.22	.02	.25	15
16	.00	.17	.00	.01	.00	.00	.00	.00	.03	.17	.16	.15	16
17	.00	.00	.06	.21	.02	.00	.84	.07	.22	.16	.06	.00	17
18	.00	.03	.00	.02	.11	.02	.47	.02	1.07	.04	.03	.00	18
19	.00	.83	.05	.00	.00	.31	.01	.00	.01	.00	.01	.00	19
20	.00	.15	.00	.00	.24	.70	.00	.05	.00	.00	.00	.01	20
21	.00	.02	.05	.00	.00	.00	.00	.22	.00	.07	.01	.07	21
22	.00	.00	.00	.00	.06	.06	.00	.76	.00	.18	.00	.00	22
23	.00	.32	.00	.00	.03	.02	.00	.28	.00	.15	.04	.01	23
24	.00	.08	.00	.00	.00	.12	.29	.08	.00	.17	.03	.00	24
25	.00	.04	.02	.00	.00	.03	.03	.25	.10	.09	.00	.00	25
26	.00	.00	.00	.00	.97	.07	.02	.09	.30	.05	.06	.00	26
27	.00	.00	.02	.00	.00	.45	.06	1.13	.00	.09	.01	.00	27
28	.00	.03	.06	.00	.03	1.96	.09	.10	.00	.15	.01	.02	28
29	.00		.12	.00	.00	.02	.00	.01	.00	.38	.03	.15	29
30	.00	X	.11	.00	.00	.00	.00	.18	.00	.03	.02	.00	30
31	.00	X	.02	X	.39	X	.00	.13	X	.35	X	.02	31
Total	1.60	2.50	3.49	1.86	2.36	5.23	3.34	5.73	2.45	5.45	2.85	1.06	YEAR'S TOTAL 37.92
Rain Days.	12	11	21	18	12	20	13	23	13	28	27	15	213

W. 8,000, VIII. 16

note identity in name
with [illegible]

[illegible] - WS

14

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
3.1.19

Kept at Morwenstow Vicarage

in the County of Cornwall

by The Rev: H. Lynne-Jones

Lat. 50.55 N Long. 4.30 W

Time of Observation 9 a.m.

Nearest Railway Station Bude

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 10 in.

" " " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.03	.00	.13	.08	.00	.00	.90	.02	.02	.62	.02	1
2	.00	.26	.00	.00	.00	.00	.00	.72	.02	.02	.11	.38	2
3	.00	.08	.00	.13	.15	.00	.00	.00	.09	.13	.12	.14	3
4	.00	.00	.00	.00	.00	.00	.00	.15	.43	.07	.66	.63	4
5	.00	.00	.00	.32	.10	.00	.00	.59	.78	.32	.02	.03	5
6	.16	.70	.08	.18	.00	.04	.00	.02	.04	.15	.00	.06	6
7	.02	.08	.03	.00	.00	.09	.00	.07	.43	.11	.23	.13	7
8	.10	.26	.00	.00	.00	.22	.12	.00	.14	.41	.08	.02	8
9	.00	.09	.00	.05	.00	.10	.29	.02	.57	.05	.02	.33	9
10	.20	.05	.00	.15	.00	.00	.85	.00	.36	.15	.04	.43	10
11	.06	.04	.25	.00	.01	.00	.10	.00	.29	.03	.16	.22	11
12	.00	.06	.00	.00	.22	.00	.02	.00	.06	.04	.02	.05	12
13	.20	.09	.00	.00	.00	.02	.04	.00	.81	.31	.00	.40	13
14	.00	.02	.00	.00	.06	.10	.03	.01	.90	.12	.00	.34	14
15	.92	.00	.00	.00	.04	.03	.88	.00	.08	.41	.00	.48	15
16	.24	.00	.00	.42	.00	.01	.11	.01	.28	.02	.00	.09	16
17	.62	.00	.00	.12	.01	.00	.29	.08	.02	.06	.00	.27	17
18	.30	.04	.18	.00	.00	.43	.07	.12	.63	.36	.00	.23	18
19	1.25	.03	.21	.09	.00	.00	.07	.13	.15	.02	.00	.09	19
20	.00	.20	.00	.16	.00	.05	.03	.02	.14	.01	.00	.00	20
21	.18	.13	.00	.06	.00	.25	.08	.00	.59	.07	.00	.32	21
22	.13	.00	.00	.00	.16	.00	.43	.00	.29	.04	.04	.28	22
23	.00	.03	.00	.00	.00	.17	.05	.00	.04	.02	.06	.26	23
24	.20	.31	.00	.00	.00	.04	.53	.17	.18	.00	.39	.13	24
25	.00	.00	.00	.13	.27	.00	.71	.36	.02	.10	.19	.02	25
26	.00	.18	.00	.00	.00	.00	.10	.06	.10	.06	.10	.35	26
27	.00	.04	.07	.00	.00	.00	.01	.13	.35	.04	.40	.03	27
28	.00	.17	.00	.00	.00	.00	.00	.00	.06	.03	.25	.07	28
29	.00	~~.00~~	.35	.00	.00	.00	.00	.01	(1.13)	.01	.05	.08	29
30	.00	×	.40	.22	.00	.00	.00	.03	.08	.04	.20	.22	30
31	.00	×	.32	×	.00	×	.00	.01	×	.05	×	.05	31
Total	4.58	2.89	1.89	2.16	1.10	1.55	4.81	3.61	9.02	3.27	3.76	6.15	YEAR'S TOTAL 44.79
Rain Days.	~~13~~ 14	21	~~10~~ 9	13	10	13	20	20	30	30	20	30	236

14 m.s.s.

230 m.s.s.

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at M'orwenstow Vicarage
in the County of Cornwall
by The Rev: H. Lynne-Jones

Lat. 50.55 N Long. 4.30 W
Time of Observation 9 am
Nearest Railway Station Bude
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.38	.00	.10	.20	.11	.00	.02	.00	.08	.22	.00	.90	1
2	.32	.00	.03	.00	.03	.00	.02	.00	.05	.06	.03	.21	2
3	.04	.00	.15	.00	.18	.00	.00	.00	.00	.00	.08	.64	3
4	.06	.33	.20	.02	.03	.10	.00	.11	.20	.00	.00	.05	4
5	.13	.30	.02	.00	.03	.00	.00	.01	.01	.00	.01	.12	5
6	.45	.41	.27	.00	.00	.00	.00	.00	.03	.00	.02	.13	6
7	.07	.00	.14	.10	.00	.03	.00	.00	.00	.00	.03	.07	7
8	.16	.00	.35	.02	.00	.03	.00	.00	.00	.00	.20	.02	8
9	.09	.00	.04	.17	.07	.00	.00	.00	.02	.00	1.18	.02	9
10	.32	.00	.91	.03	.07	.03	.00	.00	.00	.10	.19	.50	10
11	.24	.00	.39	.11	.22	.10	.27	.00	.02	.03	.00	.06	11
12	.30	.00	.03	.02	.03	.13	.00	.00	.00	.05	.15	.02	12
13	.37	.03	.17	.43	.00	.00	.03	.00	.10	.09	.00	.13	13
14	.50	.09	.00	.24	.61	.00	.00	.00	.00	.20	.00	.05	14
15	.22	.02	.00	.02	.00	.00	.01	.00	.02	.00	.00	.54	15
16	.27	1.26	.00	.00	.00	.00	.03	.00	.00	.00	.35	.03	16
17	.02	.25	.03	.00	.02	.03	.06	.03	.00	.00	.31	.01	17
18	.15	.06	.72	.02	.00	.00	.10	.42	.07	.00	.49	.03	18
19	.39	.32	.13	.00	.04	.07	.01	.43	.50	.00	.21	.04	19
20	.17	.02	.02	.00	.17	.02	.00	.04	.17	.00	.10	.15	20
21	.23	.66	.00	.00	.30	.00	.14	.06	.07	.00	.02	.04	21
22	.00	.02	.00	.00	.00	.03	.09	.01	.13	.00	.06	.08	22
23	.00	.00	.00	.00	.00	.00	.00	.08	.05	.53	.07	.08	23
24	.02	.00	.00	.03	.00	.38	.00	.03	.00	.60	.24	.37	24
25	.32	.03	.00	.00	.02	.02	.00	.42	.02	.09	.19	.05	25
26	.15	.00	.07	.10	.00	.02	.00	.02	.16	.04	.12	.33	26
27	.19	.00	.00	.09	.00	.01	.00	.46	.00	.02	.02	.05	27
28	.02	.00	.37	.20	.00	.00	.00	.02	.00	.00	.22	.56	28
29	.01		.03	.23	.00	.00	.00	.21	.00	.00	.02	.10	29
30	.00		.04	.23	.00	.14	.00	.38	.00	.00	.31	.44	30
31	.05		.24		.00		.17	.02		.00		.78	31
Total	5.64	3.80	4.45	2.26	1.93	1.14	·95	2.75	1.70	2.03	4.62	6.60	YEAR'S TOTAL 37.87
Rain Days.	28	14	22	18	15	15	12	17	17	12	24	31	225
Days with ·04 in.	24	9	16	11	9	6	6	10	11	10	17	25	154

W. 8,000, IX. 17.

W (C.O.) cmd 1664

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

8 JAN 1921

Kept at Morwenstow Vicarage
in the County of Cornwall
by the Rev: H Lynne Jones

Lat. 50.55 Long. 4.30
Time of Observation 9 am
Nearest Railway Station Bude
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 10 in.
" " " " Sea Level 331 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.07	.01	.05	.03	.42	.00	.93	.20	.16	.12	.02	.41	1
2	.42	.00	.02	.23	.02	.00	.15	.19	.40	.26	.00	.10	2
3	.32	.15	.00	.02	.00	.00	.00	.03	.10	.39	.00	.10	3
4	.02	.00	.04	.01	.00	.00	.06	.54	.03	.31	.00	.02	4
5	.00	.00	.09	.00	.32	.00	.50	.14	.01	.20	.00	.00	5
6	.00	.00	.46	.04	.34	.00	.28	.01	.00	.10	.05	.00	6
7	.08	.02	.07	.53	.08	.00	.14	.00	.03	.02	.05	.00	7
8	.02	.04	.02	.58	.12	.00	.08	.26	.00	.02	.00	.10	8
9	.76	.15	.07	.07	.00	.09	.55	.04	.02	.00	.01	.00	9
10	1.03	.20	.07	.27	.00	.22	.17	.00	.00	.00	.12	.00	10
11	.17	.03	.08	.20	.20	.02	.10	.00	.00	.00	.00	.00	11
12	.32	.07	.15	.25	.02	.07	.07	.03	.02	.06	.26	.00	12
13	.08	.03	.35	.10	.00	.28	.02	.00	.00	.45	.02	.00	13
14	.13	.03	.35	.66	.00	.03	.12	.00	.30	.08	.44	.04	14
15	.07	.15	.00	.36	.22	.00	.01	.02	.01	.34	.03	.00	15
16	.02	.02	.09	.02	.04	.02	.14	.02	.20	.64	.07	.00	16
17	.10	.00	.00	.00	.25	.01	.01	.17	1.34	.36	.00	.00	17
18	.31	.01	.00	.08	.03	.36	.00	.42	.04	.00	.00	.00	18
19	.08	.05	.00	.24	.00	.31	.03	.03	.00	.01	.00	.00	19
20	.02	.00	.00	.06	.00	.24	.06	.00	.12	.06	.00	.20	20
21	.06	.00	.00	.12	.00	.00	.07	.00	.08	.17	.00	.17	21
22	.04	.00	.02	.07	.00	.00	.07	.00	.02	.01	.00	.43	22
23	.02	.00	.11	.01	.00	.00	.61	.33	.00	.01	.00	.53	23
24	.05	.02	.33	.03	.00	.03	.02	.04	.02	.00	.04	.14	24
25	.07	.07	.09	.03	.03	.03	.85	.01	.02	.00	.02	.03	25
26	.37	.01	.21	.00	.06	(.13)	.02	.00	.02	.00	.06	.23	26
27	.21	.13	.12	.06	.00	.73	.09	.00	.00	.00	1.11	.08	27
28	.45	.04	.52	.09	.00	.16	.15	.00	.00	.00	.03	.03	28
29	.15	.03	.45	.12	.56	.04	.11	.00	.03	.00	.13	.30	29
30	.15	×	.02	.02	.00	.27	.16	.00	1.21	.30	.28	.42	30
31	.14	×	.53	×	.04	×	.11	.00	×	1.33	×	.12	31
Total	5.73	1.26	4.31	4.30	2.75	3.02	5.68	2.48	4.18	5.24	2.74	3.45	Year's Total 45.14
Days with ·01 in. or more	29	20	24	27	16	18	29	17	21	21	17	18	258
4.04	24	10	20	19	12	12	23	10	10	16	11	15	182

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

[illegible]

FORM A2.
BRITISH RAINFALL.
12 APR 1912

1882 —
NEWQUAY. MT WISE RES
1911 - ~~30~~

11

Kept at The Le 5 in
in the County of Co ove Ground 1 ft. 0 in.
Sea Level 190 ft.
by C. C. Vig
Name
Distance Direction

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08									1
2												·09	2
3										·21			3
4			·17								·56		4
5								1·08					5
6					·46							1·39	6
7	·65									·05			7
8													8
9									·03			·85	9
10						·01							10
11		·08	1·04								1·61		11
12								·02					12
13					·08								13
14	·48								·69	·08			14
15													15
16												1·49	16
17						·67							17
18		·55	1·03								·86	·53	18
19				·43									19
20					·01								20
21	·05									·88			21
22				·17					1·58			1·64	22
23									·06				23
24						·59							24
25		·54	·13								·27		25
26								·45					26
27												·94	27
28	·17	·77								1·25			28
29				1·05			·58						29
30						·79			·60		·22	·18	30
31			·23		·01		·20	·36		·41			31
Total	1·35	1·94	2·60	1·73	·56	2·06	·78	1·91	2·96	2·88	3·32	7·11	TOTAL for year 29·40
No. of Rain Days.													

W. 8,000, X. '11.

11

FORM A2.
BRITISH RAINFALL.

12 APR 1912

Kept at The ~~Tennis Courts~~, Newquay

in the County of Cornwall

by C. C. Vigius

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level 190 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·08									1
2												·09	2
3										·21			3
4			·17								·56		4
5								1·08					5
6					·46							1·39	6
7	·65									·05			7
8													8
9									·03			·85	9
10						·01							10
11		·08	1·04								1·61		11
12								·02					12
13					·08								13
14	·48								·69	·08			14
15													15
16												1·49	16
17						·67							17
18		·55	1·03								·86	·53	18
19				·43									19
20					·01								20
21	·05									·88			21
22				·17					1·58			1·64	22
23									·06				23
24						·59							24
25		·54	·13								·27		25
26								·45					26
27												·94	27
28	·17	·77								1·25			28
29				1·05			·58						29
30						·79			·60		·22	·18	30
31			·23		·01		·20	·36		·41			31
Total	1·35	1·94	2·60	1·73	·56	2·06	·78	1·91	2·96	2·88	3·32	7·11	TOTAL for year 29·40
No. of Rain Days.													

W. 8,000, X. '11.

✓ W.D. REC[...] 19 11

CORNWALL.
NEWQUAY
TRESILLIAN HOUSE.
1911 — 1920

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Tresillia[...]
in the County of Corn[...]
by Stlol E Jall[...]

[...]f top 5 in.
[...]p above Ground 3 ft. in.
" Sea Level 300 ft.
[...] 9 a.m
[...] Railway Station { Name Newquay
Distance 4 Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
—

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·14	—	—	—	·10	·05	—	·03	—	·20	1
2	·06	—	—	·19	·16	—	—	—	—	·05	—	—	2
3	—	—	·05	—	·15	—	—	·26	—	·42	·15	·12	3
4	—	—	·05	—	·28	—	—	·05	·10	—	·20	·25	4
5	—	—	—	—	—	—	—	·55	—	—	·27	·53	5
6	·49	—	·47	—	—	—	—	·92	—	·05	·15	·05	6
7	·28	—	·11	—	—	—	—	—	—	·01	·10	1·22	7
8	·09	—	—	—	—	—	—	—	—	—	·45	—	8
9	·07	—	·20	—	—	·03	—	—	—	—	·25	·64	9
10	·12	—	·05	—	—	—	—	—	—	—	·18	·63	10
11	·04	·11	·72	—	—	—	—	—	—	—	·15	·41	11
12	·45	—	—	—	—	—	—	—	·26	—	·42	·20	12
13	—	—	·59	—	·22	—	—	·03	·35	—	·20	·33	13
14	—	—	·09	—	—	—	—	—	·08	—	·09	—	14
15	—	·17	·11	—	—	—	—	—	—	—	·20	·78	15
16	—	—	·06	—	—	—	—	—	—	—	·32	·07	16
17	—	—	—	—	—	·10	—	—	—	—	·06	·27	17
18	—	—	·60	·18	—	·80	—	—	—	·05	·38	·73	18
19	—	·33	·25	·43	—	·25	—	—	—	·05	·19	·27	19
20	—	—	—	·10	—	·30	—	—	·62	·06	·19	·81	20
21	—	·05	·08	·11	—	·10	—	—	·32	·86	·03	·74	21
22	—	·14	·08	—	—	·04	—	—	·26	·13	—	·26	22
23	·12	—	—	·06	—	·08	—	—	·56	·43	—	·53	23
24	—	·13	—	—	—	·08	—	·19	·10	·28	·09	·08	24
25	·06	·20	—	—	—	·33	—	·02	—	·18	—	·42	25
26	—	—	—	—	—	—	—	—	·07	·23	—	·16	26
27	—	·11	—	·36	—	—	·11	·11	—	·55	—	·21	27
28	—	·44	·07	—	—	—	—	·35	·16	·11	—	·22	28
29	—		·10	·56	—	—	·05	~~·25~~	·09	—	·07	—	29
30	—		·03	·14	·02	·91	·73	·62	·25	·17	—	—	30
31	—		—		—		·16	—		·21		·18	31
Total	— ~~1·78~~	·14 ~~1·68~~	— ~~3·85~~	— ~~2·13~~	— ~~·83~~	·10 ~~3·02~~	·05 ~~1·15~~	— ~~2·55~~	·03 ~~3·22~~	— ~~3·87~~	·29 ~~4·14~~	— ~~10·31~~	TOTAL for year
No. of Rain Days.	10	10 3·46	18 7·31	9 9·44	5 10·27	12 13·29	5 14·44	10 16·99	14 20·21	19 24·08	22 28·22	25 38·53	157

W. 8,000, X. '11 1·78 1·82 3·71 2·13 ·83 3·12 1·80 2·50 3·25 3·84 4·34 10·11 [illegible]

Jan 1st

✓ MD

REC 1911

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Tresillian House

in the County of Cornwall

by Lt Col E Hall Bennet.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 3 ft. in.
" " " Sea Level 300 ft.

Time of Observation 9 - am

Nearest Railway Station
Name Newquay
Distance 4 Direction N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·14	—	—	—	·10	·05	—	·03	—	·20	1
2	·06	—	—	·19	·16	—	—	—	—	·05	—	—	2
3	—	—	·05	—	·15	—	—	·26	—	·42	·15	·12	3
4	—	—	·05	—	·28	—	—	·05	·10	—	·20	·25	4
5	—	—	—	—	—	—	—	·55	—	—	·27	·53	5
6	·49	—	·47	—	—	—	—	·92	—	·05	·15	·05	6
7	·28	—	·11	—	—	—	—	—	—	·01	·10	1·22	7
8	·09	—	—	—	—	—	—	—	—	—	·45	—	8
9	·07	—	·20	—	—	·03	—	—	—	—	·25	·64	9
10	·12	—	·05	—	—	—	—	—	—	—	·18	·63	10
11	·04	·11	·72	—	—	—	—	—	—	—	·15	·41	11
12	·45	—	—	—	—	—	—	—	·26	—	·42	·20	12
13	—	—	·59	—	·22	—	—	·03	·35	—	·20	·33	13
14	—	—	·09	—	—	—	—	—	·08	—	·09	—	14
15	—	·17	·11	—	—	—	—	—	—	—	·20	·78	15
16	—	—	·06	—	—	—	—	—	—	—	·32	·07	16
17	—	—	—	—	—	·10	—	—	—	—	·06	·27	17
18	—	—	·60	·18	—	·80	—	—	—	·05	·38	·73	18
19	—	·33	·25	·43	—	·25	—	—	—	·08	·19	·27	19
20	—	—	—	·10	—	·30	—	—	·62	·06	·19	·81	20
21	—	·05	·08	·11	—	·10	—	—	·32	·86	·03	·74	21
22	—	·14	·08	—	—	·04	—	—	·26	·13	—	·26	22
23	·12	—	—	·06	—	·08	—	—	·56	·43	—	·53	23
24	—	·13	—	—	—	·08	—	·19	·10	·28	·09	·08	24
25	·06	·20	—	—	—	·33	—	·02	—	·18	—	·42	25
26	—	—	—	—	—	—	—	—	·07	·23	—	·16	26
27	—	·11	—	·36	—	—	·11	·11	—	·55	—	·21	27
28	—	·44	·07	—	—	—	—	·35	·16	·11	—	·22	28
29	—		·10	·56	—	—	·05	~~·25~~	·09	—	·07	→	29
30	—		·03	·14	·02	·91	·73	·62	·25	·17	—	—	30
31	—		—		—		·16	—		·21		·18	31
Total	~~1·78~~	·14 ~~1·68~~	— ~~3·85~~	— ~~2·13~~	— ~~·83~~	·10 ~~3·02~~	·05 ~~1·15~~	— ~~2·55~~	·03 ~~3·22~~	~~3·87~~	·29 ~~4·14~~	— ~~10·31~~	TOTAL for year
No. of Rain Days.	10	19 3·46	18 7·31	9 9·44	5 10·27	12 13·29	5 14·44	10 16·99	14 20·21	19 24·08	22 28·22	25 38·53	157
W. 8,000, X. '11	1·78	1·82	3·71	2·13	·83	3·12	1·10	2·50	3·25	3·84	4·34	10·11	[illegible]

Jan 1/12

Copy of original returned to Observer

Entd 10.XI.13

FORM A.
BRITISH RAINFALL.

13 SEP 1913

REGISTER OF RAINFALL IN 1912

Kept at Tresillian House

in the County of Cornwall

by E. Gully Bennet

Lat. Long.

Time of Observation 9 am.

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 3 ft. - in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	.09	-	-	.78	.71	.21	.38	.24	.04	-	1
2	-	-	.27	.05	-	.67	.02	-	-	-	-	.06	2
3	.37	-	.16	.03	-	.20	.03	1.30	.11	-	-	.03	3
4	-	-	.37	-	-	.36	.03	.07	-	-	.43	-	4
5	.57	.43	.20	.03	.16	.04	.20	2.03	-	-	-	.25	5
6	.42	.12	-	-	.44	-	.02	.29	-	-	-	.06	6
7	.21	.86	.45	.09	.10	-	.09	.09	.12	-	-	.10	7
8	.34	.07	.17	.02	-	-	.05	-	-	-	-	-	8
9	-	.45	.11	.14	-	.12	.31	.04	-	-	-	.60	9
10	.37	.08	.35	.26	-	.68	.08	-	.04	-	.14	.16	10
11	-	.16	-	-	-	-	-	.14	-	.05	.08	.53	11
12	-	.10	.18	-	-	-	.30	.61	-	-	.42	.02	12
13	.48	-	.03	.09	-	.06	-	.08	-	-	-	.16	13
14	.10	.13	.49	-	-	.02	-	.11	-	-	-	.05	14
15	.82	.04	.07	-	.13	.83	-	.02	-	-	-	.56	15
16	.21	-	.27	-	-	.08	-	.21	-	.14	.14	.17	16
17	-	-	.19	-	.03	.20	-	.55	-	-	-	.15	17
18	-	.10	.23	-	-	-	-	.71	-	.20	-	-	18
19	-	.08	.20	-	.05	.02	.15	.34	-	.05	-	-	19
20	.09	.09	.34	-	.25	-	-	.13	-	.52	-	-	20
21	-	.25	.25	-	-	-	.65	.10	-	.49	-	.05	21
22	.23	.17	.50	-	-	.17	.09	.36	-	.05	-	.14	22
23	.10	.44	.28	-	-	.02	.16	1.18	-	.27	.09	.33	23
24	.12	.04	.03	-	-	.26	.18	.02	.02	.14	-	.27	24
25	-	-	-	-	-	.03	.04	.15	-	.45	.46	.66	25
26	-	-	-	-	-	-	.13	.19	-	.25	.35	.40	26
27	-	-	-	-	-	.31	.41	.18	-	.85	.25	.49	27
28	-	.13	-	-	-	.10	.39	.50	.50	.15	.37	.53	28
29	-	.24	.11	-	-	.47	.44	.09	.24	.28	-	.21	29
30	-		.05	.06	.18	.15	.19	-	.14	.36	.29	.03	30
31	-		.37		.27		.13	-		-		.10	31
Total	4.43	3.98	5.76	.77	1.61	5.57	4.80	9.70	1.55	4.49	3.06	6.11	YEAR'S TOTAL 51.83
Rain Days.	14	19	25	9	9	21	23	26	8	16	12	25	207

W. 7,500, XI. 12

Errors in figures
Affirmed 25.4.14

Cor. by obsr. & fol. W.D. } 12.V.14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

7 - JAN 1914

Kept at Tresillian House
in the County of County of Cornwall
by Lt Col E. Sully Bennet

Lat. .... Long. ....
Time of Observation 9. a.m.
Nearest Railway Station Newquay
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. .... in.
" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·10	·11	—	·69	·05	·04	—	—	·03	—	·02	—	1
2	·04	·26	·25	·08	—	—	—	—	—	·05	·20	·04	2
3	·05	·21	·04	·29	·30	·15	—	—	—	·43	·19	—	3
4	·03	—	·06	—	·02	—	—	—	·55	·45	—	·10	4
5	·64	—	—	·02	—	·08	—	—	1·12	—	·15	~~·15~~ ·25	5
6	·10	—	—	—	·25	·12	·03	—	—	·77	·69	1·06	6
7	—	·09	·12	—	·02	·16	·04	—	·03	—	·32	·07	7
8	·04	·28	·07	—	1·26	·03	·08	—	—	·48	·24	·03	8
9	·26	·09	—	—	·36	—	·17	·09	—	—	—	—	9
10	·11	·07	·03	—	·10	·03	·02	·02	·08	—	·71	·06	10
11	·87	—	·04	—	·27	·04	·01	·03	—	1·45	·20	—	11
12	·54	—	—	—	·49	·21	—	·35	·05	—	·48	·09	12
13	·14	—	—	·03	—	·05	·02	—	·10	—	·15	—	13
14	—	—	·10	·04	·12	·03	·03	·01	1·20	—	·20	—	14
15	·60	—	·11	·02	—	—	·19	·02	·24	·08	·23	—	15
16	·08	—	·50	·80	—	—	—	—	·02	—	·13	·07	16
17	·37	—	·71	·08	—	—	—	—	·08	—	·61	—	17
18	·09	—	—	·15	—	—	·04	—	—	—	·08	—	18
19	·08	—	·24	·16	—	·03	—	—	—	—	·07	—	19
20	·61	—	·12	—	·13	—	—	—	·23	·28	—	—	20
21	—	—	·22	·26	—	·05	—	—	—	·13	·44	—	21
22	·11	—	·09	·14	—	·08	·05	·09	—	·03	·17	—	22
23	·16	—	·77	·32	·05	·28	—	·11	·22	·21	—	·42	23
24	·05	—	—	—	—	—	—	·08	·03	—	·20	·82	24
25	—	·28	—	·08	—	·10	—	—	—	—	·06	—	25
26	—	—	—	·34	—	—	—	—	·11	·02	·09	·17	26
27	—	—	—	·77	—	·03	—	·08	—	·34	·05	·32	27
28	·59	—	·32	·29	—	—	—	·09	·03	·28	·05	·09	28
29	·09		·08	·14	·25	—	—	—	—	·77	—	·10	29
30	·09		·42	·39	—	—	—	—	—	·56	·07	·49	30
31	·45		—		·22		·02	—		·37		—	31
Total	·11 ~~6·29~~	— ~~1·39~~	·69 ~~4·29~~	·05 ~~5·09~~	·04 ~~3·89~~	— ~~1·51~~	— ~~·70~~	·03 ~~·97~~	— ~~4·12~~	·02 ~~6·70~~	~~5·20~~	~~4·18~~	YEAR'S TOTAL ~~44·33~~
Rain Days.	25	~~7·68~~ 7	~~11·97~~ 20	~~17·06~~ 20	~~20·95~~ 15	~~22·46~~ 16	~~23·16~~ 12	~~24·13~~ 12	~~28·25~~ 15	~~34·96~~ 18	~~40·16~~ 24	~~44·33~~ 16	200
	6·30	1·28	4·98	4·45	3·88	1·47	·70	1·00	4·09	6·72	5·18	4·18	44·23

W.7,000, XI. 13

Corrd for mth [illegible] W.D. 10.III.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 JAN 1915

Kept at Tresillian House

in the County of ~~County~~ Cornwall

by Egil G Bennett [illegible]

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Newquay
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·52

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	—	—	—	·03	—	·71	—	—	·30	·50	1
2	—	—	·06	·23	—	·21	·03	·83	—	—	1·06	·04	2
3	—	—	—	—	·10	—	·78	—	—	—	—	·40	3
4	·07	—	·14	·22	·39	—	—	·22	—	·02	·05	·20	4
5	·25	—	·13	·31	·08	—	1·05	·60	·11	—	·08	·84	5
6	·30	—	·26	·22	—	—	·02	—	—	—	·27	—	6
7	—	·14	·13	·07	·11	—	·07	·10	—	—	—	·50	7
8	—	·42	·38	·15	·07	·32	·30	—	·72	—	—	·17	8
9	·06	—	1·18	·05	—	·48	—	—	—	—	—	—	9
10	—	·10	·23	·03	·10	1·22	—	·11	·98	—	—	·07	10
11	·16	·37	·07	·57	·22	·05	—	—	·24	—	·12	·61	11
12	—	·32	·73	—	—	·08	—	—	·14	—	·12	·52	12
13	—	·77	·19	—	—	—	·15	—	·15	·20	·17	·07	13
14	—	·17	·18	—	—	—	—	—	·05	·66	—	·08	14
15	—	·06	·21	—	—	·10	—	·02	·05	—	·39	·32	15
16	—	·03	·13	—	—	—	—	·03	—	—	·58	·48	16
17	—	—	·03	—	—	—	·06	—	·24	—	—	·04	17
18	—	·43	·34	—	—	—	·05	—	—	—	—	·52	18
19	—	·23	·10	—	—	—	·05	—	·34	—	—	·48	19
20	—	·05	·39	—	—	—	·85	—	—	—	·14	·20	20
21	—	·31	·14	—	—	·50	·10	—	—	—	—	·28	21
22	—	·59	·03	—	—	·03	·10	·02	—	·34	—	—	22
23	—	·15	·04	·03	—	·02	—	—	—	·35	—	—	23
24	—	·12	·17	—	·03	·03	·05	·08	—	·15	—	·04	24
25	—	—	·02	—	—	·05	—	—	—	—	·07	—	25
26	·30	—	·50	—	—	·01	—	·57	—	·47	—	·32	26
27	·08	·11	·07	—	—	—	·13	—	—	·05	·22	·46	27
28	·15	·04	—	—	—	—	·06	—	—	·22	·17	·20	28
29	—	—	·27	—	·02	—	·07	—	—	·59	·07	·77	29
30	·28	×	·14	—	·16	—	·03	—	—	·07	·27	·07	30
31	—	×	·09	×	—	×	—	—	×	·08	×	·43	31
Total	1·65	4·41	6·35	1·88	·03 ~~1·28~~ 1·31	~~3·14~~ 3·11	·71 ~~3·95~~ 4·66	~~3·29~~ 2·58	3·02	·30 ~~3·20~~ 3·50	·50 ~~4·08~~ 4·28	·52 ~~8·61~~ 8·63	YEAR'S TOTAL ~~44·86~~ 45·38
Rain Days.	9	~~6·06~~ 18	~~12·41~~ 28	~~14·29~~ 10	~~15·57~~ 11	~~18·71~~ 13	~~22·65~~ 19	~~25·95~~ 10	~~28·97~~ 10	~~32·17~~ 13	~~36·25~~ 16	~~44·96~~ 26	183

W. 8,000. X. 14.

not corrected for WD 29.iii.16 ✓

cord for auth 6.iii.16

1993

FORM A.
BRITISH RAINFALL.

14 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Tresillian House

in the County of Cornwall

by [illegible] Bennett

Lat. .... Long. ....

Time of Observation 9 a.m.

Nearest Railway Station Newquay

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. — in.

" " " " Sea Level 290 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·14

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·52	·11	·09	—	·07	—	·02	·47	·07	·11	·55	·28	1
2	·44	·32	—	—	·07	—	—	·41	·13	·38	—	·11	2
3	·33	·32	·10	·06	—	·17	—	·10	13 ·13	—	—	·41	3
4	·27	·11	·11	·15	·07	—	·02	—	—	—	—	·65	4
5	·17	·36	·02	—	·21	—	—	—	—	—	—	·23	5
6	—	·80	—	·18	—	—	—	·18	—	—	—	1·29	6
7	1·16	·16	—	·41	—	—	·42	·04	—	—	—	·13	7
8	·44	·59	—	·25	—	—	·44	—	—	·91	—	·42	8
9	·18	·30	—	—	—	—	—	·15	—	·02	·21	·19	9
10	·04	·44	—	·25	—	—	—	—	—	—	·67	·85	10
11	·30	·32	·15	·25	—	·10	—	·66	—	·45	·04	·25	11
12	·67	·13	·09	—	·03	—	—	·04	—	·02	·89	·26	12
13	·14	·75	—	·05	·48	—	—	·07	—	·09	·04	—	13
14	·63	·28	—	—	·38	—	·07	—	·04	·05	·11	·03	14
15	·04	·16	—	—	—	—	·20	·62	·16	—	·22	·97	15
16	·17	—	—	—	·24	—	·33	—	·13	—	·08	·08	16
17	—	1·08	—	—	·35	—	1·29	—	—	—	—	·02	17
18	·30	·18	—	—	—	—	—	—	—	—	—	—	18
19	—	·30	—	—	—	—	·03	—	—	—	—	—	19
20	·07	—	—	·04	·21	—	·13	—	—	—	—	—	20
21	·71	·04	—	·06	·02	·37	—	—	—	·36	—	—	21
22	·12	·08	—	—	—	·40	·14	·02	—	—	—	—	22
23	·22	·28	·10	·04	—	·06	·27	—	·02	·31	—	·38	23
24	·07	·12	—	—	—	·02	·06	—	·03	·46	—	·59	24
25	—	—	—	·02	—	·22	—	—	·41	·32	—	·13	25
26	·05	—	—	—	·09	·27	—	—	—	—	·05	·32	26
27	·07	·22	—	—	—	·92	·05	—	·21	—	—	·51	27
28	—	·06	—	—	—	·31	—	—	·12	·67	·03	—	28
29	—	×	—	—	—	·18	—	·10	·31	·20	—	·08	29
30	—	×	—	—	—	·34	—	·03	·31	—	·22	·10	30
31	·28	×	—	×	—	×	—	—	×	·65	×	·27	31
Total	·11 ~~6·19~~	·09 ~~7·51~~	– ~~·66~~	·09 ~~1·76~~	– ~~2·22~~	·02 ~~3·36~~	·47 ~~3·47~~	·09 ~~2·29~~	·11 ~~2·07~~	·55 ~~5·00~~	·28 ~~3·71~~	·14 ~~8·55~~	YEAR'S TOTAL ~~46·19~~
Rain Days.	5·78 24	7·49 ~~13·79~~ 24	·57 ~~14·36~~ 6	1·83 ~~16·12~~ ~~12~~ 13	2·15 ~~18·34~~ ~~12~~ 11	3·38 ~~21·70~~ ~~12~~ 13	3·92 ~~25·17~~ 14	1·89 ~~27·46~~ 12	2·11 ~~29·53~~ 13	5·44 ~~34·53~~ 15	2·84 ~~37·74~~ 12	8·41 ~~46·19~~ 22	45·81 182 ✓

W. 8,000. X. 15.

and for WD

Exd C J E

1941

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

12 JAN 1917

Kept at Tresillian House
in the County of Cornwall
by E Gully Bennet

Lat. .... Long. ....
Time of Observation 9 a.m.
Nearest Railway Station Newquay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. .... in.
" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	—	·28	—	—	—	·04	—	·11	—	·06	—	1
2	·12	—	·07	—	·04	·09	·22	—	—	·29	·08	—	2
3	·18	·10	·32	—	·04	—		—	·33	·15	·58	—	3
4	—	1·52	—	—	·13	·11	·10	—	·06	·42	·28	—	4
5	·15	·23	—	·04	·20	·19		—	·07	·03	·93	·08	5
6	·04	·02	·06	—	·19	·09	·03	—	—	·09	·36	—	6
7	·05	·23	—	—	·06	·05	·64	—	—	·13	·73	—	7
8	·04	·27	·08	—	·20	·20		—	—	·28	·56	·21	8
9	·08	·26	·11	·05	·29	·12	·02	—	—	—	·18	·24	9
10	—	·27	—	—	—	·02	·05	—	—	·27	·23	·72	10
11	—	1·30	—	·10	—	—	—	—	—	—	·03	·10	11
12	—	·05	—	·12	·16	·03	—	—	—	—	·03	·18	12
13	·08	·09	·15	—	·03	—	·05	·11	—	·30	—	·06	13
14	—	·34	·05	·06	·04	—	·03	·07	—	—	—	—	14
15	·07	·24	·28	·03	·06	—	—	·60	—	—	—	—	15
16	—	·21	·26	·08	—	—	—	—	—	—	—	—	16
17	·06	·08	—	·10	·02	—	·03	·97	—	·38	·75	—	17
18	·11	·06	·09	·06	—	—	—	—	·10	·16	1·41	—	18
19	·03	·07	·32	·04	—	—	—	—	·14	·27	·05	·32	19
20	·11	·04	—	·09	—	—	—	—	—	—	·61	·06	20
21	·07	·22	·06	—	—	—	—	—	—	—	·13	·32	21
22	·03	·18	·20	—	·06	—	—	—	—	—	·08	·20	22
23	—	—	·04	—	—	·18	—	·07	—	·35	·08	·75	23
24	·05	—	·06	·05	—	·19	—	·21	—	·13	·07	·15	24
25	—	—	·14	·02	·13	·03	—	·18	—	·45	—	·35	25
26	—	·24	·36	—	·12	·07	—	·20	—	·08	·18	·04	26
27	·02	·02	·14	—	·05	·03	—	·18	·41	1·22	·12	—	27
28	—	—	1·47	—	·04	·07	—	·28	·18	·68	—	—	28
29	—	—	—	—	—	·20	—	·14	·40	·60	—	·38	29
30	—	X	·14	—	—	·59	—	·47	·02	·22	—	·39	30
31	—	X	—	X	—	X	—	—	X	·17	X	·03	31
	—	·28	—			·04	—	·11	—	·06	—	·04	YEAR'S TOTAL
Total	~~1·38~~	6·04	~~4·68~~	·84	1·86	~~2·26~~	~~1·21~~	3·48	1·82	~~6·67~~	7·53	4·58	~~42·35~~
	1·24	6·32	4·40			2·30	1·17	3·59	1·71	6·73	7·47	4·62	42·25
Rain Days.	—	7·42	12·10	12·94	14·80	17·06	18·27	21·75	23·57	30·24	37·77	42·35	
	18	22	9	13	18	17	10	12	10	21	22	18	202

W. 8,000, VIII. 16

P. made

cwp WD

G4a 7

1853

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Tresillian House

in the County of Cornwall

by Lt Col E Gully Bennet

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Newquay

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	—	—	·10	—	·38	—	—	·06	—	·34	—	1
2	—	—	—	·10	—	·15	—	—	·03	—	·11	—	2
3	·04	—	·09	·18	—	·09	—	—	—	—	·46	—	3
4	·10	—	·04	·03	—	—	—	—	—	·44	·27	—	4
5	—	·31	1·13	—	—	—	—	—	·02	·12	—	—	5
6	·17	—	·85	·36	·07	·13	—	—	—	·32	·07	—	6
7	—	—	—	·05	—	·42	—	—	—	·05	·11	·02	7
8	·90	—	—	—	—	—	·24	·75	—	·27	·05	—	8
9	·12	—	·45	—	—	—	·11	·12	·13	·20	·25	·50	9
10	—	—	·05	·04	·11	—	—	—	·10	·22	·22	—	10
11	·73	—	·28	·22	—	—	—	·26	—	·17	·09	—	11
12	·05	—	·35	·15	—	—	—	·08	—	·73	·46	—	12
13	·09	—	·06	·03	·08	—	—	·17	—	·53	—	—	13
14	·12	—	·11	·04	—	·04	—	·28	·30	·37	—	—	14
15	—	—	—	·16	·02	—	—	·33	·16	·26	·03	—	15
16	—	—	—	—	·03	—	—	—	·14	·25	—	·21	16
17	—	·08	—	—	·02	—	—	—	—	·26	—	·30	17
18	—	·03	—	·08	·03	—	·34	·12	·28	·06	—	—	18
19	—	·03	—	—	·22	·15	·22	—	·68	—	—	—	19
20	—	·59	·06	—	—	·30	·02	·08		·03	·03	—	20
21	—	·24	·04	—	·70	·32	—	·02	·03	—	—	—	21
22	—	—	·15	—	·09	·06	—	·15	—	—	—	·09	22
23	—	—	—	—	·13	·08	—	1·07	—	·21	—	—	23
24	—	·25	—	—	·15	·07	—	·24	—	·10	·12	—	24
25	—	—	—	—	—	·02	·16	·11	·01	·16	·13	·05	25
26	—	·03	·04	—	—	—	·02	·39	·05	·06	·05	—	26
27	·22	—	·03	—	·53	·27	—	·20	·12	·06	·05	—	27
28	—	—	·22	—	—	·54	·03	1·06	—	·13	·05	·02	28
29	—	X	·07	—	—	1·15	·11	·24	—	·05	·04	—	29
30	—	X	·12	—	—	—	—	—	—	·35	·05	·11	30
31	—	X	·15	X	—	X	—	·18	X	·07	X	—	31
			·10		·38			·06		·34			YEAR'S TOTAL
Total	~~2·58~~ 2·54	~~1·56~~ 1·56	~~4·29~~ 4·39	~~1·54~~ 1·44	~~2·18~~ 2·56	~~4·17~~ 3·79	~~1·25~~ 1·25	~~5·85~~ 5·91	~~2·11~~ 2·05	~~5·47~~ 5·81	~~2·98~~ 2·64	~~1·30~~ 1·30	~~35·28~~ 35·24
Rain Days.		4·14	8·43	9·97	12·15	16·32	17·57	23·42	25·53	31·00	33·98	35·28	
	10	8	20	12	14	15	9	20	13	26	19	8	175

W. 8,000, IX. 17.

B. Made

and by total

6

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
11 1 19

Kept at Tresillian House
in the County of Cornwall
by Lt Col E Sully Bevan

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Newquay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following. ·04

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·36	·40	·23	—	—	·01	—	·14	·36	·10	1
2	—	·10	—	·12	·04	—	—	·45	·02	—	1·35	—	2
3	—	·30	—	·13	·03	—	—	·70	·17	—	·16	·27	3
4	—	·16	—	·20	·28	—	—	·02	·06	·13	·21	·07	4
5	—	—	—	·17	—	—	—	·20	·74	—	·24	·45	5
6	—	·15	·32	·14	—	—	—	·22	·46	·13	·02	·13	6
7	·33	·30	·18	·16	—	—	—	·12	—	·18	—	·10	7
8	—	·18	—	—	—	·04	—	·03	·61	·10	·29	·26	8
9	·35	·07	—	—	—	·14	·02	—	·01	·42	—	—	9
10	·03	—	—	·08	—	·13	·30	·02	·60	·04	·04	·37	10
11	·03	—	—	·18	—	—	·58	—	·09	·09	—	·26	11
12	—	—	—	—	—	—	·06	—	·46	·60	·07	·15	12
13	—	·09	·14	—	·13	—	·21	—	—	·28	—	·03	13
14	·03	—	—	—	·10	—	·15	—	·33	·16	—	·45	14
15	·30	—	—	—	·04	·12	·03	—	·20	·05	—	·15	15
16	·99	—	—	—	·08	·53	·54	—	·17	·20	—	·62	16
17	·56	—	—	·28	—	·10	·07	—	·24	·07	—	·10	17
18	·18	—	—	·20	—	·02	·16	—	·02	·08	—	·19	18
19	·89	·10	·17	—	—	·38	·04	·04	·81	·22	—	·40	19
20	·23	·04	·07	·23	—	—	·14	·04	·26	—	—	·07	20
21	·12	·08	—	·05	—	·05	·21	—	·16	—	—	·09	21
22	·32	·02	—	—	—	·03	·09	—	·55	·27	—	·43	22
23	—	—	—	—	·10	—	1·04	—	·12	—	—	·20	23
24	·05	—	—	—	·02	·15	·03	·49	·02	—	·12	·28	24
25	—	—	—	—	—	·04	·03	·38	·13	—	·24	·15	25
26	—	·20	—	—	·08	—	·10	—	—	·11	·17	·02	26
27	—	·17	—	—	—	—	·20	—	·08	—	·07	·36	27
28	—	·32	·09	—	—	—	—	·04	·37	·04	·29	·04	28
29	—	X	·17	—	—	—	—	—	·13	·02	·56	·09	29
30	—	X	·06	—	—	—	—	—	·94	—	·20	·08	30
31	—	X	·37	X	—	X	—	·04	X	·04	X	·11	31
Total	4·41	2·28	1·93	2·34	~~1·10~~ 1·13	1·73	4·00	~~1·80~~ 2·80	7·75	3·37	4·39	6·02	YEAR'S TOTAL 42·15 ✓
Rain Days	14	15	10	13	11	12	19	15	26	21	16	29	201

W. 6,500, VII. 18. w w c

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
							—	~~30~~	—				
1	—	—	·36	·40	·23	—	—	·01 ~~·45~~	—	·14	·36	·10	1
2	—	·10	—	·12	·04	—	—	~~·10~~ ·45	·02	—	1·35	—	2
3	—	·30	—	·13	·03	—	—	·70	·17	—	·16	·27	3
4	—	·16	—	·20	·28	—	—	·02	·06	·13	·21	·07	4
5	—	—	—	·17	—	—	—	·20	·74	—	·24	·45	5
6	—	·15	·32	·14	—	—	—	·22	·46	·13	·02	·13	6
7	·33	·30	·18	·16	—	—	—	·12	—	·18	—	·10	7
8	—	·18	—	—	—	·04	—	·03	·61	·10	·29	·26	8
9	·35	·07	—	—	—	·14	·02	—	·01	·42	—	—	9
10	·03	—	—	·08	—	·13	·30	·02	·60	·04	·04	·37	10
11	·03	—	—	·18	—	—	·58	—	·09	·09	—	·26	11
12	—	—	—	—	—	—	·06	—	·46	·60	·07	·15	12
13	—	·09	·14	—	·13	—	·21	—	—	·28	—	·03	13
14	·03	—	—	—	·10	—	·15	—	·33	·16	—	·45	14
15	·30	—	—	—	·04	·12	·03	—	·20	·05	—	·15	15
16	·99	—	—	—	·08	·53	·54	—	·17	·20	—	·62	16
17	·56	—	—	·28	—	·10	·07	—	·24	·07	—	·10	17
18	·18	—	—	·20	—	·02	·16	—	·02	·08	—	·19	18
19	·89	·10	·17	—	—	·38	·04	·04	·81	·22	—	·42	19
20	·23	·04	·07	·23	—	—	·14	·04	·26	—	—	·07	20
21	·12	·08	—	·05	—	·05	·21	—	·16	—	—	·09	21
22	·32	·02	—	—	—	·03	·09	—	·55	·27	—	·43	22
23	—	—	—	—	·10	—	1·04	—	·12	—	—	·20	23
24	·05	—	—	—	·02	·15	·03	·49	·02	—	·12	·28	24
25	—	—	—	—	—	·04	·03	·38	·13	—	·24	·15	25
26	—	·20	—	—	·08	—	·10	—	—	·11	·17	·02	26
27	—	·17	—	—	—	—	·20	—	·08	—	·07	·36	27
28	—	·32	·09	—	—	—	—	·04	·37	·04	·29	·04	28
29	—	—	·17	—	—	—	—	—	·13	·02	·56	·09	29
30	—	✕	·06	—	—	—	—	—	·94	—	·20	·08	30
31	—	✕	·37	✕	—	✕	—	·04	✕	·04	✕	·11	31
Total	4·41	2·28	1·93	2·34	1·13	1·73	4·00	2·80	7·75	3·37	4·39	6·02	YEAR'S TOTAL 42·15
Rain Days.		6·69	8·62	10·96	12·09	13·82	17·82	20·62	28·37	31·74	36·13	42·15	201
	12	15	10	13	11	12	19	15	25	21	16	29	

W. 6,500. VII. 18. w w c

1740

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Tresillian House
in the County of Cornwall
by Lt Col E. Sully Bennet

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Newquay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft 6 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·50

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·64	—	·24	·05	·12	—	·14	·08	—	—	—	·40	1
2	·53	—	·20	·46	·06	—	·35	—	·55	·15	—	1·00	2
3	·23	—	·02	—	—	—	—	—	—	—	—	·09	3
4	·19	—	·17	—	·19	—	—	—	·12	—	—	·18	4
5	·17	·88	·25	—	—	—	—	·14	·31	—	—	—	5
6	·15	·22	·06	—	·04	—	—	—	—	—	—	·06	6
7	·74	1·25	·24	—	—	—	—	—	—	—	·02	·16	7
8	·60	—	·17	·15	—	—	—	—	·04	—	·05	·05	8
9	·25	—	·27	·05	—	—	—	—	—	—	·64	—	9
10	·14	—	—	·28	·26	—	—	—	—	—	·21	·03	10
11	·33	—	·38	—	·03	—	—	—	—	·20	—	·62	11
12	·07	—	·25	·21	·25	·07	·17	—	—	·02	—	·28	12
13	·25	—	·03	·08	—	·07	—	—	·01	·20	·13	—	13
14	·10	·15	·21	·30	—	—	—	—	·03	·03	—	·18	14
15	·27	·20	·02	·41	—	—	—	—	—	·14	—	·24	15
16	·24	·05	—	—	—	—	—	—	—	·05	—	·33	16
17	·06	·58	·03	·03	·11	—	·05	—	—	—	·49	·02	17
18	—	·85	·01	—	—	—	—	—	—	—	·26	·02	18
19	·20	·57	·18	—	·16	—	·23	·23	·07	—	·23	·01	19
20	·45	·44	·15	—	—	·28	—	·46	·20	—	·10	·08	20
21	·31	·03	·18	—	—	·08	—	·06	·14	—	·33	·08	21
22	·52	·75	—	—	·38	—	·08	—	·14	—	·09	·15	22
23	—	—	—	—	·02	—	·07	—	·19	—	·03	·12	23
24	—	—	—	—	—	—	—	—	—	·12	·03	·10	24
25	—	—	—	—	—	·29	—	—	·02	·27	·15	·21	25
26	·24	·04	—	—	—	—	—	·29	—	—	·10	·08	26
27	·09	—	·10	·05	—	—	—	·04	·24	·05	·19	·38	27
28	·19	·05	·04	·43	—	—	—	·86	·04	·13	—	·08	28
29	—		·65	·28	—	—	—	·08	—	·18	·25	·66	29
30	—		·04	·18	—	—	—	·24	—	·14	—	·04	30
31	—		—		—		—	·24		—		·55	31
TOTAL	– ~~6·36~~ 6·32	·24 ~~6·06~~ 6·30	·05 ~~3·89~~ 3·70	·12 ~~2·96~~ 3·03	– ~~1·62~~ 1·50	·14 ~~·74~~ ·88	·08 ~~1·09~~ 1·03	– ~~2·72~~ 2·64	– 2·10	– 1·68	·40 ~~3·30~~ 3·70	·50 ~~6·20~~ 6·30	YEAR'S TOTAL ~~38·72~~ 39·18
Days with ·01 in. or more	23 ~~24~~	15 ~~14~~	23	14	10 ~~11~~	6 ~~5~~	7	10 ~~11~~	14	13	18 ~~17~~	28	181

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Conf WD — W-PHS — 1052

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

6 JAN 1921

Kept at Tresillian House

in the County of ~~County~~ Cornwall

by Lt Col E Tully Bennet

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Newquay

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ·17

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·50	·07	—	·57	—	—	·32	·04	—	1·46	·61	·34	1
2	·02	—	—	·12	·51	—	·90	·08	·10	·27	·02	·62	2
3	·41	—	—	·12	·03	—	·05	·16	·34	·05	—	·04	3
4	·47	·05	—	·19	·04	—	·01	—	·04	1·10	—	·38	4
5	—	—	·10	—	—	—	—	·52	·04	·22	—	—	5
6	—	—	·08	—	·36	—	·55	·05	—	·08	—	—	6
7	—	—	·33	·08	·15	—	·25	—	—	·32	·02	—	7
8	—	—	·14	·25	·10	—	·65	—	·08	—	·03	·09	8
9	·08	·13	·07	·24	·15	—	·10	·10	—	—	—	·46	9
10	·76	·03	·02	·02	—	·02	·50	~~10~~	—	—	—	—	10
11	·64	·28	·05	·41	—	·27	·19	—	·02	—	·03	—	11
12	·18	·02	·12	·64	·25	·06	·17	·01	—	—	—	—	12
13	·22	·05	·13	·39	—	—	·13	~~01~~	—	·15	·26	—	13
14	·17	·03	·45	·05	—	·30	—	—	—	·20	—	—	14
15	·16	·09	·49	·70	—	—	·07	—	·11	·46	·10	—	15
16	·03	·13	·03	·19	·08	—	—	—	·03	·50	·24	—	16
17	—	—	·05	·04	—	·10	·09	—	·23	·33	·08	—	17
18	·08	—	·02	·93	·20	—	—	—	·25	1·72	—	—	18
19	·27	—	—	·09	·04	·24	·03	·36	·06	—	—	—	19
20	·10	·07	—	·45	—	·37	—	~~36~~	·11	·07	—	—	20
21	·08	—	—	·15	—	·16	—	—	·21	·19	—	·24	21
22	—	—	—	·27	—	—	·02	—	·07	—	—	·25	22
23	—	—	—	·04	—	·02	·04	—	—	—	—	·42	23
24	·02	—	·03	—	—	—	·26	·17 ,02	—	—	—	·30	24
25	—	—	·19	·05	—	·02	·03	~~17~~	—	—	·34	·07	25
26	·13	—	·185	—	·01	—	·66	—	—	—	—	—	26
27	·41		·21	—	—	·65	—	—	—	—	·04	·03	27
28	·35	·13	·14	·10	·02	·38	·11	—	—	—	·35	·60	28
29	·36	·05	·44	—	—	·10	·08	—	—	—	·06	·07	29
30	·15	✕	·37	·11	·16	·16	—	—	·07	—	·13	·15	30
31	·15	✕	—	✕	—	✕	·66	—	✕	·66	✕	·36	31
TOTAL	·07 ~~6·74~~ ~~5·71~~ 5·31	~~1·13~~ 1·06	·57 ~~3·61~~ 4·18	~~6·20~~ 5·63	2·10	·32 ~~2·25~~ 2·57	·04 ~~5·87~~ 5·59	~~1·51~~ 1·47	1·46 ~~1·76~~ 3·22	·61 ~~7·68~~ 7·68 6·93	·34 ~~2·31~~ 2·04	·17 ~~4·42~~ 4·25	44·35 ~~44·68~~ ~~44·55~~
Days with ·01 in. or more	23	~~13~~ 12	~~21~~ 22	~~23~~ 23	14	~~14~~ 15	23	~~10~~ 9	~~13~~ 16	16	14	16	203 203
Days with ·04 in. or more	20	9	~~18~~ 19	~~23~~ 22	11	~~11~~ 12	19	7 8	~~12~~ 14	16	10	15	174

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

~~Get these two records separate H.R.M.~~

NEWQUAY

THE TENNIS COURTS

CORNWALL

1911 - 1920

on 15.II.12

1911

Snowdon

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at The Tenn

in the County of

by C C

Reservoir gauge in 're

f top 5 in.

p above Ground 1 ft. — in.

„ Sea Level 190 ft.

9 am.

tion { Name Newquay
Distance 1/3 mile Direction N.E.

IMPORTANT … and the result entered to the previous day. If a … universal rule, he is earnestly requested to add the … ng year in the space provided for it at the end o … asurement of rain, the selection and … e British Rainfall Organization are give … on application to Dr. H. R. MILL, 62,

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	—	·08	·10	—	—	·01	—	·04	·07	—	1
2	—	—	·01	—	·14	—	—	·21	—	·16	·10	·09	2
3	—	—	·08	—	·24	—	—	·05	·02	—	·13	·18	3
4	—	—	·08	—	—	—	—	·80	—	·02	·22	·31	4
5	·43	—	·35	—	—	—	—	·09	—	·03	·17	·07	5
6	·12	—	·09	—	—	—	—	—	—	—	·09	1·04	6
7	·09	—	—	—	—	—	—	—	—	—	·62	·02	7
8	·08	—	·18	—	—	·01	—	—	—	—	·10	·43	8
9	·08	—	—	—	—	—	—	—	—	—	·18	·43	9
10	·03	·09	·42	—	—	—	—	—	—	—	·11	·20	10
11	·27	—	—	—	—	—	—	—	·29	—	·37	·19	11
12	—	—	·45	—	·08	—	—	·02	·30	—	·09	·25	12
13	—	—	·08	—	—	—	—	—	·10	—	·07	·06	13
14	—	·16	·07	—	—	—	—	—	—	·07	·15	·58	14
15	—	·02	·05	—	—	·04	—	—	—	—	·20	·03	15
16	·02	—	—	—	—	·43	—	—	—	—	·04	·15	16
17	—	·05	·22	·14	·01	·19	—	—	—	—	·22	·64	17
18	—	·26	·12	·26	—	·08	—	—	—	·02	·09	·15	18
19	—	·02	—	·02	—	·04	—	—	·81	·08	·12	·65	19
20	·01	·03	·09	·12	—	·01	—	—	·23	·68	·04	·57	20
21	·03	·09	·04	—	—	·01	—	—	·15	·17	·04	·17	21
22	·04	·03	—	·06	—	·11	—	—	·44	·15	—	·31	22
23	·04	·15	—	—	—	·06	—	·39	·05	·18	·10	·11	23
24	·04	·18	—	—	—	·29	—	—	—	·11	—	·35	24
25	·04	·04	—	·19	—	—	—	—	·05	·17	—	·13	25
26	—	·07	—	·33	—	—	·07	·08	—	·60	·02	·22	26
27	—	·60	·06	·02	—	—	—	·34	·21	·04	—	·14	27
28	—	·08	·11	·47	—	·01	·02	—	·09	·01	·02	·01	28
29	—		·06	·12	·01	·78	·52	·02	·24	·14	—	—	29
30	—		—	—	—	·01	·14	—	—	·24	·18	·16	30
31	—		—		—		·10	—		·04		—	31
Total	1·34	1·87	2·56	1·81	·58	2·07	·85	2·01	2·98	2·95	3·54	7·64	for year 30·20
No. of Rain Days.	15	15	18	11	6	14	5	10	13	19	25	28	179

W. 8,000, X. '11.

~~Get these two records separate HRM~~

n 15.II.12

1911

FORM A2.
BRITISH RAINFALL.
8 - JAN 1912

Kept at The Tennis Courts, Newquay,

in the County of Cornwall

by C Vigurs - Bam[illegible]

Reservoir gauge in red.

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 190 ft.

Time of Observation 9 am.

Nearest Railway Station
Name Newquay
Distance 1/3 mile Direction N.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	—	·08	·10	—		·01	—	·04	·07	—	1
2	—	—	·01	—	·14	—		·21	—	·16	·10	·09	2
3	—	—	·08	—	·24	—		·05	·02	—	·13	·18	3
4	—	—	·08	—	—	—		·80	—	·02	·22	·31	4
5	·43	—	·35	—	—	—		·09	—	·03	·17	·07	5
6	·12	—	·09	—	—	—		—	—	—	·09	1·04	6
7	·09	—	—	—	—	—		—	—	—	·62	·02	7
8	·08	—	·18	—	—	·01		—	—	—	·10	·43	8
9	·08	—	—	—	—	—		—	—	—	·18	·43	9
10	·03	·09	·42	—	—	—		—	—	—	·11	·20	10
11	·27	—	—	—	—	—		—	·29	—	·37	·19	11
12	—	—	·45	—	·08	—		·02	·30	—	·09	·25	12
13	—	—	·08	—	—	—		—	·10	—	·07	·06	13
14	—	·16	·07	—	—	—		—	—	·07	·15	·58	14
15	—	·02	·05	—	—	·04		—	—	—	·20	·03	15
16	·02	—	—	—	—	·43		—	—	—	·04	·15	16
17	—	·05	·22	·14	·01	·19		—	—	—	·22	·64	17
18	—	·26	·12	·26	—	·08		—	—	·02	·09	·15	18
19	—	·02	—	·02	—	·04		—	·81	·08	·12	·65	19
20	·01	·03	·09	·12	—	·01		—	·23	·68	·04	·57	20
21	·03	·09	·04	—	—	·01		—	·15	·17	·04	·17	21
22	·04	·03	—	·06	—	·11		—	·44	·15	—	·31	22
23	·04	·15	—	—	—	·06		·39	·05	·18	·10	·11	23
24	·04	·18	—	—	—	·29		—	—	·11	—	·35	24
25	·04	·04	—	·19	—	—		—	·05	·17	—	·13	25
26	—	·07	—	·33	—	—	·07	·08	—	·60	·02	·22	26
27	—	·60	·06	·02	—	—	—	·34	·21	·04	—	·14	27
28	—	·08	·11	·47	—	·01	·02	—	·09	·01	·02	·01	28
29	—		·06	·12	·01	·78	·52	·02	·24	·14	—	—	29
30	—		—	—	—	·01	·14	—	—	·24	·18	·16	30
31	—		—		—		·10	—		·04		—	31
Total	1·34	1·87	2·56	1·81	·58	2·07	·85	2·01	2·98	2·95	3·54	7·64	for year 30·20
No. of Rain Days.	15	15	18	11	6	14	5	10	13	19	25	28	179

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

Kept at The Tennis Courts, Newquay E4 RR
in the County of Cornwall
by C. C. Vigurs - BA, MD

Lat. 50° 25′ N Long. 5° 5′ W
Time of Observation 9 am.
Nearest Railway Station Newquay
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	·11	—	—	·92	·63	·23	·19	·15	—	·21	1
2	—	—	·15	·02	—	·42	·02	—	—	—	—	·01	2
3	·04	—	·24	·02	—	·04	—	1·06	·06	—	—	·05	3
4	·34	—	·30	—	·02	·54	·07	·02	—	—	·32	—	4
5	·51	·37	·28	—	·10	·01	·25	1·90	—	—	·01	·26	5
6	·29	·19	—	·01	·40	—	·03	·07	—	—	—	·05	6
7	·13	·60	·26	·03	·06	—	·05	·11	—	—	·02	·10	7
8	·31	·05	·10	—	—	·12	—	—	—	—	—	—	8
9	·01	·26	·06	·10	—	·06	·28	·06	—	—	·02	·64	9
10	·34	·04	·38	·25	—	·22	·11	—	·02	—	·08	·07	10
11	—	·10	—	—	—	—	—	·11	—	·01	·05	·52	11
12	·02	·08	·21	·02	—	—	·23	·48	—	—	·25	—	12
13	·30	—	·01	·02	—	·08	—	·03	—	·03	·06	·18	13
14	·04	·05	·47	—	—	—	—	·06	—	·01	—	·04	14
15	·66	·03	·02	—	·06	·80	—	·02	—	—	·03	·42	15
16	·23	—	·25	—	—	·05	—	·24	—	·09	·09	·09	16
17	—	—	·17	—	·01	·17	—	·47	—	—	·11	·09	17
18	—	·08	·23	—	·06	—	—	·47	—	·14	·02	·03	18
19	—	·07	·26	—	·05	·03	·08	·71	—	·07	—	·02	19
20	·04	·04	·24	—	·23	—	—	·11	—	·46	—	—	20
21	—	·24	·24	—	·02	—	·38	·06	—	·37	—	—	21
22	·15	·09	·42	—	—	·16	·07	·29	—	·10	—	·20	22
23	·09	·50	·25	—	—	·03	·11	·95	—	·23	·10	·44	23
24	·14	·05	·02	—	—	·17	·19	—	—	·09	—	·16	24
25	—	—	—	—	—	·01	·04	·11	—	·31	·32	·49	25
26	—	·02	—	—	—	—	·06	·31	—	·14	·60	·38	26
27	—	·03	·02	—	—	·21	·41	·06	—	·63	·26	·49	27
28	—	·12	—	—	—	·06	·27	·41	·32	·21	·27	·42	28
29	—	·14	·07	—	·09	·66	·21	·07	·18	·19	—	·11	29
30	—		·04	·06	·12	·09	·18	—	·08	·40	—	—	30
31	—		·44		·35		·07	—		·01		·11	31
Total	3·64	3·15	5·24	·53	1·57	4·85	3·74	8·41	·85	3·64	2·61	5·58	YEAR'S TOTAL 43·81
Rain Days.	17	21	26	9	13	21	21	25	6	19	17	25	220

W. 7,500, XI. ·12

FORM A.
BRITISH RAINFALL.

11 MAY 1914

REGISTER OF RAINFALL IN 1913

Kept at Newquay
in the County of Cornwall
by C Nizers

Lat. 50° 25' N Long. 5° 5' W
Time of Observation 7 am
Nearest Railway Station Newquay
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain ~~should~~ is be measured daily at ~~9~~ 7 a.m. and the result is entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·30	·29	·03	·02	—	—	—	·01	·06	·16	·02	1
2	·04	·07	·03	·16	·25	·22	—	—	—	·01	·16	·03	2
3	·05	·02	·06	—	·02	—	—	—	·38	·26	—	·19	3
4	·43	—	·03	·01	—	·03	—	—	·12	—	·06	·32	4
5	·09	·04	·01	—	·21	·18	—	—	1·02	—	·57	·90	5
6	·05	·05	·09	—	·10	·15	05	—	·04	·55	·37	·04	6
7	·11	·27	·04	—	·78	·02	09	—	—	·52	·15	·01	7
8	·36	·10	—	—	·33	—	12	·04	—	—	—	·06	8
9	·07	·07	·01	—	·05	·04	03	·04	·03		·55	·04	9
10	·59	—	—	—	·22	·02	—	—	—	·85	·10	—	10
11	·55	—	·03	—	·33	·15	02	·34	·07	·06	·24	·09	11
12	·09	—	—	—	·02	·02	—	—	·10	—	·22	—	12
13	·11	·01	·18	·02	·11	·02	·03	·02	·72	—	·21	—	13
14	·37	—	·13	·03	—	—	·26	·01	·56	·04	·11	—	14
15	·08	—	·33	·76	—	—	—	—	·23	—	·09	·05	15
16	·23	—	·73	·10	—	—	—	·01	·06	—	·03	—	16
17	·10	—	·02	·08	—	—	·02	—	—	—	·08	—	17
18	·04	—	·21	·20	—	·03	—	—	·01	—	·09	—	18
19	·47	—	·09	—	·07	—	—	—	·31	·20	—	—	19
20	·04	—	·25	·22	·01	—	—	—	—	·21	·32	—	20
21	·04	—	·08	·25	—	·16	·03	·05	—	·03	·43	—	21
22	·17	—	·75	·33	·02	·27	—	·16	·19	·16	—	·34	22
23	·05	—	—	—	·01	—	—	·11	·03	—	·13	·91	23
24	·02	·21	—	·08	—	·09	—	·01	—	—	·07	—	24
25	·03	—	—	·21	—	—	—	—	·11	·01	·05	·09	25
26	—	—	—	·64	—	·02	—	·07	·03	·03	·02	·24	26
27	·24	—	·25	·35	—	—	—	·07	—	·56	·03	·08	27
28	·03	—	·10	·13	·28	—	—	—	·36	·69	·02	·26	28
29	·04		·40	·25	·07	—	—	—	—	·33	·06	·27	29
30	·49		—	·06	·14	—	·01	—	—	·29	—	—	30
31	·11		·57		·02		—	·01		·01		—	31
Total	5·13	1·14	4·68	3·91	3·06	1·42	·66	·94	4·38	4·87	4·32	3·94	YEAR'S TOTAL 38·45
Rain Days.	30	10	23	19	20	15	10	13	19	19	25	18	221

W.7,000, XI. 13

only obsr. 13.III.15

referred 11.III.15

FORM A.
BRITISH RAINFALL.
11 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Newquay

in the County of Cornwall 1 RL

by C. C. Vigurs (for the U. D. Council)

With kind regards.

Lat. 50° 25′ N Long. 5° 5′ W

Time of Observation 7 am

Nearest Railway Station Newquay

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following:

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·05	·12	~~·01~~	·24	·05	·67	—	—	1·00	·20	1
2	·02	—	— tr	·02	·04	·02	·80	—	—	—	·01	·38	2
3	·04	—	·09	·19	·33	—	—	·06	—	·01	·04	·10	3
4	·14	—	·08	·21	·02	—	·68	·78	·35	—	·06	·99	4
5	·27	—	·23	·18	—	—	—	·01	—	—	·27	·16	5
6	·01	·17	·13	·04	·10	—	·07	·04	—	—	—	·30	6
7	·03	·43	·35	·12	·03	·34	·27	·17	·60	—	—	·25	7
8	·05	—	·88	·03	—	·10	—	·03	·01	—	·02	—	8
9	·01	·10	·22	·13	·08	·90	—	·11	·91	—	—	·08	9
10	·14	·30	·03	·40	·16	·04	—	—	·23	—	·06	·64	10
11	—	·26	·68	—	—	·09	—	—	·13	—	·09	·51	11
12	—	·41	·22	—	—	—	—	—	·04	·35	·07	·05	12
13	—	·24	·17	—	—	—	·07	—	·13	·46	·21	·06	13
14	—	·09	·16	—	—	·32	·01	·02	·03	—	·34	·31	14
15	—	·04	·10	—	—	—	— tr	·03	·09	—	·38	·39	15
16	—	—	—	—	—	—	·02	—	·17	—	—	·03	16
17	—	·32	·31	—	—	—	·02	—	— tr	—	—	·64	17
18	—	·19	·05	—	—	—	·02	—	·34	·01	—	·41	18
19	—	·05	·37	—	—	—	·65	—	— tr	—	·11	·18	19
20	—	·22	·13	—	—	·69	·01	—	—	·01	—	·33	20
21	—	·52	— tr	—	—	·03	·07	—	—	·14	—	·04	21
22	—	·10	·03	·02	—	—	—	·02	—	·28	—	—	22
23	—	·16	·21	—	·09	·01	·03	·08	—	·12	—	—	23
24	—	·10	·05	—	—	·04	—	·01	—	·06	·04	—	24
25	·26	—	·33	—	—	—	·02	·37	—	·35	— tr	·25	25
26	·06	·04	·07	—	—	—	·12	·01	— tr.	·05	·22	·43	26
27	·11	·05	— tr	—	—	—	·06	—	—	·13	·17	·23	27
28	·03	·05	·20	—	·01	—	·03	—	—	·43	·12	·60	28
29	·23	✗	·12	—	·14	—	·02	—	—	·04	·27	·04	29
30	— tr	✗	·06	—	—	—	—	—	—	·05	·53	·32	30
31	·02	✗	—	✗	·03	✗	·56	—	✗	·10	✗	·39	31
Total	1·42 ✓	3·84 ✓	5·32 ✓	1·46 ✓	1·03 ✓	2·82 ✓	3·58 ✓	2·41 ✓	3·03 ✓	2·59	4·01	7·71 ✓	YEAR'S TOTAL 39·22 ✓
Rain Days.	~~15~~	~~20~~	~~26~~	~~11~~	~~11~~	~~12~~	~~20~~	~~15~~	~~12~~	~~16~~	~~19~~	~~27~~	82 ~~204~~ ✓

W. 8,000. X. 14.

✓ Ex RA 1045

FORM A. BRITISH RAINFALL 12 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Newquay

in the County of Cornwall

by A O Braggins

Lat. 50° 25' N Long. 5° 5' W

Time of Observation 7 am

Nearest Railway Station Newquay

Diameter of Funnel of Rain Gauge ...... in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.	0.36	0.18	0.29	0.04	0.20	1
2							.	0.07	0.27	0.01	.	0.34	2
3							0.01	.	.	.	.	0.59	3
4							.	.	.	.	.	0.45	4
5							.	0.14	.	.	.	0.82	5
6							0.39	0.03	.	.	.	0.06	6
7							0.36	.	.	0.71	0.01	0.34	7
8							.	0.17	.	0.05	0.09	0.12	8
9							.	0.02	.	.	0.03	0.79	9
10							.	0.12	.	0.30	0.01	0.02	10
11							.	.	.	0.04	0.65	0.24	11
12							.	0.02	.	0.03	0.27	0.22	12
13							0.05	0.01	0.04	0.05	0.06	0.02	13
14							0.21	0.09	0.10	0.01	0.28	0.96	14
15							0.23	0.01	0.08	.	0.04	0.06	15
16							1.24	.	.	.	.	0.02	16
17							.	.	.	0.01	.	.	17
18							0.04	0.04	.	.	.	.	18
19							0.12	.	.	.	.	.	19
20							0.05	.	.	0.24	.	.	20
21							0.12	.	.	.	.	.	21
22							0.26	.	0.01	0.29	.	0.49	22
23							0.17	.	0.01	0.10	.	0.44	23
24							0.02	.	0.50	0.39	.	0.18	24
25							0.03	.	.	.	0.02	0.26	25
26							0.01	.	0.13	.	.	0.42	26
27							0.06	.	0.08	0.44	0.03	.	27
28							.	0.08	0.26	0.15	.	0.04	28
29							.	0.04	0.52	0.01	0.27	0.12	29
30		✕					.	.	0.02	0.53	0.51	0.28	30
31		✕		✕		✕	0.26	0.02	✕	0.20	✕	0.11	31
Total	4.70	6.61	0.48	1.58	2.10	2.57	3.63	1.22	2.20	3.85	2.31	7.59	YEAR'S TOTAL 38.84
Rain Days.	25	26	8	13	12	12	18	15	13	19	~~13~~ 14	25	~~195~~ 260

W. 8,000. X. 15.

JUN 1917

	January ml.	February ml.	March ml.	April ml.	May ml.	June ml	July ml.	Aug. ml.	Sept. ml.	October ml	November ml	December ml.
1st	4.8	0.0	11.9	0.0	3.5	0.0	5.5	0.0	8.5	8.6	1.9	0.0
2	9.2	3.1	12.3	0.0	0.8	0.0	0.0	0.0	8.5	4.2	9.9	0.0
3	2.1	47.1	2.5	0.0	4.4	5.4	1.1	0.0	1.4	11.1	10.4	0.9
4	4.6	24.7	0.8	1.3	11.3	2.5	0.0	0.0	1.6	0.2	19.8	1.0
5	4.8	2.9	0.7	2.9	5.8	1.0	0.4	0.0	0.5	2.2	8.4	0.8
6	2.1	9.2	0.8	0.0	3.0	1.3	15.2	0.0	0.0	1.1	11.4	0.0
7	2.0	9.9	0.5	0.0	5.4	10.9	0.0	0.0	0.2	6.1	19.5	3.6
8	0.7	10.0	2.0	0.8	5.9	5.2	1.0	0.0	0.0	0.0	3.5	5.5
9	0.3	13.8	0.0	0.8	5.3	0.5	0.6	0.0	0.0	4.3	5.0	17.6
10	0.0	33.4	0.0	2.2	0.6	0.2	0.0	0.0	0.0	0.0	1.0	2.1
11	0.0	23.4	0.0	4.6	3.9	0.0	0.0	0.0	0.5	0.0	1.0	4.8
12	2.7	2.8	1.2	3.1	5.7	0.0	1.2	1.5	0.0	5.3	0.7	0.0
13	1.1	10.9	2.7	1.6	1.2	0.0	0.2	1.1	0.0	0.0	0.2	0.8
14	1.2	12.0	6.6	2.9	2.5	0.0	0.0	17.7	2.0	1.7	0.5	0.0
15	1.7	13.7	12.2	1.1	0.0	0.0	0.0	1.7	0.0	0.0	0.0	3.2
16	0.9	5.1	0.3	5.1	0.0	0.0	0.7	16.2	0.0	9.1	11.5	0.0
17	5.1	1.2	1.3	2.5	0.0	0.0	0.1	0.2	2.2	4.9	31.0	0.0
18	2.2	3.6	6.3	1.7	0.0	0.0	0.0	0.0	3.8	5.7	0.2	12.6
19	3.9	1.2	6.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	11.5	1.5
20	3.9	7.2	1.1	2.6	0.0	0.0	0.0	0.3	0.0	0.0	3.4	5.8
21	1.9	12.2	7.1	0.0	1.0	0.0	0.0	0.0	0.0	0.0	4.4	5.4
22	0.5	0.0	7.8	0.0	0.0	2.5	0.0	1.4	0.0	8.2	1.5	17.8
23	2.4	0.0	1.7	0.9	0.0	5.4	0.3	5.2	0.0	2.7	2.7	2.8
24	0.9	1.0	7.4	1.3	6.1	1.0	0.0	3.8	0.1	11.2	0.1	8.0
25	0.0	6.0	10.2	0.0	0.5	1.1	0.0	5.7	0.2	5.3	4.7	1.8
26	0.4	6.7	0.5	0.0	0.5	2.3	0.0	2.2	7.0	20.4	3.4	0.0
27	0.6	0.3	56.8	0.0	0.9	3.0	0.0	1.3	5.1	14.4	0.0	0.0
28	0.1	0.0	23.8	0.0	0.0	2.6	0.0	2.0	3.7	11.6	0.0	12.8
29	0.0	5.2	3.1	0.0	0.0	13.1	0.0	10.7	1.4	3.7	0.0	8.1
30	0.0	—	3.0	0.0	0.0	0.4	0.0	0.0	0.0	2.5	0.0	0.9
31.	0.0	—	0.0	—	0.0	—	0.3	3.3.	—	1.1	—	1.6
	60.1=	266.6 =	190.4=	38.8=	68.3 =	58.4 =	26.6=	74.3=	38.7=	145.6=	167.6=	119.4=
	60.2 2.37.	10.50.	7.50.	1.53.	2.69.	2.30	1.05.	2.92	1.52	5.73.	6.60	4.70.

Millimetres. 1354.9

inches. 49.42

See B.

2 Entered 6.VI.17

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.

20 JAN 1917

Kept at Newquay.

in the County of Cornwall

by G. Kerrick (acting)

Lat. Long.

Time of Observation 7 am & 18h G.M.T.

Nearest Railway Station Same as 1915.

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. A/T looks high.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0·19	0·00	0·46	0·00	0·14	0·00	0·22	0·00	0·02	0·36	0·08	0·00	1
2	0·36	0·12	0·48	0·00	0·03	0·00	0·00	0·00	0·34	0·17	0·39	0·00	2
3	0·08	1·86	0·10	0·00	0·17	0·21	0·04	0·00	0·06	0·44	0·41	0·04	3
4	0·18	0·97	0·03	0·05	0·45	0·10	0·00	0·00	0·06	0·01	0·78	0·04	4
5	0·19	0·12	0·03	0·11	0·23	0·04	0·02	0·00	0·02	0·13	0·33	0·03	5
6	0·08	0·36	0·03	0·00	0·12	0·05	0·60	0·00	0·00	0·04	0·45	0·00	6
7	0·08	0·39	0·02	0·00	0·21	0·43	0·00	0·00	0·01	0·01	0·77	0·14	7
8	0·03	0·39	0·08	0·03	0·23	0·21	0·04	0·00	0·00	0·00	0·14	0·22	8
9	0·01	0·56	0·00	0·03	0·21	0·02	0·02	0·00	0·00	0·17	0·20	0·69	9
10	0·00	1·32	0·00	0·09	0·02	0·01	0·00	0·00	0·00	0·00	0·04	0·08	10
11	0·00	0·92	0·00	0·18	0·15	0·00	0·00	0·00	0·02	0·00	0·04	0·19	11
12	0·11	0·11	0·05	0·12	0·23	0·00	0·05	0·06	0·00	0·21	0·03	0·00	12
13	0·06	0·63	0·11	0·06	0·05	0·00	0·01	0·04	0·00	0·00	0·01	0·03	13
14	0·05	0·47	0·26	0·11	0·10	0·00	0·00	0·70	0·08	0·07	0·02	0·00	14
15	0·07	0·54	0·48	0·04	0·00	0·00	0·00	0·07	0·00	0·00	0·00	0·13	15
16	0·03	0·20	0·01	0·20	0·00	0·00	0·03	0·64	0·00	0·36	0·45	0·00	16
17	0·20	0·05	0·05	0·10	0·00	0·00	0·00	0·01	0·09	0·19	1·22	0·00	17
18	0·09	0·14	0·25	0·07	0·00	0·00	0·00	0·00	0·15	0·23	0·01	0·50	18
19	0·15	0·05	0·24	0·13	0·00	0·00	0·00	0·00	0·00	0·00	0·45	0·06	19
20	0·15	0·28	0·04	0·10	0·00	0·00	0·00	0·05	0·00	0·00	0·13	0·23	20
21	0·08	0·48	0·28	0·00	0·04	0·00	0·00	0·00	0·00	0·00	0·17	0·21	21
22	0·02	0·00	0·31	0·00	0·00	0·10	0·00	0·06	0·00	0·32	0·06	0·70	22
23	0·10	0·00	0·07	0·04	0·00	0·21	0·01	0·21	0·00	0·11	0·11	0·11	23
24	0·04	0·04	0·29	0·05	0·24	0·04	0·00	0·15	0·00	0·44	0·00	0·32	24
25	0·00	0·24	0·40	0·00	0·02	0·04	0·00	0·23	0·01	0·21	0·19	0·07	25
26	0·02	0·26	0·02	0·00	0·02	0·09	0·00	0·09	0·28	0·80	0·13	0·00	26
27	0·02	0·01	2·23	0·00	0·04	0·12	0·00	0·05	0·20	0·57	0·00	0·00	27
28	0·00	0·00	0·94	0·00	0·00	0·10	0·00	0·08	0·15	0·46	0·00	0·50	28
29	0·00	0·21	0·12	0·00	0·00	0·52	0·00	0·42	0·06	0·15	0·00	0·32	29
30	0·00	✕	0·02	0·00	0·00	0·02	0·00	0·00	0·00	0·06	0·00	0·04	30
31	0·00	✕	0·00	✕	0·00	✕	0·01	0·13	✕	0·04	✕	0·06	31
Total	2·37	10·50	7·50	1·51	2·70	2·31	1·05	2·99	1·55	5·53	6·61	4·71	YEAR'S TOTAL 49·33
Rain Days.	24	25	27	17	19	17	11	16	15	23	24	22	240

W. 8,000, VIII. 16

See B.

1854

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at Newquay
in the County of Cornwall
by Gracie Kernick

Lat. Long.
Time of Observation 7am + 6pm.
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan. Mm.	Feb. mm.	March.	April.	May.	June. 8.6	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.3	0.0	0.0	4.6	0.0	3.0	0.0	0.0	0.4	0.0	2.9	0.0	2.06 1
2	0.4	0.0	1.2	5.0	0.0	1.0	0.1	0.0	0.0	1.4	8.3	0.0	1.41 2
3	2.4	0.0	1.4	1.1	0.0	0.0	0.0	0.0	0.0	2.9	6.6	0.0	3
4	0.7	6.6	25.2	0.8	0.0	0.0	0.9	0.0	1.1	7.9	0.0	0.0	4
5	3.1	0.3	12.1	7.3	3.2	2.2	0.0	0.1	0.1	6.4	1.6	0.0	5
6	0.4	0.0	10.0	0.9	0.0	11.2	0.0	0.0	0.0	1.8	3.6	1.2	6
7	17.3	0.0	0.0	0.8	0.0	0.0	3.1	14.3	0.0	5.9	1.9	0.3	7
8	1.4	0.3	5.4	1.4	0.0	0.8	2.5	4.1	3.1	4.8	7.7	13.3	8
9	0.2	0.0	0.8	1.1	2.5	0.0	0.0	0.0	1.2	3.4	3.3	1.2	9
10	17.4	0.0	7.8	5.6	0.0	0.0	0.0	7.0	0.0	2.9	2.3	0.0	10
11	0.9	0.0	8.7	3.1	0.0	0.0	0.0	0.0	0.0	17.4	10.9	0.0	11
12	4.1	0.0	3.0	1.2	2.5	0.0	0.0	2.9	0.0	11.9	0.1	0.0	12
13	2.7	0.0	2.4	0.8	0.1	0.8	0.0	4.4	5.1	13.8	0.0	0.0	13
14	0.0	0.0	0.0	1.8	0.8	0.0	0.1	7.2	2.8	7.2	0.5	0.0	14
15	0.9	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.8	5.7	0.0	8.6	15
16	0.0	0.1	0.1	0.0	0.5	0.0	0.0	0.9	0.0	5.7	0.0	5.3	16
17	0.0	0.4	0.1	1.4	0.7	0.0	8.1	0.7	6.2	2.3	0.1	0.1	17
18	0.0	0.5	0.0	0.0	2.2	1.8	5.1	0.0	17.7	1.1	0.0	0.0	18
19	0.0	15.9	2.0	0.0	0.0	7.6	0.3	0.0	1.8	0.0	0.2	0.0	19
20	0.0	4.2	1.0	0.0	18.5	5.0	0.2	0.0	0.8	0.0	0.1	0.0	20
21	0.0	0.7	3.3	0.0	1.8	0.2	0.2	3.7	0.0	0.9	0.1	1.6	21
22	0.0	0.0	0.0	0.0	1.2	1.8	0.0	21.9	0.0	3.0	0.1	0.0	22
23	0.0	6.2	0.0	0.0	2.9	1.1	0.1	3.9	0.0	4.8	1.6	0.8	23
24	0.0	0.0	0.0	0.0	0.0	0.2	4.4	0.4	0.0	1.7	2.3	0.2	24
25	0.0	0.6	0.2	0.0	0.0	3.0	1.0	8.5	1.0	0.5	0.7	0.0	25
26	0.0	0.0	0.0	0.0	27.2	3.3	0.1	4.7	3.1	0.8	0.6	0.0	26
27	0.0	0.0	0.0	0.0	0.0	13.8	1.1	20.7	0.0	3.4	0.6	0.0	27
28	0.0	0.0	6.1	0.0	0.3	42.9	2.2	4.7	0.0	1.7	0.9	0.0	28
29	0.0	X	4.0	0.0	0.0	0.0	0.0	0.8	0.0	7.0	0.8	2.5	29
30	0.0	X	3.7	0.0	0.0	0.0	0.0	3.6	0.0	0.7	0.2	0.0	30
31	0.0	X	4.3	X	7.0	X	0.0	1.1.	X	6.5	X	0.0	31
Total	52.2	35.8.	102.8.	36.9	72.4	99.7	99.5	115.6	45.2	133.5	58.0	35.1	816.7
Rain Days	~~2.06in.~~	~~1.41~~	~~4.05~~	~~1.46~~	~~2.85~~	~~3.93~~	~~1.16~~	~~4.55.~~	~~1.78.~~	~~5.26~~	~~2.25~~	~~1.38~~	
	13 14	10	~~18~~ 19	15	15	~~15~~ 17	~~10~~ 12	19	13	28	~~18~~ 20	~~9.~~ 10	192

W. 8,000, IX. 17.

Ex. pe

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
27. 1. 19

Kept at Newquay
in the County of Cornwall
by G. Kernick

Lat. 50° 25' Long. 5° 5' W.
Time of Observation 7 h.
Nearest Railway Station Newquay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Readings entered to previous day

Millimetres

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	0.1	1.6	—	3.1	2.2	0.0	0.0	9.1	0.2	0.1	21.7	0.0	1
2	—	5.2	—	1.0	0.5	0.1	0.0	27.0	2.6	0.4	3.1	8.5	2
3	—	4.2	—	1.5	5.6	0.0	0.0	0.0	3.1	3.3	3.0	1.9	3
4	—	0.1	—	3.5	0.0	0.0	0.0	3.5	16.8	0.0	11.5	9.3	4
5	—	0.6	3.3	4.4	0.0	0.0	0.0	4.6	12.7	4.7	0.0	3.0	5
6	8.4	17.3	4.0	3.2	0.0	0.5	0.0	2.1	0.0	9.2	0.0	1.7	6
7	3.7	5.3	—	—	0.0	1.3	0.0	0.7	22.9	3.1	5.5	5.0	7
8	1.1	1.0	—	—	0.0	2.1	0.5	0.0	4.8	9.5	0.0	0.4	8
9	1.8	—	—	2.7	0.0	3.8	1.2	0.1	8.5	1.0	1.5	8.2	9
10	0.5	—	—	4.0	0.0	0.0	9.4	0.0	5.5	1.9	0.0	5.5	10
11	0.1	—	3.1	0.3	0.0	0.0	2.0	0.0	9.5	17.3	1.6	2.8	11
12	0.6	0.8	0.2	0.0	3.0	0.0	6.3	0.0	0.1	5.2	0.1	0.7	12
13	—	—	—	0.0	2.0	0.0	2.4	0.0	6.8	2.4	0.0	9.0	13
14	8.3	—	—	0.0	1.3	2.1	0.4	0.0	8.0	0.7	0.0	4.9	14
15	25.8	—	—	0.0	0.6	14.0	10.9	0.0	3.3	3.7	0.0	9.0	15
16	11.4	—	—	7.2	0.0	3.1	1.1	0.0	3.8	0.2	0.0	1.2	16
17	5.4	—	—	4.6	0.2	0.1	5.8	0.0	0.5	2.3	0.0	6.0	17
18	16.8	2.0	2.5	0.0	0.0	8.2	2.0	1.1	16.5	4.7	0.0	8.5	18
19	4.3	1.2	4.4	3.5	0.0	0.0	2.4	0.7	5.1	0.1	0.0	2.3	19
20	2.5	2.9	—	0.6	0.0	0.6	5.3	0.0	3.6	0.0	0.0	0.5	20
21	7.5	—	—	0.1	0.2	0.7	2.1	0.0	15.7	5.6	0.0	8.3	21
22	0.3	—	—	0.0	3.6	0.0	19.4	0.0	2.6	0.2	0.0	4.7	22
23	1.1	0.4	—	0.0	0.6	1.1	0.4	0.0	1.1	0.0	4.6	5.7	23
24	—	4.4	—	0.0	0.0	1.0	0.9	2.0	3.1	0.0	4.7	2.2	24
25	—	—	—	0.0	2.7	0.0	5.0	20.7	0.0	2.1	3.8	0.0	25
26	0.5	3.5	—	0.0	0.1	0.0	4.7	0.1	1.4	0.8	0.8	7.6	26
27	0.1	7.0	1.2	0.0	0.0	0.0	0.0	0.8	3.4	0.7	6.1	0.8	27
28	0.2	6.2	4.9	0.0	0.0	0.0	0.0	0.0	4.1	0.3	10.7	2.2	28
29	—	X	1.7	0.0	0.0	0.0	0.0	0.0	25.9	0.1	4.5	1.1	29
30	—	X	9.0	6.4	0.0	0.0	0.0	0.5	3.0	1.2	3.6	5.5	30
31	—	X	5.8	X	0.0	X	0.0	0.0	X	4.0	X	0.8	31
Total	100.5	53.7	40.1	46.1	22.6	38.7	82.5	73.0	194.6	84.8	86.8	127.3	YEAR'S TOTAL 950.7 mm
Rain Days.	18	16	11	14	12	12	19	12	27	24	15	29	209
	3.96	2.11	1.58	1.81	0.89	1.52	3.25	2.87	7.66	3.34	3.42	5.01	inches

W. 8,000, IX. 17.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Newquay

in the County of Cornwall

by

Lat. Long.

Time of Observation 7h

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

„ „ „ „ Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	12·0	-	4·2	1·9	2·0	-	7·5	0·1	7·0	1·8	-	22·7	1
2	5·8	-	0·4	0·1	0·5	-	-	-	0·1	0·2	-	2·5	2
3	2·7	-	3·0	-	5·9	-	-	-	1·2	-	-	3·6	3
4	1·6	14·3	7·3	-	0·2	0·3	-	2·6	5·1	-	-	-	4
5	2·7	5·2	0·3	-	0·8	-	-	-	-	-	-	1·0	5
6	18·0	24·5	5·0	-	-	-	-	-	-	-	-	4·0	6
7	7·0	-	3·8	2·8	-	-	-	-	0·4	-	0·3	2·0	7
8	5·1	-	6·6	0·6	0·8	1·4	-	-	-	-	15·8	0·1	8
9	3·6	-	0·3	6·2	6·0	-	-	-	-	-	3·9	0·9	9
10	5·0	-	17·8	0·1	0·4	-	-	-	-	2·0	0·7	8·5	10
11	1·9	-	6·6	3·8	5·5	1·4	4·3	-	0·1	0·2	0·5	4·7	11
12	6·7	-	0·5	0·9	-	0·2	0·1	-	0·2	4·2	0·7	-	12
13	4·0	2·2	5·0	8·1	-	-	-	-	1·3	0·2	-	3·0	13
14	9·5	3·9	-	10·2	0·3	-	-	-	0·1	2·4	-	4·6	14
15	17·7	0·6	-	0·6	-	-	-	-	-	0·5	-	9·6	15
16	2·7	14·0	1·0	-	1·5	0·4	1·5	-	-	-	8·1	-	16
17	0·1	21·0	0·1	-	0·5	0·2	0·2	-	-	-	5·7	0·1	17
18	4·7	5·3	4·1	0·7	0·6	-	5·7	7·6	0·5	-	6·6	0·2	18
19	11·4	6·9	2·7	-	-	4·3	0·1	9·9	5·3	-	1·8	1·9	19
20	6·0	-	2·4	-	4·8	1·2	-	1·4	1·2	-	7·7	1·8	20
21	10·1	14·6	-	-	8·9	-	0·9	0·8	4·0	-	1·5	3·5	21
22	-	-	-	-	0·1	-	1·3	-	8·0	-	0·6	2·3	22
23	0·1	-	-	-	-	-	-	0·7	-	3·2	0·7	4·4	23
24	-	-	-	-	-	6·0	-	0·2	0·4	5·5	2·3	9·3	24
25	5·3	2·1	-	-	-	-	-	13·1	-	0·4	1·6	2·4	25
26	1·3	1·8	1·6	0·1	-	-	-	1·8	4·0	0·5	3·4	8·9	26
27	2·6	0·8	1·5	10·4	-	-	-	18·5	0·6	3·6	1·1	2·0	27
28	0·3	1·9	15·3	4·1	-	-	-	1·5	-	1·6	4·1	14·3	28
29	-		1·1	4·4	-	-	-	4·6	-	1·3	-	0·4	29
30	-		0·2	2·0	-	4·8	-	4·4	-	-	5·5	10·0	30
31	0·1		3·9		-		1·2	-		-		7·3	31
TOTAL	148·0	119·1	94·7	67·0	38·8	20·2	22·8	67·2	39·5	27·6	72·6	136·0	YEAR'S TOTAL 843·5
Days with 0·2 mm. or more	24	15	23	14	15	10	8	13	14	15	20	26	197

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

74

Ex. [illegible]

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Newquay
in the County of Cornwall
by till Sep 30th – Miss G. Kernick
after Sep 30th – C. C. Vigurs –

Lat. 50° 25′ Long. 5° 5′
Time of Observation 9h.
Nearest Railway Station Newquay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. Readings entered to previous day.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	12.0	—	4.2	1.9	2.0	—	7.5	0.1	7.0	1.8	—	22.7	1
2	5.8	—	0.4	0.1	0.5	—	—	—	0.1	0.2	—	2.5	2
3	2.7	—	3.0	—	5.9	—	—	—	1.2	—	—	3.6	3
4	1.6	14.3	7.3	—	0.2	0.3	—	2.6	5.1	—	—	—	4
5	2.7	5.2	0.3	—	0.8	—	—	—	—	—	—	1.0	5
6	18.0	24.5	5.0	—	—	—	—	—	—	—	—	4.0	6
7	7.0	—	3.8	2.8	—	—	—	—	0.4	—	0.3	2.0	7
8	5.1	—	6.6	0.6	0.8	1.4	—	—	—	—	15.8	0.1	8
9	3.6	—	0.3	6.2	6.0	—	—	—	—	—	3.9	0.9	9
10	5.0	—	17.8	0.1	0.4	—	—	—	—	2.0	0.7	8.5	10
11	1.9	—	6.6	3.8	5.5	1.4	4.3	—	0.1	0.2	0.5	4.7	11
12	6.7	—	0.5	0.9	—	0.2	0.1	—	0.2	4.2	0.7	—	12
13	4.0	2.2	5.0	8.1	—	—	—	—	1.3	0.2	—	3.0	13
14	9.5	3.9	—	10.2	0.3	—	—	—	0.1	2.4	—	4.6	14
15	17.7	0.6	—	0.6	—	—	—	—	—	0.5	—	9.6	15
16	2.7	14.0	1.0	—	1.5	0.4	1.5	—	—	—	8.1	—	16
17	0.1	21.0	0.1	—	0.5	0.2	0.2	—	—	—	5.7	0.1	17
18	4.7	5.3	4.1	0.7	0.6	—	5.7	7.6	0.5	—	6.6	0.2	18
19	11.4	6.9	2.7	—	—	4.3	0.1	9.9	5.3	—	1.8	1.9	19
20	6.0	—	2.4	—	4.8	1.2	[illegible]	1.4	1.2	—	7.7	1.8	20
21	10.1	14.6	—	—	8.9	—	0.9	0.8	4.0	—	1.5	3.5	21
22	—	—	—	—	0.1	—	1.3	—	8.0	—	0.6	2.3	22
23	0.1	—	—	—	—	—	—	0.7	—	3.2	0.7	4.4	23
24	—	—	—	—	—	6.0	—	0.2	0.4	5.5	2.3	9.3	24
25	5.3	2.1	—	—	—	—	—	13.1	—	0.4	1.6	2.4	25
26	1.3	1.8	1.6	0.1	—	—	—	1.8	4.0	0.5	3.4	8.9	26
27	2.6	0.8	1.5	10.4	—	—	—	18.5	0.6	3.6	1.1	2.0	27
28	0.3	1.9	15.3	4.1	—	—	—	1.5	—	1.6	4.1	14.3	28
29	—		1.1	4.4	—	—	—	4.6	—	1.3	—	0.4	29
30	—		0.2	2.0	—	4.8	—	4.4	—	—	5.5	10.0	30
31	0.1		3.9		—		1.2	—		—		7.3	31
TOTAL	148.0 ins 5.83	119.1 4.69	94.7 3.73	57.0 2.24	38.8 1.53	20.2 .80	22.8 .90	67.2 2.65	39.5 1.56	27.6 1.09	72.6 2.86	136.0 5.36	YEAR'S TOTAL 843.5 ✓ = 33.22
Days with 0·2 mm. or more	24	15	23	14	15	10	8	13	14	15	20	26	197 ✓

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Exd Sea cont'd A 1053

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Newquay (MO)
in the County of Cornwall
by C. C. Vigurs, B.A., M.D.

Lat. 50° 25' N Long 5° 5' W
Time of Observation 9h, 18h
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 190 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.3	-	0.5	1.4	8.2	-	22.0	5.5	2.2	13.6	-	9.6	1
2	8.5	-	0.2	1.5	0.1	-	-	1.6	5.8	2.0	-	2.3	2
3	8.8	1.7	-	5.8	2.5	-	-	0.9	0.6	18.9	-	7.6	3
4	-	-	0.9	-	-	-	-	10.0	0.1	10.5	-	—	4
5	-	-	1.4	-	8.8	-	7.7	0.4	-	1.3	-	-	5
6	-	-	9.3	2.0	2.7	-	6.2	-	-	3.9	0.5	-	6
7	1.1	0.1	3.7	7.4	3.0	-	15.8	-	1.9	-	0.6	0.7	7
8	1.6	0.9	0.2	4.2	3.6	-	3.0	3.6	-	0.1	-	8.0	8
9	19.1	0.9	0.9	0.1	-	1.0	15.1	-	-	0.2	-	-	9
10	15.6	7.1	1.8	8.2	-	3.1	0.9	-	-	-	0.9	-	10
11	10.6	0.3	1.8	7.9	6.5	3.0	3.3	-	-	0.3	-	-	11
12	5.0	1.5	1.8	10.3	0.1	0.4	0.9	0.4	0.1	0.1	5.5	-	12
13	2.9	0.6	9.1	0.1	-	13.7	-	-	-	7.3	-	-	13
14	3.8	1.1	8.1	12.3	-	-	1.4	-	4.0	11.2	3.3	-	14
15	0.7	3.5	0.1	5.4	1.8	-	-	-	-	12.4	5.4	-	15
16	-	-	0.7	0.5	0.2	1.7	1.0	-	4.3	3.6	2.2	-	16
17	2.2	-	0.1	-	3.2	0.4	0.5	-	6.0	57.4	-	-	17
18	5.8	-	-	2.0	0.6	5.5	-	8.0	0.5	-	-	-	18
19	2.1	0.4	-	11.3	0.4	9.1	-	-	-	1.5	-	0.2	19
20	0.7	-	-	1.1	-	1.7	-	-	1.0	1.3	-	5.9	20
21	-	-	-	4.9	-	-	0.1	-	-	0.1	-	5.4	21
22	1.0	-	0.2	0.5	-	-	1.6	-	-	-	-	8.5	22
23	-	-	1.0	-	-	-	5.3	3.3	0.1	-	-	7.0	23
24	2.1	0.2	3.6	0.8	-	-	0.9	0.2	0.1	-	5.5	2.5	24
25	2.6	-	4.3	-	0.2	0.1	13.8	-	-	-	-	0.1	25
26	10.0	0.1	6.4	-	-	0.8	0.1	-	-	-	2.5	1.0	26
27	7.1	2.5	2.0	2.2	0.4	9.3	3.0	-	-	-	6.3	8.7	27
28	8.5	0.5	7.3	0.4	-	2.7	0.7	-	-	-	0.5	2.0	28
29	3.2	0.1	8.9	0.4	4.9	3.8	0.4	-	11.3	-	3.1	4.5	29
30	4.0		0.5	0.2	-	5.7	11.7	-	22.6	10.7	8.4	9.2	30
31	1.9		10.5		-		0.3	-		12.8		3.5	31
TOTAL	129.2	21.5	85.3	90.9	47.2	62.0	115.7	33.9	60.6	169.2	44.7	86.7	946.9 YEAR'S TOTAL
Days with 0·2 mm. or more	25	13	24	22	15	15	21	10	11	17	13	17	203
10	22	6	16	16	10	12	14	6	9	15	9	15	140

(44,284). Wt.21,958—216. 500. 11/19. Gp.136 A.&E.W.

Fx R/ Cardy M.O 1653

1921

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Tennis Courts Newquay

in the County of Cornwall

by C. C. Vigurs

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.3	—	0.5	1.4	8.2	—	22.0	5.5	2.2	13.6	—	9.6	1
2	8.5	—	0.2	1.5	0.1	—	—	1.6	5.8	2.0	—	2.3	2
3	8.8	1.7	—	5.8	2.5	—	—	0.9	0.6	18.9	—	7.6	3
4	—	—	0.9	—	—	—	—	10.0	0.1	10.5	—	—	4
5	—	—	1.4	—	8.8	—	7.7	0.4	—	1.3	.	—	5
6	—	—	9.3	2.0	2.7	—	6.2	—	—	3.9	0.5	—	6
7	1.1	0.1	3.7	7.4	3.0	—	15.8	—	1.9	—	0.6	0.7	7
8	1.6	0.9	0.2	4.2	3.6	—	3.0	3.6	—	0.1	—	8.0	8
9	19.1	0.9	0.9	0.1	—	1.0	15.1	—	—	0.2	—	—	9
10	15.6	7.1	1.8	8.2	—	3.1	0.9	—	—	—	0.9	—	10
11	10.6	0.3	1.8	7.9	6.5	3.0	3.3	—	—	0.3	—	—	11
12	5.0	1.5	1.8	10.3	0.1	0.4	0.9	0.4	0.1	0.1	5.5	—	12
13	2.9	0.6	9.1	0.1	—	13.7	—	—	—	7.3	—	—	13
14	3.8	1.1	8.1	12.3	—	—	1.4	—	4.0	11.2	3.3	—	14
15	0.7	3.5	0.1	5.4	1.8	—	—	—	—	12.4	5.4	—	15
16	—	—	0.7	0.5	0.2	1.7	1.0	—	4.3	3.6	2.2	—	16
17	2.2	—	0.1	—	3.2	0.4	0.5	—	6.0	57.4	—	—	17
18	5.8	—	—	2.0	0.6	5.5	—	8.0	0.5	—	—	—	18
19	2.1	0.4	—	11.3	0.4	9.1	—	—	—	1.5	—	0.2	19
20	0.7	—	—	1.1	—	1.7	—	—	1.0	1.3	—	5.9	20
21	—	—	—	4.9	—	—	0.1	—	—	0.1	—	5.4	21
22	1.0	—	0.2	0.5	—	—	1.6	—	—	—	—	8.5	22
23	—	—	1.0	—	—	—	5.3	3.3	0.1	—	—	7.0	23
24	2.1	0.2	3.6	0.8	—	—	0.9	0.2	0.1	—	5.5	2.5	24
25	2.6	—	4.3	—	0.2	0.1	13.8	—	—	—	—	0.1	25
26	10.0	0.1	6.4	—	—	0.8	0.1	—	—	—	2.5	1.0	26
27	7.1	2.5	2.0	2.2	0.4	9.3	3.0	—	—	—	6.3	8.7	27
28	8.5	0.5	7.3	0.4	—	2.7	0.7	—	—	—	0.5	2.0	28
29	3.2	0.1	8.9	0.4	4.9	3.8	0.4	—	11.3	[illegible]	3.1	4.5	29
30	4.0	╳	0.5	0.2	—	5.7	11.7	—	22.6	10.7	8.4	9.2	30
31	1.9	╳	10.5	╳	—	╳	0.3	—	╳	12.8	╳	3.5	31
TOTAL	129.2	21.5	85.3	90.9	47.2	62.0	115.7 ~~115.9~~	33.9	60.6	169.2	44.7	86.7	946.9 [illegible]
Days with 0·2 mm. or more	25	13	24	22	15	15	21	10	11	17	13	17	203
Days with 1·0 mm. or more	22	6	16	16	10	12	14	6	9	15	9	15	150

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

REGIST

CORNWALL.
~~PENRYN~~
CARCLEW

1911 — 1913

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Carclew
in the County of Cornwa
by J. Simm

5 in.
Ground ft. 9 in.
Sea Level ft.
b.m.
Name Perranwell
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.11		..7					.13			..4	.30	1
2	..1			..7	.70					..4	.18	.17	2
3			..3		.35			.33		.38	..5	.20	3
4			..6					..5		..4	.30	..8	4
5								106			.34	.45	5
6	.81		.38							.12	.33	..5	6
7	..1		..5								..9	.89	7
8											.54	.43	8
9	..8		.15								.25	.25	9
10		.15	.52								..2	.60	10
11	.43		.62								.48	.24	11
12	.27		.56					..3	.43		.42	..6	12
13			.15						.50		..2	.27	13
14			.10							.15	..3	.36	14
15		..3	..3								.34	.23	15
16						.75					.45	..5	16
17						..7				..3	.25	.56	17
18			.80	.20		.16					.33	.97	18
19		.27	.15	.10		.12			.28	.13	.18	..5	19
20		.13		..5		..8			.24	.24	.11	.72	20
21			..8			..5			.33	.83		.82	21
22	..4	.25	.11	..7		.16			.48	.20		.63	22
23	..2	.33		..3		..4			.33	..8		.15	23
24		.24				.12		.26		.33	..5	.48	24
25						..8		..6	..2	..7		.10	25
26								..2	.10	.35		.63	26
27		.30		.70				.36		.37		.30	27
28		.78	..7	.30		.10			..2	..4		..5	28
29			.17	.18	.12	.30	.60		..6	.25			29
30				.30			.11		.22	.32			30
31										.10		..3	31
Total	1,78	2,48	4,16	2,00	1,17	2,03	.71	2,30	3,01	4,07	4,80	10,12	TOTAL 38.63
No. of Rain Days.	9	9	18	10	3	12	2	9	12	19	21	29	153

W. 8,000, X. '11.

38·63

98

REGIST

FORM A2.
BRITISH RAINFALL.
10 JAN 1912

Kept at Carclew

in the County of Cornwall 2

by J. Simmons

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level ft.

Time of Observation 5 p.m.

Nearest Railway Station
Name Perranwell
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.11		..7					.13			..4	.30	1
2	..1			..7	.70					..4	.18	.17	2
3			..3		.35			.33		.38	..5	.20	3
4			..6					..5		..4	.30	..8	4
5								1.06			.34	.45	5
6	.81		.38							.12	.33	..5	6
7	..1		..5								..9	.89	7
8											.54	.43	8
9	..8		.15								.25	.25	9
10		.15	.52								..2	.60	10
11	.43		.62								.48	.24	11
12	.27		.56					..3	.43		.42	..6	12
13			.15						.50		..2	.27	13
14			.10							.15	..3	.36	14
15		..3	..3								.34	.23	15
16						.75					.45	..5	16
17						..7				..3	.25	.56	17
18			.86	.20		.16					.33	.94	18
19		.27	.15	.10		.12			.28	.13	.18	..5	19
20		.13		..5		..8			.24	.24	.11	.72	20
21			..8			..5			.33	.83		.82	21
22	..4	.25	.11	..7		.16			.48	.20		.63	22
23	..2	.33		..3		..4			.33	..8		.15	23
24		.24				.12		.26		.33	..5	.48	24
25						..8		..6	..2	..7		.10	25
26								..2	.10	.35		.63	26
27		.30		.40				.36		.37		.30	27
28		.78	..7	.30		.10			..2	..4		..5	28
29			.17	.18	.12	.30	.60		..6	.25			29
30				.30			.11		.22	.32			30
31										.10		..3	31
Total	1,78	2,48	4,16	2,00	1,17	2,03	.71	2,30	3,01	4,07	4,80	10,12	TOTAL for year 38.63
No. of Rain Days.	9	9	18	10	3	12	2	9	12	19	21	29	153

W. 8,000, X. '11.

38.63

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
14 FEB 1913

Kept at Carclew
in the County of Cornwall 2
by J. Simmons

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level ft.

Time of Observation 5 p.m.

Nearest Railway Station Perranwell
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.25	.13		.47	..4	..2	.14	.36	..9	.31	1
2			.20			.97	.15	..5	..2	.10		.14	2
3			.16	..5		.10	..4	.30					3
4	..3		.68			.45		1.50	..5			.10	4
5	.27		.34		..2			.10			.38		5
6	1.40	.29	..9				.58	1.55				.27	6
7	.22	.31	..2		.52			.25				.16	7
8	.70	.40	.25			..2	..8	.25			..3		8
9	..3	..7	.19			.12	.20					.13	9
10	..1	.28	.38			.12	.17	..5				.86	10
11	.18	..5		.14		.16	.30	..5			.28	.18	11
12		.48					.23	1.30			.18	.76	12
13		.10	.26	..6	.40		..3	..3				.11	13
14	.46	.32				..4		.30				.16	14
15	.18		.30		..5	..5		.11			.40	.22	15
16	.79	..8	.15			.40		.14		.15	..4	.47	16
17			.47			.10		.66		..7	..3	.13	17
18		.10	.25					.54			.20	.21	18
19			.54					1.54		..3	..4	..2	19
20	..8	.10	.16			..5		.54				..5	20
21		.12	.61		.47			.14		.63	..7		21
22		.90	.30			..2	.41	..1		.50		..8	22
23	.74	.28	.72			.20		.16		.12	..7	.29	23
24	.42	..8	..9			.10	.30	.77		.10	..9	.17	24
25	..8	.12	..3				.16	..4		..5	..8	.16	25
26							..3	.20		.42	1.07	1.05	26
27						.26	.18	..3		.32	.55	1.02	27
28		..5				.18	.27		..5	1.22	..4	.20	28
29		.16				.10	.18	.86	.53	.13	.40	.55	29
30					..4	.49	..5	..2	..8	.45	.15		30
31			.27				.47			.19		..4	31
Total	5.59	4.29	6.71	.38	1.50	4.40	3.87	11.51	.87	4.84	4.19	7.84	TOTAL for year 55.99
No. of Rain Days.	15	19	23	4	6	20	19	28	6	16	19	26	201

W. 8,000, X. '11.

✓

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 17 JAN 1914

Kept at Carclew Ex Rd

in the County of Cornwall 2

by J. Simmons

Lat. .... Long. ....

Time of Observation 5 p.m.

Nearest Railway Station Perranwell

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground .... ft. 9 in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.20	.16		..9	..2				..2		..6		1
2	..2	.31	.38	.24	.16						.38		2
3	..3	..2	.15	.38	.38	..6					.15	..8	3
4	.54	..1	.10	..3	..8				.41	.74	..6	.35	4
5	.34		.12			.16			.36	..2	.15	.57	5
6	.21	.10			.26	.18				..6		.80	6
7	.52	.85	.15		.31	.23	..6			.64	.57	..2	7
8	..5		..5		.74	.14				.12	.50	..2	8
9	.13	.40			.32		..7	.15			..1	..6	9
10	.14	..2				..3					.85		10
11	1.36				..6			..7	..7	1.40	.25		11
12	.21				.68	.10		.25	..7		.58	..7	12
13	.33			..5	..6				..9		.20	..5	13
14			.28	..4	..7		..9		.13		.23		14
15	.57		.10	..6					.18	..2	.27		15
16	.32		.95	.75					.14		.29	..3	16
17	.31		.30	..8					.28		..2		17
18	.12		.13	.33		..2					.30		18
19	.45		.52	.14							..5		19
20	.54		.13		.10					.42	..6		20
21	.15		.26	.15	..5					..8	.96		21
22	.27		.73	.63	..2	..2			..2	..2	..7		22
23	..2		.10	..6		..9		..7	..9	.18		1.63	23
24	..1			.12							.22	.11	24
25	..4	.17		.24		..8			..2		.20		25
26				.65					..7		..5	..8	26
27				.93				.12				.50	27
28	.65		.39	.19					.31	.56	..2	..6	28
29	.17		.36	.39	.15				..8	.70		.41	29
30	.40		..9	..8						.32			30
31	.43		.40		.17					..2			31
Total	8.53	2.04	5.69	5.63	3.63	1.11	.22	.66	2.34	5.30	6.50	4.84	YEAR'S TOTAL 46.49
Rain Days.	28	9	20	21	17	11	3	5	16	15	25	16	186

W. 7,500, XI. ·12

REGIS

CORNWALL.

PENRYN,

"ENYS"

1911–1912

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

Kept at Enys Pen

in the County of Cornwa

by Priestley Hogbin

nowdon

5 in.

ove Ground 1 ft.

Sea Level 100 ft.

9. A.M

Name Penryn

Distance 2½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.09				0.46			0.05			0.05	0.02	1
2				0.06	0.31			0.28		0.36	0.13	0.33	2
3			0.03		0.35			1.10			0.33	0.16	3
4			0.08		0.01			0.27		0.05	0.25	0.73	4
5	0.60		0.25							0.09	0.19	0.13	5
6	0.28		0.14							0.06	0.21	1.06	6
7	0.06			0.07							0.53	0.01	7
8	0.01		0.15								0.11	0.65	8
9	0.06		0.02								0.25	0.66	9
10	0.08	0.14	0.03		0.07						0.16	0.39	10
11	0.51	0.01							0.22		0.82	0.15	11
12	0.01		0.60					0.02	0.65		0.10	0.27	12
13			0.09						0.10		0.10	0.09	13
14		0.18	0.05							0.15	0.63	0.60	14
15		0.03	0.02			0.22				0.01	0.15	0.08	15
16		0.01				0.70					0.17	0.38	16
17		0.04	0.77	0.11		0.17				0.04	0.20		17
18		0.41	0.31	0.20		0.20				0.03	0.26	0.84	18
19		0.07		0.07		0.23			0.56	0.18	0.05	0.42	19
20		0.06	0.07	0.21		0.05			0.34	1.07	0.04	0.67	20
21		0.29	0.14	0.01		0.12			0.30	0.13		0.66	21
22	0.05	0.11		0.10		0.07			0.70	0.13		0.42	22
23		0.60		0.01		0.05		0.28	0.02	0.35	0.07	0.66	23
24	0.02	0.23				0.16		0.04				0.44	24
25		0.02		0.25		0.01			0.11	0.36		0.26	25
26		0.22		0.60				0.36	0.01	0.24		0.58	26
27		0.87	0.11	0.05				0.28	0.03	0.29		0.22	27
28		0.19	0.08	0.95			0.08		0.09			0.01	28
29			0.08		0.04	0.40	0.86		0.16	0.34			29
30			0.01			0.03	0.09			0.32	0.35	0.04	30
31							0.07			0.06		0.01	31
Total	1.77	3.48	4.03	2.69	1.24	2.41	1.10	2.68	3.29	4.26	5.15	10.94	TOTAL for year 43.04
No. of Rain Days.	11	17	19	13	6	13	4	9	13	19	22	29	175 days

W. 8,000, X. '11.

REGIS

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Enys, Penryn

in the County of Cornwall 2

by Priestley Hogbin

RAIN GAUGE:
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft.
" " " Sea Level 100 ft.

Time of Observation 9 : A. M.

Nearest Railway Station: Name Penryn
Distance 2½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.09				0.46			0.05			0.05	0.02	1
2				0.06	0.31			0.28		0.36	0.13	0.33	2
3			0.03		0.35			1.10			0.33	0.16	3
4			0.08		0.01			0.27		0.05	0.25	0.73	4
5	0.60		0.25							0.09	0.19	0.13	5
6	0.28		0.14							0.06	0.21	1.06	6
7	0.06			0.07							0.53	0.01	7
8	0.01		0.15								0.11	0.65	8
9	0.06		0.02								0.25	0.66	9
10	0.08	0.14	0.03		0.07						0.16	0.39	10
11	0.51	0.01							0.22		0.82	0.15	11
12	0.01		0.60					0.02	0.65		0.10	0.27	12
13			0.09						0.10		0.10	0.09	13
14		0.18	0.05							0.15	0.63	0.60	14
15		0.03	0.02			0.22				0.01	0.15	0.08	15
16		0.01				0.70					0.17	0.38	16
17		0.04	0.77	0.11		0.17				0.04	0.20		17
18		0.41	0.31	0.20		0.20				0.03	0.26	0.84	18
19		0.07		0.07		0.23			0.56	0.18	0.05	0.42	19
20		0.06	0.07	0.21		0.05			0.34	1.07	0.04	0.67	20
21		0.29	0.14	0.01		0.12			0.30	0.13		0.66	21
22	0.05	0.11		0.10		0.07			0.70	0.13		0.42	22
23		0.60		0.01		0.05		0.28	0.02	0.35	0.07	0.66	23
24	0.02	0.23				0.16		0.04				0.44	24
25		0.02		0.25		0.01			0.11	0.36		0.26	25
26		0.22		0.60				0.36	0.01	0.24		0.58	26
27		0.87	0.11	0.05				0.28	0.03	0.29		0.22	27
28		0.19	0.08	0.95			0.08		0.09			0.01	28
29			0.08		0.04	0.40	0.86		0.16	0.34			29
30			0.01			0.03	0.09			0.32	0.35	0.04	30
31							0.07			0.06		0.01	31
Total	1.77	3.48	4.03	2.69	1.24	2.41	1.10	2.68	3.29	4.26	5.15	10.94	TOTAL for year 23.04
No. of Rain Days.	11	17	19	13	6	13	4	9	13	19	22	29	175 days

W. 8,000, X. '11.

codly own stats 24.11.13

FORM A2. BRITISH RAINFALL.

3 - JAN 19

REGISTER OF RAINFALL IN 1912

Kept at Enys. Penryn

in the County of Cornwall

by Priestley Hogkin

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 100 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Penryn
Distance 2½ Direction S

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			0.12	0.02	(01)	0.64	0.14	0.07	0.14	0.42	0.01	0.38	1
2			0.27	0.04		0.50	0.05	0.01		0.05	0.01	0.04	2
3	0.01		0.30			0.16	0.91	1.93	0.06			0.08	3
4	0.23	0.02	0.43		0.04	0.35		0.09			0.38		4
5	0.59	0.33	0.33		0.10		0.48	1.35			0.02	0.20	5
6	0.96	0.05	0.07		0.40		0.10	0.25				0.02	6
7	0.12	0.70	0.35	0.01	0.03	0.09	0.05	0.25			0.04	0.15	7
8	0.66	0.07	0.28	0.01		0.20	0.03						8
9	0.01	0.32	0.05	0.01		0.32	0.37	0.10				0.82	9
10	0.35	0.08	0.35	0.11		0.60	0.33				0.22	0.23	10
11		0.46					0.05	0.72			0.20	0.73	11
12	0.04	0.38	0.34		0.23		0.25	0.82			0.19	0.11	12
13	0.57	0.01	0.02	0.06		0.03		0.21		0.07	0.05	0.22	13
14	0.08	0.18	0.40			0.01		0.12		0.01		0.08	14
15	0.83	0.15	0.07		0.07	0.43		0.01			0.02	0.55	15
16	0.30	0.01	0.62			0.02		0.50		0.14	0.06	0.15	16
17			0.38			0.08		0.57			0.18	0.18	17
18		0.29	0.29					1.53		0.08	0.04	0.02	18
19		0.20	0.30		0.01	0.01	0.04	0.61		0.04		0.04	19
20		0.19	0.53		0.08			0.21		0.61	0.06		20
21	0.09	0.75	0.52		0.38	0.05	0.50	0.08		0.44	0.05		21
22	0.65	0.40	0.40			0.20	0.32	0.16		0.13		0.13	22
23	0.45	0.41	0.41			0.07	0.14	0.88		0.16	0.15	0.32	23
24	0.25	0.09	0.05			0.44	0.15	0.02		0.08		0.19	24
25	0.01	0.01	0.01			0.07	0.03	0.20		0.38	0.39	0.59	25
26		0.03	0.01				0.02	0.01		1.36	1.04	0.79	26
27		0.08				0.43	0.41	0.02	0.01		0.25	0.87	27
28		0.17				0.20	0.18	0.84	0:42	0.21	0.41	0.61	28
29		0.25	0.01			0.56	0.12	0.05	0.16	0.26	0.14	0.07	29
30			0.15	0.03	0.13	0.06	0.22		0.18	0.17		0.01	30
31			0.30		0.27		0.35			0.09		0.29	31
Total	6.20	5.42✓	7.36	0.29	1.75✓	5.52	4.34	11.61	0.97	4.70	3.91	7.87	TOTAL for year 59=94 ✓
No. of Rain Days	18	25	28	8	11	23	23	27	6	18	21	27	235

7,000. X. '09.

R

1915

—

PENRYN

FALMOUTH, ASHFIELD

1911 – 20

FORM A2.
BRITISH RAINFALL.
10 MAY 1912

Kept at Ashfield

in the County of C

by J. Gilbert

Cambrid

in.

Ground 1 ft. 0·5 in.

Sea Level above 100 ft.

·15 am

Name Penryn GWR

Distance 1·3m. Direction N.W.

IMPORTANT N the result entered to the previous day. If an Observer prefers not to conform versal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	–	–	–	·35	–	–	·07	–	trace	·01	·02	1
2	–	–	–	·03	·28	–	–	·29	–	·35	·10	·32	2
3	–	–	·02	–	·25	–	–	·83	trace	trace	·21	·10	3
4	–	–	·09	–	–	–	–	·61	–	·08	·26	·64	4
5	·65	–	·21	–	–	–	–	–	–	–	·12	·03	5
6	·17	–	·14	–	–	–	–	–	–	·11	·18	·93	6
7	·08	–	–	·09	–	–	–	–	–	–	·50	·02	7
8	–	–	·15	–	–	–	–	–	–	–	·06	·61	8
9	–	–	–	–	–	–	–	–	–	–	·13	·66	9
10	·05	·10	·82	–	–	–	–	–	–	–	·14	·31	10
11	·06	–	·49	–	–	–	–	–	·22	–	·78	·20	11
12	–	–	–	–	–	–	–	·02	·68	–	·12	·14	12
13	–	–	·06	–	–	–	–	trace	·15	–	·11	·02	13
14	–	·16	·03	–	–	–	–	–	–	·15	·14	·57	14
15	–	·03	·02	–	–	·20	–	–	–	–	·32	·09	15
16	–	–	–	–	–	·71	–	–	–	–	·16	·27	16
17	–	·02	·42	·10	–	·12	–	–	–	·02	·34	·85	17
18	–	·30	·23	·20	–	·19	–	–	–	·01	·19	·38	18
19	–	·07	–	·01	–	·37	–	–	·50	·29	·40	·61	19
20	–	·05	·04	·23	–	·02	–	trace	·40	1·08	·14	·62	20
21	·05	·19	·11	–	–	·07	–	–	·30	·12	–	·27	21
22	–	·07	–	·10	–	·02	–	–	·59	·23	–	·49	22
23	·02	·35	–	–	–	·14	–	·10	·01	·36	·08	·39	23
24	·02	·21	–	~~·22~~	–	·16	–	·21	–	·11	–	·33	24
25	–	·01	–	·22	–	–	–	–	·11	·31	·01	·05	25
26	–	·21	–	·56	–	–	trace	·29	trace	·38	–	·33	26
27	–	·74	·16	·05	–	–	–	·28	·02	·19	–	·19	27
28	–	·22	·03	·33	–	–	·01	trace	·09	–	·02	trace	28
29	–		·06	·64	–	·38	·90	–	·16	·37	–	–	29
30	–		–	–	·05	·01	·09	–	·02	·23	·34	·02	30
31	–		–				·10	–		·06		–	31
Total	1·12	2·73	3·08	2·56	·93	2·39	1·10	2·70	3·25	4·45	4·86	9·46	TOTAL for year 38·63
No. of Rain Days.	9	15	17	12	4	12	4	9	13	18	24	28	165

W. 8,000, X. '11.

REGISTER OF RAIN

FORM A2.
BRITISH RAINFALL.
10 MAY 1912

Kept at Ashfield nr Falmouth

in the County of Cornwall

by J. Gilbert Stephens

RAIN GAUGE
Pattern Negretti Zambra
Diameter of top 5 in.
Height of top above Ground 1 ft. 0·5 in.
" " " Sea Level abou 100 ft.

Time of Observation 8·15 am

Nearest Railway Station
Name Penryn GWR
Distance 1·3m Direction N W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1. following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·05	–	–	–	·35	–	–	·07	–	trace	·01	·02	1
2	–	–	–	·03	·28	–	–	·29	–	·35	·10	·32	2
3	–	–	·02	–	·25	–	–	·83	trace	trace	·21	·10	3
4	–	–	·09	–	–	–	–	·61	–	·08	·26	·64	4
5	·65	–	·21	–	–	–	–	–	–	–	·12	·03	5
6	·17	–	·14	–	–	–	–	–	–	·11	·18	·93	6
7	·05	–	–	·09	–	–	–	–	–	–	·50	·02	7
8	–	–	·15	–	–	–	–	–	–	–	·06	·61	8
9	–	–	–	–	–	–	–	–	–	–	·13	·66	9
10	·05	·10	·82	–	–	–	–	–	–	–	·14	·31	10
11	·06	–	·49	–	–	–	–	–	·22	–	·78	·20	11
12	–	–	–	–	–	–	–	·02	·68	–	·12	·14	12
13	–	–	·06	–	–	–	–	trace	·15	–	·11	·02	13
14	–	·16	·03	–	–	–	–	–	–	·15	·14	·57	14
15	–	·03	·02	–	–	·20	–	–	–	–	·32	·09	15
16	–	–	–	–	–	·71	–	–	–	–	·16	·27	16
17	–	·02	·42	·10	–	·12	–	–	–	·02	·34	·85	17
18	–	·30	·23	·20	–	·19	–	–	–	·01	·19	·38	18
19	–	·07	–	·01	–	·37	–	–	·50	·29	·40	·61	19
20	–	·05	·04	·23	–	·02	–	trace	·40	1·08	·14	·62	20
21	·05	·19	·11	–	–	·07	–	–	·30	·12	–	·27	21
22	–	·07	–	·10	–	·02	–	–	·59	·23	–	·49	22
23	·02	·35	–	–	–	·14	–	·10	·01	·36	·08	·39	23
24	·02	·21	–	~~·22~~	–	·16	–	·21	–	·11	–	·33	24
25	–	·01	–	·22	–	–	–	–	·11	·31	·01	·05	25
26	–	·21	–	·56	–	–	trace	·29	trace	·38	–	·33	26
27	–	·74	·16	·05	–	–	–	·28	·02	·19	–	·19	27
28	–	·22	·03	·33	–	–	·01	trace	·09	–	·02	trace	28
29	–		·06	·64	–	·38	·90	–	·16	·37	–	–	29
30	–		–	–	·05	·01	·09	–	·02	·23	·34	·02	30
31	–		–				·10	–		·06		–	31
Total	1·12	2·73	3·08	2·56	·93	2·39	1·10	2·70	3·25	4·45	4·86	9·46	TOTAL for year 38·63
No. of Rain Days.	9	15	17	12	4	12	4	9	13	18	24	28	165

W. 8,000, X. '11.

Cnd for cutte 24.11.13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

13 JAN 1913

Kept at Ashfield, Falmouth

in the County of Cornwall 2

by J. Gilbert Stephens

Lat. Long.
Time of Observation 8·15 a.m.
Nearest Railway Station Penryn
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 6 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	–	–	·10	–	·02	·56	·15	·05	·20	·51	trace	·40	1
2	–	trace	·28	·02	–	·40	·02	·02	–	·16	trace	·01	2
3	–	–	·28	–	–	·10	trace	2·00	·05	·02	trace	·05	3
4	·15	·03	·25	–	trace	·35	–	·05	–	–	·36	–	4
5	·86	·26	·35	–	·10	trace	·43	1·08	–	–	trace	·20	5
6	·50	·05	·08	–	·50	–	·12	·16	–	–	trace	trace	6
7	·09	·66	·04	trace	·05	·16	·01	·11	–	–	·04	·14	7
8	·62	·08	·16	–	trace	·13	·10	·02	–	–	trace	–	8
9	–	·22	trace	·01	–	·14	·38	·12	–	–	·01	8] ·87	9
10	·38	·08	·38	·07	–	·03	·30	trace	trace	–	·17	·22	10
11	trace	·40	trace	–	–	·46	·04	·85	–	–	·14	·45	11
12	·04	·28	·31	–	·23	–	·24	·82	–	–	·25	·05	12
13	·45	–	trace ~~·31~~	·05	–	·02	–	·15	–	·16	·02	·13	13
14	·12	·15	·35	–	trace	trace	–	·04	–	·02	–	·05	14
15	·87	·17	trace	–	·07	·33	–	·08	–	–	·01	·49	15
16	·17	trace	·57	–	–	·01	–	·41	–	·15	·04	·09	16
17	·01	–	·42	–	·02	·10	–	·56	–	–	·17	·20	17
18	trace	·09	·35	–	–	–	–	1·11	–	·06	·03	·02	18
19	–	·11	·25	–	·02	trace	·03	·50	–	·01	trace	·02	19
20	·07	·19	·42	trace	·07	–	–	·05	–	·55	·02	–	20
21	–	·63	·23	–	·42	–	·37	·04	–	·41	·07	–	21
22	·41	·44	·45	–	–	·18	·35	·21	–	·12	–	·14	22
23	·38	·39	·26	–	–	·20	·13	·98	–	·14	·13	·31	23
24	·18	·08	·05	–	–	·40	·13	·01	–	·06	–	·17	24
25	·01	–	trace	–	–	·15	·01	·15	–	·60	·30	·56	25
26	–	·01	–	–	–	–	·01	·01	–	·17	·63	·69	26
27	–	·06	–	–	–	·42	·35	·02	·02	1·32	·16	·79	27
28	–	·14	–	–	–	·16	·12	·72	·33	·18	·42	·62	28
29	trace	·22	·03	–	–	·30	·12	·02	·13	·29	·27	·07	29
30	–		·08	–	·19	·15	·17	–	·16	·12	trace	–	30
31	–		·31		·25		·38	–		·08		·29	31
Total	5·31	4·74	6·30 6·00	·15	1·94	4·05 4·75	3·96	10·34	·89	5·13	3·24	7·03	YEAR'S TOTAL 54·48 53·48
Rain Days.	17	22	23	4	12	21	22	28	6	20	19	25	219 219

W. 7,500, XI. 12

S mad ✓

cnd for anth 24.11.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
9 JAN 1914

Kept at Ashfield near Falmouth

in the County of Cornwall

by J. Gilbert Stephens

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Penryn GWR
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 11 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·02	·17	·37	·17	·27	—	—	—	·05	·06	·37	—	1
2	·02	·19	·01	·43	·38	·11	—	—	—	—	·15	·04	2
3	·14	—	·07	—	·08	·01	—	—	·50	·96	—	·22	3
4	·60	—	·05	·04	—	·06	—	—	·20	·01	·04	·24	4
5	·21	·03	·01	—	·23	·15	—	—	·38	—	·47	·80	5
6	·25	·15	·02	—	·10	·25	—	—	·02	·26	·20	·03	6
7	·15	·43	·06	—	·82	·09	·07	—	—	·41	·28	·01	7
8	·36	·25	—	—	·40	—	·11	·12	—	·01	—	·04	8
9	·11	·06	—	—	·01	—	—	—	—	—	·74	·02	9
10	1·08	—	—	—	·15	—	—	—	—	1·17	·24	—	10
11	·28	—	—	—	·60	·07	—	·49	—	—	·68	·05	11
12	·21	—	—	—	·04	—	—	—	·08	—	·15	·02	12
13	·14	—	·07	·10	·01	—	—	·01	·21	—	·21	—	13
14	·43	—	·18	·02	·17	—	·05	—	·12	—	·21	—	14
15	·18	—	·14	·85	—	—	—	—	·05	—	·26	—	15
16	·35	—	·67	·10	—	—	—	—	·01	—	·01	—	16
17	·07	—	·48	·13	—	—	—	—	—	—	·07	·02	17
18	·09	—	·32	·17	—	—	—	—	—	—	·09	—	18
19	·66	—	·09	—	·04	—	—	—	·23	·30	—	—	19
20	·16	—	·08	·51	—	·03	—	—	—	·13	·55	—	20
21	·20	—	·24	·61	—	·04	—	·03	—	—	·26	—	21
22	·16	—	·54	·02	·15	·29	—	·07	·12	·28	—	·74	22
23	·02	—	—	—	—	—	—	·01	—	—	·21	1·50	23
24	·02	·17	—	·11	—	·11	—	—	—	—	·13	·02	24
25	·01	·01	—	·37	—	—	—	—	·10	·01	·02	·04	25
26	—	—	—	1·05	—	—	—	—	·02	·03	—	·28	26
27	·56	—	·23	·18	—	—	—	·21	—	·54	—	·17	27
28	·01	—	·06	·10	·15	—	—	·01	·44	·83	—	·12	28
29	·16		·39	·34	·02	—	·02	—	—	·23	—	·35	29
30	·52		—	·66	·15	—	—	—	—	·26	—	—	30
31	·25		·52		·02		—	—		·05		—	31
Total	7·42 7·42	1·46	4·60	5·36	3·79	1·21	·25	·95	2·53	5·54 5·54	5·34	4·71	YEAR'S TOTAL 43·16
Rain Days.	30	9 ✓	21 ✓	19 ✓	19	11 ✓	4 ✓	8 ✓	15 ✓	17	21 ✓	19	193

43·16

W. 7,500, XI. 12

Some stats .18. III.15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

8 FEB 1915

Kept at Ashfield nr Falmouth

in the County of Cornwall 2

by J. Gilbert Stephens

Lat. ~~close~~ Long. Made from the Obs.

Time of Observation 9 am.

Nearest Railway Station Penryn

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 3 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·07	·16	–	·09	·07	·65	–	–	·38	·02	1
2	–	–	·06	·01	·10	trace	·32	–	–	–	trace	·25 ·35	2
3	·05	–	(·11)	·19	·53	–	–	·01	–	–	trace	·31	3
4	·23	–	·07	·55	·07	–	1·12	·71	·05	–	–	·61	4
5	·20	–	·10	·17	–	–	–	·02	–	–	–	·12	5
6	–	·15	·05	·12	·19	–	·16	·15	–	–	–	·73	6
7	·16	·54	·21	·22	·01	·52	·21	·18	·76	–	–	·20	7
8	·09	–	·85	·14	–	·60	–	·01	·01	–	·02	·02	8
9	·02	·17	·17	·07	·02	·83	+	·15	·25	–	–	–	9
10	·15	·43	·07	·60	·15	·11	–	–	·21	–	·02	·64	10
11	·02	·24	·87	trace	trace	·04	–	–	·04	–	·03	·55	11
12	–	·70	·16	–	–	–	·02	–	·17	·06	·11	·20	12
13	–	·48	·32	–	–	20	·17	–	·15	·30	·32	·03	13
14	–	·23	·25	–	–		–	–	·02	–	·65	·17	14
15	–	–	·11	–	–	–	trace	·02	·01	–	·58	·19	15
16	–	–	·03	–	–	–	–	–	·55	–	trace	·02	16
17	–	·50	·40	–	–	–	trace	~~·02~~	trace	–	–	·78	17
18	–	·34	·10	–	–	–	·06	–	·29	–	– –	·30	18
19	–	·07	·45	–	–	–	·75	–	trace	–	·02	·07	19
20	–	·42	·05	–	–	·19	·02	–	–	·02	·04	·40	20
21	–	·60	·03	–	–	·01	·03	–	–	·48	~~·01~~	·01	21
22	–	·10	·13	–	trace	·08	–	·03	–	·25	–	·16	22
23	–	·09	·20	–	trace	·02	–	·13	–	·35	–	–	23
24	–	–	·06	–	–	–	trace	·43	–	·06	·05	–	24
25	·09	–	·60	–	trace	–	·06	·04	–	·59	·04	·58	25
26	·05	·20	·70	–	–	–	·32	–	–	·10	·32	·64	26
27	·13	·18	=	–	–	–	·05	–	–	·07	·35	·34	27
28	·02	·03	·24	–	trace	–	·19	–	trace	·33	·30	·88	28
29	·47	*	·20	–	·05	–	–	–	–	·02	·52	·05	29
30	–		·13	trace	–	–	·02	–	–	·15	·35	·30	30
31	trace		–		–		·91	–		·34		·70	31
Total	1·68	5·47	6·79	2·23	1·12	2·69	4·48	2·51	2·51	3·12	4·10	9·27	YEAR'S TOTAL 45.97
Rain Days.	13	18	29	10	8	11	17	13	12	14	17	20	190

W. 8,000. X. 14.

Total 45 .97 inches –

[illegible] [illegible] 2023

FORM A. BRITISH RAINFALL.

27 APR 1916

REGISTER OF RAINFALL IN 1915

Kept at Ashfield, Nr Falmouth

in the County of Cornwall

by J Gilbert Stephens

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Penryn 8 W

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·47	·01	–	·02	–	–	·35	·18	·67	·01	·07	1
2	·26	·24	·20	·05	–	·26	–	·04	·24	–	–	·95	2
3	·18	·09	·15	·10	·25	–	trace	–	trace	–	–	·81	3
4	·25	·30	·01	·01	·68	·01	–	·02	–	–	–	·15	4
5	·20	1·06	trace	·31	–	–	–	·37	–	–	–	1·03	5
6	1·17	·25	–	·47	–	–	·48	·02	–	–	–	·10	6
7	·40	·53	–	·02	–	–	·13	–	–	1·45	·01	·39	7
8	·32	·50	–	–	–	–	–	·20	–	·08	·13	·44	8
9	·06	·18	–	·15	–	–	–	·13	–	trace	·55	·86	9
10	·26	·24	·04	·13	–	–	–	·07	–	·46	·04	·07	10
11	·33	trace	trace	trace	–	–	–	·09	–	·03	1·13	·20	11
12	–	·63	–	·03	·52	–	–	·11	–	trace	·25	·11	12
13	–	·76	–	trace	·40	–	trace	·01	·01	trace	·20	·09	13
14	–	·16	–	·03	·01	·04	·25	–	·14	trace	·20	1·95	14
15	·14	·01	–	–	·43	·04	·56	–	·01	–	·08	·17	15
16	–	1·84	–	–	·50	–	1·11	–	–	·10	–	·07	16
17	·13	·23	–	–	trace	–	trace	–	–	–	–	·02	17
18	–	·24	trace	–	–	–	·02	–	–	–	–	–	18
19	·02	·03	–	·03	·38	–	·11	–	–	–	·05	–	19
20	·29	·06	–	·02	trace	·41	–	–	–	·39	–	trace	20
21	·05	·07	trace	–	–	·78	·47	–	–	·02	–	·01	21
22	·22	·22	·36	·01	–	·02	·27	–	·09	·44	–	·43	22
23	·06	·10	·05	–	–	·15	·02	–	·02	·22	–	·56	23
24	–	·02	–	·03	–	·23	–	–	–	·14	–	·26	24
25	·11	–	–	·02	·33	·13	trace	–	·03	trace	·03	·09	25
26	·02	·45	–	–	·17	·26	·01	–	·10	–	–	1·00	26
27	–	·04	–	–	–	·13	trace	–	·09	·83	–	trace	27
28	–	·08	–	–	–	·25	–	·10	·07	·10	trace	·20	28
29	–	X	–	–	–	trace	·23	trace	·37	·05	·15	·15	29
30	·12	X	–	·02	–	–	·03	–	·09	·60	·36	·36	30
31	·06	X	–	X	–	X	·37	·14	X	·41	X	·17	31
Total	4·97 ✓	8·80 ✓	·82 ✓	1·43 ✓	3·69 ✓	2·71 ✓	4·06 ✓	1·65 ✓	1·44 ✓	5·99 ✓	3·19 ✓	10·71	YEAR'S TOTAL 49·46" ✓
Rain Days.	22	26	7	16	11	13	14	13	13	16	14	27	192

W. 8,000. X. 15.

5 made 2

W CJE

1962

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at Ashfield

in the County of Cornwall

by J. Gilbert Stephens

Lat. 50 : 5 n Long. 5 : 1 W

Time of Observation 9 am

Nearest Railway Station Penryn G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 95 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	–	·02	–	trace	trace	·08	–	·05	·47	·13	–	1
2	·19	·11	·36	–	–	trace	·02	–	·44	·12	·52	–	2
3	·05	1·85	trace	–	·18	·14	–	–	·01	·62	·37	trace	3
4	·10	·16	·01	·08	·15	·22	·17	–	·09	·34	·58	·34	4
5	·06	·25	·02	·01	·08	·09	·04	–	·011	·15	·19	·04	5
6	·05	·19	·01	–	·09	trace	·96	–	–	·18	1·00	–	6
7	·02	·15	trace	–	·14	–	·01	–	–	·07	1·30	·04	7
8	·06	·23	·22	–	·38	trace	–	–	–	trace	·48	·29	8
9	·07	·50	·26	–	·05	trace	·04	–	–	·02	·32	1·12	9
10	–	·95	·01	·05	·09	·03	–	–	–	~~4~~	·01	·15	10
11	–	trace	trace	·08	·03	trace	–	–	·01	–	–	·43	11
12	·05	·17	·15	·06	·01	–	·10	·05	–	·10	·02	·03	12
13	–	·21	·15	·04	·01	–	trace	·24	–	trace	–	·22	13
14	·02	·36	·27	trace	–	–	–	·11	–	·06	–	trace	14
15	·02	·15	·42	·06	–	–	–	·05	–	–	–	·25	15
16	·15	·13	trace	·08	–	–	–	·42	–	·36	1·04	–	16
17	·19	·05	·24	·05	–	–	–	·01	·01	·15	·61	–	17
18	·08	·04	·57	·02	–	–	–	–	·15	·06	·04	·20	18
19	·52	·13	·01	·14	–	–	–	–	·07	–	·64	·09	19
20	–	·38	·08	·13	–	–	–	–	–	–	·25	·35	20
21	·01	·12	·45	·02	·05	·10	–	–	–	–	·02	·17	21
22	·08	·01	·11	·01	–	·22	–	·07	–	·65	·10	·71	22
23	trace	–	·03	·12	–	·17	–	·32	–	·19	·38	·16	23
24	–	·08	·04	·19	·05	trace	–	·55	–	·32	·01	·45	24
25	·07	·20	·21	trace	·02	·08	–	·14	·01	·04	·23	·02	25
26	·07	·02	·08	–	·02	·07	–	·10	·25	·65	·10	·15	26
27	·02	·01	1·55		·11	·02	–	·05	·03	·37	trace	·01	27
28	–	–	·07	–	trace	trace	–	·19	·59	·58	·01	·43	28
29	–	·18	·09	–	–	·54	–	·61	·02	·23	–	·58	29
30		X	–	·08	–	·06	–	·05	trace	·33	–	·02	30
31		X	–	X	–	X		·13	X	·26	X	·01	31
Total	1·88	6·68 6·61	5·41	1·22	1·46	1·74	1·42	3·09	1·68	6·32	8·35	6·25	YEAR'S TOTAL 45·43 45·43
Rain Days.	21	25	25	17	16	12	8	16	14	23	9 23	24	224

W. 8,000. X. 15.

1879

FORM A. BRITISH RAINFALL.

12 JUN 1918

REGISTER OF RAINFALL IN 1917

Kept at Ashfield nr Falmouth

in the County of Cornwall

by J Gilbert Stephens

Lat. Long.

Time of Observation 9am

Nearest Railway Station Penryn Junc

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 1 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	trace	—	—	·26	—	·09	—	—	—	—	·003	trace	1
2	—	—	a trace	·09	—	·01	Trace	—	—	—	·62	—	2
3	·07	·10	·03	·07	—	—	·10	Trace	—	·37	·09	—	3
4	·01		·15	trace	—	—	trace	—	·11	·02	trace	—	4
5	·19	trace	·49	·32	—	—	—	—	—	·16	·09	—	5
6	·02	—	·05	·02	—	·30	—	—	—	·17	·11	·10	6
7	·86	—	trace	trace	—	trace	·16	1 inch	—	·17	·07	·03	7
8	·11	—	·41	·09	—	trace	·14	·12	trace	·15	·13	·74	8
9	·01	—	·10	·03	·16	—	trace	—	·02	·08	·17	·05	9
10	·87	—	·43	·30	a trace	—	—	·28	trace	·20	·07	·13	10
11	·02	—	·24	·09	Trace	—	—	·02	—	·95	·37	Trace	11
12	·09	—	·36	—	·11		—	·05	—	·40	trace	—	12
13	·08	—	·07	·01	trace	·01	—	·63	·10	·26	—	Trace	13
14	—	—	trace	·07	trace	trace	·04	·13	·05	·18	—	Trace	14
15	·17	—	—	a trace	·02	—	·07	trace	·02	·60	—	·27	15
16	—	·10	—	·01	—	—	—	—	·02	·23	—	·17	16
17	—	·02	trace	·04	·11	—	·57	·11	·50	·06	—	trace	17
18	—	·01	—	trace	·18	·11	·28	—	·75	·02	—	—	18
19	—	·66	·02	—	trace	·35	—	trace	·04	trace	trace	—	19
20	—	·12	—	—	·57	·18	—	·02	—	—	—	—	20
21	·02	·02	·14	—	·05	·05	—	·15	—	·12	Trace	·08	21
22	·02	[illegible]	—	—	·16	·02	—	·85	—	·10	—	trace	22
23	—	·15	—	—	·10	·16	trace	·60	·01	·04	trace	trace	23
24	—	—	—	—	trace	·05	·12	·01		·12	·04	trace	24
25	—	·01	·04	—	—	—	—	·46	·16	·27	Trace	—	25
26	·02		—	—	·78	·35	—	·12	·12	·07	·04	—	26
27	—	—	—	—	Trace	·51	trace	1·02	—	·18	trace	—	27
28	—	—	·13	—	trace	·36	·02	·20	—	trace	·01	—	28
29	—	[illegible]	·26	—	—	trace	—	·01	—	·60	trace	—	29
30	—	X	·39	—	—	—	—	·22	—	·26	·03	·03	30
31	—	X	·15	X	·33	X	—	·01	X	—	X	—	31
Total	2·56	1·21	4·43	1·40	2·57	2·50	1·44	6·58 6·51	1·95	~~6·06~~ 5·78	1·87	1·60	YEAR'S TOTAL 32·74 33·77
Rain Days.	~~16~~ 15	~~10~~ 9	~~21~~ 17	~~17~~ 13	~~19~~ 11	~~17~~ 14	~~14~~ 9	~~23~~ 20	~~14~~ 12	~~27~~ 25	~~22~~ 14	~~17~~ 9	168

W. 8,000, VIII. 16

B. Made

Ex 87

31

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

3. 19

Kept at Ashfield, Falmouth
in the County of Cornwall
by J. Gilbert Stephens

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Penryn
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	trace	·15	—	·08	·12	—	—	·23	—	·01	1·19	trace	1
2	—	·40	—	·03	·04	—	—	·78	—	—	trace	·61	2
3	—	·20	—	·25	·27	—	—	trace	·48	·11	·38	·10	3
4	—	·10	—	·08	—	—	—	·29	·44	—	·32	·68	4
5	·09	·05	·19	·09	—	—	—	·05	·31	·30	·12	·18	5
6	·34	·23	·23	·16	—	—	—	·05	trace	·16	—	·41	6
7	·05	·21	—	·01	—	·03	—	·02	·95	·06	·40	·02	7
8	·17	·09	—	—	—	·01	trace	—	·05	·70	—	·48	8
9	·10	—	trace	—	—	·09	·35	—	·58	·01	trace	·29	9
10	trace	trace	—	·11	—	—	·27	—	·12	·09	·01	·08	10
11	trace	·02	·14	trace	—	—	·13	—	·34	·56	·03	trace	11
12	·08	·10	—	—	·28	—	·62	—	·69	·23	trace	·03	12
13	trace	—	—	—	·09	—	·14	—	·26	·34	—	·28	13
14	·50	—	trace	—	·02	·05	·74	—	·17	·06	—	·41	14
15	·57	—	—	—	·01	·06		—	·22	·10	—	·34	15
16	·86	trace	—	·17	·00	·07	·17	—	·12	·01	—	·09	16
17	·22	—	—	·25	—	trace	·10	trace	·36	·02	—	·43	17
18	1·05	·13	·25	—	—	·50	·05	·03	·11	·22	—	·30	18
19	·21	·05	·02	·10	—	—	·12	trace	·16	trace	—	·06	19
20	·20	[illegible]	—	·15	—	trace	·16	trace	·48	—	—	·01	20
21	·29	—	—	·02	—	trace	·19	trace	·36	·37	—	·76	21
22	·01	—	—	—	·07	—	·67	—	·16	·01	·03	·25	22
23	·15	·04	—	—	—	—	·02	—	·08	—	·34	·15	23
24	·03	·31	—	—	—	—	trace	·15		—	·14	·16	24
25	·01	—	—	—	·05	—	·04	·30	—	·07	·29	—	25
26	·02	·09	—	—	—	—	·08	—	·08	·01	·01	·46	26
27	·01	·20	22	—	—	—	—	·07	·24	·03	·12	·01	27
28	—	·47	·18	—	—	—	—	trace	·39	·06	·08	·07	28
29	—	✗	·20	—	—	—	—	—	1·14	·01	·11	·06	29
30	—	✗	·29	·33	—	—	—	—	·07	·06	·12	·37	30
31	—	✗	·03	✗	—	✗	·11	·02	✗	·52	✗	·06	31
Total	4·96	3·07	1·75	1·97	·95	·81	3·36	1·99	8·06	4·12	3·69	7·15	YEAR'S TOTAL 41·88
Rain Days.	24 20	20 18	12 10	14	9	10 7	19 18	17 11	26 25	26 25	19 16	30 28	226

201

W. 8,000, IX. 17.

B made

W

1767

REGISTER OF RAINFALL IN 1919

FORM A. BRITISH RAINFALL.

Kept at Ashfield nr Falmouth

in the County of Cornwall

by J. Gilbert Stephens

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Penryn Junk

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 100 ft.

IMPORTANT. NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
	·71	—	·12	—	—	—	—	—	—	—	—	—	
1	·19	—	·03	·42	·09	—	·22	—	·13	·06	—	~~·44~~	1
2	·18	—	·56	—	·01	—	trace	—	trace	·01	—	·94	2
3		—	·40	—	·10	—	—	—	·18	—	—	·08	3
4	·26	·95	·57	—	—	—	—	·09	·45	—	trace	·11	4
5	·13	·13	·20	—	·02	—	—	—	—	—	·02	·02	5
6	·63	1·14	·18	—	—	—	—	trace	—	—	—	·11	6
7	·32	—	·22	·15	—	—	·02	—	—	—	—		7
8	·28	—	·08	·13	—	·02	—	—	—	—	·65	·09	8
9	·19	—	·65	·31	·39	—	—	—	—	—	·20	·01	9
10	·12	—	·20	·02	·05	—	—	—	—	·13	·03	·08	10
11	·12	·02	·15	·13	·32	·01	·05	—	—	trace		·81	11
12	·24	—	·25	·03	—	·01	—	—	·01	·08	·21		12
13	·25	·23	·03	·52	—	—	—	—	·03	·03	trace	·53	13
14	·73	·10	×2	·15	—	—	—	—	·03	·06	—	·03 ·17	14
15	·15	·22	—	trace	—	—	—	—	~~·22~~	·03	trace	·44	15
16	·06	·93	—	—	·09	·03	—	—	—	—	·18	·15	16
17	·02	·59	·10	—	trace	trace	·01	—	—	—	·33	·07	17
18	·30	·39	·12	—	·62	—	·12	·20	·02	—	·33	·01	18
19	·83	·24	·15	—	—	·39	—	·83	·19	—	·09	·03	19
20	·30	·26	·22	—	·23	·13	—	·07	·08	—	·07	·07	20
21	·63	·57	·08	—	·34	—	·04	·10	·22	trace	·06	·05	21
22	—	trace	·07	—	—	trace	trace	—	·04	·03	·01	·07	22
23		—	trace		—	—	—	·08	—	·28	·07	·10	23
24	—	·01	—	—	—	·10	—	·64	—	·23	·12	·18	24
25	·10	·13	—	trace	—	·05	—		·13	·01	·12	·32	25
26	·11	·09	·04	·10	—	—	—	·07	—	—	·11	·55	26
27	·17	trace	—	·40	—	—	—	1·32	·04	·17	trace	·08	27
28	·01	·15	·61	·25	—	—	—	·10	—	·17	·34	·77	28
29	—	×	·02	·12	—	—	—	·12	—	·13	—	·09	29
30	trace	×	—	·06	—	·12	—	·12	trace	—	—	·73	30
31	—	×	·16	×	trace	×	trace	—	×	—	×	·80	31
Total	~~7·02~~ 7·04	6·20	5·21	~~2·78~~ 2·79	1·66	·86	·46	3·74	1·58	1·42	2·94	7·93	YEAR'S TOTAL 41·80 ~~41·77~~
Rain Days.	25	17	24	14	11	9	6	12	13	14	17	31	193

W, 6,500, VII. 18. w w c

1083

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

3 JAN 1921

Kept at ASHFIELD nr FALMOUTH

in the County of CORNWALL

by Gilbert Stephens

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Penryn G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·08	—	·02	·10	·62	—	·68	-	·05	·01	·01	·89	1
2	·53	—	—	·09	trace	—	·14	·02	·15	·15	—	·11	2
3	·29	·06	—	·33	·04	—	·08	—	·01	·81	—	·27	3
4	—	—	trace	trace	—	—	trace	·75	—	·60	—	·01	4
5	—	—	·07	—	·12	—	·10	·23	—	·05	—	—	5
6	—	—	·18	·03	·18	—	·25	—	—	·23	—	—	6
7	·07	—	·10	·34	·04	—	·47	—	—	·01	—	·12	7
8	·09	·02	·03	·20	·06	—	·04	·02	—	·01	·01	·27	8
9	·65	·01	·01	·10	—	·02	·48	—	·03	—	—	—	9
10	·67	·18	·22	·21	—	·22	·15	—	—	—	—	—	10
11	·28	·02	·20	·64	·20	·01	·23	trace	—	·03	—	—	11
12	·30	·20	·20	·99	trace	·13	·03	—	—	—	·12	—	12
13	·12	·01	·47	trace	—	·15	·09	—	—	·40	·01	·08	13
14	·19	·15	·45	·63	—	trace	·12	trace	·22	·45	·18	—	14
15	·02	·08	·02	·19	·03	—	·07	—	trace	1.13	·07	—	15
16	·01	trace	·03	—	·01	·15	—	—	·62	·18	·18	—	16
17	·06	—	—	·20	·46	trace	·01	—	·69	1·54	·01	—	17
18	·18	—	—	·09	·06	·32	—	·27	·01		—	—	18
19	·05	·02	—	·47	—	·47	—	—	·12	·27	—	—	19
20	·03	—	—	·05	·03	·07	—	—	·12	·28	—	·55	20
21	—	—	—	·31	—	—	—	—	·14	·02	—	·14	21
22	·12	—	—	trace	—	—	·04	—	—	trace	—	·55	22
23	·01	—	·12	—	—	—	·15	—	—	—	—	·68	23
24	·04	·02	·35	—	—	—	·67	trace	—	—	·22	·12	24
25	·23	·01	·13	—	·02	—	·63	—	trace	—	trace	trace	25
26	·38	—	·38	—	—	trace	·06	—	·02	—	·02	·03	26
27	·40	trace	·08	·03	—	·26	·09	—	—	—	·38	·39	27
28	·40	trace	·55	trace	—	·11	—	—	—	—	·06	·12	28
29	·34	·01	·29	·11	·02	·20	-	—	·72	—	·27	·26	29
30	·24	☒	·01	—	—	·49	·60	—	·93	·59	·38	·82	30
31	·12	☒	·39	☒	—	☒	—	—	☒	·28	☒	·16	31
Total	5·90	·79	4·30	4·34	1·89	2·60	4·46	1·29	3·83	7·04	1·92	5·57	Year's Total 43·93
Days with ·01 in. or more	27	13	22	19	14	13	21	5	14	19	14	18	199
	23	5	16	17	9	11	19	3	10	14	9	16	152

(44,283). Wt.21,958—218—7500. 10/19. Gp.132. A.&E.W.

335

S. made

CORNWALL.

PENZANCE,

COUNTY SCHOOL.

1911–1920

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIS 911

Kept at Penzance,
in the County of Cornwa
by L. Webb

p ……… in.
bove Ground ……… ft. ……… in.
,, Sea Level ……… ft.

Name
Distance ……… Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·01	·13	·12	1
2										·19	·24	·10	2
3										·01	·14	·19	3
4										·05	·23	·43	4
5										·01	·31	·10	5
6										·03	·69	·71	6
7										·01	·15	·03	7
8										·01	·23	·31	8
9											·17	·33	9
10										·01	·53	·24	10
11										·02	·16	·06	11
12										·01	·25	·14	12
13										·01	·20	·06	13
14										·03	·44	·43	14
15										·01	·04	·07	15
16										·01	·30	·17	16
17										·01	·03	·24	17
18										·01	·03	·19	18
19										·06	·10	·61	19
20										·81	·04	·58	20
21										·18	·01	·35	21
22										·12	·08	·28	22
23										·35	·01	·20	23
24										·23		·31	24
25										·49		·21	25
26										·42		·22	26
27										·37	·03	·17	27
28										·01	·01	·01	28
29										·34	·44	·02	29
30										·17	·12	·09	30
31										·02		·01	31
Total										4·01	5·11	6·98	TOTAL for year
No. of Rain Days										30	27	31	

9,000, IX. '10.

JL
S. made

335

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

REGIS 911

Kept at Penzance, County School

in the County of Cornwall

by L. Webb.

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1										·01	·13	·12	1
2										·19	·24	·10	2
3										·01	·14	·19	3
4										·05	·23	·43	4
5										·01	·31	·10	5
6										·03	·69	·71	6
7										·01	·15	·03	7
8										·01	·23	·31	8
9											·17	·33	9
10										·01	·53	·24	10
11										·02	·16	·06	11
12										·01	·25	·14	12
13										·01	·20	·06	13
14										·03	·44	·43	14
15										·01	·04	·07	15
16										·01	·30	·17	16
17										·01	·03	·24	17
18										·01	·03	·19	18
19										·06	·10	·61	19
20										·81	·04	·58	20
21										·18	·01	·35	21
22										·12	·08	·28	22
23										·35	·01	·20	23
24										·23		·31	24
25										·49		·21	25
26										·42		·22	26
27										·37	·03	·17	27
28										·01	·01	·01	28
29										·34	·44	·02	29
30										·17	·12	·09	30
31										·02		·01	31
Total										4·01	5·11	6·98	TOTAL for year
No. of Rain Days										30	27	31	

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.
14 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Penzance County School

in the County of Cornwall 2

by Lance Webb.

RAIN GAUGE
Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground – ft. 6 in.
" " " Sea Level 55 ft.

Time of Observation 9. A.M.

Nearest Railway Station
Name Penzance
Distance 1 ml Direction S.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	–	–	·14	·01	–	·44	·18	·03	·19	·42	·02	·24	1
2	–	·02	·15	·02	–	·31	·04	·03	·02	·01	–	·01	2
3	·01	·01	·32	·01	–	·14	–	1·72	·09	–	–	·06	3
4	·35	·02	·28	·01	·01	·22	–	·14	·02	–	·43	·02	4
5	·76	·22	·37	·01	·06	–	·31	1·42	·01	–	·01	·21	5
6	·33	·11	·04	·02	·42	–	·21	·17	–	–	·04	·02	6
7	·26	·40	·36	·01	·03	–	·04	·02	–	–	·05	·16	7
8	·27	·05	·11	·01	·02	·19	·05	·01	–	–	–	·01	8
9	·01	·38	·14	·02	·01	·11	·71	·19	–	–	–	·95	9
10	·25	·02	·08	·02	–	–	·20	·01	·02	·01	·17	·10	10
11	·01	·41	–	·03	–	–	·21	·61	–	·01	·05	·51	11
12	·06	·19	·50	·34	–	–	·25	·93	–	–	·56	·06	12
13	·49	·01	·04	·02	–	·11	·01	·05	–	·03	·14	·14	13
14	·01	·23	·49	–	–	–	–	·11	·01	·01	·02	·09	14
15	·55	·06	·05	–	·07	·40	–	·05	–	·01	·09	·51	15
16	·04	·01	·36	–	·01	·10	–	·27	–	·18	·03	·17	16
17	·17	·01	·27	–	·05	·01	–	·50	–	–	·14	·20	17
18	–	·10	·19	–	–	–	–	·47	–	·10	·02	·05	18
19	–	·11	·27	–	·03	–	·02	·88	–	·05	–	·48	19
20	·12	·21	·50	–	·19	·02	–	·06	–	·61	·02	–	20
21	·01	·53	·26	–	·13	–	·17	·05	–	·10	·02	–	21
22	·38	·16	·43	–	–	·11	·01	·18	–	·07	·06	·21	22
23	·58	·12	·33	–	–	·02	·14	·85	–	·27	·20	·22	23
24	·02	·38	·03	–	–	·26	·06	·05	–	·31	·01	·20	24
25	·01	·01	·01	–	–	–	·25	·36	–	·41	·34	·36	25
26	–	·02	·01	–	–	·01	·37	·04	–	·13	·52	·54	26
27	–	·03	·01	–	–	·36	·11	·02	·19	·72	·26	·66	27
28	–	·06	–	–	–	·13	·20	·61	·24	·19	·33	·42	28
29	·01	·20	·01	–	–	·03	·27	·09	·35	·23	·09	·08	29
30	–		·06	·02	·16	·02	·34	·02	·14	·25	·05	·02	30
31	·01		·42		·26		·17	·03		·02		·15	31
Total	4·71	4·08	6·23	·55	1·45	2·99	4·32	9·97	1·28	4·14	3·67	6·85	TOTAL for year 50·24
No. of Rain Days	23	28	29	14	14	19	23	31	11	22	25	29	268

9,000, IX. '10.

Ex JL

REGISTER OF RAINFALL IN 1913.

FORM A2.
BRITISH RAINFALL.
3 JAN 1914

Kept at County School. Penzance

in the County of Cornwall. 2

by Lance Webb.

LAT. 50·6 N. LONG. 5·35 W.

RAIN GAUGE
Pattern Glaisher
Diameter of top 8 in.
Height of top above Ground ft. 6 in.
" " " Sea Level 55 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Penzance.
Distance 1m. Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	·13	·31	·06	–	–	–	–	–	·03	·23	·04	1
2	07	·12	·03	·36	·54	·11	–	–	–	–	·15	·06	2
3	08	·02	·09	–	·03	–	–	–	·71①	·11	–	·27	3
4	·73	·03	·08	–	–	·09	–	–	·32	·02	·39	·28	4
5	·14	·04	–	–	·27	·10	·02	–	·11	–	·31	·91	5
6	·09	·14	·12	–	·10	·25	·01	–	·03	·32	·23	·01	6
7	·03	·29	·07	–	·67	·04	·03	·02	–	·19	·21	·04	7
8	·17	·12	–	–	·35	–	·24	·13	–	·02	–	·06	8
9	·34	·04	·04	–	05	·02	·01	·06	·01	·04	·42	·05	9
10	·98	·01	·01	–	·30	·01	–	·01	–	·14	·02	·01	10
11	·34	–	–	·01	·43	·17	–	1·31	·05	·02	·37	·16	11
12	·21	–	·01	·11	·03	·02	–	·01	·35	–	·07	–	12
13	·23	–	·09	·05	·09	·02	·02	·04	·14	–	·22	–	13
14	·24	–	·16	·04	·03	–	–	–	·18	·03	·26	·01	14
15	·16	–	·64	·73	–	–	–	–	·15	–	·20	·10	15
16	·49	–	·40	·13	–	–	·02	–	–	–	·06	–	16
17	·11	–	·02	·20	–	–	·03	–	–	–	·15	–	17
18	·28	–	·23	·19	–	–	–	–	·01	–	·10	–	18
19	·38	–	·09	·01	·12	–	–	–	·29	·17	–	–	19
20	·12	–	·12	·22	·02	·10	–	–	·02	·01	·45	–	20
21	·19	–	·20	·38	·03	·12	–	·06	–	·10	·15	–	21
22	·12	–	·51	·15	·04	·26	–	·11	·18	·06	–	1·12	22
23	·03	–	·01	·08	·02	·02	–	·03	·03	–	·35	·65	23
24	·04	·12	–	·11	·02	·15	–	–	·02	–	·17	·02	24
25	·03	·01	–	·27	–	–	–	–	·20	·02	·11	·11	25
26	·02	·01	–	·74	–	·01	–	·01	·03	·06	–	·38	26
27	·59	–	·27	·32	–	–	–	·15	–	·34	·03	·04	27
28	·02	–	·15	·18	·19	–	–	–	·07	·49	·01	·07	28
29	·12		·37	·35	·22	–	·02	–	–	·23	·05	·22②	29
30	·47		·01	·09	·19	–	·01	–	–	·09	·01	–	30
31	·28		·30		·03		–	–		·10		–	31
Total	7·13	1·08	4·33	4·78	3·77	1·49	·41	1·94	2·90	2·59	4·72	4·61	TOTAL for year 39·75
No. of Rain Days.	31	13	25	22	22	16	10	12	19	21	25	21	237

W. 8,000, X. '11.

① Thunderstorm

② Snow & hail with thunder in evening.

Exd [illegible]

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Penzance County School

in the County of Cornwall. 2

by W.

Lat. 50·6 N. Long. 5·35 W

Time of Observation 9 A.M.

Nearest Railway Station PENZANCE

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground – ft. 6 in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·07	·25	–	·19	·04	·32	–	–	·31	·04	1
2	–	–	–	–	·03	–	·34	–	–	–	·01	·40	2
3	·07	–	·09	·14	·46	–	–	–	–	·03	·01	·48	3
4	·25	–	·13	·56	·04	–	1·28	·45	–	–	·02	·60	4
5	·13	–	·12	·22	·01	–	·08	·02	–	–	–	·09	5
6	–	·11	·10	·18	·10	·01	·21	·03	–	–	–	·50	6
7	·15	·31	·25	·17	·05	·x· ·46	·16	·18	·89 ·x·	–	–	·15	7
8	·13	–	·74	·03	·01	·10	·01	·03	·09	–	·01	·01	8
9	·09	·11	·04	·09	·11	·81	·01	·12	·53	–	–	·06	9
10	·05	·35	·06	·39	·12	·03	–	–	·19	–	·03	·45	10
11	·03	·30	·83	–	·01	·02	–	–	·02	–	·05	·30	11
12	–	·55	·17	–	–	·01	·05	–	·12	·02	·15	·05	12
13	–	·32	·22	–	–	–	·17	–	·10	·50	·19	·14	13
14	–	·10	·33	–	–	·23	·02	·01	·01	·01	·55	·30	14
15	–	·02	·12	–	–	–	·02	–	·08	–	·75	·23	15
16	–	–	–	–	–	–	·01	–	·53	–	·03	·08	16
17	·01	·58	·38	–	–	–	·03	–	–	–	·01	·65	17
18	–	·37	·10	–	–	–	·46	–	·30	–	·02	·49	18
19	–	·02	·61	–	–	–	·75	–	·01	–	·04	·18	19
20	–	·34	·07	–	–	·27	·07	·02	–	·02	·03	·31	20
21	–	·29	·01	–	–	·10	·07	·01	–	·31	–	·02	21
22	–	·16	·21	–	·01	·08	·01	·10	–	·19	–	·01	22
23	–	·03	·24	–	·02	·05	·03	·03	·02	·12	–	–	23
24	–	–	·21	–	·09	–	·14	–	·01	·09	·07	·05	24
25	·13	–	·65	–	–	–	·22	·58	·02	·51	·04	·65	25
26	·07	·10	·74	–	–	–	·08	·06	–	·12	·31	·38	26
27	·11	·10	–	–	–	–	·01	–	–	·24	·38	·24	27
28	·04	·03	·28	–	–	–	–	–	–	·08	·05	·82	28
29	·33		·21	–	·06	–	·01	–	–	·13	·40	·05	29
30	–		·15	·05	·01	–	·05	–	–	·08	·39	·46	30
31	–		–		–		·62	–		·11		·18	31
Total	1·59	4·19	7·13	2·08	1·13	2·36	4·95	1·96	2·92	2·56	3·85	8·37	YEAR'S TOTAL 43·09
Rain Days.	14	19	27	10	15	13	27	14	15	16	23	30	223

W.7,000, XI. 13 ·x· thunder showers.

✓ Ck MR

2018

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

10 JAN 1916

Kept at County School, Penzance
in the County of Cornwall
by Lance Webb

2

Lat. 50·6 N Long. 5·35 W
Time of Observation 9·30 a.m.
Nearest Railway Station Penzance
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·53	·05	–	·04	–	–	·13	·13	·92	·13	1·00	1
2	·33	·27	·19	·08	–	·42	·03	·02	·20	·20	·03	·63	2
3	·05	·09	·21	·16	·19	–	·01	–	–	·03	–	·23	3
4	·28	·18	·03	–	·19	·03	–	·07	–	–	–	·91	4
5	·13	·53	–	·40	–	·01	–	·38	–	–	–	·04	5
6	1·06	·20	·02	·41	–	–	·71	·05	–	–	–	·25	6
7	·34	·36	·01	·03	–	–	·13	–	–	1·51	·05	·25	7
8	·19	·38	–	–	–	–	–	·23	–	·14	·25	·13	8
9	·12	·19	–	·16	–	–	–	·05	–	·01	·42	·72	9
10	·27	·36	·07	·16	–	x·23	·01	·07	–	·05	·02	–	10
11	·09	·02	·09	–	·01	–	–	·04	–	·02	·75	·20	11
12	·24	·33	–	·01	·43	–	–	·33	–	·01	·20	·05	12
13	–	·46	–	–	·45	–	·13	–	·09	·04	·25	·19	13
14	·07	·25	·01	·01	·02	·02	·08	·03	·11	–	–	1·20	14
15	·12	·01	–	–	·22	–	·57	–	·02	–	·08	·14	15
16	·03	1·41	–	–	·46	–	·91	–	·01	·01	·02	·05	16
17	–	·19	–	–	·01	–	–	–	–	–	–	–	17
18	–	·17	–	–	·06	–	·02	–	–	–	–	–	18
19	·11	·18	–	·15	·29	–	·13	–	–	–	–	–	19
20	·37	·08	–	–	·02	·17	–	–	–	·29	–	–	20
21	·08	·03	–	–	–	·75	·26	–	–	·02	–	–	21
22	·28	·06	·19	·02	–	–	·30	–	·06	·35	–	·42	22
23	·04	·17	–	–	–	·10	–	–	–	·15	–	·73	23
24	–	–	–	·02	–	·38	·01	–	·07	·11	–	·15	24
25	·06	–	–	–	·20	·22	·03	–	·05	–	·08	·21	25
26	·02	·40	–	–	·14	·29	–	–	·09	–	–	·70	26
27	–	·04	–	–	·01	·09	·04	–	·11	·74	–	·02	27
28	–	·06	–	–	–	·17	·01	·16	·05	·12	–	·23	28
29	·01	X	–	–	·01	–	–	–	x·34	–	·20	·24	29
30	·10	X	–	·14	–	–	·17	–	–	·45	x·37	·24	30
31	·01	X	–	X	–	X	·14	·18	X	·07	X	·08	31
Total	4·63	6·95	·87	1·75	2·75	2·88	3·69	1·74	1·33	5·24	2·85	9·01	YEAR'S TOTAL 43·69
Rain Days.	25	26	10	13	17	13	19	13	13	20	14	25	208

W. 8,000. X. 15.

·x· thunder.

1963

FORM A.
BRITISH RAINFALL.

8 JAN 19

REGISTER OF RAINFALL IN 1916

Kep[illegible]*t* County School, Penzance.

in the County of Cornwall.

by Lance Webb.

Lat. 50·6 N. Long. 5·35 W.

Time of Observation 9.30 a.m.

Nearest Railway Station Penzance.

Diameter of Funnel of Rain Gauge 8 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	·03	·24	-	-	·05	·08	-	·05	·41	·05	·01	1
2	·31	·21	× ·37	-	-	·01	·02	-	·73	·11	·63	-	2
3	·04	1·41	·01	-	·17	·25	-	-	·08	·74	·20	·01	3
4	·11	·17	-	·02	·09	·01	·50	-	·22	·22	·57	·12	4
5	·05	·25	·05	·04	·08	·12	·61	-	·04	·32	·06	·05	5
6	·07	·08	× ·01	·01	·07	-	·81	-	·01	·23	·70	·01	6
7	·01	·27	× ·17	-	·02	-	-	-	-	·04	·32	·10	7
8	·02	·25	× ·22	-	·53	-	-	-	-	-	·17	·23	8
9	·03	·19	·05	-	-	·06	·17	-	-	·13	·41	·71	9
10	-	1·11	·04	·02	·07	-	-	-	-	-	·02	·24	10
11	-	-	-	·17	·31	-	·10	·01	·10	-	·02	·04	11
12	·09	·05	·21	·20	·04	-	·03	·11	-	·19	-	·15	12
13	-	·41	·16	·09	·02	-	-	·21	-	-	-	·20	13
14	·05	·33	·45	-	·03	-	-	·05	-	·08	-	·14	14
15	·02	·15	·21	·19	-	-	-	·28	-	·01	-	·15	15
16	·15	·09	-	·32	-	-	·04	·22	-	·46	·92	-	16
17	·20	·11	·31	·07	-	-	-	·05	·11	·13	·46	·03	17
18	·03	·04	·38	× ·16	-	-	-	-	·13	·04	·25	·33	18
19	·25	·15	·04	·12	-	-	-	-	-	-	·38	·07	19
20	·10	·27	·17	·01	-	-	-	-	-	-	·24	·28	20
21	-	·15	·19	-	·01	·27	-	-	-	·16	-	·17	21
22	·01	-	·03	-	-	·14	-	·08	-	·49	·07	·69	22
23	·12	× ·02	× ·02	·08	·16	·07	-	·21	·01	·10	·28	·10	23
24	·07	× ·02	·04	·11	·04	-	-	·24	·05	·44	·02	·39	24
25	·01	× ·92	·18	-	·03	·01	-	·14	·04	·13	·25	·03	25
26	·07	× ·19	·12	-	·03	·05	-	·51	·09	·91	·28	·09	26
27	·02	× ·02	1·45	-	-	-	-	·05	·08	·47	·04	·01	27
28	-	× ·04	·06	-	-	·42	-	·21	·61	·73	·01	·34	28
29	-	× ·32	·07	-	-	·14	-	1·01	·48	·13	-	·56	29
30	-	X	-	·17	-	·08	-	·02	·09	·31	-	·03	30
31	-	X	-	X	-	X	-	·09	X	·14	X	·02	31
Total	2·05	7·25	5·25	1·78	1·70	1·68	2·36	3·49	2·92	7·12	6·35	5·30	YEAR'S TOTAL 47·25
Rain Days.	23	27	26	16	16	14	9	17	17	25	23	29	242

W. 8,000. X. 15.

× snow × hail

1874

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1917

Kept at County School for Boys. Penzance
in the County of Cornwall.
by Lance Webb.

Lat. 50·6 N. Long. 5·35 W.
Time of Observation 9.30 a.m.
Nearest Railway Station Penzance.
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground – ft. 6 in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	–	·01	× ·28	–	·05	–	–	·01	–	·11	–	1
2	·03	–	·01	× ·22	–	·38	·44	–	–	·03	·45	–	2
3	·01	× ·04	·10	·03	–	–	·02	·06	–	·32	·10	·19	3
4	·15	·12	·39	·05	–	–	–	–	·66	·10	·01	·01	4
5	–	–	+ ·81	·43	–	–	–	–	·01	·06	·11	·16	5
6	·20	–	·10	·13	–	·29	–	–	–	·19	·20	·15	6
7	–	–	× ·01	·06	–	·09	·08	·83	–	·18	·12	·01	7
8	× ·72	–	·34	·07	–	–	·30	·03	·01	·10	·14	·56	8
9	× ·31	–	·29	+ ·05	·21	·01	–	–	·05	·03	·02	+ ·08	9
10	·10	–	·45	·46	·01	–	·01	·43	–	·07	·17	–	10
11	·83	–	·50	× ·12	–	–	–	·04	–	·94	·60	–	11
12	·02	–	·18	–	·09	–	–	·33	–	·39	·01	·01	12
13	·12	–	·13	·03	–	·04	–	× ·23	·25	·26	·01	·01	13
14	·17	–	–	·15	–	–	·01	·15	·12	·20	–	–	14
15	× ·19	–	–	·01	–	–	–	–	·02	·61	–	·23	15
16	–	·05	·01	·01	–	–	–	·01	·03	·33	–	+ ·40	16
17	–	·04	–	·03	·04	–	·71	·14	·42	·08	–	–	17
18	–	·03	–	·01	·05	·17	·04	–	·93	·02	–	–	18
19	–	·85	·05	–	–	·31	–	–	·01	–	·01	–	19
20	–	·17	·09	–	·74	·29	–	–	·03	–	·01	·01	20
21	–	·03	·10	–	·01	·01	–	·47	–	·14	·03	·28	21
22	·06	·02	–	–	·10	·07	–	1·18	–	+ ·17	·01	–	22
23	–	·26	–	–	·22	·07	–	·62	–	+ ·18	·07	·02	23
24	–	–	–	–	·01	·04	·02	–	·02	+ ·09	·04	–	24
25	·14	·03	–	–	–	·08	–	·73	·08	+ ·12	·10	·07	25
26	·01	–	+ ·01	–	× ·07	·28	–	·07	·10	+ ·04	+ ·05	·02	26
27	·06	–	·03	–	–	·63	·03	1·51	–	+ ·16	·04	·02	27
28	–	·01	·21	–	–	× 1·19	·04	·15	–	+ ·04	·03	–	28
29	–	╳	+ ·31	–	–	·01	–	–	–	·47	·01	·05	29
30	–	╳	+ ·33	–	–	–	–	·33	–	·33	·01	–	30
31	–	╳	·10	╳	·53	╳	× ·01	·05	╳	·49	╳	–	31
Total	3·14	1·65	4·56	2·14	2·08	4·01	1·71	7·36	2·75	6·14	2·46	2·28	YEAR'S TOTAL 40·28
Rain Days.	17	12	23	17	12	18	12	19	16	28	25	18	217

W. 8,000. X. 14.

× thunder × snow + hail

REGISTER OF RAINFALL IN 1918.

FORM A.
BRITISH RAINFALL.

9. 1. 19

Kept at Boys' County School, Penzance
in the County of Cornwall.
by Lance Webb.

Lat. 50·6 N Long. 5·35 W
Time of Observation 9·30 A M.
Nearest Railway Station PENZANCE
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	·11	-	·15	·03	-	-	·25	·01	·02	·95	-	1
2	-	·11	-	·03	·14	-	-	·20	-	-	·07	·52	2
3	-	·13	-	·22	-	-	-	-	·38	·04	·31	·15	3
4	-	·08	-	-	·40	-	-	·36	·34	-	·14	·58	4
5	·11	-	·15	·16	-	-	-	·01	·21	·31	·07	·13	5
6	+ ·32	·24	·18	·09	-	·02	-	·01	·30	·12	-	·04	6
7	·x· ·20	·22	-	·02	-	·04	-	·05	·62	·19	·41	·22	7
8	·x· ·05	·03	-	·09	-	·03	·02	-	·11	·83	-	·02	8
9	·20	-	-	·11	-	·08	·17	-	·69	·05	·01	·36	9
10	·09	·02	-	·08	-	-	·23	-	·21	·06	-	·27	10
11	·05	·01	·18	-	-	-	·14	-	·36 ·x·	·02	-	·14	11
12	·06	·09	-	-	·23	·01	-	-	-	-	-	·09	12
13	·01	-	·01	-	·12	-	·13	-	·58	·32	-	·27	13
14	·51	-	·01	-	·03	·11	·26	-	·22	·08	-	·35	14
15	·65	-	-	-	·03	·09	·47	-	·24	·04	-	·49	15
16	·63	-	-	·34	-	-	·14	-	·11	-	-	·06	16
17	·12	·01	-	·06	·01	·01	·09	-	·01	·22	-	·32	17
18	1·11	·13	·30	-	-	·52	·10	·08	·35	·15	-	·30	18
19	·07	·20	·01	·16	-	-	·18	·01	·15	-	-	-	19
20	·10	·16	-	·34	-	·10	·10	·02	·11	·01	-	-	20
21	·21	-	-	-	-	-	·13	-	·53	·22	-	·66	21
22	·02	·01	-	-	·08	-	* ·78	-	·19	-	·05	·30	22
23	·07	-	-	-	-	·02	·06	-	-	-	·30	·17	23
24	·01	·25	-	-	-	-	·01	·16	·10	-	·05	·11	24
25	-	-	-	-	·09	-	·05	·48	-	·03	·39	·01	25
26	-	·12	-	-	-	-	·06	-	·09	·01	·01	·02	26
27	·01	·12	·22	-	-	-	-	·03	·28	·02	·13	·65	27
28	-	·x· ·35	·12	-	-	-	-	-	·39	·04	·10	·12	28
29	-	✕	·15	-	-	-	-	-	·89	·01	·20	·07	29
30	-	✕	·32	·20	-	-	-	-	·02	-	·14	·05	30
31	-	✕	·08	✕	-	✕	·04	·03	✕	·52	✕	·09	31
Total	4·60	2·39	1·73	2·05	1·16	1·03	3·16	1·69	7·49	3·31	3·33	6·56	YEAR'S TOTAL 38·50
Rain Days.	21	19	12	14	10	11	19	13	26	22	16	28	211

W. 8,000, IX. 17. + hail ·x· snow

1763

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1919

Kept at The County School, Penzance

in the County of Cornwall

by Lance Webb.

Lat. 50·6.N. Long. 5·35.W.

Time of Observation 9.30 A.M.

Nearest Railway Station PENZANCE

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 6 in.

" " " " Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·69	–	·01	·03	·08	–	·48	–	·36	·28	·05	1·17	1
2	·27	–	·13	·10	·07	–	–	–	–	–	–	·07	2
3	·07	–	·10	·07	·12	–	–	–	·10	–	–	·18	3
4	–	·66	·88	–	·01	–	–	·07	·14	–	–	–	4
5	·15	·25	·07	–	·06	–	–	–	–	–	·07	·19	5
6	·39	·78	·22	–	–	–	–	–	–	–	–	·08	6
7	·34	–	·33	·08	–	–	·01	–	·01	–	–	·02	7
8	·24	–	·10	·03	–	·03	–	–	–	–	·67	·04	8
9	·17	–	·10	·32	·39	–	–	–	–	–	·32	·17	9
10	·12	–	·70	·36	·03	–	–	–	–	·03	·15	·51	10
11	·12	·05	·35	·04	·28	·03	·02	–	–	·13	·x· ·04	·06	11
12	·28	·03	·10	·08	–	·01	–	–	·01	·06	+ ·08	–	12
13	·19	·22	·12	·31	–	–	·01	–	·05	·01	–	·42	13
14	·42	·21	·19	·25	·07	–	–	–	·04	·07	–	·10	14
15	·10	·16	·08	–	–	–	–	–	·01	·08	·x· ·03	·26	15
16	·15	·89	–	–	·04	·04	·02	–	–	–	·31	·14	16
17	·07	1·14	·27	–	–	·02	–	·02	–	–	·29	·02	17
18	·17	·11	·09	–	–	–	–	·21	·09	–	+ ·42	–	18
19	·74	·37	·15	–	·05	·38	·21	·45	·16	–	+ ·15	·07	19
20	·23	·26	·23	–	·32	·12	–	·05	·09	–	·14	·11	20
21	–	·37	·07	–	·01	–	·05	·04	·35	–	·07	·07	21
22	·49	–	·07	–	–	·02	–	–	·13	·02	·05	·18	22
23	–	–	·01	–	–	–	–	·12	–	·20	·07	·12	23
24	–	–	–	–	–	·21	–	·01	·02	·67	·16	·22	24
25	·18	·02	–	·03	–	–	–	·28	–	·29	+ ·03	·07	25
26	·07	·10	·06	·04	–	–	–	·10	·14	–	+ ·14	·57	26
27	·09	·13	·01	+ ·21	–	–	–	1·07	·05	·02	·07	·16	27
28	·04	·10	·16	·01	–	–	–	·06	–	·34	·38	·73	28
29	–	X	·10	·38	–	–	–	·25	–	·15	–	·11	29
30	–	X	·x· ·11	·10	–	·25	·04	·23	·05	–	·43	·49	30
31	·x· ·02	X	·x· ·25	X	–	X	–	·01	X	–	X	·53	31
Total	5·80	5·85	5·06	2·44	1·53	1·11	·84	2·97	1·80	2·35	4·12	6·86	YEAR'S TOTAL 40·73
Rain Days.	25	18	28	17	13	10	8	15	17	14	22	28	215

W. 8,000, IX. 17.

·x· snow + hail

Ex 91d 1079

FORM A 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

5 JAN 1921

REGISTER OF RAINFALL IN 1920.

Kept at Penzance County School

in the County of Cornwall

by Lance Webb

Lat. 50·6 N Long 5 35 W

Time of Observation 9·30 am.

Nearest Railway Station Penzance

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

,, ,, ,, ,, Sea Level 155 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·06	-	·01	·31	·65	-	·82	-	·04	·08	·01	·45	1
2	·38	-	-	·02	-	-	·02	·04	·13	·07	-	·10	2
3	·30	·07	-	·06	-	-	·01	·02	-	·49	-	·36	3
4	-	-	·04	-	-	-	·02	·76	-	·39	-	·01	4
5	-	·01	·06	-	·22	-	·17	·06	-	·13	-	-	5
6	-	-	·20	·06	·16	-	·43	-	-	·31	-	-	6
7	·08	·05	·07	·41	·06	-	× ·50	-	-	-	·01	·02	7
8	·18	-	·01	·17	·10	-	-	·12	-	-	-	·17	8
9	·75	·06	·02	·03	-	·09	·59	-	-	-	-	-	9
10	·84	·13	·25	·10	-	·11	·04	-	-	-	·04	·01	10
11	·29	·02	·21	·39	·19	-	·21	-	-	·03	-	·02	11
12	·14	·13	·22	·15	·01	·01	·02	-	-	-	·17	⊕ ·02	12
13	·15	·01	·40	·02	-	·01	—	-	-	·16	·01	⊕ ·10	13
14	·20	·02	·42	·61	-	·01	·09	-	·16	·63	·19	·03	14
15	·04	·06	·03	·33	·01	-	-	-	-	1·03	·17	-	15
16	·01	·03	·06	-	-	·05	·03	-	·43	·08	·15	-	16
17	·07	-	·01	·34	·26	·01	-	-	·27	·57	-	-	17
18	·23	-	-	·09	-	·22	-	·43	·06	-	-	-	18
19	·16	-	-	·42	-	·54	-	-	·07	·24	-	-	19
20	·15	-	-	·07	-	·04	-	-	·23	·13	-	·38	20
21	-	-	-	·39	-	-	-	-	·05	·02	-	·21	21
22	·10	-	-	-	-	-	·05	-	-	-	-	·34	22
23	·04	-	·08	-	-	-	·20	·07	-	-	-	·48	23
24	·04	·07	·30	·03	-	-	·10	-	-	-	·01	·08	24
25	·24	-	·06	-	-	-	·77	-	-	-	-	-	25
26	·25	-	·30	-	-	·01	-	-	·02	-	·05	·02	26
27	·44	·05	·05	·07	·01	·31	·13	-	-	-	·20	·40	27
28	·20	·01	+ ·21	-	-	·15	·07	-	-	-	03	·48	28
29	·38	·01	·16	·06	·15	-	·01	-	·69	-	·16	·19	29
30	·32		·06	-	-	·52	54	-	·74	·44	·33	·75	30
31	·14		·08		-		·01	-		·64		·19	31
TOTAL	6·18	·73	3·31	4·13	1·82	2·08	4·83	1·50	2·89	5·44	1·53	4·81	YEAR'S TOTAL 39·25
Days with ·01 in. or more	27	15	24	21	11	14	22	7	12	17	14	22	206
	26	8	19	17	8	9	15	6	11	15	9	15	158

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W. × thunder + hail ⊕ snow.

PENZANCE

(MORRAB GDNS)

CORNWALL

1911 – 1920

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

9 11

Kept at Pen

Snowdon

top 5 in.

above Ground 1 ft. — in.

„ Sea Level 55 ft.

in the County of

9 am (local time)

by Charles

tion { Name Penzance
Distance ¾ mile Direction E

IMPORTANT , and the result entered to the previous day. If universal rule, he is earnestly requested to add th ing year in the space provided for it at the end easurement of rain, the selection and he British Rainfall Organization are gi ee on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	–	–	·10	·34	–	·01	·07	–	·03	·05	·12	1
2	·12	–	–	·08	·11	–	–	·15	–	·21	·13	·14	2
3	·01	–	·03	·01	·32	–	–	·03	·05	~~·09~~	·19	·14	3
4	–	–	·14	·02	·01	–	–	1·37	–	·07	·19	·48	4
5	·90	–	·32	–	–	–	–	·10	–	·02	·16	·07	5
6	·03	–	·08	–	–	–	–	·01	–	·05	·22	·86	6
7	·17	–	–	·04	–	–	–	–	–	–	·81	·11	7
8	·05	–	·28	–	–	–	–	–	–	–	·17	·40	8
9	·09	·09	–	–	–	–	–	–	–	–	·22	·45	9
10	·05	·05	·96	–	·01	–	–	–	–	·01	·30	·29	10
11	·66	–	·07	–	–	–	–	·11	·27	·02	·42	·17	11
12	·01	–	·72	–	–	–	–	·15	·55	–	·16	·22	12
13	·05	–	·17	–	–	–	–	–	·08	–	·22	·07	13
14	–	·32	·07	–	–	–	–	–	–	·05	·20	·47	14
15	–	·11	·04	–	–	·18	–	–	–	–	·38	·07	15
16	–	·02	·01	–	–	·78	–	–	–	–	·02	·17	16
17	–	·07	·50	·09	–	·14	–	–	–	–	·28	·33	17
18	–	·30	·19	·23	–	·03	–	–	–	–	·04	·19	18
19	–	·01	·02	·05	–	·02	–	–	·93	·10	·03	·63	19
20	–	·05	·10	·12	–	·04	–	·02	·56	1·05	·12	·72	20
21	·03	·12	·37	·01	–	·09	·02	–	·06	·18	·05	·40	21
22	·01	·08	·03	·08	–	·20	–	–	·96	·14	–	·26	22
23	·03	·08	–	·01	–	·01	–	·43	·04	·51	·10	·22	23
24	·04	·25	–	–	–	·29	–	·06	–	·43	–	·21	24
25	·04	·01	–	·24	–	·03	–	–	·10	·46	–	·17	25
26	–	·24	·02	·50	–	–	–	·24	·01	·42	–	·27	26
27	–	·68	·05	·03	–	·01	–	·19	·01	·34	–	·14	27
28	–	·09	·05	·48	–	–	·03	·01	·12	·03	·04	·01	28
29	–	×	·10	·34	·01	·46	·40	–	·36	·26	–	–	29
30	–	×	–	–	–	·04	·12	–	·06	·20	·45	·08	30
31	–	×	–	×	–	×	·37	–	×	·07	×	–	31
Total	2·43	2·57	4·32	2·43	·80	2·32	·95	2·94	4·16	4·65	4·95	7·86	TOTAL for year
No. of Rain Days.	17	17	22	17	6	14	6	14	15	21	24	29	40·38 202

W. 8,000, X. '11.

9 11

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Penzance

in the County of Cornwall 2

by Charles H. Benn

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. — in.
" " " Sea Level 55 ft.

Time of Observation 9 am (local time)

Nearest Railway Station
Name Penzance
Distance 3/4 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	–	–	·10	·34	–	·01	·07	–	·03	·05	·12	1
2	·12	–	–	·08	·11	–	–	·15	–	·21	·13	·14	2
3	·01	–	·03	·01	·32	–	–	·03	·05	–	·19	·14	3
4	–	–	·14	·02	·01	–	–	1·37	–	·07	·19	·48	4
5	·90	–	·32	–	–	–	–	·10	–	·02	·16	·07	5
6	·03	–	·08	–	–	–	–	·01	–	·05	·22	·86	6
7	·17	–	–	·04	–	–	–	–	–	–	·81	·11	7
8	·05	–	·28	–	–	–	–	–	–	–	·17	·40	8
9	·09	·09	–	–	–	–	–	–	–	–	·22	·45	9
10	·05	·05	·96	–	·01	–	–	–	–	·01	·30	·29	10
11	·66	–	·07	–	–	–	–	·11	·27	·02	·42	·17	11
12	·01	–	·72	–	–	–	–	·15	·55	–	·16	·22	12
13	·05	–	·17	–	–	–	–	–	·08	–	·22	·07	13
14	–	·32	·07	–	–	–	–	–	–	·05	·20	·47	14
15	–	·11	·04	–	–	·18	–	–	–	–	·38	·07	15
16	–	·02	·01	–	–	·78	–	–	–	–	·02	·17	16
17	–	·07	·50	·09	–	·14	–	–	–	–	·28	·33	17
18	–	·30	·19	·23	–	·03	–	–	–	–	·04	·19	18
19	–	·01	·02	·05	–	·02	–	–	·93	·10	·03	·63	19
20	–	·05	·10	·12	–	·04	–	·02	·56	1·05	·12	·72	20
21	·03	·12	·37	·01	–	·09	·02	–	·06	·18	·05	·40	21
22	·01	·08	·03	·08	–	·20	–	–	·96	·14	–	·26	22
23	·03	·08	–	·01	–	·01	–	·43	·04	·51	·10	·22	23
24	·04	·25	–	–	–	·29	–	·06	–	·43	–	·21	24
25	·04	·01	–	·24	–	·03	–	–	·10	·46	–	·17	25
26	–	·24	·02	·50	–	–	–	·24	·01	·42	–	·27	26
27	–	·68	·05	·03	–	·01	–	·19	·01	·34	–	·14	27
28	–	·09	·05	·48	–	–	·03	·01	·12	·03	·04	·01	28
29	–	X	·10	·34	·01	·46	·40	–	·36	·26	–	–	29
30	–	X	–	–	–	·04	·12	–	·06	·20	·45	·08	30
31	–	X	–	X	–	X	·37	–	X	·07	X	–	31
Total	2·43	2·57	4·32	2·43	·80	2·32	·95	2·94	4·16	4·65	4·95	7·86	TOTAL for year 40·38
No. of Rain Days.	17	17	22	17	6	14	6	14	15	21	24	29	202

W. 8,000, X. '11.

Ex M.L.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

13 JAN 1913

Kept at Penzance (Morrab Gardens)
in the County of Cornwall 2
by Charles H. Benn

Lat. 50°7′0″ N Long. 5°32′12″ W
Time of Observation 9 am
Nearest Railway Station Penzance
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·16	—	·04	·46	·26	·03	·17	·37	·02	·22	1
2	—	—	·20	·03	—	·42	·06	·04	·01	·02	—	·02	2
3	·02	·03	·31	·01	—	·27	·02	1·64	·07	—	—	·06	3
4	·30	·04	·09	—	—	·13	—	·18	—	—	·51	·01	4
5	·74	·25	·42	·01	·11	—	·34	1·67	·01	—	·01	·29	5
6	·33	·13	·08	—	·44	—	·16	·14	—	—	·02	·01	6
7	·26	·47	·22	·02	·02	—	·05	·01	—	—	·03	·18	7
8	·28	·10	·12	·01	·01	·26	·05	—	—	—	—	—	8
9	·01	·28	·22	—	—	·06	·55	·22	—	—	·01	1·04	9
10	·35	·02	·03	—	—	—	·28	·01	·02	—	·23	·10	10
11	·01	·43	—	—	—	—	·17	·65	—	—	·99	·59	11
12	·07	·15	·52	—	—	—	·31	·87	—	—	·87	·04	12
13	·52	·01	·03	·34	—	·13	—	·11	—	·03	·19	·12	13
14	·01	·22	·50	—	—	—	—	·11	—	—	·04	·19	14
15	·70	·07	·06	—	·07	·40	—	·06	—	·03	·09	·49	15
16	·03	—	·42	—	—	·11	—	·28	—	·15	·04	·14	16
17	·05	—	·26	—	·06	·01	—	·51	—	—	·17	·22	17
18	—	·10	·21	—	—	—	—	·56	—	·11	·02	·05	18
19	—	·15	·25	—	·05	·02	·02	·71	—	·02	—	·04	19
20	·11	·23	·49	—	·23	—	—	·11	—	·65	·02	—	20
21	—	·58	·32	—	·12	—	·23	·04	—	·12	—	·01	21
22	·42	·17	·44	—	—	·19	·22	·15	—	·06	·07	·21	22
23	·51	·48	·30	—	—	·02	·16	·88	—	·15	·19	·24	23
24	·03	·05	·03	—	—	·27	·06	·07	—	·24	·02	·23	24
25	—	—	·01	—	—	·16	·27	·30	—	·51	·33	·45	25
26	—	·01	—	—	—	·01	·41	·07	—	·13	·52	·50	26
27	—	·03	—	—	—	·40	·13	—	·17	·80	·32	·62	27
28	—	·09	·01	—	—	·19	·24	·65	·23	·16	·32	·43	28
29	—	·22	—	—	—	·15	·19	·10	·39	·20	·16	·13	29
30	—	×	·03	—	·28	·05	·43	—	·12	·22	·09	—	30
31	—	×	·50	×	·18	×	·09	·02	×	·02	×	·17	31
Total	4·75	4·31	6·23	·42	1·61	3·71	4·70	10·19	1·19	3·99	~~4·38~~ 5·28	6·80	YEAR'S TOTAL ~~52·28~~
Rain Days.	19	24	27	6	12	20	23	28	9	19	25	28	240

53·18

W. 7,500, XI. '12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
10 JAN 1914

Kept at Penzance
in the County of Cornwall
by Charles H. Benn

2

Lat. 50·7·0" Long. 5 32 12 W
Time of Observation 9 am (Local)
Nearest Railway Station Penzance
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·12	·31	·08	—	—	—	—	—	·03	·20	·02	1
2	·04	·06	·02	·36	·60	·08	—	—	—	—	·13	·03	2
3	·10	·01	·07	—	·04	·01	—	—	·73	·12	—	·23	3
4	·68	·01	·06	·01	—	·08	—	—	·28	·03	·37	·27	4
5	·10	·04	—	—	·28	·06	·02	—	·11	—	·38	1·12	5
6	·07	·14	·11	—	·10	·20	—	—	·04	·27	·27	·01	6
7	·01	·29	·04	—	·74	—	·03	—	—	·14	·21	·03	7
8	·17	·15	—	—	·37	—	·20	·10	—	·03	—	·03	8
9	·30	·03	·02	—	·04	·03	·01	·05	·03	·09	·43	·03	9
10	1·14	—	·01	—	·27	—	—	·02	—	·15	·07	·02	10
11	·33	—	·02	—	·47	·16	·02	1·25	·05	—	·21	·11	11
12	·35	—	·01	·11	·02	·02	—	·01	·33	—	·12	·02	12
13	·08	—	·07	·04	·09	·02	·01	·01	·14	—	·27	—	13
14	·36	—	·17	·04	·01	—	·01	—	·20	·04	·23	—	14
15	·19	—	·64	·75	—	—	—	—	·08	—	·24	·08	15
16	·60	—	·40	·15	—	—	·02	—	·01	—	·02	—	16
17	·13	—	·02	·11	—	—	·03	—	—	—	·10	—	17
18	·30	—	·20	·23	—	·05	—	—	—	—	·09	—	18
19	·34	—	·07	·01	·11	·05	—	—	·28	·17	·01	—	19
20	·06	—	·16	·27	·01	·03	—	—	—	·03	·51	—	20
21	·17	—	·28	·17	·02	·09	—	·05	—	·09	·15	—	21
22	·10	—	·57	·16	·02	·25	—	·12	·21	·06	·01	1·11	22
23	·02	—	·02	·09	—	—	—	·01	·03	—	·43	·78	23
24	·03	·15	—	·11	—	·13	—	—	—	—	·16	—	24
25	·01	—	—	·24	—	—	—	—	·19	·02	·10	·08	25
26	—	—	—	·76	—	·01	—	—	·02	·05	·01	·44	26
27	·56	—	·32	·31	—	—	—	·17	—	·38	·02	·09	27
28	·02	—	·28	·15	·23	—	—	·01	·06	·39	·01	·12	28
29	·14	×	·43	·37	·15	—	·03	—	—	·15	·01	·65	29
30	·43	×	—	·09	·13	—	—	—	—	·05	·02	·03	30
31	·26	×	·30	×	·01	×	—	—	×	·10	×	—	31
Total	7·11	1·00	4·60	4·61	3·71	1·27	·38	1·80	2·79	2·39	4·77	5·30	YEAR'S TOTAL 39·73
Rain Days.	30	10	25	22	20	16	10	11	17	20	28	21	230

W.7,000, XI. 13

Exc DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
25 JAN 1915

Kept at Penzance
in the County of Cornwall 2
by Charles H. Bennett

Lat. 50° 7' 0" N Long. 5° 32' 12" W
Time of Observation 9 am (Local)
Nearest Railway Station Penzance
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	.04	.14	–	.19	.05	.65	–	–	.33	.03	1
2	.01	–	–	–	.02	.01	.40	–	–	–	.01	.48	2
3	.04	–	.15	.15	.46	–	.02	–	–	.02	–	.48	3
4	.21	–	.11	.62	.03	–	1.24	.52	–	–	.02	.58	4
5	.23	–	.18	.21	–	–	.08	.03	–	–	–	.22	5
6	.02	.17	.12	.19	.13	–	.21	.02	–	–	–	.60	6
7	.14	.24	.24	.19	.04	.60	.16	.19	1.45	–	–	.16	7
8	.11	–	.74	.03	–	.21	–	.03	.01	–	.01	.01	8
9	.05	.10	.13	.09	.08	.98	–	.14	.63	–	–	.05	9
10	.12	.37	.08	.39	.17	.04	–	–	.19	–	.03	.83	10
11	–	.30	1.11	–	–	.03	–	–	.02	–	.05	.10	11
12	–	.60	.15	–	–	–	.06	–	.12	.04	.20	.06	12
13	–	.31	.26	–	–	–	.21	–	.10	.58	.24	.13	13
14	–	.10	.29	–	–	.10	.01	–	.01	.01	.52	.31	14
15	–	.01	.12	–	–	–	.02	.01	.07	–	.98	.26	15
16	–	–	.02	–	–	–	.03	–	.56	–	.03	.04	16
17	–	.58	.39	–	–	–	.03	–	–	–	–	.73	17
18	–	.36	.10	–	–	–	.43	–	.35	–	–	.51	18
19	–	.01	.79	–	–	–	.73	–	.02	–	.05	.09	19
20	–	.33	.09	–	–	.22	.07	–	–	–	.04	.31	20
21	–	.36	.02	–	–	.18	.06	–	–	.38	–	.02	21
22	–	.15	.16	–	.05	.05	–	.05	–	.20	–	.03	22
23	–	.02	.30	–	.02	.05	.03	.14	–	.11	–	–	23
24	–	–	.17	–	.10	.01	.04	–	–	.05	.07	.06	24
25	.19	–	.78	–	–	–	.11	.73	–	.67	.04	.71	25
26	.04	.15	.83	–	–	–	.32	.04	–	.15	.34	.50	26
27	.14	.10	.01	–	–	–	.11	–	–	.25	.43	.26	27
28	.04	.04	.38	–	–	–	–	–	–	.10	.03	1.05	28
29	.31	✕	.23	–	.07	–	–	–	–	.18	.36	.08	29
30	.01	✕	.14	.03	–	–	.07	–	–	.14	.40	.56	30
31	–	✕		✕	–	✕	.60	–	✕	.12	✕	.23	31
Total	1.66	4.30	8.13	2.04	1.17	2.67	5.09	2.55	3.53	3.00	4.18	9.48	YEAR'S TOTAL 47.80
Rain Days.	15	19	29	10	11	13	24	12	12	15	20	30	210

W. 8,000. X. 14.

17/3/20 W 911 L cndly Obr. 24.11.16 2014

FORM A. BRITISH RAINFALL.

15 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Penzance

in the County of Cornwall 2

by Charles H. Benn

Lat. 50° 7' N Long. 5° 32' 12" W

Time of Observation 9 am (Local Time)

Nearest Railway Station Penzance

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·30	·53	—	—	·03	—	—	·16	·05	·94	·12	·05	1
2	·38	·26	·16	·07	—	·35	·02	·02	·22	·01	—	1·01	2
3	·06	·12	·19	·16	·12	—	—	—	—	—	—	·68	3
4	·33	·19	·05	—	·20	—	—	·09	—	—	—	·20	4
5	·10	·67	·02	·40	·01	—	—	·41	—	—	—	·98	5
6	1·10	·21	—	·40	—	—	·71	·04	—	—	—	·06	6
7	·34	·40	·01	·03	—	—	·23	—	—	1·51	·06	·39	7
8	·17	·43	—	—	—	—	—	·27	—	·16	·34	·38	8
9	·14	·17	—	·23	—	—	—	·06	—	—	·42	·59	9
10	·31	·39	·08	·22	—	·20	—	·09	—	·07	·02	·01	10
11	·08	·04	·10	·01	—	—	—	·18	—	—	·74	·18	11
12	·26	·44	—	·05	·70	—	—	·24	—	—	·41	·13	12
13	·02	·68	—	—	·43	—	·18	—	·09	·03	·29	·20	13
14	·07	·33	—	—	·02	·02	·09	·06	·11	—	·01	1·68	14
15	·12	·01	—	—	·22	—	·65	—	·01	—	·07	·14	15
16	·06	1·41	—	—	·46	—	·91	—	—	·03	—	·05	16
17	·01	·17	—	—	·02	—	—	—	—	—	—	—	17
18	—	·18	—	—	·09	—	·02	—	—	—	—	—	18
19	·12	·08	—	·15	·25	—	·10	—	—	—	·02	—	19
20	·49	·03	—	—	·02	·14	—	—	—	·35	—	—	20
21	·18	·06	—	—	—	·82	·24	—	—	—	—	—	21
22	·30	·17	·18	·04	—	·01	·25	—	·05	·35	—	·39	22
23	·08	·04	·01	—	—	·04	—	—	—	·14	—	·75	23
24	—	—	—	·06	—	·36	—	—	·05	·04	—	·19	24
25	·07	—	—	—	·20	·21	·02	—	—	—	·09	·23	25
26	·04	·41	—	—	·11	·32	·04	—	·12	—	·01	·73	26
27	—	·04	—	—	—	·16	·03	—	·13	·70	—	·02	27
28	—	·05	—	—	—	·18	—	·16	·04	·14	—	·24	28
29	—	X	—	—	—	—	—	—	·40	—	·20	·21	29
30	·09	X	—	·13	—	—	·19	—	·01	·54	·34	·24	30
31	·03	X	—	X	—	X	·16	·14	X	·16	X	·16	31
Total	5·25	7·51	·80	1·95	2·88	2·81	3·84	1·92	1·28	5·17	3·34 3·14	9·89	YEAR'S TOTAL 46·44 46·44
Rain Days.	26	26	9	13	15	12	16	13	12	15	15	26	198

W. 8,000. X. 15.

1960

1909

BRITISH RAINFALL. FORM A.

12 JAN

REGISTER OF RAINFALL IN 1916

Kept at Penzance
in the County of Cornwall
by Charles H. Benn

Lat. 50·7′ N Long. 5·32′ 12″ W
Time of Observation 9 am (Local Time)
Nearest Railway Station Penzance
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·22	–	·06	–	–	·02	·08	–	·05	·42	·06	·01	1
2	·23	·21	·60	–	–	–	·02	–	·73	·20	·55	–	2
3	·02	1·23	·01	–	·17	·25	–	–	·08	·69	·13	–	3
4	·13	·16	–	·03	·10	·12	·50	–	·22	·29	·57	·09	4
5	·05	·24	·05	–	·16	·10	·32	–	·04	·14	·06	·06	5
6	·07	·12	·05	–	·08	·02	·74	–	·01	·20	·80	–	6
7	·01	·32	·17	–	·23	–	·01	–	–	·05	·31	·08	7
8	·02	·39	·22	–	·38	–	–	–	–	–	·17	·18	8
9	·02	·19	·04	–	·02	·04	·17	–	–	·11	·35	·64	9
10	·01	1·13	–	·05	·07	·01	·02	–	–	–	·02	·28	10
11	–	·03	·03	·20	·31	–	·10	·01	·10	–	·01	·08	11
12	·09	·05	·22	·09	·03	–	·07	·11	–	·19	·01	·16	12
13	–	·25	·20	·03	·06	–	·01	·21	–	·03	·01	·21	13
14	·05	·39	·40	·02	·03	–	–	·05	–	·08	·01	·15	14
15	·03	·16	·24	·11	–	–	–	·38	–	–	–	·17	15
16	·12	·06	–	·19	–	–	·01	·22	–	·59	1·24	–	16
17	·19	·12	·24	·06	–	–	–	·05	·10	·07	·32	–	17
18	·04	·08	·38	·09	–	–	–	–	·14	·03	·24	·32	18
19	·17	·15	–	·29	–	–	–	–	·03	–	·38	·07	19
20	·08	·27	·23	·02	–	–	–	–	–	–	·32	·28	20
21	·01	·15	·23	–	·02	·23	–	–	–	·16	·01	·17	21
22	–	·02	·06	–	–	·08	–	·08	–	·46	·07	·69	22
23	·05	·04	·10	·10	–	·14	–	·21	·04	·07	·33	·10	23
24	–	·02	·08	·11	·24	·03	–	·24	·08	·50	·02	·39	24
25	·02	·92	·21	–	·04	·08	–	·14	·01	·14	·23	·03	25
26	·04	·19	·18	–	·03	·01	–	·51	·12	·95	·36	·09	26
27	·03	–	1·91	–	–	·05	–	·05	·03	·32	·05	·01	27
28	–	·09	·01	–	–	–	–	·21	·49	·68	–	·34	28
29	–	·38	·05	–	–	·42	–	1·01	·66	·12	–	·56	29
30	–	✗	–	·15	–	·14	–	·02	·06	·30	–	·03	30
31	–	✗	–	✗	–	✗	–	·09	✗	·17	✗	·02	31
Total	1·70	7·36	5·97	1·54	1·97	1·74	2·05	3·49	2·99	6·96	6·63	5·21	YEAR'S TOTAL 47·61
Rain Days.	~~23~~	~~27~~	~~25~~	~~15~~	~~16~~	~~16~~	~~12~~	~~17~~	~~18~~	~~25~~	~~26~~	~~26~~	~~246~~

W. 8,000, VIII. 16

1871

REGISTER OF RAINFALL IN 1917

Kept at Penzance

in the County of Cornwall

by Charles H. Benn

Lat. 50° 7' 0" N Long. 5° 32' 12" W

Time of Observation 9 am (Local Time)

Nearest Railway Station Penzance

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 55 ft.

FORM A. BRITISH RAINFALL. 1909

24 JAN 1918

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	—	·30	—	·06	—	—	—	—	·09	—	1
2	·01	—	·02	·19	—	—	·42	—	—	·02	·41	—	2
3	·15	·07	·10	·01	—	—	·02	·06	—	·33	·07	—	3
4	—	·15	·39	·11	—	—	—	—	·56	·08	·01	·17	4
5	·20	—	·74	·51	—	—	—	—	—	·13	·10	·01	5
6	·01	—	·07	·20	—	·26	—	—	—	·16	·19	·13	6
7	·72	—	·01	·04	—	·06	·08	·81	—	·16	·13	—	7
8	·31	—	·30	·13	—	—	·30	·02	·02	·12	·12	·65	8
9	·10	—	·31	·05	·16	—	—	—	·03	·05	·06	·12	9
10	·86	—	·31	·32	·01	—	—	·33	—	·09	·17	·01	10
11	·06	—	·40	·15	—	—	—	·03	—	·96	·47	—	11
12	·11	—	·15	—	·08	—	—	·18	—	·42	·02	—	12
13	·18	—	·11	·06	—	·03	—	·27	·21	·31	—	·01	13
14	—	—	—	·14	—	—	·02	·15	·10	·28	—	—	14
15	·17	—	—	·02	—	—	—	—	·04	·58	—	·17	15
16	—	·06	—	·02	—	—	—	·02	·01	·34	—	·44	16
17	—	·03	—	·02	·04	—	·80	·11	·35	·07	—	—	17
18	—	·01	—	—	·04	·18	·04	—	·92	·03	—	—	18
19	—	·76	·03	—	—	·41	—	·03	·01	—	—	—	19
20	—	·16	·08	—	·74	·08	—	—	·03	—	·02	—	20
21	—	·04	·06	—	—	·10	—	·05	—	·12	·02	·26	21
22	·07	·01	—	—	·09	·03	—	1·26	—	·17	—	—	22
23	—	·19	—	—	·20	·07	—	·51	—	·17	·05	·02	23
24	—	—	—	—	—	·03	·03	·01	—	·11	·09	—	24
25	·08	·03	—	—	—	·04	—	·56	·06	·19	·07	·07	25
26	·02	—	·01	—	·05	·25	·01	·06	·07	·09	·05	·03	26
27	—	—	·02	—	—	·54	·04	1·28	—	·30	·05	—	27
28	—	—	·22	—	·01	1·19	·05	·11	—	·08	·03	—	28
29	—	X	·31	—	—	—	—	·04	—	·52	—	·05	29
30	—	X	·31	—	—	—	—	·26	—	·33	·03	—	30
31	—	X	·09	X	·44	X	·02	·03	X	·32	X	—	31
Total	3·08	1·51	4·04	2·27	1·86	3·33	1·83	6·18	2·41	6·53	2·25	2·14	YEAR'S TOTAL 37·43
Rain Days.	16	11	21	16	11	15	12	22	13	28	21	14	200

W. 8,000, IX. 17.

1909

FORM A.
BRITISH RAINFALL
7. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Penzance
in the County of Cornwall
by Arthur W. Penrose

Lat. 50° 8'. Long. 5° 33'.
Time of Observation 8 : 45 A.M.
Nearest Railway Station Penzance
Diameter of Funnel of Rain Gauge 4 ins
Height of top of Gauge above Ground 7 ft. 0 in.
" " " " Sea Level About 100. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	·19	—	·13	·03	—	—	·24	·01	·03	1·06	—	1
2	—	·10	—	·01	·15	—	—	·21	·39	—	·07	·54	2
3	—	·18	—	·19	·32	—	—	—	·37	·04	·28	·15	3
4	—	·03	—	—	—	—	—	·35	—	—	·16	·65	4
5	·07	·01	·11	·10	—	—	—	·01	·19	·30	·04	·14	5
6	·23	·24	·23	·08	—	·02	—	·01	·11	·12	—	·16	6
7	·22	·26	—	—	—	·05	—	·05	·86	·19	·39	·25	7
8	·05	·03	—	·03	—	·03	·01	—	·04	·80	—	·12	8
9	·21	—	—	·28	—	·07	·15	—	·68	·05	·01	·39	9
10	·04	·01	—	·06	—	—	·23	—	·20	·10	—	·35	10
11	·03	—	·18	—	—	—	·14	—	·37	—	—	·13	11
12	·05	·09	·01	—	·23	—	—	—	—	·38	—	·04	12
13	—	—	—	—	·14	—	·16	—	·58	·05	—	·33	13
14	·41	—	·01	—	·03	·11	·12	—	·22	—	—	·40	14
15	·57	—	—	—	·02	·08	·55	—	·26	·07	—	·56	15
16	·61	—	—	·33	—	·01	·24	—	—	—	—	·76	16
17	·13	—	—	·06	—	·01	·20	—	·29	·23	—	·34	17
18	1·10	·16	·29	—	—	·58	·21	·08	·46	·15	—	·35	18
19	·08	·20	·02	·16	—	—	·11	·01	·20	—	—	—	19
20	·12	·15	—	·37	—	·09	·12	·02	·01	·01	—	—	20
21	·22	—	—	—	—	·01	·73	—	·13	·21	—	·76	21
22	·02	·01	—	—	·09	—	·17	—	—	—	·05	·35	22
23	·06	—	—	—	—	·02	·02	—	·12	—	·30	·28	23
24	—	·24	—	—	—	—	·09	·16	·53	—	·05	·19	24
25	—	—	—	—	·08	—	·06	·34	·10	·02	·41	·01	25
26	·02	·13	—	—	—	—	·12	—	·28	·01	·01	·68	26
27	—	·34	·18	—	—	—	—	·03	·40	·03	·06	·03	27
28	—	·33	·27	—	—	—	—	—	·01	·03	·10	·19	28
29	—	X	·24	—	—	—	—	—	·88	—	·31	·07	29
30	—	X	·32	·24	—	—	—	—	·20	·02	·14	·08	30
31	—	X	·08	X	—	X	·04	·03	X	·58	X	·13	31
Total	4·24 ~~4·22~~	2·70	1·94	2·04	1·09	1·08	3·47	1·54	7·89 ~~7·90~~	3·42	3·44	8·43	YEAR'S TOTAL 44·28 ~~44·27~~
Rain Days.	19	18	12	13	9	12	19	13	26	21	16	25	206

W. 8,000, IX. 17.

Ex'd J

REGISTER OF RAINFALL IN 1918

24

1909

FORM A.
BRITISH RAINFALL.

5.7.19

Kept at Penzance

in the County of Cornwall

by Charles H. Benn

Lat. 50° 7' N Long. 5° 32' W

Time of Observation 9 am

Nearest Railway Station Penzance

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	·12	–	·13	·02	–	–	·24	·01	·03	·95	–	1
2 ~~1~~	–	·15	–	·03	·25	–	–	·20	–	Trace	·07	·59	2 ~~1~~
3 ~~2~~	–	·17	–	·18	·30	–	–	·01	·38	·06	·31	·14	3 ~~2~~
4 ~~3~~	–	·03	–	–	–	–	–	·39	·34	–	·34	·65	4 ~~3~~
5 ~~4~~	·26	·01	·16	·20	–	–	–	·02	·21	·29	·10	·12	5 ~~4~~
6 ~~5~~	·16	·24	·15	·07	–	·04	–	·02	·30	·14	–	·04	6 ~~5~~
7 ~~6~~	·22	·26	–	·02	–	–	–	·05	·62	·20	·44	·25	7 ~~6~~
8 ~~7~~	·04	·03	–	·09	–	·12	·02	–	·11	·84	·02	·02	8 ~~7~~
9 ~~8~~	·10	–	–	·08	–		·13	–	·69	·04	–	·40	9 ~~8~~
10 ~~9~~	·07	·01	–	·07	–		·27	–	·17	·06	–	·33	10 ~~9~~
11 ~~10~~	·07	–	·19	–	–		·15	–	·47	·10	–	·15	11 ~~10~~
12 ~~11~~	·08	·09	·01	–	·23		·03	–	–	–	–	·03	12 ~~11~~
13 ~~12~~	–	–	–	–	·13		·10	–	·63	·38	–	·32	13 ~~12~~
14 ~~13~~	·65	–	·01	–	·02	·12	·26	–	·22	–	–	·39	14 ~~13~~
15 ~~14~~	·62	–	–	–	·03	·10	·38	–	·25	·05	–	·55	15 ~~14~~
16 ~~15~~	·67	–	–	·31	–	·01	·19	–	·20	–	–	·07	16 ~~15~~
17 ~~16~~	·14	·01	–	·07	–	·01	·13	–	–	·22	–	·35	17 ~~16~~
18 ~~17~~	1·03	·17	·29	–	–	·59	·10	·08	·46	·17	–	·36	18 ~~17~~
19 ~~18~~	·08	·20	·01	·19	–	–	·22	·01	·20	–	–	–	19 ~~18~~
20 ~~19~~	·12	·15	–	·35	–	·08	·74	·02	·05	–	–	–	20 ~~19~~
21 ~~20~~	·19	–	–	–	–	–	·24	–	·46	·21	–	·78	21 ~~20~~
22 ~~21~~	·03	·01	–	–	·07	–	·60	–	·26	–	·03	·34	22 ~~21~~
23 ~~22~~	·06	–	–	–	–	·01	·04	–	·01	–	·35	·15	23 ~~22~~
24 ~~23~~	–	·22	–	–	–	–	·03	·17	·10	–	·01	·20	24 ~~23~~
25 ~~24~~	–	–	–	–	·07	–	·12	·28	–	·02	·38	·02	25 ~~24~~
26 ~~25~~	·02	·14	–	–	–	–	Trace	–	·08	·91	–	·68	26 ~~25~~
27 ~~26~~	–	·31	·26	–	–	–	–	·03	·31	·93	·12	·03	27 ~~26~~
28 ~~27~~	–	·18	·12	–	–	–	–	–	·38	·03	·13	·19	28 ~~27~~
29 ~~28~~	–	✕	·18	–	–	–	–	–	·90	–	·24	·07	29 ~~28~~
30 ~~29~~	–	✕	·37	·20	–	–	–	·01	·06	·02	·15	·06	30 ~~29~~
31 ~~30~~	–	✕	·06	✕	–	✕	·05	·03	✕	·59	✕	·16	31 ~~30~~
~~31~~	✕	✕	✕	✕	✕	✕	✕	✕	✕	✕	✕	✕	~~31~~
Total	4·61	2·50	1·81	1·99	1·12	1·08	3·80	1·56	7·87	3·49	3·64	7·44	YEAR'S TOTAL 40·91
Rain Days.	~~19~~	~~19~~	~~12~~	~~14~~	~~9~~	~~9~~	~~19~~	~~15~~	~~26~~	~~20~~	~~15~~	~~28~~	~~20~~

W. 6,500, VII. 18. W W C

1759
1909

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Penzance (M.O)
in the County of Cornwall
by

Lat 50° 7' N Long 5° 32' W
Time of Observation 9 h G
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 56 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	17.8	-	2.6	0.8	2.1	-	11.7	-	9.5	3.6	-	23.9	1
2	7.4	-	0.2	-	0.8	-	-	-	-	-	1.8	1.8	2
3	2.0	-	5.8	-	5.0	-	-	-	2.5	-	-	3.8	3
4	0.2	21.8	22.6	-	0.3	-	-	1.8	2.8	-	-	-	4
5	4.8	0.5	3.7	-	1.2	-	-	-	-	-	1.5	5.3	5
6	10.4	20.6	6.1	-	-	-	-	-	-	-	-	3.3	6
7	7.6	-	4.8	6.9	-	-	0.8	-	0.4	-	-	1.0	7
8	5.8	-	6.4	2.1	-	0.3	-	-	-	-	15.5	1.1	8
9	6.1	-	1.0	7.4	9.1	-	-	-	-	-	8.3	4.3	9
10	4.0	-	20.7	0.8	3.6	-	-	-	-	0.5	2.8	13.0	10
11	3.0	0.8	14.3	5.0	5.8	1.0	3.3	-	-	2.4	1.3	1.5	11
12	5.9	1.0	10.7	1.1	-	0.4	-	-	0.2	0.8	2.4	0.6	12
13	6.0	5.9	1.1	11.2	-	-	-	-	1.3	0.4	-	10.3	13
14	10.2	5.7	2.3	5.8	1.5	-	-	-	1.1	1.8	-	3.0	14
15	3.8	7.6	-	0.2	-	-	-	-	0.2	2.0	0.8	6.3	15
16	2.8	22.4	-	-	1.0	0.6	-	0.2	-	-	7.4	3.8	16
17	1.7	30.8	1.5	-	-	0.9	0.5	0.2	-	-	7.1	0.3	17
18	10.1	8.1	4.3	-	-	-	6.0	4.5	2.5	-	9.1	0.2	18
19	14.2	3.8	3.8	-	1.3	10.4	0.2	12.9	4.3	-	4.3	2.3	19
20	6.4	11.2	5.6	-	8.1	2.0	-	0.7	2.3	-	3.4	2.5	20
21	12.4	11.0	2.8	-	0.5	-	1.0	0.5	7.1	-	1.8	1.8	21
22	-	-	-	-	-	1.0	0.2	-	1.5	0.4	1.0	4.6	22
23	-	-	-	-	-	-	-	3.0	-	5.1	1.0	3.6	23
24	0.5	-	-	-	-	6.4	-	0.3	0.5	18.3	3.6	4.1	24
25	4.6	0.7	-	0.2	-	0.8	-	7.0	-	3.1	1.3	2.5	25
26	2.0	2.3	1.5	2.5	-	-	-	1.8	3.6	-	3.1	12.2	26
27	2.5	3.6	0.5	7.4	-	-	-	28.0	1.6	0.5	1.7	3.8	27
28	0.6	2.8	19.4	4.4	-	-	-	2.3	-	9.3	9.4	16.8	28
29	-		1.5	5.8	-	-	-	4.3	-	3.8	-	2.7	29
30	-		1.4	2.8	-	6.2	-	5.1	0.8	-	9.9	10.7	30
31	1.0		3.0		-		1.0	-		-		13.5	31
TOTAL	153.8	160.6	147.6	64.4	40.3	30.0	24.7	72.6	42.2	52.0	98.5	164.6	YEAR'S TOTAL 1051.3
Days with 0·2 mm. or more	27	18	25	16	13	11	9	19	17	14	22	30	217

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

Copied from M.O. Form 3203.

Ex. 406

1909

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

9 JAN 20

Kept at Penzance

in the County of Cornwall

by Charles H. Benn

Lat. 50° 7' N Long. 5° 32' 12" W

Time of Observation 9 am

Nearest Railway Station Penzance

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	17.8	–	2.6	·8	2.1	–	11.7	–	9.5	3.6	–	23.9	1
2	7.4	–	·2	–	·8	–	–	–	–	–	1.8	1.8	2
3	2.0	–	5.8	–	5.0	–	–	–	2.5	–	–	3.8	3
4	·2	21.8	22.6	–	·3	–	–	1.8	2.8	–	–	–	4
5	4.8	·5	3.7	–	1.2	–	–	Trace	–	–	1.5	5.3	5
6	10.4	20.6	6.1	–	–	–	–	–	–	–	–	3.3	6
7	7.6	–	4.8	6.9	–	Trace	·8	–	·4	–	–	1.0	7
8	5.8	–	6.4	2.1	–	·3	–	–	–	–	15.5	1.1	8
9	6.1	–	1.0	7.4	9.1	–	–	–	–	–	8.3	4.3	9
10	4.0	–	20.7	·8	3.6	–	–	–	–	·5	2.8	13.0	10
11	3.0	·8	14.3	5.0	5.8	1.0	3.3	–	–	2.4	1.3	1.5	11
12	5.9	1.0	10.7	1.1	–	·4	–	–	·2	·8	2.4	·6	12
13	6.0	5.9	1.1	11.2	–	–	Trace	–	1.3	·4	–	10.3	13
14	10.2	5.7	2.3	5.8	1.5	–	–	–	1.1	1.8	–	3.0	14
15	3.8	7.6	–	·2	–	–	–	–	·2	2.0	·8	6.3	15
16	2.8	22.4	–	–	1.0	·6	–	·2	–	–	7.4	3.8	16
17	1.7	30.8	1.5	–	–	·9	·5	·2	–	–	7.1	·3	17
18	10.1	8.1	4.3	–	–	–	6.0	4.5	2.5	–	9.1	·2	18
19	14.2	3.8	3.8	–	1.3	10.4	·2	12.9	4.3	–	4.3	2.3	19
20	6.4	11.2	5.6	–	8.1	2.0	–	·7	2.3	–	3.4	2.5	20
21	12.4	11.0	2.8	–	·5	–	1.0	·5	7.1	–	1.8	1.8	21
22	–	–	–	–	–	1.0	·2	–	~~3.0~~ 1.5	·4	1.0	4.6	22
23	–	–	–	–	–	–	–	3.0	–	5.1	1.0	3.6	23
24	·5	–	–	–	–	6.4	–	·3	·5	18.3	3.6	4.1	24
25	4.6	·7	–	·2	–	·8	–	7.0	–	3.1	~~3.8~~ 1.3	2.5	25
26	2.0	2.3	1.5	2.5	–	–	–	1.8	3.6	Trace	3.1	12.2	26
27	2.5	3.6	·5	7.4	–	–	–	28.0	1.6	·5	1.7	3.8	27
28	·6	2.8	19.4	4.4	–	–	–	2.3	–	9.3	9.4	16.8	28
29	–		1.5	5.8	–	–	–	4.3	–	3.8	–	2.7	29
30	–		1.4	2.8	–	6.2	–	5.1	·8	–	9.9	10.7	30
31	1.0		3.0		–		1.0	–		–		13.5	31
TOTAL	~~[illegible]~~ 153.8	160.6	147.6	64.4	40.3	30.0	24.7	72.6	~~43.9~~ 42.2	52.0	~~101.8~~ 98.5	164.6	1051.3 YEAR'S TOTAL 105[illegible].3
Days with 0·2 mm. or more	27	18	25	16	13	14	9	15	17	14	22	30	218

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

1675
1909

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Penzance (110)
in the County of Cornwall
by C. H. Benn, for District Council.

Lat. 50° 7′ N. Long. 5° 32′ W.
Time of Observation 9h, 18h G.M.T. (Winter) 9h, 17h G.M.T. (Summer)
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
„ „ „ „ Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.3	-	0.4	7.8	16.0	-	21.1	-	1.0	0.8	0.3	14.0	1
2	6.1	-	-	0.5	-	-	0.5	1.5	4.0	2.8	-	4.1	2
3	7.6	1.6	-	1.5	-	-	0.3	0.5	-	14.0	-	10.4	3
4	-	0.2	1.0	-	-	-	0.3	19.2	-	14.7	-	0.2	4
5	-	0.1	1.4	-	4.6	-	3.8	1.7	-	1.0	-	-	5
6	-	-	4.3	2.0	3.8	-	11.2	-	-	9.1	-	-	6
7	2.2	1.3	3.2	8.9	1.8	-	12.8	0.3	-	-	-	1.0	7
8	5.1	0.3	0.4	5.4	2.2	-	6.1	3.1	-	-	-	5.0	8
9	20.3	1.1	0.3	1.3	-	2.5	15.7	-	-	-	-	-	9
10	21.4	3.1	6.3	~~4.3~~ 3.3	-	2.3	0.9	-	-	-	1.2	-	10
11	7.4	0.3	5.1	9.4	4.5	0.2	5.1	-	-	1.0	-	-	11
12	3.5	4.1	7.6	3.8	0.5	0.3	0.6	0.1	-	-	4.3	0.5	12
13	4.1	1.0	9.4	0.5	-	0.2	-	-	-	4.1	0.2	2.2	13
14	4.6	0.6	11.2	13.5	-	-	2.3	-	3.8	16.5	4.3	-	14
15	1.2	1.5	1.0	7.9	0.5	-	-	-	0.5	30.4	3.1	-	15
16	0.3	0.7	1.3	-	0.3	1.2	0.5	-	11.5	1.2	5.3	-	16
17	2.0	-	0.3	6.6	6.3	0.5	-	-	8.1	18.4	0.2	-	17
18	5.6	-	-	1.5	0.7	4.8	-	13.7	1.9	-	-	-	18
19	3.8	-	-	10.2	-	13.3	-	-	4.3	8.9	-	-	19
20	3.6	-	-	2.0	-	2.5	-	-	5.8	2.5	-	10.9	20
21	-	-	-	10.4	-	-	0.1	-	1.5	0.2	-	5.9	21
22	2.2	-	0.1	0.8	-	-	0.8	-	-	-	-	9.9	22
23	2.1	-	2.0	-	-	-	4.2	1.8	-	-	-	14.2	23
24	0.3	1.5	7.4	0.8	-	-	5.1	-	-	-	0.7	2.1	24
25	6.6	-	1.5	-	-	-	19.8	-	-	-	-	-	25
26	8.3	-	6.4	-	-	0.2	-	-	0.3	-	0.5	0.5	26
27	11.2	1.6	1.0	2.5	0.4	7.5	4.6	-	-	-	6.8	12.1	27
28	5.3	0.2	5.7	-	-	4.1	0.5	-	-	-	2.3	2.0	28
29	8.6	0.6	4.3	3.0	3.0	0.3	0.5	-	20.1	-	2.8	4.7	29
30	8.6	X	2.0	0.4	-	13.2	12.9	-	21.5	13.5	8.6	20.6	30
31	2.3	X	5.5	X	-	X	-	-	X	12.5	X	4.9	31
Total	155.6	~~19.5~~ 19.8	89.1	104.0	44.6	53.1	~~130.6~~ 129.7	41.9	84.3	151.6	40.6	125.8	Year's Total 1039.5
Days with 0·2 mm. or more	~~27~~	~~16~~	~~24~~	~~23~~	~~13~~	~~15~~	~~22~~	~~8~~	~~13~~	~~17~~	~~16~~	~~17~~	~~[illegible]~~
	18	25	7	20	8	5	9	13	6	11	15	9	16 159

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. &E.W.

1675

1909

Form A. 2. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

20 JAN 1921

Kept at Penzance

in the County of Cornwall

by Charles H. Benn

Lat. 50° 7 N Long. 5° 32 W

Time of Observation 9 hrs

Nearest Railway Station Penzance

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

„ „ „ „ Sea Level 55 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	1.3	–	0.4	7.8	16.0	–	21.1	–	1.0	0.8	0.3	14.0	1
2	6.1	–	–	0.5	–	–	0.5	1.5	4.0	2.8	–	4.1	2
3	7.6	1.6	–	1.5	–	–	0.3	0.5	Trace	14.0	–	10.4	3
4	–	0.2	1.0	–	–	–	0.3	19.2	–	14.7	–	0.2	4
5	–	0.1	1.4	–	4.6	–	3.8	1.7	–	1.0	–	–	5
6	–	–	4.3	2.0	3.8	–	11.2	–	–	9.1	–	–	6
7	2.2	1.3	3.2	8.9	1.8	–	12.8	0.3	–	–	–	1.0	7
8	5.1	0.3	0.4	5.4	2.2	–	6.1	3.1	–	–	–	5.0	8
9	20.3	1.1	0.3	1.3	–	2.5	15.7	–	–	–	–	–	9
10	21.4	3.1	6.3	3.3	–	2.3	0.9	–	–	–	1.2	–	10
11	7.4	0.3	5.1	9.4	4.5	0.2	5.1	–	–	1.0	–	–	11
12	3.5	4.1	7.6	3.8	0.5	0.3	0.6	0.1	–	–	4.3	0.5	12
13	4.1	1.0	9.4	0.5	–	0.2	–	–	–	4.1	0.2	2.2	13
14	4.6	0.6	11.2	13.5	–	–	2.3	–	3.8	16.5	4.3	–	14
15	1.2	1.5	1.0	7.9	0.5	–	–	–	0.5	30.4	3.1	–	15
16	0.3	0.7	1.3	–	0.3	1.2	0.5	–	11.5	1.2	5.3	–	16
17	2.0	–	0.3	6.6	6.3	0.5	–	–	8.1	18.4	0.2	–	17
18	5.6	–	–	1.5	0.7	4.8	–	13.7	1.9	–	–	–	18
19	3.8	–	–	10.2	–	13.3	–	–	4.3	8.9	–	–	19
20	3.6	–	–	2.0	–	2.5	–	–	5.8	2.5	–	10.9	20
21	–	–	–	10.4	–	–	0.1	–	1.5	0.2	–	5.9	21
22	2.2	–	0.1	0.8	–	–	0.8	–	–	–	–	9.9	22
23	2.1	–	2.0	–	–	–	4.2	1.8	–	–	–	14.2	23
24	0.3	1.5	7.4	0.8	–	–	5.1	–	–	–	0.7	2.1	24
25	6.6	–	1.5	–	–	–	19.8	–	–	–	–	–	25
26	8.3	–	6.4	–	–	0.2	–	–	0.3	–	0.5	0.5	26
27	11.2	1.6	1.0	2.5	0.4	7.5	4.6	–	–	–	6.8	12.1	27
28	5.3	0.2	5.6	–	–	4.1	0.5	–	–	–	2.3	2.0	28
29	8.6	0.6	4.3	3.0	3.0	0.3	0.5	–	20.1	–	2.8	4.7	29
30	8.6	╳	2.0	0.4	–	13.2	12.9	–	21.5	13.5	8.6	20.6	30
31	2.3	╳	5.6	╳	–	╳	–	–	╳	12.5	╳	4.9	31
Total	155.6	19.8	89.1	104.0	44.6	53.1	129.7	41.9	84.3	151.6	40.6	125.2	YEAR'S TOTAL 1039.5
Days with 0·2 mm. or more	27	16	24	23	13	15	22	8	13	17	14	19	211
Days with 1·0 mm. or more	25	9	20	19	8	9	13	6	11	15	9	16	159

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

PENZANCE

TRENGWAINTON GDNS

CORNWALL

1911 -

RE 1

FORM A2. BRITISH RAINFALL.

-1 MAY 1912

Kept at Trengwain eare

10 in.

in the County of Corn Ground ft. 10 in.

Sea Level ft.

by A. Creek Garde a m

Name Penzance

Distance 2m Direction W

IMPORTANT NOT the result entered to the previous day. If an Ol ersal rule, he is earnestly requested to add the reac ar in the space provided for it at the end of thi ent of rain, the selection and placin tish Rainfall Organization are given in pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	–	.02	.07	.21	–	.02	.06	–	.03	.07	.18	1
2	.10	–	–	.03	.39	–	–	.28	–	.17	.15	.21	2
3	–	–	.04	–	.34	–	–	.05	.04	.01	.38	.22	3
4	–	–	.20	–	.01	–	–	.67	.01	.08	.28	.50	4
5	.66	–	.40	–	–	–	–	1.02	–	.02	.15	.09	5
6	.28	–	.09	–	–	–	–	.02	–	.05	.29	1.12	6
7	.25	.01	.02	.11	–	–	–	–	–	–	.90	–	7
8	.10	–	.32	–	–	.01	–	–	–	–	.18	.58	8
9	.15	–	–	–	–	–	–	–	–	–	.30	.54	9
10	.05	.15	1.27	–	–	–	–	–	–	.01	.13	.27	10
11	.74	–	–	–	.02	–	–	.06	.26	.06	.92	.08	11
12	–	–	.77	–	–	–	–	.13	.56	–	.18	.32	12
13	.06	–	.12	–	.01	–	–	.01	.22	.02	.30	.02	13
14	.03	.42	.11	–	.01	–	–	–	–	.05	.22	.77	14
15	–	.16	.03	–	–	.22	–	–	–	–	.40	.08	15
16	.01	.01	–	–	–	1.04	–	–	–	–	.17	.26	16
17	–	.06	.52	.07	–	.20	–	–	–	.01	.31	.41	17
18	–	.35	.23	.34	–	.01	–	–	–	–	.10	.43	18
19	–	.02	.01	.12	–	.02	–	–	.86	.06	.04	.78	19
20	–	.04	.09	.16 ~~.02~~	–	.05	–	.01	.58	1.07	.14	.82	20
21	.04	.19	.41	.02	–	.06	–	–	.20	.17	.02	.19	21
22	.01	.06	.23	.12	–	.18	–	–	.90	.16	–	.59	22
23	[illegible]	.20	–	.02	–	.01	–	.13	.04	.27	.12	.44	23
24	.03	.34	–	–	–	.25	–	.35	–	.17	–	.42	24
25	.07	.02	–	.31	–	.02	–	–	.12	.39	–	.13	25
26	.02	.25	.03	.55	–	–	–	.40	.02	.69	–	.46	26
27	–	.65	.07	.02	–	.02	.22	.24	.02	.35	–	.32	27
28	–	.37	.07	.40	–	–	–	–	.13	.02	.06	.01	28
29	–		.12	.36	.01	.55	.35	–	.29 ~~[illegible]~~	.42	.01	.02	29
30	–		–	–	–	.06	.12	.01	.03	.23	.58	.15	30
31	–		–		–		.36	–		.04		.03	31
Total	2.78	3.30	5.17	2.70	1.00	2.70	1.07	3.44	4.28	4.55	6.40	10.44	TOTAL for year 47.83
No. of Rain Days	17	17	22	15	8	15	5	15	16	24	25	30	209

9,000, IX. '10.

✓

RE 1

FORM A2. BRITISH RAINFALL.

-1 MAY 1912

Kept at Trengwainton Gardens

in the County of Cornwall 2

by A. Creek Gardener to T.R. Bolitho Esq

Square

RAIN GAUGE Diameter of top 10 in.
Height of top above Ground ft. 10 in.
" " " Sea Level ft.

Time of Observation 7 a m

Nearest Railway Station Name Penzance
Distance 2 m Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	.18	—	.02	.07	.21	—	.02	.06	—	.03	.07	.18	1
2	.10	—	—	.03	.39	—	—	.28	—	.17	.15	.21	2
3	—	—	.04	—	.34	—	—	.05	.04	.01	.38	.22	3
4	—	—	.20	—	.01	—	—	.67	.01	.08	.28	.50	4
5	.66	—	.40	—	—	—	—	1.02	—	.02	.15	.09	5
6	.28	—	.09	—	—	—	—	.02	—	.05	.29	1.12	6
7	.25	.01	.02	.11	—	—	—	—	—	—	.90	—	7
8	.10	—	.32	—	—	.01	—	—	—	—	.18	.58	8
9	.15	—	—	—	—	—	—	—	—	—	.30	.54	9
10	.05	.15	1.27	—	—	—	—	—	—	.01	.13	.27	10
11	.74	—	—	—	.02	—	—	.06	.26	.06	.92	.08	11
12	—	—	.77	—	—	—	—	.13	.56	—	.18	.32	12
13	.06	—	.12	—	.01	—	—	.01	.22	.02	.30	.02	13
14	.03	.42	.11	—	.01	—	—	—	—	.05	.22	.77	14
15	—	.16	.03	—	—	.22	—	—	—	—	.40	.08	15
16	.01	.01	—	—	—	1.04	—	—	—	—	.17	.26	16
17	—	.06	.52	.07	—	.20	—	—	—	.01	.31	.41	17
18	—	.35	.23	.34	—	.01	—	—	—	—	.10	.43	18
19	—	.02	.01	.12	—	.02	—	—	.86	.06	.04	.78	19
20	—	.04	.09	.16 ~~.02~~	—	.05	—	.01	.58	1.07	.14	.82	20
21	.04	.19	.41	.02	—	.06	—	—	.20	.17	.02	.19	21
22	.01	.06	.23	.12	—	.18	—	—	.90	.16	—	.59	22
23	[illegible]	.30	—	.02	—	.01	—	.13	.04	.27	.12	.44	23
24	.03	.34	—	—	—	.25	—	.35	—	.17	—	.42	24
25	.07	.02	—	.31	—	.02	—	—	.12	.39	—	.13	25
26	02	.25	.03	.55	—	—	—	.40	.02	.69	—	.46	26
27	—	.65	.07	.02	—	.02	.22	.24	.02	.35	—	.32	27
28	—	.37	.07	.40	—	—	—	—	.13	.02	.06	.01	28
29	—		12	.36	.01	.55	.35	—	.29 ~~[illegible]~~	.42	.01	.02	29
30	—		—	—	—	.06	.12	01	.03	.23	.58	.15	30
31	—		—		—		.36	—		.04		.03	31
Total	2.78	3.30	5.17	2.70	1.00	2.70	1.07	3.44	4.28	4.55	6.40	10.44	TOTAL for year 47.83
No. of Rain Days	17	17	22	15	8	15	5	15	16	24	25	30	209

9,000, IX. '10.

made

Ex 7C

REGISTER OF RAINFALL IN 1912.

FORM A. BRITISH RAINFALL.

25 APR 1913

Kept at Trengwainton Gardens.

in the County of Cornwall. 2

by S. Robins Bolitho Esq.

Lat. Long.

Time of Observation

Nearest Railway Station Penzance.

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·05	—	·05	·65	·32	·05	·25	·50	·05	·35	1
2	—	—	·18	·05	—	·49	·10	·01	—	·02	—	—	2
3	·03.	—	·30	·02	—	·18	·01	2·30	·13	—	—	·07	3
4	·46	·07	·28	—	—	·23	—	·12	—	—	·48	—	4
5	·80	·25	·41	·04	·14	—	·29	1·63	·02	—	·02	·33	5
6	·50	·11	·13	·03	·41	—	·23	·22	—	—	·04	·02	6
7	·11	·67	·34	·04	·11	—	·07	—	—	—	—	·24	7
8	·59	·10	·10	·03	·01	·17	·04	—	—	—	—	—	8
9	—	·24	·02	—	—	·06	·73	·10	—	—	·01	1·03	9
10	·33	·04	·23	·01	—	·03	·22	·11	·01	—	·22	·19	10
11	—	·40	—	—	·01	—	·27	·69	—	—	·11	·75	11
12	·08	·32	·62	—	·01	—	·48	1·05	—	—	·74	·05	12
13	·63	—	·15	·31.	—	·15	—	·04	—	·04	·32	·19	13
14	·05	·41	·60	—	—	·02	—	·14.	·02	·02	·09	·13	14
15	·90	·18	·05	—	·10	·55	—	·02	—	—	·15	·80	15
16	·07	·01	·65	—	—	·01	—	·40	—	·25	·09	·17	16
17	·41	·01	·44	—	·08	·06	—	·68	—	—	·22	·25	17
18	—	·11	·25	—	—	—	—	·53	—	·17	·02	·05	18
19	—	·20	·38	—	·04	·07	—	·87	—	·03	—	·09	19
20	·13	·32	·62	—	·16	·02	·03	·06	—	·62	·04	—	20
21	·02	·47	·31	—	·19	·18	·18	·06	—	·07	—	—	21
22	·35	·41	·36	—	—	·07	·25	·20	—	·12	·10	·23	22
23	1·07	·68	·46	—	—	·38	·19	1·05	—	·24	·28	·32	23
24	·21	·08	·06	—	—	·10	·07	·05	—	·23	—	·30	24
25	—	·01	—	—	—	—	·14	·30	—	·49	·45	·45	25
26	—	·02	—	—	—	·48	·41	·05	—	·35	·78	·64	26
27	—	·08	·02	—	—	·15	·10	·01	·15	·81	·32	·84	27
28	—	·08	—	—	—	—	·19	·76	·26	·30	·44	·50	28
29	—	·25	—	—	—	·25	·35	·12	·30	·24	·11	·05	29
30	—		·03	—	·14	·05	·25	—	·15	·32	—	—	30
31	—		·67		·56		·40	·04.		·02		·22	31
Total	6·74	5·52	7·71.	0·53	2·01	4·35	5·32	11·66	1·29	4·84.	5·08	8·26	YEAR'S TOTAL 63·31
Rain Days.	18	25	26	8	14	22	23	28	9	19	22	25	239

S. made ✓

Cor. for auth. 12.V.14.

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2 MAY 1914

Kept at Trengwainton Gardens
in the County of Cornwall 2
by T. R. Bolitho Esq.

Lat. 50° 8' Long. 5° 30' West
Nearest Railway Station Penzance
Time of Observation 7 a.m.
Diameter of Rain Gauge 10 in.
Height of top of Gauge above Ground 1 ft. in.
" " " Sea Level 300 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	·17	·38	·03	–	–	–	–	–	·02	·43	·03	1
2	·13	·13	·02	·43	·77	·15	–	–	–	·01	·17	·06	2
3	·15	—	·11	–	·10	–	–	–	·70	02	—	·21	3
4	·90	—	·10	–	—	·10	–	–	·30	03	·20	·20	4
5	·16	·10	–	–	·42	·14	·03	–	·29	–	·54	1·40	5
6	·20	·10	·10	–	·10	·31	·01	–	·02	·32	·37	·05	6
7	·07	·56	·06	–	1·05	·03	·03	·02	—	·18	·40	·05	7
8	·29	·17	—	–	·40	–	·22	·18	—	·01	·02	·08	8
9	·52	·09	·03	–	·06	–	·04	·07	–	·04	·55	·06	9
10	1·36	—	·03	–	·23	~~·10~~ ·03	–	—	–	·31	·12	·02	10
11	·62	—	·05	–	·72	·24	–	1·42	·09	·03	·53	·19	11
12	·15	—	·01	·10	·03	·04	—	—	·37	—	·09	·02	12
13	·42	—	·10	·02	·14	·02	·05	·04	·59	—	·33	—	13
14	·46	—	·25	·02	–	–	–	—	·25	·06	·24	·03	14
15	·17	—	·50	·83	–	–	–	–	·15	—	·43	·12	15
16	·67	—	·64	·18	–	–	·03	–	·02	—	·04	—	16
17	·06	–	·03	·19	–	–	·06	–	—	–	·19	—	17
18	·43	–	·30	·31	–	·06	–	–	—	—	·18	–	18
19	·47	–	·11	—	·14	·05	–	–	·43	·21	—	–	19
20	·14	–	·05	·42	·06	·01	–	—	—	·04	·40	—	20
21	·17	–	·94	·21	–	·10	·03	·05	–	·11	·42	—	21
22	·16	–	—	–	·07	·37	–	·17	·26	·06	—	·90	22
23	·02	–	·01	·27	—	—	–	·02	·11	—	·32	·84	23
24	02	·20	–	·21	·02	·18	–	—	—	–	·16	—	24
25	—	—	–	·35	—	–	–	—	·19	·02	·19	·15	25
26	—	—	–	1·03	—	–	–	·02	·03	·05	·03	·49	26
27	1·00	–	·23	33	–	–	–	·15	—	·29	·02	·12	27
28	·03	–	·19	·04	·14	–	—	–	·06	·53	·01	·11	28
29	·11		·72	·59	·23	–	·03	—	—	·26	·06	·39	29
30	·62		—	·13	·19	–	·09	–	–	·10	·02	·02	30
31	·26		·35		·05		–	–		·03		–	31
Total	9·78	1·52	~~5·21~~ 5·31	5·69	4·92	1·83	·62	2·14	3·86	2·73	6·46	5·54	~~50·30~~ 50·40
No. of Rain Days	29	8	24	19	19	15	11	10	16	22	27	22	222

Total Rainfall for year ~~50·30~~ 50·40

1,000, IX. '10.

EDWARD STANFORD. 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
12 JAN 1915

Kept at Trengwainton Gardens
in the County of Cornwall
by T. Robins Bolitho

Lat. Long.
Time of Observation 7 a.m
Nearest Railway Station Penzance
Diameter of Rain Gauge 10 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level about 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 30

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	—	·06	·17	—	·22	·04	·75	—	—	·41	·16	1
2	—	—	·01	—	·07	—	·46	·01	—	—	—	·49	2
3	·09	—	·13	·14	·58	—	—	—	—	·04	·04	·08	3
4	·16	·01	·25	·72	·04	—	1.65	·61	·01	—	—	·93	4
5	·44	·03	·25	·26	·01	—	·09	—	—	—	—	·25	5
6	·01	·11	·22	·13	·16	—	·33	·06	—	—	—	·76	6
7	·19	·52	·29	·26	·03	·38	·20	·24	1.50	—	—	·14	7
8	·18	—	·83	·07	—	·36	—	·04	·06	—	·02	·01	8
9	·09	·12	·37	·10	·06	1.03	—	·20	·79	—	·01	—	9
10	·16	·60	·05	·44	·24	·14	—	—	·27	—	·05	·75	10
11	·03	·29	1.23	—	—	·05	—	—	·01	—	·06	·65	11
12	—	·70	·25	—	—	—	·04	—	·15	·04	·11	·09	12
13	—	·55	·19	—	—	—	·27	—	·13	·60	·35	·14	13
14	—	·21	·32	—	—	·22	·03	—	·04	—	·75	·38	14
15	—	—	·27	—	—	—	·01	—	·07	—	·77	·40	15
16	—	—	·01	—	—	—	·03	—	·59	—	·03	·06	16
17	·02	·70	·39	—	—	—	·08	—	—	—	·01	·80	17
18	—	·31	·04	—	—	—	·28	—	·49	—	—	·49	18
19	—	·21	·96	—	—	—	1.35	—	·01	—	·17	·13	19
20	—	·34	·09	—	—	·24	·10	·01	—	—	·05	·37	20
21	—	·74	—	—	—	·09	·07	—	—	·42	—	—	21
22	—	·09	·06	·03	·05	·11	—	·08	—	·23	—	·07	22
23	—	—	·30	—	·06	·13	·04	·08	—	·17	—	—	23
24	—	—	·13	—	·07	—	·10	—	—	·04	·08	·05	24
25	·23	—	·95	—	·07	—	·10	·69	—	·83	·07	·93	25
26	·10	·33	·92	—	—	—	·30	·03	—	·16	·35	·61	26
27	08 ·~~07~~	·25	·01	—	—	—	10 ·~~17~~	—	—	·32	·28	·33	27
28	07 ·~~40~~	·05	·41	—	—	—	·02	—	·02	·21	·28	·95	28
29	·40		·31	—	·11	—	—	—	—	·09	·60	·08	29
30	·01		·21	—	·02	—	01	—	—	·20	·51	·56	30
31	·01		—		·01		84	—		·24		·30	31
Total	2·27	6.16	9.51	2·32	1.58	2.97	6.54	2·80	4.14	3.59	5.00	10.96	YEAR'S TOTAL 57.84
Rain Days.	17	19	9.51 29	10	15	11	24	12	14	14	21	28	214

W.7,000, XI. 13

Cor. fo

FORM A2.
BRITISH RAINFALL.

29 APR 1912

CORNWALL.

— PENZANCE [illegible]

ROSEHILL.

1911

REGI 911.

Kept at Rosehill, Pen

in the County of Cornw

by David Lovell

p 10 in.

above Ground 3 ft. – in.

" Sea Level 212 ft.

8. am.

on { Name Penzance

Distance 1/4 mile Direction S.E.

IMPORTANT NOTE. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	-	·22	-	·02	-	·04	·22	-	·04	·08	·40	1
2	·14	-	-	·06	·24	-	·02	·04	-	·02	·08	·19	2
3	·10	-	-	·06	·14	-	-	·20	-	·14	·12	·02	3
4	-	-	·02	-	·20	-	-	·02	·04	-	·16	·20	4
5	-	-	·14	·02	·02	-	-	·58	-	·06	·12	·38	5
6	·50	-	·28	-	-	-	-	·60	-	·02	·14	·08	6
7	·26	-	·08	-	-	-	-	·02	-	·06	·26	·66	7
8	·14	-	-	·04	-	-	-	-	-	-	·72	-	8
9	·02	-	·28	-	-	-	-	-	-	-	·04	·42	9
10	·08	-	-	-	-	-	-	-	-	-	·24	·30	10
11	·02	·12	·84	-	-	-	-	-	-	-	·10	·22	11
12	·56	-	-	-	-	-	-	·08	·22	·04	·48	·12	12
13	-	-	·60	-	-	-	-	·10	·38	-	·16	·14	13
14	·04	-	·14	-	·02	-	-	-	·24	-	·20	-	14
15	-	·32	·10	-	-	-	-	-	-	·06	·16	·50	15
16	-	·12	·02	-	-	·14	-	-	-	-	·22	·12	16
17	-	-	-	-	-	·70	-	-	-	-	·08	·12	17
18	-	·02	·42	·08	-	·18	-	·02	-	-	·30	·24	18
19	-	·24	·18	·10	-	-	-	-	-	-	·06	·24	19
20	-	·02	-	·10	-	·02	-	-	·68	·04	·02	·56	20
21	-	·02	·10	·10	-	·06	-	·02	·46	·64	·16	·52	21
22	·02	·08	·34	-	-	·04	·02	-	·14	·04	·02	·20	22
23	·02	·04	·02	·06	-	·18	-	-	·68	·24	-	·32	23
24	·02	·08	-	·02	-	·02	-	·38	·02	·30	·10	·20	24
25	·03	·16	-	-	-	·26	-	·10	-	·28	-	·26	25
26	-	-	-	·20	-	·02	-	-	·08	·36	-	·10	26
27	-	·18	·04	·42	-	-	·10	·28	-	·36	-	·38	27
28	-	·44	·06	·02	-	·02	-	·20	·02	·36	-	·12	28
29	-		·06	·40	-	-	-	-	·12	·02	·02	-	29
30	-		·10	·30	·04	·52	·32	-	·26	·24	-	-	30
31	-		-		-		·06	-		·12		·08	31
Total	1·94	1·84	4·04	1·98	·68	2·16	0·56	2·86	3·34	3·44	4·04	7·08	TOTAL for year 33·49
No. of Rain Days.	15	13	20	15	7	12	6	15	13	20	24	27	187

1·97

Cor. fo

REGI 911.

FORM A2.
BRITISH RAINFALL.

29 APR 1912

Kept at Rosehill, Penzance

in the County of Cornwall 2

by David Lovell

Rain Gauge Pattern [illegible]
~~Diameter~~ Square of top 10 in.
Height of top above Ground 3 ft. - in.
" " " Sea Level 212 ft.

Time of Observation 8. am.

Nearest Railway Station: Name Penzance
Distance 1/4 mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	-	·22	-	·02	-	·04	·22	-	·04	·08	·40	1
2	·14	-	-	·06	·24	-	·02	·04	-	·02	·08	·18	2
3	·10	-	-	·06	·14	-	-	·20	-	·14	·12	·02	3
4	-	-	·02	-	·20	-	-	·02	·04	-	·16	·20	4
5	-	-	·14	·02	·02	-	-	·58	-	·06	·12	·38	5
6	·50	-	·28	-	-	-	-	·60	-	·02	·14	·08	6
7	·26	-	·08	-	-	-	-	·02	-	·06	·26	·66	7
8	·14	-	-	·04	-	-	-	-	-	-	·72	-	8
9	·02	-	·28	-	-	-	-	-	-	-	·04	·42	9
10	·08	-	-	-	-	-	-	-	-	-	·24	·30	10
11	·02	·12	·84	-	-	-	-	-	-	-	·10	·22	11
12	·56	-	-	-	-	-	-	·08	·22	·04	·48	·12	12
13	-	-	·60	-	-	-	-	·10	·38	-	·16	·14	13
14	·04	-	·14	-	·02	-	-	-	·24	-	·20	-	14
15	-	·32	·10	-	-	-	-	-	-	·06	·16	·50	15
16	-	·12	·02	-	-	·14	-	-	-	-	·22	·12	16
17	-	-	-	-	-	·70	-	-	-	-	·08	·12	17
18	-	·02	·42	·08	-	·18	-	·02	-	-	·30	·24	18
19	-	·24	·18	·10	-	-	-	-	-	-	·06	·24	19
20	-	·02	-	·10	-	·02	-	-	·68	·04	·02	·56	20
21	-	·02	·10	·10	-	·06	-	·02	·46	·64	·16	·52	21
22	·02	·08	·34	-	-	·04	·02	-	·14	·04	·02	·20	22
23	·02	·04	·02	·06	-	·18	-	-	·68	·24	-	·32	23
24	·02	·08	-	·02	-	·02	-	·38	·02	·30	·10	·20	24
25	·03	·16	-	-	-	·26	-	·10	-	·28	-	·26	25
26	-	-	-	·20	-	·02	-	-	·08	·36	-	·10	26
27	-	·18	·04	·42	-	-	·10	·28	-	·36	-	·38	27
28	-	·44	·06	·02	-	·02	-	·20	·02	·36	-	·12	28
29	-		·06	·40	-	-	-	-	·12	·02	·02	-	29
30	-		·10	·30	·04	·52	·32	-	·26	·24	-	-	30
31	-		-		-		·06	-		·12		·08	31
Total	1·99	1·84	4·04	1·98	·68	2·16	0·56	2·86	3·34	3·44	4·04	7·08	TOTAL for year 33·98 9
No. of Rain Days.	15	13	20	15	7	12	6	15	13	20	24	27	187

W. 8,000, X. '11. 197

1907

—

PENZANCE, TREWIDDEN

1916 ~~30~~

FORM A. BRITISH RAINFALL.

REC

Kept at Tre … x, M … Penzance

in the County of C

Gauge 5 in.

by J H

e Ground ft. 5 in.

Sea Level ft.

IMPORTANT NO … the result entered to the previous day. If an Observer prefers not to conform to … ersal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·28		·49		·15		·07		·17		·14		1
2	·27		·07			·06	·24		·08	·58	·07	·02	2
3	·30	·20	·82				·03		·84	·26	·59		3
4	·04	1·48	·03		·19	·20			·06	·73	·06	·04	4
5	·20	·14	·04	·04	·10	·23	·10		·31	·33	·63	·08	5
6	·05	·19	·03		·20	·25	·15		·04	·15	·12	·09	6
7	·07	·15	·04			·04	·87			·22	·76		7
8	·03	·27			·27					·06	·44	·11	8
9		·36	·20	·03	·51						·29	·20	9
10	·05	·40	·29				·30			·10	·45	·76	10
11	·02	1·23		·07	·12						·03	·24	11
12		·02		·23	·42	·08	·07		·17		·02	·04	12
13	·13	·07	·23	·09	·05		·20	·23		·22	·01	·05	13
14		·23	·21	·05	·06		·03	·20		·01	·03	·10	14
15	·10	·40	·32					·14		·09		·50	15
16	·03	·28	·43	·15	·03			·38		·01		·12	16
17	·20	·08	·01	·23			·07	·17		·55	1·07		17
18	·25	·17	·29	·06				·16	·12	·20	·50		18
19	·05	·09	·40						·20	·04	·33	·35	19
20	·22	·16	·02	·27					·03		·53	·10	20
21	·11	·61	·25								·20	·38	21
22	·02	·18	·37			·24				·15	·07	·24	22
23	·03		·07			·15		·08		·68	·10	·73	23
24	·08	·03		·17		·23		·20		·10	·35	·10	24
25			·24	·16	·17	·		·26	·04	·54	·03	·40	25
26	·03	·92	·10		·12	·10			·06	·08	·30	·05	26
27	·05	·32	·20		·04			·44	·14	·85	·39	·10	27
28	·06	·10	1·85			·09		·04	·02	·45	·01	·02	28
29		·02	·03					·18	·67	·76	·02	·37	29
30		×	·05			·53		1·36	·57	·18		·58	30
31		×	·02	×		×			×	·28	×	·03	31
Total	— ~~2·67~~ 3·39	·49 ~~8·10~~ 8·59	— ~~7·10~~ 6·61	·15 ~~1·55~~ 1·70	— ~~2·43~~ 2·28	·07 ~~2·20~~ 2·27	— ~~2·13~~ 2·06	·17 ~~3·83~~ 4·00	— ~~3·52~~ 3·35	·14 ~~7·62~~ 7·76	— ~~7·54~~ 7·40	·05 ~~5·80~~ 5·85	YEAR'S TOTAL ~~54·49~~ 54·26
Rain Days.	~~24.~~ 23	~~25.~~ 26	~~27.~~ 26	~~12.~~ 13	~~14.~~ 13	~~12.~~ 13	~~11.~~ 10	~~13.~~ 14	~~16.~~ 15	~~25.~~ 26	~~27.~~ 26	~~26.~~ 27	232 ✓

W. 8,000, VIII. 16

and

REC

FORM A.
BRITISH RAINFALL.

Kept at Trewidden
in the County of Cornwall
by J. H. Murley

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Penzance
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 5 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·05

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·28		·49		·15		·07		·17		·14		1
2	·27		·07			·06	·24		·08	·58	·07	·02	2
3	·30	·20	·82				·03		·84	·26	·59		3
4	·04	1·48	·03		·19	·20			·06	·73	·06	·04	4
5	·20	·14	·04	·04	·10	·23	·10		·31	·33	·63	·08	5
6	·05	·19	·03		·20	·25	·15		·04	·15	·12	·09	6
7	·07	·15	·04			·04	·87			·22	·76		7
8	·03	·27			·27					·06	·44	·11	8
9		·36	·20	·03	·51						·29	·20	9
10	·05	·40	·29				·30			·10	·45	·76	10
11	·02	1·23		·07	·12						·03	·24	11
12		·02		·23	·42	·08	·07		·17		·02	·04	12
13	·13	·07	·23	·09	·05		·20	·23		·22	·01	·05	13
14		·23	·21	·05	·06		·03	·20		·01	·03	·10	14
15	·10	·40	·32					·14		·09		·50	15
16	·03	·28	·43	·15	·03			·38		·01		·12	16
17	·20	·08	·01	·23			·07	·17		·55	1·07		17
18	·25	·17	·29	·06				·15	·12	·20	·50		18
19	·05	·09	·40						·20	·04	·33	·35	19
20	·22	·16	·02	·27					·03		·53	·10	20
21	·11	·61	·25								·20	·38	21
22	·02	·18	·37			·24				·15	·07	·24	22
23	·03		·07			·15		·08		·68	·10	·73	23
24	·08	·03		·17		·23		·20		·10	·35	·10	24
25			·24	·16	·17	·		·26	·04	·54	·03	·40	25
26	·03	·92	·10		·12	·10			·06	·08	·30	·05	26
27	·05	·32	·20		·04			·44	·14	·85	·39	·10	27
28	·06	·10	1·85			·09		·04	·02	·45	·01	·02	28
29		·02	·03					·18	·67	·76	·02	·37	29
30		✕	·05			·53		1·36	·57	·18		·58	30
31		✕	·02	✕		✕			✕	·28	✕	·03	31
	–	·49	–	·15	–	·07	–	·17	–	·14	–	·05	YEAR'S TOTAL
Total	~~2·67~~	8·10	7·10	1·55	2·43	2·20	2·13	~~3·83~~	3·52	~~7·62~~	7·54	5·80	54·49
	3·39	8·59	6·61	1·70	2·28	2·27	2·06	4·00	3·35	7·76	7·40	5·85	54·26
Rain Days.	~~24.~~	25.	27.	12.	~~14.~~	12.	11.	13.	16.	~~25.~~	27.	26.	232
	23	26	26	13	13	13	10	14	15	26	26	27	

W. 8,000, VIII. 16

1765

CORNWALL.

PENZANCE,

"21, TAROVEOR TERRACE"

1919-1920

FORM A. 1. **METEOROLOG L ORGANIZATION.**

6 JAN 20

REG 19 19.

Long 5° 33' W.

Kept at 21 Taroveor

on 8·45 A.M.

in the County of Co

Station Penzance

el of Rain Gauge 4 in.

by Arthur W.

auge above Ground 7 ft 0 in.

" Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·69	—	·09	·03	·08	—	·48	·01	·37	·17	—	·87	1
2	·31	—	·01	—	·04	—	—	—	·01	—	·01	·06	2
3	·09	—	·17	—	·13	—	—	—	·10	—	—	·19	3
4	—	·87	·89	—	·06	—	—	·09	·10	—	—	—	4
5	·16	·18	·15	—	·05	—	—	·01	—	—	·03	·30	5
6	·38	·74	·20	—	—	—	—	—	—	—	—	·04	6
7	·37	—	·23	·09	—	—	·02	—	·03	—	—	·01	7
8	·23	—	·21	·28	—	·02	—	—	—	—	·62.	·01	8
9	·18	—	·11	·23	·35	—	—	—	—	—	·49	·15	9
10	·11	—	·80	·03	·02	—	—	—	—	·04	·13	·53	10
11	·13	·05	·57	·17	·45	·02	·12	—	·01	·14	·01	·04	11
12	·29	·02	·09	·07	—	·03	—	—	—	·05	·12	·01	12
13	·20	·21	·38	·37	—	—	—	—	·05	·06	—	·33	13
14	·42	·22	·08	·27	·07	—	—	—	·03	·05	—	·14	14
15	·14	·16	—	—	—	—	—	—	·03	·01	·01	·29	15
16	·15	·89	—	—	·04	·02	·01	·01	—	—	·32	·18	16
17	·12	1·15	·08	—	—	·02	—	·01	—	—	·31	·02	17
18	·27	·32	·14	—	—	—	·22	·17	·13	—	·43.	·01 ~~·78~~	18
19	·76	·17	·16	—	·05	·38	—	·52	·14	—	·20	·13 ~~·79~~	19
20	·11	·23	·21	—	·32	·16	—	·06	·14	—	·14	·19	20
21	·47	·64	·12	—	·01	—	·06	·01	·27	—	·10	·02 ~~·09~~	21
22	—	—	·08	—	—	·04	·02	—	·09	·02	·04	·18 ~~·48~~	22
23	—	—	—	—	—	—	—	·17	—	·14	·05	·19 ~~·78~~	23
24	—	—	—	—	—	·22	—	·01	·04	·67	·15	·19 ~~·68~~	24
25	·1~~4~~8	·03	—	·04	—	·02	—	·22	—	·13	·01	·09	25
26	·07	·10	·07	·28	—	—	—	·10	·09	—	·13	·48	26
27	·09	·12	·02	·12	—	—	—	1·11	·04	·02	·02	·18	27
28	·03	·10	·59	·04	—	—	—	·07	—	·31	·38	·68	28
29	—		·27	·14	—	—	—	·23	—	·18	·01	·03	29
30	—		·06	·09	—	·25	—	·16	·03	—	·36	·41	30
31	·03		·25		—		·04	—		—		·53	31
TOTAL	5·98	6·20	6·03	2·25	1·67	1·18	·97	2·96 ~~2·87~~	1·70	1·99	4·07	6·48	YEAR'S TOTAL 41·48 ~~41·39~~
Days with ·01 in. or more	25	18	26	15	13	11	8	17	18	14	23	30	218.

1768

6 JAN 20

FORM A. 1. METEOROLO L ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at 21 Taroveor Terrace, Penzance
in the County of Cornwall.
by Arthur W. Penrose

Lat 50° 8′ N Long 5° 33′ W.
Time of Observation 8·45 A.M.
Nearest Railway Station Penzance
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 7 ft 0 in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·69	—	·09	·03	·08	—	·48	·01	·37	·17	—	·87	1
2	·31	—	·01	—	·04	—	—	—	·01	—	·01	·06	2
3	·09	—	·17	—	·13	—	—	—	·10	—	—	·19	3
4	—	·87	·89	—	·06	—	—	·09	·10	—	—	—	4
5	·16	·18	·15	—	·05	—	—	·01	—	—	·03	·30	5
6	·38	·74	·20	—	—	—	—	—	—	—	—	·04	6
7	·37	—	·23	·09	—	—	·02	—	·03	—	—	·01	7
8	·23	—	·21	·28	—	·02	—	—	—	—	·62.	·01	8
9	·18	—	·11	·23	·35	—	—	—	—	—	·49	·15	9
10	·11	—	·80	·03	·02	—	—	—	—	·04	·13	·53	10
11	·13	·05	·57	·17	·45	·02	·12	—	·01	·14	·01	·04	11
12	·29	·02	·09	·07	—	·03	—	—	—	·05	·12	·01	12
13	·20	·21	·38	·37	—	—	—	—	·05	·06	—	·33	13
14	·42	·22	·08	·27	·07	—	—	—	·03	·05	—	·14	14
15	·14	·16	—	—	—	—	—	—	·03	·01	·01	·29	15
16	·15	·89	—	—	·04	·02	·01	·01	—	—	·32	·18	16
17	·12	1·15	·08	—	—	·02	—	·01	—	—	·31	·02	17
18	·27	·32	·14	—	—	—	·22	·17	·13	—	·43.	·01 ~~·18~~	18
19	·76	·17	·16	—	·05	·38	—	·52	·14	—	·20	·13 ~~·19~~	19
20	·11	·23	·21	—	·32	·16	—	·06	·14	—	·14	·19	20
21	·47	·64	·12	—	·01	—	·06	·01	·27	—	·10	·02 ~~·09~~	21
22	—	—	·08	—	—	·04	·02	—	·09	·02	·04	·18 ~~·48~~	22
23	—	—	—	—	—	—	—	·17	—	·14	·05	·19 ~~·18~~	23
24	—	—	—	—	—	·22	—	·01	·04	·67	·15	·19 ~~·68~~	24
25	·18	·03	—	·04	—	·02	—	·22	—	·13	·01	·09	25
26	·07	·10	·07	·28	—	—	—	·10	·09	—	·13	·48	26
27	·09	·12	·02	·12	—	—	—	1·11	·04	·02	·02	·18	27
28	·03	·10	·59	·04	—	—	—	·07	—	·31	·38	·68	28
29	—		·27	·14	—	—	—	·23	—	·18	·01	·03	29
30	—		·06	·09	—	·25	—	·16	·03	—	·36	·41	30
31	·03		·25		—		·04	—		—		·53	31
TOTAL	5·98	6·20	6·03	2·25	1·67	1·18	·97	2·96 ~~2·87~~	1·70	1·99	4·07	6·48	YEAR'S TOTAL 41·48 ~~41·39~~
Days with ·01 in. or more	25	18	26	15	13	11	8	17	18	14	23	30	218.

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Gr

1676

1 JAN 192

FORM A. 1. METEOROLOGICAL OFFICE—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at 21, Taroveor Terrace, Penzance
in the County of Cornwall
by Arthur W. Penrose

Lat. 50° 8′ Long. 5° 33′ W
Time of Observation 8·45 A.M.
Nearest Railway Station Penzance
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground 7 ft. — in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05	—	·02	·24	·67	—	·78	—					1
2	·24	—	·01	·01	—	—	·03	·06					2
3	·30	·12	—	·04	—	—	·02	·08					3
4	—	—	·04	—	·01	—	·04	·59					4
5	—	·01	·06	—	·20	—	·39	·11					5
6	—	—	·21	·06	·16	—	·43	—					6
7	·03	·02	·09	·33	·07	—	·48	·01					7
8	·19	·01	·02	·23	·14	—	—	·12					8
9	·73	·04	·01	·05	—	·12	·69	—					9
10	·64	·13	·27	·24	—	·13	·10	—					10
11	·25	·01	·21	·46	·12	—	·21	—					11
12	·22	·18	·11	·26	·02	·02	·03	—					12
13	·12	·02	·43	·03	—	·01	—	—					13
14	·18	·03	·45	·53	—	·01	·12	—					14
15	·05	·09	·01	·29	·02	—	—	—					15
16	·02	·02	·08	—	·02	·07	·07	—					16
17	·11	—	·01	·13	·23	·01	—	—					17
18	·26	—	—	·07	—	·24	—	·61					18
19	·18	·02	—	·23	—	·57	—	—					19
20	·16	—	—	·12	—	·08	—	—					20
21	—	—	—	·40	—	—	·02	—					21
22	·36	—	·01	·04	—	—	·11	·09					22
23	·15	—	·12	—	—	—	·25	—					23
24	·02	·05	·32	·08	—	—	·13	—					24
25	·16	·01	·09	—	—	—	·67	—					25
26	·17	—	·23	—	—	·02	—	—					26
27	·51	·08	·03	·12	·01	·23	·14	—					27
28	·29	·01	·25	—	—	·09	·15	—					28
29	·36	·05	·22	·20	·16	·01	·03	—					29
30	·34		—	—	—	·51	·44	—					30
31	·13		·31		—		·02	—					31
TOTAL	6·22	·90	3·61	4·16	1·83	2·12	5·35	1·67					YEAR'S TOTAL
Days with ·01 in. or more	27	18	25	22	13	15	23	8					
Days with ·04 in. or more	24	8	17	20	8	9	17	7					

The Meteorological Station at 21, Taroveor Terrace, Penzance, was closed at 8-45 a.m on Sept. 1st. owing to the fact that the observer would be leaving the town on Sept. 21st.

A.P.

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

CORNWALL

PENZANCE
"BOSKENNYN"
1920

FORM A. 1. **METEOROLOGICA… …RGANIZATION.**

REGIS… …20.

25 APL 1921

Kept at Boskennyn P… …g.
in the County of Cornwal… Nom
by F Tupper Esq … …n Penzance

Rain Gauge 5 in.
above Ground 1 ft. in.
" Sea Level 280 ft.

IMPORTANT NOTE.—Rai… …lt entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (20)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·69	·11	·5	·19			·65			·37	1.10		1
2			4.	24	·81		1,04	1.	7.		·2	·66	2
3	·40		2	2				7	20	·17		·19	3
4	·45	·9					2			·56		41	4
5			·5	·8			3.	87		·63		1	5
6		3	7		31		23	4		·34			6
7			(20)	8	14.		50						7
8	8		10	34	9		52	13	[illegible]			4	8
9	24	7	2	28	13	12						21	9
10	86.	8	2	4			63						10
11	24		30	50		·11	3				8		11
12	12		25	15	19		31						12
13		32	37	17		4					19		13
14	13	3	49						2	27			14
15	24		38.	70			12		19	70	25	9	15
16	4	9	3	36	3				11	1.32	(27)		16
17	5	4	8		34	·5	4.		48		12		17
18	7		1	24		6.		3	35	62			18
19	33			20		25	~~50~~		5				19
20	20			39		64.			13	37			20
21	21			8					32	18		54	21
22				47					3	2		26	22
23	12		2				8					1.40	23
24	12		10				31	11				64	24
25		9	35	6			85				2	7	25
26	29		7				18.						26
27	64		28	9		4			4		4	4	27
28	18	8	8			38	23				30	58	28
29	17		19								5	8	29
30	37	×	23	7	18.	18	23		88			25	30
31	40.	×	10	×		×	50.		×	30	~~68~~	92	31
TOTAL	~~6.65~~ ·11 6.07	~~1.03~~ ·05 ·97	~~3.90~~ ·19 4.04	~~4.75~~ 4.56	2.22	~~1.87~~ ·65 2.52	~~6.50~~ 5.85	1.26	~~2.87~~ ·37 3.24	~~6.34~~ 1.10 ~~5.85~~ 6.88	~~3.12~~ 2.02	~~5.39~~ ·20 5.59	YEAR'S TOTAL 44.92 ~~45.90~~
Days with ·01 in. or more	24	11	26	20 ~~21~~	9	11 ~~10~~	18 ~~19~~	7	14 ~~15~~	13	11 ~~12~~	17 ~~16~~	181 ~~182~~
Days with ·04 in. or more	24	9	20	19 ~~20~~	8	11 ~~10~~	15 ~~16~~	5	13 ~~11~~	12	9 ~~10~~	17	162

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

Cond for

FORM A. 1. METEOROLOGICA RGANIZATION.

REGISTER OF RAINFALL IN 1920.

25 APL 1921

Kept at Boskennyn Penzance

in the County of Cornwall

by F Tupper Esq

Lat. Long.

Time of Observation Noon

Nearest Railway Station Penzance

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 280 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. (20)

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·69	·11	·5	·19			·65			·37	1.10		1
2			4.	24	·81		1.04	1.	7.		·2	·66	2
3	·40		2	2				7	20	·17		·19	3
4	·45	·9					2			·56		41	4
5			·5	·8			3.	87		·63		1	5
6		3	7		31		23	4		·34			6
7			(20)	8	14.		50						7
8	8		10	34	9		52	13	·3.			4	8
9	24	7	2	28	13	12						21	9
10	26.	8	2	4			63						10
11	24		30	50		·11	3				8		11
12	13		25	15	19		31						12
13		32	37	17		4					19		13
14	13	3	49						2	27			14
15	24		38.	70			12		19	70	25	9	15
16	4	9	3	36	3				11	1.32	(27)		16
17	5	4	8		34	5	4.		48		12		17
18	7		1	24		6.		3	35	62			18
19	33			20		25	~~50~~		5				19
20	20			39		64.			13	37			20
21	21			8					32	18		54	21
22				47					3	2		26	22
23	12		2				8					1·40	23
24	12		10				31	11				64	24
25		9	35	6			65				2	7	25
26	29		7				18.						26
27	64		28	9		4			4		4	4	27
28	18	8	8			38	23				30	58	28
29	17		19								5	8	29
30	37		23	7	18.	18	23		88			25	30
31	40.		10				50.			30	~~68~~	92	31
TOTAL	·11 ~~6.65~~ 6.07	·05 ~~1.03~~ ·97	·19 ~~3.90~~ 4.04	~~4.95~~ 4.56	2.22	·65 ~~1.87~~ 2.52	~~6.50~~ 5.85	1.26	·37 ~~2.87~~ 3.24	1.10 ~~6.34~~ ~~5.85~~ 6.88	~~3.12~~ 2.02	·20 ~~5.39~~ 5.59	YEAR'S TOTAL 44.92 ~~45.90~~
Days with ·01 in. or more	24	11	26	~~20~~ 21	9	11 ~~10~~	18 ~~19~~	7	14 ~~13~~	13	11 ~~12~~	17 ~~16~~	181 ~~182~~
Days with ·04 in. or more	24	9	20	19 ~~20~~	8	11 ~~10~~	15 ~~16~~	5	13 ~~11~~	12	9 ~~10~~	17	162

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGISTER

and H

CORNWALL.

PHILLACK REC:

1916

FORM A.
BRITISH RAINFALL.

3 JAN 191

Kept at Phillack Rect
in the County of Cornw
by Rev A. Pendarves H

26' w
a.m.
Hayle
uge 5 in.
round 1 ft. — in.
Sea Level 76 ft.

IMPORTANT NOTE.—Rain he result entered to the previous day. If an Observer pre sal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·12	×	·01	×	×	·04	·13	×	·08	·34	·05	×	1
2	·17	·13	·35	×	×	×	×	×	·80	·15	·40	×	2
3	·01	1·02	·05	×	·16	·03	·17	×	·05	·70	·10	×	3
4	·13	·17	·05	·05	·13	·20	·16	×	·18	·15	·60	×	4
5	·01	·10	·05	·02	·10	·05	·96	×	·03	·11	·05	·08	5
6	·01	·11	·07	×	·05	·12	×	×	×	·10	·78	×	6
7	·07	·12	·08	×	·15	×	×	×	×	·01	·38	×	7
8	×	·15	·20	×	·23	·06	×	×	×	×	·10	·25	8
9	·50	·15	·15	·07	·06	×	×	×	×	×	·20	·05	9
10	×	·59	·01	·05	·06	×	·05	×	×	·03	×	·75	10
11	×	·05	×	·07	·24	×	·05	×	×	·05	·02	×	11
12	·04	·05	·10	×	·03	×	·07	·04	×	×	×	·31	12
13	×	·13	·15	·01	·02	×	×	·28	×	×	×	·15	13
14	·03	·24	·58	×	·01	×	×	·15	×	·08	×	·05	14
15	·02	·08	·60	·11	×	×	×	·28	×	·30	×	×	15
16	·08	·08	×	·06	·01	×	04	·44	×	·10	1·16	×	16
17	·16	·09	·20	·06	×	×	×	×	×	·03	·15	×	17
18	·02	·01	·38	04	×	×	×	·04	·16	·02	·09	·01	18
19	·17	·06	·03	×	·01	×	×	×	×	×	·07	·13	19
20	·07	·01	·20	·32	×	×	×	×	×	×	·30	·20	20
21	×	·19	·20	×	×	·13	×	×	×	03	×	×	21
22	·02	×	·05	·01	·03	·10	×	·08	×	·05	×	·20	22
23	·07	·01	·05	·07	·02	·13	×	·20	×	·10	·25	·53	23
24	×	02	×	·06	·40	×	×	·33	×	·35	·05	·04	24
25	×	·58	·12	×	·08	×	×	·17	×	·08	~~·17~~	·19	25
26	×	·15	·05	×	·03	×	×	·10	·13	80	·30	·05	26
27	×	·08	1·83	×	·01	05	×	×	·02	·17	×	·03	27
28	·03	·40	×	×	×	01	×	·23	·48	·65	×	·20	28
29	×		·07	×	×	·50	×	65	·18	17	×	×	29
30	×	×	×	·08	×	·11	×	01		13	×	·27	30
31	×	×	×	×	·01	×	×	13	×	20	×	·01	31
Total	1·73	4·77	~~5·65~~ 5·63	1·08	1·84 1·84	1·58 1·53	1·63	3 33	2·11	4·98 4·90	5·24 5·22	3·50	YEAR'S TOTAL ~~36·98~~ 37·27
Rain Days.	19	26	25	15	21	~~14~~ 13	8	~~14~~ 15	10	25	19	19	215

W. 8,000, VIII. 16

FORM A.
BRITISH RAINFALL.

3 JAN 1917

REGISTER

Kept at Phillack Rectory

in the County of Cornwall

by Rev A. Pendarves Hockin

Lat. [illegible] Long. 5°26' w

Time of Observation 9 a.m.

Nearest Railway Station Hayle

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 76 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12	×	·01	×	×	·04	·13	×	·08	·34	·05	×	1
2	·17	·13	·35	×	×	×	×	×	·80	·15	·40	×	2
3	·01	1·02	·05	×	·16	·03	·17	×	·05	·70	·10	×	3
4	·13	·17	·05	·05	·13	·20	·16	×	·18	·15	·60	×	4
5	·01	·10	·05	·02	·10	·05	·96	×	·03	·11	·05	·08	5
6	·01	·11	·07	×	·05	·12	×	×	×	·10	·78	×	6
7	·07	·12	·08	×	·15	×	×	×	×	·01	·38	×	7
8	×	·15	·20	×	·23	·06	×	×	×	×	·10	·25	8
9	·50	·15	·15	·07	·06	×	×	×	×	×	·20	·05	9
10	×	·59	·01	·05	·06	×	·05	×	×	·03	×	·75	10
11	×	·05	×	·07	·24	×	·05	×	×	·05	·02	×	11
12	·04	·05	·10	×	·03	×	·07	·04	×	×	×	·31	12
13	×	·13	·15	·01	·02	×	×	·28	×	×	×	·15	13
14	·03	·24	·58	×	·01	×	×	·15	×	·08	×	·05	14
15	·02	·08	·60	·11	×	×	×	·28	×	·30	×	×	15
16	·08	·08	×	·06	·01	×	·04	·44	×	·10	1·16	×	16
17	·16	·09	·20	·06	×	×	×	×	×	·03	·15	×	17
18	·02	·01	·38	·04	×	×	×	·04	·16	·02	·09	·01	18
19	·17	·06	·03	×	·01	×	×	×	×	×	·07	·13	19
20	·07	·01	·20	·32	×	×	×	×	×	×	·30	·20	20
21	×	·19	·20	×	×	·13	×	×	×	·03	×	×	21
22	·02	×	·05	·01	·03	·10	×	·08	×	·05	×	·20	22
23	·07	·01	·05	·07	·02	·13	×	·20	×	·10	·25	·53	23
24	×	·02	×	·06	·40	×	×	·33	×	·35	·05	·04	24
25	×	·58	·12	×	·08	×	×	·17	×	·08	·17	·19	25
26	×	·15	·05	×	·03	×	×	·10	·13	·80	·30	·05	26
27	×	·08	1·83	×	·01	·05	×	×	·02	·17	×	·03	27
28	·03	·40	×	×	×	·01	×	·23	·48	·65	×	·20	28
29	×		·07	×	×	·50	×	·65	·18	·17	×	×	29
30	×	×	×	·08	×	·11	×	·01		·13	×	·27	30
31	×	×	×	×	·01	×	×	·13	×	·20	×	·01	31
Total	1·73	4·77	5·65 5·63	1·08	1·88 1·84	~~1·38~~ 1·53	1·63	3·33	2·11	4·98 4·90	5·24 5·22	3·50	YEAR'S TOTAL ~~36·98~~ 37·27
Rain Days.	19	26	25	15	21	~~14~~ 13	8	~~14~~ 15	10	25	19	19	215

W. 8,000, VIII. 16

1901 —

PORTHCURNO

1920 ~~30~~

FORM A. 1. **METEOR** … **ORGANIZATION.**

4 JAN

…92 0…….

Kept at…………

in the County of…………

by ……… J. …

…ng 5°39'16"W (approx)

9 a.m.

…n Penzance

Rain Gauge 5" in.

above Ground 1 ft. 0 in.

„ Sea Level 150 ft. (approx)

IMPORTANT N… …lt entered to the previous day.

If an Observer prefers ~~not to conform to this almost universal rule, he is earnestly~~ requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·10	56		61		07	18		41	1
2				·01			62	07	13	04		10	2
3		·05		·11	03		02	03	03	52		23	3
4			·05				01	53	01	31		62	4
5		·01	·03		11		22	07		16			5
6			·31	·06	11		53		01	26	02		6
7		·04	·09	·28	06		78	01		01		07	7
8		·01	·02	·22	12		02	07				01	8
9		·02	·01	·03		11	50						9
10		·16	·09	·04		11	13				04		10
11			·17	·40	16	05	20			04		04	11
12		·06	·14	·15	01		01	01	02	01	08		12
13		·01	·28	·01		04				09		06	13
14			·23	·48			07	01	12	27	13		14
15		·06	·03	·24	04	03				1·54	10		15
16	Gauge not installed till 26th Jan.	·01	·03		01		01		31	10	15		16
17					13	01			41	82			17
18				·05	02	18		34	08				18
19				·24		75	01		03	35			19
20				·02		10			17	07		29	20
21				·34			01		05			04	21
22							05			01		25	22
23			·04	·01			11	08				29	23
24		·08	·19	·02			03				02	06	24
25			·03		01		66						25
26			·15			03			04		02	02	26
27		·11	·04	·06	02	25	10		01		20	43	27
28	·17	·01	·17			14	05				03	07	28
29	·22	02	·24	03	18	01	03		85		12	13	29
30	·10	✗	·04			40	49		84	48	52	47	30
31	31	✗	·22	✗		✗			✗	52	✗	11	31
TOTAL	(6·00)	·65	2·62	2·90	1·57	2·21	4·67	1·22	3·18	5·78	1·43	3·10	YEAR'S TOTAL (35·33)
Days with ·01 in. or more	~~(24)~~	14	23	21	15	14	24	10	17	19	12	19	(214)
Days with ·04 in. or more	(24)	7	16	14	9	10	14	6	11	16	8	16	✓(151)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

FORM A. 1. **METEOR RGANIZATION.**

1 JAN

REGISTER OF RAINFALL IN 1920.

Kept at Porthcurno
in the County of Cornwall
by J. G. Marsden

Lat. 50°2′42″ Long. 5°39′16″ W (approx)
Time of Observation 9 am.
Nearest Railway Station Penzance
Diameter of Funnel of Rain Gauge 5″ in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 150 ft. (approx)

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·02	·10	56		61		07	18		41	1
2				·01			62	07	13	04		10	2
3		·05		·11	03		02	03	03	52		23	3
4			·05				01	53	01	31		62	4
5		·01	·03		11		22	07		16			5
6			·31	·06	11		53		01	26	02		6
7		·04	·09	·28	06		78	01		01		07	7
8		·01	·02	·22	12		02	07				01	8
9		·02	·01	·03		11	50						9
10		·16	·09	·04		11	13				04		10
11			·17	·40	16	05	20			04		04	11
12		·06	·14	·15	01		01	01	02	01	08		12
13		·01	·28	·01		04				09		06	13
14			·23	·48			07	01	12	27	13		14
15		·06	·03	·24	04	03				1·54	10		15
16	Gauge not installed till 26th Jany.	·01	·03		01		01		31	10	15		16
17					13	01			41	82			17
18				·05	02	18		34	08				18
19				·24		75	01		03	35			19
20				·02		10			17	07		29	20
21				·34			01		05			04	21
22							05			01		25	22
23			·04	·01			11	08				29	23
24		·08	·19	·02			03				02	06	24
25			·03		01		66						25
26			·15			03			04		02	02	26
27		·11	·04	·06	02	25	10		01		20	43	27
28	·17	·01	·17			14	05				03	07	28
29	·22	02	·24	·03	18	01	03		85		12	13	29
30	·10		·04			40	49		84	48	52	47	30
31	31		·22							52		11	31
TOTAL	(6·00)	·65	2·62	2·90	1·57	2·21	4·67	1·22	3·18	5·78	1·43	3·10	YEAR'S TOTAL (35·33)
Days with ·01 in. or more	~~(26)~~	14	23	21	15	14	24	10	17	19	12	19	(214)
Days with ·04 in. or more	(24)	7	16	14	9	10	14	6	11	16	8	16	(151)

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

REGIS

POUNDSTOCK
(WIDEMOUTH BAY)
CORNWALL
1912-1913.

FORM A.
BRITISH RAINFALL.
26 FEB 1913

Kept at Widemouth

in the County of Corn

by J W Bu

in.

Ground ft. in.

Sea Level ft.

IMPORTANT NOTE … he result entered to the
previous day. If an Obs … rsal rule, he is earnestly
requested to add the readi … in the space provided
for it at the end of this … nt of rain,
the selection and placing … sh Rainfall
Organization are given in … pplication to
Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							.03	.05					1
2							.01	.03					2
3								.90					3
4								.13					4
5							.05	.72					5
6							.06	.10					6
7							.12	.11					7
8													8
9							.31	.10					9
10							.05	.33					10
11							.01	.01					11
12							.16	.25					12
13							.06	.02					13
14								.18					14
15								.01					15
16								.13					16
17								.46					17
18								.80					18
19							.03	.56					19
20								.09					20
21							.23	.26					21
22							.02	.27					22
23							.04	1.07					23
24							.04	.02					24
25								.11					25
26							.02	.06					26
27							.70	.12					27
28							.28	.55					28
29							.75	.24					29
30							.20						30
31							.06	.02					31
Total							3.23	7.70	.58	3.32	2.25	4.19	YEAR'S TOTAL
Rain Days.							3.23 21	29	6	19	18	22	

W. 7,500, XI. '12

[illegible]
REGI

FORM A.
BRITISH RAINFALL.
26 FEB 191

Kept at Widemouth Bay Poundstock
in the County of Cornwall
by J W Burrow P.C.

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							.03	.05					1
2							.01	.03					2
3								.90					3
4								.13					4
5							.05	.72					5
6							.06	.10					6
7							.12	.11					7
8													8
9							.31	.10					9
10							.05	.33					10
11							.01	.01					11
12							.16	.25					12
13							.06	.02					13
14								.18					14
15								.01					15
16								.13					16
17								.46					17
18								.80					18
19							.03	.56					19
20								.09					20
21							.23	.26					21
22							.02	.27					22
23							.04	1.07					23
24							.04	.02					24
25								.11					25
26							.02	.06					26
27							.70	.12					27
28							.28	.55					28
29							.75	.24					29
30							.20						30
31							.06	.02					31
Total							3.23	7.70	.58	3.32	2.25	4.19	YEAR'S TOTAL
Rain Days.							3.23 21	29	6	19	18	22	

W. 7,500, XI. '12

✓ Cor. for auth. 15.V.14.

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

13 MAY 1914

Kept at Widemouth Bay W. mg.

in the County of Cornwall

by J. W. Burrow

Lat. 50°.47 N. Long. 4°.33 W.

Time of Observation 8.30

Nearest Railway Station Bude

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground one ft. — in.

" " " " Sea Level 28 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 9 A.M.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	.15	.02	.13	.07	—	—	—	—	—	.11	.03	1
2	.02	.08	—	.20	.21	—	—	—	—	.03	.14	.01	2
3	.03	—	.02	.01	.07	—	—	—	.32	—	—	.13	3
4	.52	—	—	—	—	—	.01	—	.15	.04	.02	.08	4
5	—	.02	—	—	.23	.14	—	—	.31	.02	.36	.44	5
6	—	.03	.02	—	.06	.06	—	—	—	.16	.23	.03	6
7	—	.32	—	—	.60	.03	—	—	—	.50	.09	—	7
8	—	.07	—	—	.32	—	.05	.23	—	.02	—	—	8
9	—	.04	—	—	.13	.07	—	.15	.04	—	.37	.02	9
10	.10	—	.02	—	.14	.09	—	.06	—	.53	.12	—	10
11	.36	—	—	.01	.13	.09	—	.06	.03	.07	.47	.02	11
12	.10	—	—	.04	.01	—	—	—	.01	—	.23	.01	12
13	.09	—	.05	—	—	—	.03	.04	.25	—	.12	—	13
14	.25	—	.10	.02	—	—	.03	—	.24	.08	.04	—	14
15	.06	—	.15	.71	—	—	—	—	.01	—	.03	.02	15
16	.23	—	.43	.05	—	—	.01	—	.33	—	—	—	16
17	.13	—	—	.07	—	—	—	—	—	—	.04	—	17
18	.05	—	.10	.13	.02	—	—	—	—	.01	.03	—	18
19	.40	—	.10	—	.06	—	—	—	.26	.34	—	—	19
20	.14	—	.18	.18	—	—	.02	—	.01	.03	.20	—	20
21	—	—	.06	.14	.15	—	—	.02	.02	.11	.29	—	21
22	.05	—	.74	.08	.01	.24	—	.08	.07	.04	—	.06	22
23	.02	—	—	—	—	—	—	.28	.01	—	.09	.74	23
24	—	.02	—	.02	—	.01	—	—	[illegible]	—	.08	.01	24
25	—	—	—	.30	—	—	—	—	.07	—	.04	.08	25
26	—	—	—	.80	—	01	—	.04	.04	—	.02	.22	26
27	.04	—	.10	.17	—	—	—	.03	—	.26	.01	—	27
28	—	—	.07	.16	.19	—	—	—	.21	.26	.01	.02	28
29	—		.36	.31	.06	—	—	—	—	.45	.02	—	29
30	.20		—	.03	—	—	—	—	—	.30	.02	—	30
31	.09		.59		.10		—	.29		—		—	31
Total	~~2.84~~ 2.88	.73	~~3.21~~ 3.11	3.56	2.55	.74	.15	1.28	2.38	~~3.26~~ 3.25	3.18	1.92	YEAR'S TOTAL ~~25.80~~ 25.73
Rain Days.	19	8	17	20	18	9	6	11	18	18	25	16	185

W.7,000, XI. 13

Df

2/24

FORM A2.
BRITISH RAINFALL.

20 JAN 1912

REGIS 11

CORNWALL.

PROBUS,
"LAMELLYN"
1911 – 1916

Kept at Probus, La

in the County of Cornw

by H. Tresawna

p 5 in.
bove Ground ft. 4 in.
„ Sea Level 250 ft.

on { Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·13	·12		01			·02	·06		1
2	·03		·02		·11			·20		·45	·10	·20	2
3			·01		·20			·02			·15	·21	3
4			·05					·70		·03	·20	·56	4
5	·50		·38					·25		·04	·20	·02	5
6	·06		·23							·02	·14	1·02	6
7	·10										·51	·02	7
8	·01		·20								·06	·73	8
9	·09										·17	·57	9
10	·05	·10	·58								·17	·25	10
11	·32								·21		·50	·10	11
12			·48						·33		·15	·16	12
13			·07								·10	·03	13
14		·11	·10							·05	·16	·51	14
15			·09			·08					·20	·11	15
16		·05	·01			·55					·11	·49	16
17		·02	·49	·14		·15					·20	·12	17
18		·30	·24	·13		·24					·40	·70	18
19		·03				·25			·45	·20	·15	·69	19
20		·02	·02	·20		·06			·30	·73	·02	·67	20
21	·04	·09	·09			·02			·33	·09	·02	·31	21
22		·05		·07		·09			·55	·25	·02	·35	22
23		·19				·08		·31	·10	·35		·40	23
24		·14				·50				·30		·40	24
25	·04	·09		·11		·02			·08	·20		·10	25
26			·07	·30				·12		·44		·15	26
27		·48		·06				·36	·15	·25		·35	27
28		·04	·13	·29					·05			·03	28
29			·03	·05	·10	·45	·95	·03	·10	·16			29
30						·05	·25		·02	·21	·36	·03	30
31							·02			·06			31
Total	1·34	1·71	3·29	1·48	·53	2·54	1·23	1·99 1·99	2·67	3·85	4·15	9·28	TOTAL for year 34·06 ✓
No. of Rain Days	11	14	19	10	4	13	4	8	12	18	23	28	164 ✓

9,000, IX. '10.

REGIS

11

FORM A2.
BRITISH RAINFALL.
20 JAN 1912

2/24

Kept at Probus, Lamellyn

in the County of Cornwall 2

by H. Tresawna

RAIN GAUGE	Diameter of top	5 in.
	Height of top above Ground	ft. 4 in.
	" " " Sea Level	250 ft.

Time of Observation

Nearest Railway Station: Name

Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·10			·13	·12		01			·02	·06		1
2	·03		·02		·11			·20		·45	·10	·20	2
3			·01		·20			·02			·15	·21	3
4			·05					·70		·03	·20	·56	4
5	·50		·38					·25		·04	·20	·02	5
6	·06		·23							·02	·14	1·02	6
7	·10										·51	·02	7
8	·01		·20								·06	·73	8
9	·09										·17	·57	9
10	·05	·10	·58								·17	·25	10
11	·32								·21		·50	·10	11
12			·48						·33		·15	·16	12
13			·07								·10	·03	13
14		·11	·10							·05	·16	·51	14
15			·09			·08					·20	·11	15
16		·05	·01			·55					·11	·49	16
17		·02	·49	·14		·15					·20	·12	17
18		·30	·24	·13		·24					·40	·70	18
19		·03				·25			·45	·20	·15	·69	19
20		·02	·02	·20		·06			·30	·73	·02	·67	20
21	·04	·09	·09			·02			·33	·09	·02	·31	21
22		·05		·07		·09			·55	·25	·02	·35	22
23		·19				·08		·31	·10	·35		·40	23
24		·14				·50				·30		·40	24
25	·04	·09		·11		·02			·08	·20		·10	25
26			·07	·30				·12		·44		·15	26
27		·48		·06				·36	·15	·25		·35	27
28		·04	·13	·29					·05			·03	28
29			·03	·05	·10	·45	·95	·03	·10	·16			29
30						·05	·25		·02	·21	·36	·03	30
31							·02			·06			31
Total	1·34	1·71	3·29	1·48	·53	2·54	1·23	1·99 199	2·67	3·85	4·15	9·28	TOTAL for year 34·06 ✓
No. of Rain Days	11	14	19	10	4	13	4	8	12	18	23	28	164 ✓

9,000, IX. '10.

DL S. made ✓ cmd pr anth Nov. 11. 13 W M L 2/24

FORM A2.
BRITISH RAINFALL.

25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Probus, Lamellyn

in the County of Cornwall 2

by

RAIN GAUGE
Pattern
Diameter of top ...... in.
Height of top above Ground ...... ft. ...... in.
" " " Sea Level ...... ft.

Time of Observation

Nearest Railway Station
Name
Distance ...... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			.05			.67	.83	.35	.35	.30		.15	1
2			.23	.10		.60		.25		.20			2
3			.03			.11		1.94	.10			.05	3
4	.16		.10			.29		.05	.01		.35		4
5	.61	.20	.36		.12		.35	2.27				.15	5
6	.38	.09	.25		.39	.02	.03	.21			.02	.15	6
7	.20	.70	.23		.11	.10		.34					7
8	.27	.10	.08			.30		.02				.52	8
9		.21	.05			.06	.24	.03					9
10	.41	.05	.35	.29		.20	.08	.02			.15	.15	10
11	.49	.18	.05					.30			.25	.50	11
12		.05	.20		.28		.28	.40			.38		12
13	.02	.05	.02	.05		.05		.10			.02	.15	13
14	.04	.18	.45					.08		.03	.03	.10	14
15	.82	.10	.05		.30	.47		.02		.10		.35	15
16	.16		.28			.03		.22				.21	16
17			.25		.05	.20		.45			.20	.15	17
18		.10	.32					1.35		.18		.03	18
19		.16	.35					.45		.03		.05	19
20	.16	.10	.37		.15			.08		.30	.03		20
21		.50	.28		.30		.80	.05		.43			21
22	.26	.17	.50			.15	.23	.30		.16	.02	.05	22
23	.15	.35	.27				.15	.70		.10	.15	.32	23
24	.16	.05	.02			.33	.05	.11		.36		.02	24
25	.17	.07					.05	.12			.40	.52	25
26							.09	.05		.22	.60	.45	26
27						.45	.35	.66		1.02	.11	.41	27
28		.08				.15	.05		.30	.13	.35	.51	28
29		.33				.65	.25		.32	.15	.05	.11	29
30				.03	.04	.06	.38		.20	.35			30
31			.31		.20		.15			.01		.09	31
Total	4.46	3.82	5.45 5.45	.47	1.94	4.89	4.36	10.92 10.92	1.28	4.07	3.11	5.19	TOTAL for year 49.96
No. of Rain Days	16	21	25	4	10	19	17	27	6	17	16	23	201

9,000, IX. '10.

82. ✓

cnd for arith 24.III.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

2/24

28 JAN 1914

Kept at Probus, Lamellyn W. 1486

in the County of Cornwall 2

by H. Tresawna

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.22	.27	.12	.21				.05		.24		1
2	.05	.05	.06	.12	.35	.12				.05	.12		2
3	.18		.03		.06				.55			.20	3
4	.61				.26	.11	.02		.15		.07	.20	4
5	.02		.03		.06	.24			.21	.50	.58	.90	5
6	.22	.06								.67	.44		6
7	.12	.41			1.10	.06				.45	.35	.11	7
8	.21				.17	.06	.05	.10		.05		.02	8
9	.08	.22			.03		.12	.10			.68	.02	9
10	.90	.04			.05	.03			.05		.28	.03	10
11	.40				.55	.18		.35	.02		.24	.10	11
12	.13				.02				.12	1.25	.23		12
13			.02		.05				.98		.18		13
14	.40		.25		.10		.23		.05		.23		14
15	.04		.41	.50					.05				15
16	.25		.34	.07					.10		.15		16
17	.21		.05	.10							.05		17
18	.27		.16	.21							.09		18
19	.49		.26						.20				19
20	.21		.15	.35			.05			.31	.52		20
21	.09		.30	.10		.11					.12		21
22	.16		.51		.02			.03	.20	.20		.32	22
23	.51					.27		.03			.28	.85	23
24	.04	.14		.11		.13					.07		24
25				.33					.10		.06	.07	25
26				1.00				.26			.03	.34	26
27			.14	.17				.23		.28		.06	27
28	.04		.06	.06					.30	.74		.11	28
29	.04		.20	.02	.16					.07		.37	29
30	.40							.02		.20	.02		30
31	.24		.53		.10					.04			31
Total	6·31 6·32	1·14	3·77	3·26	3·29	1·31	·47	1·12	3·13	4·81	5·03 5·03	3·70	YEAR'S TOTAL 37·34
Rain Days.	26	7	18	14	16	10	5	8	15	13	22	15	169

W. 7,500, XI. 12

DL Written 11.III.15

cord pr ant 10.III.15

23 JAN 1915

FORM A. BRITISH RAINFALL.

2/24

REGISTER OF RAINFALL IN 1914

Kept at Probus

in the County of Cornwall 2

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 230 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1				·22		·10	·04	·60			·98	·05	1
2			·02				·49						2
3	·03		·18	·23	·50		1·31	·23				·40	3
4	·05		·09	·36	·10		·01				·03	·52	4
5	·13		·18	·19	·03							·10	5
6	·28	·10	·08	·20	·15		·08	·03				·65	6
7	·06	·64	·22	·13	·06	·35	·31		·85			·20	7
8	·05		·59	·23		·32	·02						8
9	·03		·05	·03	·12	·90			·10				9
10	·13	·49	·05	·73		·04	—	·23	·27		·10	1·00	10
11		·18	·69			·05						·12	11
12		·65	·13			—			·13	·02	·25	·07	12
13		·35	·38				·17		·15	·50	·25	·15	13
14		·26	·20				·005				·57	·25	14
15			·12						·20		·50	·65	15
16			·36						·25		—	·05	16
17		·35					·03					·30	17
18		·29	·06				·06		·38			·40	18
19		·08					·90					·15	19
20		·32	·56						·10			·30	20
21		·25				·06	·07			·33		·15	21
22		·17	·03							·25			22
23		·05	·24			·03	·05			·16			23
24			·15			·04		·15			·45		24
25			·65				·01	·57		·53	·05		25
26	·14		·14							·15	×	1·00	26
27	·23	·25					·31			·17	×	·30	27
28		·04	·24				—			·70	×	1·02	28
29	·29		·27		·25		·13			·12	1·00	·05	29
30			·14							·05	·95	·35	30
31							·94			·32		·50	31
Total	1·42 1·42	4·47 4·47	5·82	2·32	1·21	1·89	4·935	1·81	2·43	3·30	5·13	8·73	YEAR'S TOTAL 43465
Rain Days.	11	16	23	9	7	9	18	6	9	12	14	25	16[illegible]

W.7,000, XI. 13

8h.

✓

card for auth 16.III.16

2030

3/24

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at Probus

in the County of Cornwall

2nd Dt

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.35	.50						.24	.10	.50		.14	1
2	.43	.23	.15			.22						.38	2
3	.05	.16	.15				.05					.75	3
4		.35			.25							.03	4
5	.20	.70		.10				.38				1.40	5
6	.83			.50			56	.05				.03	6
7	.34	.20		.10			.40			1.25		.27	7
8	.18	.50					.02	.10			.25	.20	8
9	.03	.43						.20			.20	.55	9
10	.35	.15	17	.25				.10		.45		.05	10
11	.10	.18						.16			.90	.30	11
12	.05	.36			.35						.20	.25	12
13	.10	1.00		.20	.45				.15		10	05	13
14		.20		.15			.15	.03	.05		.25	1.10	14
15	.03				.24		53				.02		15
16		1.30			.45		1.30						16
17													17
18	.03	.18			.05								18
19	.05	.05		.10	.30		24						19
20	.60					.22	.25			.40		.10	20
21	.10	10				.35	.10						21
22	.35	.30	.30	.10			.15		.10	.18		.25	22
23	.05	.15					.05						23
24						.85	.03			.40	.02	.27	24
25	.10				.06	.36	.05					.22	25
26		.40				.86			.18			1.05	26
27		.05				.32				.68	.03	.17	27
28		.15				.38			.35	.15	.05	.15	28
29						.32	.45	.10	.23		.10	.03	29
30	.20	✕				.01			.02	.60	.35	.20	30
31		✕		✕		✕			✕	.30	✕	.05	31
Total	4.52	7.64 7.64	.77	1.50	2.15	3.89	4.33	1.36	1.18	4.91	2.47	7.99	YEAR'S TOTAL 42.62 42.71
Rain Days.	21	22	4	8	8	10	15	9	8	10	12	24	151

W. 8,000. X. 14.

8L

~~W~~ DL end for auth

1975
2/24

FORM A.
BRITISH RAINFALL.

30. JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at Probus

in the County of Cornwall

by

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13		·03		—								1
2	·10		·09										2
3		1·30											3
4	·14	·12											4
5		·10	·03										5
6	·03	·05											6
7		·20	·05										7
8		·25											8
9		·15											9
10		1·02	·07										10
11		·05	·10	·10									11
12		·08	·02	·10									12
13		·15	·01	·10									13
14		·25											14
15	·03	·14	·22										15
16	·05	·05		·05									16
17	·15	·05	·05										17
18	·19	·10	·12										18
19	·05	·03		·18									19
20	·10	·05	·25										20
21		·02											21
22		·02	·15										22
23	·05	·03											23
24		·04	·20										24
25		·02	·10	·19									25
26													26
27			1·20										27
28		·17	·15										28
29													29
30		X											30
31		X		X		X			X		X		31
Total	1·02 ~~·93~~	444 ~~4·51~~	2·84	·72									YEAR'S TOTAL
Rain Days.	11	24	17	6									

W. 8,000. X. 15.

CORNWALL.

REDRUTH

COUNTY SCHOOL.

1915, 1920.

REGISTE

FORM A.
BRITISH RAINFALL.

28. JUN. 1916

5¼ W.

Kept at Redruth County S

am

in the County of Cornw

Redruth.

in Gauge 5 in.

by Stanley B. White

ove Ground ft. 6 in.

Sea Level ~~3~~375 ft.

IMPORTANT NOTE.—R d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·16	·18	nil	nil	·07	nil	nil	·53	nil	·44	·19	·18	1
2	·04	·34	·07	nil	nil	·11	nil	·02	·09	·02	nil	·19	2
3	·07	·23	nil	·21	·22	nil	nil	nil	·32	nil	nil	·05	3
4	·08	·27	·30	nil	·31	nil	nil	·02	nil	·01	nil	·03	4
5	·33	·62	·01	·51	nil	nil	nil	·35	nil	nil	nil	·01	5
6	nil	·29	·01	·55	nil	nil	1·39	·14	nil	nil	·02	·06	6
7	·82	·36	nil	·09	nil	nil	·24	·04	·01	1·19	nil	nil	7
8	·04	·48	nil	·02	nil	nil	nil	nil	nil	·04	·42	·21	8
9	·15	·11	nil	·21	nil	nil	nil	·03	nil	nil	·47	·04	9
10	·13	·48	·04	·20	nil	nil	nil	·2	nil	·51	nil	nil	10
11	·01	·04	·02	nil	nil	nil	·11	·15	nil	·07	1·99	·13	11
12	·02	·68	·01	nil	·37	nil	·24	·26	nil	·05	·14	·32	12
13	·04	·54	nil	nil	·73	nil	1·09	nil	nil	·03	·15	·46	13
14	nil	·19	nil	nil	nil	·03	nil	nil	·04	nil	2·10	1·21	14
15	nil	·03	nil	nil	·21	nil	nil	nil	nil	nil	nil	·07	15
16	nil	1·24	nil	nil	·64	nil	nil	nil	nil	nil	·04	nil	16
17	·36	·14	nil	nil	nil	nil	nil	nil	·03	·01	nil	·87	17
18	·23	·09	nil	nil	nil	nil	nil	nil	nil	·01	·03	·04	18
19	·08	·03	nil	nil	·47	nil	·28	nil	·25	·01	nil	·01	19
20	·07	·14	nil	nil	nil	·21	nil	nil	nil	·35	nil	nil	20
21	·04	·08	nil	nil	nil	·52	·29	nil	nil	·01	nil	nil	21
22	·03	·02	·22	·23	·07	·10	·32	nil	nil	·27	nil	·02	22
23	nil	·13	·03	nil	nil	·03	nil	nil	·05	·14	nil	·06	23
24	nil	·03	nil	·04	nil	·83	nil	nil	·03	·20	nil	·67	24
25	nil	·09	nil	·03	·11	·22	nil	nil	·26	nil	·03	·22	25
26	·76	·01	nil	nil	nil	·28	nil	nil	·05	nil	nil	·17	26
27	·46	·04	nil	nil	nil	·34	nil	nil	·01	·03	nil	·53	27
28	·10	·07	nil	nil	nil	·24	nil	nil	·02	·09	nil	·01	28
29	·08	—	nil	nil	nil	·01	nil	·33	·03	·04	·15	·10	29
30	·02	✕	nil	nil	nil	nil	nil	·04	·34	·92	nil	·37	30
31	·02	✕	nil	✕	nil	✕	nil	·10	✕	·12	✕	·03	31
Total	4·14 ~~4·40~~	6·95	·71	2·09	3·20	2·92	3·96	2·21	1·53	4·56	5·73 ~~5·48~~	6·06	YEAR'S TOTAL 44·06 44·06
Rain Days.	24	28	9	10	10	12	8	13	14	22 ~~21~~	12	26	188 ✓

W. 8,000. X. 15.

REGISTE

FORM A.
BRITISH RAINFALL.
28. JUN. 1916

Kept at Redruth County School.

in the County of Cornwall

by Stanley B. White

Lat. 50¼ N Long. 5¼ W

Time of Observation 9 am

Nearest Railway Station Redruth.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level ~~3~~ 375 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·16	·18	nil	nil	·07	nil	nil	·53	nil	·44	·19	·18	1
2	·04	·34	·07	nil	nil	·11	nil	·02	·09	·02	nil	·19	2
3	·07	·23	nil	·21	·22	nil	nil	nil	·32	nil	nil	·05	3
4	·08	·27	·30	nil	·31	nil	nil	·02	nil	·01	nil	·03	4
5	·33	·62	·01	·51	nil	nil	nil	·35	nil	nil	nil	·01	5
6	nil	·29	·01	·55	nil	nil	1·39	·14	nil	nil	·02	·06	6
7	·82	·36	nil	·09	nil	nil	·24	·04	·01	1·19	nil	nil	7
8	·04	·48	nil	·02	nil	nil	nil	nil	nil	·04	·42	·21	8
9	·15	·11	nil	·21	nil	nil	nil	·03	nil	nil	·47	·04	9
10	·13	·48	·04	·20	nil	nil	nil	·2	nil	·51	nil	nil	10
11	·01	·04	·02	nil	nil	nil	·11	·15	nil	·07	1·99	·13	11
12	·02	·68	·01	nil	·37	nil	·24	·26	nil	·05	·14	·32	12
13	·04	·54	nil	nil	·73	nil	1·09	nil	nil	·03	·15	·46	13
14	nil	·19	nil	nil	nil	·03	nil	nil	·04	nil	2·10	1·21	14
15	nil	·03	nil	nil	·21	nil	nil	nil	nil	nil	nil	·07	15
16	nil	1·24	nil	nil	·64	nil	nil	nil	nil	nil	·04	nil	16
17	·36	·14	nil	nil	nil	nil	nil	nil	·03	·01	nil	·87	17
18	·23	·09	nil	nil	nil	nil	nil	nil	nil	·01	·03	·04	18
19	·08	·03	nil	nil	·47	nil	·28	nil	·25	·01	nil	·01	19
20	·07	·14	nil	nil	nil	·21	nil	nil	nil	·35	nil	nil	20
21	·04	·08	nil	nil	nil	·52	·29	nil	nil	·01	nil	nil	21
22	·03	·02	·22	·23	·07	·10	·32	nil	nil	·27	nil	·02	22
23	nil	·13	·03	nil	nil	·03	nil	nil	·05	·14	nil	·06	23
24	nil	·03	nil	·04	nil	·83	nil	nil	·03	·20	nil	·67	24
25	nil	·09	nil	·03	·11	·22	nil	nil	·26	nil	·03	·22	25
26	·76	·01	nil	nil	nil	·28	nil	nil	·05	nil	nil	·17	26
27	·46	·04	nil	nil	nil	·34	nil	nil	·01	·03	nil	·53	27
28	·10	·07	nil	nil	nil	·24	nil	nil	·02	·09	nil	·01	28
29	·08	—	nil	nil	nil	·01	nil	·33	·03	·04	·15	·10	29
30	·02	✗	nil	nil	nil	nil	nil	·04	·34	·92	nil	·37	30
31	·02	✗	nil	✗	nil	✗	nil	·10	✗	·12	✗	·03	31
Total	4·14 ~~4·40~~	6·95	·71	2·09	3·20	2·92	3·96	2·21	1·53	4·56	5·73 ~~5·48~~	6·06	YEAR'S TOTAL 44·06
Rain Days.	24	28	9	10	10	12	8	13	14	22 ~~21~~	12	26	44·06 188

W. 8,000. X. 15.

1949

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Redruth (MO)
in the County of Cornwall
by A. P. Jenkin

Lat. 50° 14' N. Long. 5° 14' W.
Time of Observation 9h. G.M.T.
Nearest Railway Station
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 398 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	0.9	-	0.9	13.5	22.2	-	28.0	-	1.8	8.5	0.4	23.0	1
2	9.8	-	0.1	2.5	-	-	1.5	3.0	9.6	5.6	0.4	3.7	2
3	8.1	2.2	-	3.5	0.6	-	1.4	0.5	0.5	21.7	-	7.4	3
4	-	-	1.7	-	0.3	-	-	22.9	0.1	34.5	-	0.1	4
5	-	-	4.3	-	6.4	-	5.8	0.2	-	2.2	-	-	5
6	0.1	-	11.4	1.7	3.2	-	15.0	-	0.4	4.1	-	-	6
7	1.0	1.5	0.7	7.3	1.3	-	17.5	-	1.1	-	-	1.8	7
8	1.8	0.6	1.4	3.9	2.5	-	0.8	2.4	-	0.1	-	4.0	8
9	13.7	1.9	0.3	0.4	-	0.5	17.7	-	-	-	-	—	9
10	22.1	2.7	3.8	3.9	-	11.9	1.1	-	-	-	1.1	—	10
11	9.0	0.5	5.1	11.5	6.5	0.6	4.8	-	-	1.9	-	—	11
12	3.9	2.6	6.8	5.6	0.6	7.8	0.8	0.1	0.2	0.3	4.0	—	12
13	6.2	0.5	11.6	-	-	1.2	-	-	-	11.1	0.2	0.1	13
14	4.0	3.9	9.6	21.5	-	1.2	1.9	-	4.0	12.1	6.4	—	14
15	0.7	3.5	0.1	9.5	0.8	-	-	0.3	3.0	25.2	1.8	—	15
16	0.2	0.2	1.2	0.2	0.3	3.0	2.2	-	7.8	2.9	4.0	—	16
17	0.9	0.2	-	1.5	7.5	3.9	0.6	-	12.3	48.6	-	—	17
18	6.5	-	-	4.4	1.1	6.9	-	7.1	8.5	0.1	-	—	18
19	1.8	0.2	-	11.4	-	10.8	-	-	27.7	3.2	-	0.1	19
20	1.6	-	0.1	0.4	-	1.6	-	-	2.7	6.4	-	13.4	20
21	0.1	-	0.1	8.3	-	-	0.3	-	0.2	0.1	-	6.0	21
22	1.8	-	0.1	0.1	-	0.1	1.8	-	-	0.1	-	12.3	22
23	0.9	-	1.8	-	-	-	6.0	3.7	-	-	-	13.9	23
24	1.0	0.5	10.5	0.7	-	-	1.8	-	-	-	11.4	3.2	24
25	10.2	-	3.3	-	0.3	-	17.6	-	-	-	0.1	—	25
26	11.1	-	6.1	-	-	0.4	0.6	-	0.1	0.2	1.2	1.4	26
27	15.5	1.4	2.1	1.8	0.2	9.4	3.6	-	-	-	13.5	14.9	27
28	5.9	0.7	6.7	-	-	4.9	1.0	-	-	-	1.6	1.9	28
29	12.4	0.2	8.6	1.5	3.5	-	0.1	-	17.2	-	10.7	9.3	29
30	6.2	╳	1.3	-	-	10.6	26.9	-	25.3	17.0	8.4	26.9	30
31	2.7	╳	10.5	╳	-	╳	0.3	-	╳	9.5	╳	4.2	31
TOTAL	160.1	23.3	110.2	115.1	57.3	74.8	159.1	40.2	122.5	215.4	64.9	147.6	YEAR'S TOTAL 1290.5
Days with 0·2 mm. or more	27	17	22	21	16	15	24	8	16	18	13	16	213
	1.0	5.2	8	19	17	9	12	18	5	12	16	11	16	163

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

REDRUTH

(TREWIRGIE)

CORNWALL

1911 - 1920

R ll

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

Kept at Redr
in the County of Co
by Arthur
rowdon
5 in.
ove Ground 1 ft. — in.
Sea Level 399 ft.
9am (local)
Name Redruth
Distance 550 yds Direction NE

IMPORTANT NO nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the r year in the space provided for it at the end of rement of rain, the selection and pla British Rainfall Organization are given n application to Dr. H. R. Mill, 62, C

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·09	-	-	·08	·46	-	-	·02	-	·05	·04	·05	1
2	-	-	·02	·05	·20	-	-	·29	-	·52	·13	·33	2
3	-	-	·03	-	·29	-	-	·09	·01	-	·20	·23	3
4	-	-	·11	-	·01	-	-	·85	-	·03	·27	·63	4
5	·70	-	·32	-	-	-	-	·45	-	·06	·15	·11	5
6	·23	-	·14	-	-	-	-	-	-	·01	·17	1·67	6
7	·08	-	-	·04	-	-	-	-	-	-	·84	·08	7
8	·03	-	·28	-	-	-	-	-	-	-	·09	·59	8
9	·11	·01	·02	-	-	-	-	-	-	-	·13	·78	9
10	·06	·15	1·33	-	·05	-	-	-	-	-	·15	·30	10
11	·52	-	-	-	-	-	-	-	·25	·02	·48	·10	11
12	-	-	·69	-	-	-	-	·05	·63	-	·10	·55	12
13	-	-	·24	-	-	-	-	-	·11	-	·13	·22	13
14	-	·27	·20	-	-	-	-	-	-	·09	·33	·71	14
15	·01	·08	·02	-	-	·22	-	-	-	-	·41	·05	15
16	-	·01	·02	-	-	·80	-	-	-	-	·05	·43	16
17	-	·05	·80	·21	·03	·16	-	-	-	·06	·33	·94	17
18	-	·30	·39	·40	-	·10	-	-	-	·08	·20	·36	18
19	-	·02	·01	-	-	·10	-	-	·63	·26	·03	·74	19
20	·01	·03	·12	·15	-	·05	-	-	·48	1·07	-	·85	20
21	·02	·22	·16	-	-	·09	-	-	·06	·21	·01	·31	21
22	·01	·09	-	·09	-	·15	-	-	·54	·17	-	·50	22
23	·01	·40	-	·02	-	·04	-	·28	·06	·51	·05	·48	23
24	·03	·16	-	-	-	·30	-	·02	-	·20	-	·55	24
25	·01	·01	-	·24	-	·01	-	-	·15	·30	-	·10	25
26	-	·12	-	·46	-	-	·12	·38	·01	·28	·02	·28	26
27	-	·75	·13	·03	-	·01	-	·34	·14	·20	-	·19	27
28	-	·17	·03	·52	-	-	·01	-	·12	·02	·03	-	28
29	-		·04	·23	·03	·54	·54	-	·14	·17	-	-	29
30	-		-	-	-	·03	·09	-	·04	·32	·38	·15	30
31	-		-		-		·25	-		·10		-	31
Total	1·92	2·84	5·10	2·52	1·07	2·60	1·01	2·77	3·37	4·73	4·72	12·25	TOTAL for year 44·93
No. of Rain Days.	15	17	21	13	7	14	5	10	15	22	24	28	191

W. 8,000, X. '11.

FORM A2.
BRITISH RAINFALL.
17 JAN 1912

REGISTER OF RAINFALL IN 1911

Kept at Redruth ("Treweege")
in the County of Cornwall
by Arthur Pears Jenkin

RAIN GAUGE
Pattern Snowdon
Diameter of top 5 in.
Height of top above Ground 1 ft. - in.
" " " Sea Level 399 ft.

Time of Observation 9 am (local)

Nearest Railway Station
Name Redruth
Distance 550 yds Direction NE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	-	-	·08	·46	-	-	·02	-	·05	·04	·05	1
2	-	-	·02	·05	·20	-	-	·29	-	·52	·13	·33	2
3	-	-	·03	-	·29	-	-	·09	·01	-	·20	·23	3
4	-	-	·11	-	·01	-	-	·85	-	·03	·27	·63	4
5	·70	-	·32	-	-	-	-	·45	-	·06	·15	·11	5
6	·23	-	·14	-	-	-	-	-	-	·01	·17	1·67	6
7	·08	-	-	·04	-	-	-	-	-	-	·84	·08	7
8	·03	-	·28	-	-	-	-	-	-	-	·09	·59	8
9	·11	·01	·02	-	-	-	-	-	-	-	·13	·78	9
10	·06	·15	1·33	-	·05	-	-	-	-	-	·15	·30	10
11	·52	-	-	-	-	-	-	-	·25	·02	·48	·10	11
12	-	-	·69	-	-	-	-	·05	·63	-	·10	·55	12
13	-	-	·24	-	-	-	-	-	·11	-	·13	·22	13
14	-	·27	·20	-	-	-	-	-	-	·09	·33	·71	14
15	·01	·08	·02	-	-	·22	-	-	-	-	·41	·05	15
16	-	·01	·02	-	-	·80	-	-	-	-	·05	·43	16
17	-	·05	·80	·21	·03	·16	-	-	-	·06	·33	·94	17
18	-	·30	·39	·40	-	·10	-	-	-	·08	·20	·36	18
19	-	·02	·01	-	-	·10	-	-	·63	·26	·03	·74	19
20	·01	·03	·12	·15	-	·05	-	-	·48	1·07	-	·85	20
21	·02	·22	·16	-	-	·09	-	-	·06	·21	·01	·31	21
22	·01	·09	-	·09	-	·15	-	-	·54	·17	-	·50	22
23	·01	·40	-	·02	-	·04	-	·28	·06	·51	·05	·48	23
24	·03	·16	-	-	-	·30	-	·02	-	·20	-	·55	24
25	·01	·01	-	·24	-	·01	-	-	·15	·30	-	·10	25
26	-	·12	-	·46	-	-	·12	·38	·01	·28	·02	·28	26
27	-	·75	·13	·03	-	·01	-	·34	·14	·20	-	·19	27
28	-	·17	·03	·52	-	-	·01	-	·12	·02	·03	-	28
29	-		·04	·23	·03	·54	·54	-	·14	·17	-	-	29
30	-		-	-	-	·03	·09	-	·04	·32	·38	·15	30
31	-		-		-		·25	-		·10		-	31
Total	1·92	2·84	5·10	2·52	1·07	2·60	1·01	2·77	3·37	4·73	4·72	12·25	TOTAL for year 44·93
No. of Rain Days.	15	17	21	13	7	14	5	10	15	22	24	28	191

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

17 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Redruth (Treworgie)
in the County of Cornwall
by Arthur Beare Jenkin

Lat. 50° 14′ Long. 5° 14′ W
Time of Observation 9 am (local)
Nearest Railway Station Redruth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·13	·09	-	·66	·15	·04	·23	·28	-	·34	1
2	-	·01	·33	·05	·01	·79	·09	·02	-	·01	-	-	2
3	·04	-	·37	·05	-	·17	-	2·13	·06	-	-	·10	3
4	·30	·03	·29	-	·11	·57	-	·12	-	-	·44	-	4
5	·90	·40	·30	·02	·06	-	·36	1·22	-	-	·01	·40	5
6	·38	·22	·08	·04	·37	-	·03	·27	-	-	·01	·02	6
7	·17	·91	·57	·05	·02	·02	·10	·20	-	·01	·03	·24	7
8	·49	·14	·16	-	-	·24	-	-	·01	-	-	-	8
9	·01	·25	·07	·01	-	·10	·31	·01	-	-	·01	·88	9
10	·33	·13	·28	·13	-	-	·24	-	·01	-	·26	·12	10
11	-	·41	-	-	-	-	·06	·69	-	·01	·09	·71	11
12	·04	·29	·32	·02	·08	-	·27	·87	-	-	·35	·06	12
13	·55	-	·02	·08	-	·05	-	·22	-	·10	·10	·14	13
14	·15	·24	·66	-	·01	·01	-	·24	-	·02	-	·02	14
15	1·53	·11	·07	-	·04	·63	-	·05	-	-	·05	·69	15
16	·08	·01	·66	-	-	·07	-	·42	-	·11	·07	·12	16
17	-	-	·31	-	·02	·08	-	·55	-	-	·12	·19	17
18	-	·10	·31	-	-	-	-	·68	-	·12	·03	·02	18
19	-	·19	·36	-	·05	·03	·07	·85	-	·05	·01	·08	19
20	·13	·18	·59	·01	·12	·01	-	·08	-	·53	·04	-	20
21	-	·61	·34	—	·28	-	·44	·05	-	·36	-	-	21
22	·35	·27	·35	—	-	·27	·20	·19	-	·08	·04	·22	22
23	·39	·52	·29	-	-	·02	·17	·83	-	·12	·14	·32	23
24	·27	·09	·03	-	-	·51	·15	·02	-	·22	-	·19	24
25	-	·01	-	-	-	·07	·10	·15	-	·28	·36	·49	25
26	-	·02	·01	-	-	-	·13	·01	-	·24	·78	·53	26
27	-	·04	·03	-	-	·47	·15	·06	·04	1·17	·16	·69	27
28	-	·17	-	-	-	·25	·08	·86	·44	·28	·39	·46	28
29	-	·28	·04	-	·01	·31	·34	·05	·25	·33	·03	·11	29
30	-		·04	·05	·03	·04	·32	-	·19	·28	·02	-	30
31	-		·32		·45		·12	-		·17		·23	31
Total	6·11	5·63	7·33	0·60	1·66	5·37	3·88	10·88	1·23	4·77	3·54	7·37	YEAR'S TOTAL 58·37
Rain Days.	17	25	28	12	15	22	21	27	8	21	23	25	244

W. 7,500, XI. ·12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
17 JAN 1914

Kept at Redruth (Trewirgie)

in the County of Cornwall

by A Pearse Jenkin

1

Lat. 50° 13' 44" Long. 5° 13' 48" W

Time of Observation 9 a.m. (local time)

Nearest Railway Station Redruth

Diameter of Rain Gauge 5 — in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·02	·18	·41	·04	·07	–	–	–	·01	·09	·38	·01	1
2	·18	·10	·01	·85	·35	·11	–	–	–	–	·17	·06	2
3	·22	–	·08	–	·09	–	–	–	·50	·28	·02	·36	3
4	·71	·02	·17	·01	·03	·14	–	–	·27	–	·33	·26	4
5	·11	·05	–	–	·26	·30	·01	–	·81	·08	·35	1·22	5
6	·43	·24	·10	–	·07	·19	·01	–	·03	·59	·37	·05	6
7	·21	·59	·06	–	1·22	·06	·02	·01	–	·20	·37	–	7
8	·43	·35	–	–	·31	–	·17	·38	–	–	·01	·03	8
9	·16	·04	–	–	·03	·01	·01	·03	·06	–	1·06	·03	9
10	1·36	·01	–	–	·24	·01	–	–	–	·83	·03	–	10
11	·47	·01	·01	–	·71	·18	–	·43	·04	·01	·36	·03	11
12	·24	–	–	·02	·06	·02	–	–	·36	–	·17	·02	12
13	·27	–	·09	·05	·10	·04	·05	·02	·48	–	·22	–	13
14	·61	–	·22	·04	·02	–	·05	·01	·18	·05	·16	–	14
15	·08	–	·45	·91	–	–	–	–	·04	–	·31	·03	15
16	·45	–	·38	·07	–	–	·01	–	·60	–	·01	–	16
17	·09	–	·02	·16	–	–	·02	·02	–	–	·06	–	17
18	·14	–	·47	·17	–	·04	–	–	–	–	·16	–	18
19	·47	–	·06	–	·20	·01	–	–	·21	·24	–	–	19
20	·17	–	·11	·47	·01	·03	–	–	–	·22	·66	–	20
21	·21	–	·26	·19	·02	·05	·03	·03	–	·04	·29	–	21
22	·09	–	·77	·05	·05	·27	–	·14	·11	·21	–	·32	22
23	·01	–	·01	–	–	–	–	–	·04	–	·45	·82	23
24	·01	·26	–	·12	–	·08	–	–	–	–	·10	·03	24
25	·01	–	·01	·53	–	–	–	–	·12	·03	·07	·08	25
26	–	–	–	1·36	–	·03	–	–	·01	·04	·03	·31	26
27	·64	–	·48	·49	–	–	–	·29	–	·98	·07	·13	27
28	·01	–	·21	·28	·23	–	–	–	·42	·72	·01	·24	28
29	·18		·50	·46	·08	–	–	–	–	·23	·05	·20	29
30	·57		·01	·08	·25	–	–	–	–	·13	·01	–	30
31	·20		·63		–		–	·01		·10		–	31
Total	8·75	1·85	5·52	6·35	4·40	1·57	0·38	1·37	4·29	5·07	6·28	4·23	YEAR'S TOTAL 50·06
Rain Days.	30	11	24	20	21	17	10	11	18	19	28	19	228

W.7,000, XI. 13

Ex ~~~~ L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
9 - JAN 1915

Kept at Redruth (Trewirgie)

in the County of Cornwall

by A. Pearse Jenkin

Lat. 50° 14' N Long. 5° 14' W

Time of Observation 9 a.m. (local)

Nearest Railway Station Redruth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ~~3~~1 ft. — in.

" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·05	·22	-	·26	·05	·73	-	-	·43	·03	1
2	·02	-	T	T	·10	·04	·43	-	-	-	·01	·48	2
3	·08	T	·12	·26	·54	-	-	-	-	·01	·10	·54	3
4	·28	·01	·15	·47	·08	-	1·09	·60	·17	-	·01	·68	4
5	·26	·01	·15	·16	-	-	-	·03	·01	-	-	·01	5
6	T	·35	·09	·09	·09	-	·06	·06	-	T	T	·83	6
7	·11	·70	·24	·10	·05	·28	·21	·19	·60	-	·01	·21	7
8	·09	-	·97	·23	-	·24	·02	·03	·03	-	·01	-	8
9	·04	·18	·14	T	·17	1·16	-	·26	·43	-	T	·13	9
10	·14	·79	·07	·47	·14	·09	-	-	·28	-	·06	1·06	10
11	·01	·29	·96	-	-	·04	-	-	·07	T	·03	·43	11
12	-	·76	·19	-	-	T	·04	-	·09	·10	·17	·11	12
13	-	·59	·54	-	-	-	·30	-	·12	·33	·21	·10	13
14	-	·32	·26	-	T	·05	·01	-	·01	T	·79	·23	14
15	-	·05	·14	-	-	-	-	·01	·05	T	·40	·22	15
16	-	·02	·02	-	-	-	·08	-	·40	-	-	·03	16
17	-	·66	·47	-	-	-	·02	-	·01	-	-	·82	17
18	T	·29	·07	-	-	-	·05	-	·31	·23	-	·43	18
19	-	·03	·47	-	-	-	·85	-	-	T	·15	·10	19
20	-	·37	·05	-	-	·16	·08	-	·02	·01	·02	·38	20
21	-	·62	·02	-	-	·08	·02	T	-	·55	-	·02	21
22	-	·05	·11	·01	·03	·06	-	·02	-	·24	-	·08	22
23	-	·02	·22	-	T	·05	T	·12	-	·16	-	-	23
24	-	·01	·15	-	-	·03	·02	-	·01	·08	·06	·04	24
25	·21	·02	·60	-	-	·01	·07	·64	T	·56	·07	·86	25
26	·01	·05	·48	-	-	-	·30	-	-	·32	·48	·73	26
27	·12	·13	·01	-	-	·01	·23	-	-	·17	·39	·38	27
28	·02	·04	·52	-	·01	T	-	-	-	·30	·07	·87	28
29	·37	×	·30	-	·19	-	-	-	-	·10	·79	·03	29
30	T	×	·16	-	-	-	·03	-	-	·11	·49	·70	30
31	·02	×	-	×	·01	×	·85	-	×	·53	×	·70	31
Total	1·78	6·36	7·72	2·01	1·41	2·56	4·81	2·69	2·61	3·80	4·75	11·23	YEAR'S TOTAL 51·73
Rain Days.	15	24	29	9	11	15	21	11	16	16	21	29	217

W. 8,000. X. 14.

1990

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.
31 JAN 1916

Kept at "Trewirgie" Redruth
in the County of Cornwall
by A Pearse Jenkin

Lat. 50 14 Long. 5° 14' W
Time of Observation 9 am (local)
Nearest Railway Station Redruth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	
1	5.6	10.2	–	–	1.5	–	–	12.3	6.0	11.9	.8	1.0	1
2	13.7	7.1	3.8	.8	–	4.3	–	.2	5.2	–	–	16.6	2
3	6.9	4.8	4.8	3.8	4.6	–	1.0	1.0	–	–	–	13.7	3
4	5.8	7.6	.5	–	7.1	–	–	1.2	–	–	–	6.1	4
5	1.3	20.1	–	11.7	–	–	–	6.7	–	–	–	37.0	5
6	23.9	5.3	–	13.5	–	–	22.6	.4	–	–	–	2.0	6
7	10.7	16.8	–	2.8	–	–	7.6	–	.1	33.7	.4	10.9	7
8	5.8	12.4	–	–	–	–	–	3.3	–	3.3	3.8	6.6	8
9	1.5	3.6	–	6.1	–	–	–	1.2	–	–	13.1	22.0	9
10	5.3	8.6	2.3	5.8	–	–	.3	3.3	–	14.1	.3	.2	10
11	1.5	.8	.5	.3	.8	–	–	3.6	–	1.3	25.0	7.0	11
12	3.0	20.1	–	1.3	14.5	–	–	6.5	–	1.5	6.4	1.5	12
13	.3	14.2	–	–	12.2	–	.9	.7	1.0	1.2	4.7	1.8	13
14	1.0	4.1	–	.5	.8	1.3	3.5	–	4.4	.4	6.1	48.0	14
15	1.8	–	–	–	4.6	1.5	10.7	–	.6	.1	1.6	4.5	15
16	–	52.1	–	–	15.5	–	28.3	–	–	–	–	2.5	16
17	1.3	5.3	–	–	–	–	–	–	–	.1	.1	.1	17
18	–	4.6	–	–	–	–	.8	–	–	–	–	–	18
19	1.5	3.6	–	1.0	10.4	–	4.7	–	–	–	.1	–	19
20	9.7	1.5	–	.8	.3	6.4	–	–	.1	10.2	–	–	20
21	1.8	3.3	–	–	1.0	15.0	7.5	–	–	.1	–	–	21
22	5.8	5.3	7.1	3.6	–	3.6	7.0	–	2.0	7.1	–	12.8	22
23	1.3	3.3	.3	–	–	1.8	1.2	–	.2	3.6	–	8.9	23
24	–	.5	–	1.0	–	24.1	.5	–	6.3	6.1	–	5.7	24
25	4.1	–	–	.5	2.8	5.6	.8	–	1.5	–	1.2	4.4	25
26	1.0	15.0	–	–	–	5.6	.5	–	.8	–	–	18.0	26
27	–	1.8	–	–	–	8.9	.5	–	2.5	21.7	.1	.3	27
28	–	3.6	–	–	–	4.8	–	8.0	1.0	2.5	–	2.9	28
29	–		–	–	–	1.0	–	.7	16.5	.6	5.1	2.3	29
30	2.3		–	.5	–	–	.8	–	12.1	24.5	8.6	12.4	30
31	1.5		–		–		9.9	2.0		6.3		5.7	31
Total	*118.4	*235.6	*19.3	*54.0 54.0	*76.1	*83.9	109.1	51.1	60.3	150.3	77.4	254.9	YEAR'S TOTAL 1290.4
Rain Days. ⊕	25	26	7	16	13	13	19	15	14	17	13	26	204

W. 8,000. X. 15. * converted from mikes ⊕ ·2mm or more.

1937

Good Ele

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

5 JAN 1917

Kept at Redruth (Trewirgie)

in the County of Cornwall

by A Pearse Jenkin

Lat. 50° 14′ Long. 5° 14′ W

Time of Observation 9 a.m. (local)

Nearest Railway Station Redruth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan. mm	Feb. mm	March. mm	April. mm	May. mm	June. mm	July. mm	Aug. mm	Sept. mm	Oct. mm	Nov. mm	Dec. mm	*Date.*
1	3·8	–	·6	–	·1	1·1	2·8	–	·8	9·7	2·1	·1	1
2	6·5	4·5	10·4	–	–	·7	·2	–	13·6	6·6	21·7	–	2
3	·9	45·5	·1	–	5·3	5·7	10·4	–	·1	17·1	6·6	–	3
4	6·2	6·4	·5	3·8	3·8	4·0	·1	–	3·2	4·1	23·3	1·3	4
5	·3	3·7	1·0	·7	4·0	1·3	5·0	–	·6	3·7	4·9	·4	5
6	·7	6·3	·2	–	1·1	1·8	13·3	–	·1	3·8	26·0	·1	6
7	1·3	4·4	–	–	5·3	·2	·1	–	–	4·7	14·7	·9	7
8	1·1	6·8	5·5	·5	6·1	·1	·1	–	–	–	4·7	6·8	8
9	·5	5·1	2·9	–	–	–	1·4	–	–	3·3	5·8	18·9	9
10	·3	29·1	–	1·9	1·3	·6	–	–	–	·1	·3	6·4	10
11	·1	·7	–	2·5	5·4	–	1·5	·1	1·3	–	·5	5·8	11
12	2·4	4·3	5·9	1·1	·2	–	2·7	2·6	–	4·6	·2	3·5	12
13	–	4·2	4·4	·1	·5	–		9·1	·4	–	·1	5·0	13
14	1·4	9·4	7·1	–	·6	–	·5	8·5	·2	2·1	·2	1·3	14
15	·7	3·2	13·9	2·3	–	–	–	2·2	–	·2	–	·6	15
16	5·0	2·8	·2	2·4	·1	–	2·9	6·7	–	6·6	*33·1	–	16
17	6·8	1·2	4·2	1·8	–	–	–	–	2·3	2·7	*24·2	–	17
18	·9	2·2	16·8	·1	–	–	–	·4	3·2	1·5	·4	6·4	18
19	11·2	1·9	·7	4·9	–	–	–	·3	–	–	9·0	3·0	19
20	2·7	14·2	3·8	3·4	–	–	–	–	–	–	3·8	6·9	20
21	·3	3·7	4·3	–	1·3	3·7	–	–	–	·7	1·1	2·7	21
22	·6	·1	3·1	–	–	5·0	·1	1·4	–	12·5	1·9	19·8	22
23	2·8	–	·8	3·9	·1	3·7	–	7·1	–	5·3	8·7	4·1	23
24	–	·2	·9	3·2	5·1	–	–	9·6	·1	12·2	·2	8·9	24
25	·1	7·5	4·2	–	·5	2·7	–	6·4	·4	3·5	6·6	–	25
26	·7	·7	2·4	–	2·3	·6	–	10·9	7·6	31·5	6·8	2·1	26
27	·7	–	38·6	–	1·0	·9	–	1·5	·7	12·6	–	·2	27
28	–	·1	–	·1	–	·1	–	6·7	13·2	16·6	·4	9·0	28
29	·1	8·4	2·2	–	–	10·7	–	12·8	5·2	4·3	–	11·1	29
30	–	✕	–	–	–	3·8	–	·1	·1	5·6	·1	·2	30
31	–	✕	–	✕	–	✕	·2	4·0	✕	4·8	✕	1·3	31
Total	58·1	176·6	134·7	32·7	44·1	46·7	41·3	90·4	53·1	180·4	207·4	126·8	YEAR'S TOTAL 1192·3
Rain Days. ·201	23	24	24	13	16	16	11	16	14	25	25	24	231

more W. 8,000, VIII. 16 * Continuous fall Nov 16 + 17 = 54·6 mm.

√ 1850

FORM A. BRITISH RAINFALL

REGISTER OF RAINFALL IN 1917

Kept at Redruth (Trewirgie)

in the County of Cornwall

by Arthur Pearse Jenkin

Lat. 50° 13' 41" Long. 5° 13' 48" W

Time of Observation 9 am local (no summer time)

Nearest Railway Station Redruth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " (HWMOT) Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	1·4	–	–	7·4	–	·5	–	–	–	–	1·2	·7	1
2	·2	–	·4	1·2	–	·7	·1	–	–	·9	17·1	·1	2
3	3·4	–	·8	1·6	–	–	·4	·5	–	11·3	4·1	–	3
4	·1	(S) 4·8	28·6	·8	–	–	–	–	3·7	4·3	·2	·6	4
5	4·8	·1	19·4	5·1	–	–	–	–	1·2	3·1	1·8	–	5
6	·2	–	2·6	1·3	–	6·6	–	–	–	2·1	1·7	2·0	6
7	15·4	–	–	–	–	·2	5·5	13·3	–	2·9	1·9	·2	7
8	3·0	–	14·5	1·3	–	–	8·2	2·7	1·9	3·9	4·0	19·0	8
9	·4	–	3·3	1·0	1·8	–	–	·1	·7	3·4	1·1	1·2	9
10	19·5	–	9·7	7·4	–	–	–	9·2	·2	4·8	2·0	·3	10
11	1·3	–	15·5	3·7	·1	–	–	1·6	–	25·8	12·8	–	11
12	3·2	–	1·0	·2	3·9	–	–	3·4	–	9·5	–	–	12
13	4·2	–	2·8	1·1	·1	1·3	–	8·5	4·7	14·8	–	·4	13
14	–	–	–	1·0	–	–	·1	1·4	3·2	6·2	·6	·1	14
15	(S) 7·0	–	–	·1	2·1	–	·3	–	·2	15·3	–	5·1	15
16	–	1·0	–	·2	–	–	–	·1	·5	11·0	–	5·4	16
17	–	·9	·1	·8	3·3	–	13·7	2·8	7·9	2·3	–	–	17
18	–	·4	–	·2	5·4	4·4	5·2	·5	21·4	·2	–	–	18
19	·2	15·3	1·7	–	–	9·8	·1	–	–	–	·4	·1	19
20	–	5·3	·2	–	19·1	8·5	–	–	·6	–	·1	–	20
21	–	·9	3·7	–	·4	5·2	–	⊕14·0	–	1·8	·6	2·7	21
22	–	·7	–	–	3·6	·2	–	⊕25·7	–	3·1	·2	–	22
23	–	4·5	–	–	6·2	2·4	–	13·6	–	1·5	1·5	·8	23
24	–	·1	–	–	–	2·1	1·5	1·5	·1	3·1	·8	·1	24
25	·4	·7	·2	–	–	·4	·6	16·2	1·8	7·4	·3	·3	25
26	2·6	–	–	–	8·8	9·9	–	1·5	2·0	2·3	·6	·1	26
27	–	–	·1	–	–	17·6	1·0	32·0	–	3·3	1·8	–	27
28	–	–	4·1	–	–	19·7	2·0	2·5	·1	2·3	2·2	–	28
29	–	✕	6·5	–	–	–	–	·1	–	17·2	·3	1·6	29
30	–	✕	4·7	–	–	–	–	4·9	–	4·7	·2	–	30
31	–	✕	3·6	✕	12·3	✕	–	·6	✕	5·5	✕	–	31
Total	67·3	34·7	123·5	34·4	67·1	89·5	38·7	156·7	50·2	174·0	57·5	40·8	YEAR'S TOTAL 934·4
* Rain Days.	16	10	19	16	11	16	10	20	14	28	23	14	197

W. 8,000, IX. 17. * = 0·2 mm or over ⊕ Rainfall for 21st measured at 3 pm (G.M.T.) on 22nd nearly all the rain probably fell on the 22nd day.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL.

13 2.19

Kept at Trewirgie Redruth
in the County of Cornwall
by Arthur Pearse Jenkin

Lat. 50·13·44 Long. 5·13'48" W
Time of Observation 9·20 am G.M.T.
Nearest Railway Station Redruth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·1	9·1	–	5·0	1·3	–	–	4·0	·2	·4	34·7	–	1
2	–	9·3	–	1·4	2·7	–	–	8·2	–	·1	·9	14·7	2
3	–	8·0	–	9·5	6·4	–	–	·5	6·2	2·2	9·9	1·8	3
4	–	·7	–	1·7	–	–	–	8·6	15·2	–	13·5	21·5	4
5	1·5	1·3	8·7	3·8	–	–	–	2·5	7·6	8·7	2·5	5·1	5
6	6·5	5·9	12·7	1·9	–	2·1	–	·6	–	3·0	·1	4·2	6
7	2·1	5·9	·1	·5	–	·8	–	·6	16·0	1·6	14·2	14·2	7
8	2·8	1·0	–	–	–	3·0	·1	–	8·9	12·7	·1	·6	8
9	2·5	–	–	4·2	–	1·6	8·2	·1	13·8	·6	·1	13·3	9
10	·7	·1	–	5·6	–	–	7·9	–	2·2	2·9	–	7·9	10
11	·2	–	4·9	1·0	–	–	1·1	–	6·6	15·1	·4	2·7	11
12	1·2	3·1	–	–	4·6	·7	·8	–	–	3·9	–	·1	12
13	·1	–	·1	–	2·6	–	4·3	–	11·0	8·5	–	5·0	13
14	11·2	–	–	–	·7	5·3	4·6	–	5·5	4·1	–	12·6	14
15	19·9	·5	–	–	·3	2·5	10·2	–	12·3	6·2	–	16·6	15
16	17·6	–	–	5·7	–	1·4	8·8	–	7·0	·2	–	2·1	16
17	4·1	–	–	3·3	·1	·2	·2	·5	·3	11·0	–	6·8	17
18	29·8	1·9	6·6	–	–	14·0	1·0	2·8	11·8	8·8	–	5·6	18
19	7·0	2·8	·7	2·8	–	·1	4·0	·2	1·8	·2	–	2·4	19
20	4·1	4·9	·1	2·6	–	·6	5·1	–	3·8	·6	–	–	20
21	8·2	·1	–	–	·1	·5	7·9	–	11·0	4·3	–	17·4	21
22	·1	·1	–	·1	3·2	–	21·4	–	4·9	·1	2·1	4·3	22
23	2·9	·5	–	–	·5	1·1	1·2	–	·7	·1	5·9	2·9	23
24	·2	6·0	–	–	–	·2	·2	5·1	2·9	–	5·0	2·0	24
25	·2	–	–	–	3·5	1·2	7·8	5·5	–	3·2	6·7	·4	25
26	1·1	5·3	–	–	·1	–	·3	·2	1·5	·6	·4	11·4	26
27	·3	6·6	7·3	–	–	–	–	·9	3·5	·9	4·0	·6	27
28	·4	10·9	2·3	–	–	–	–	–	11·2	1·0	4·5	1·6	28
29	·1		3·9	–	–	–	–	–	15·9	–	4·6	1·2	29
30	·2		12·0	7·8	–	–	–	·9	·5	1·5	2·2	6·6	30
31	–		1·8		–		·6	·3		18·0		1·4	31
Total	125·1	84·0	61·2	56·9	26·1	35·3	95·7	41·5	182·3	120·5	111·8	187·0	YEAR'S TOTAL 1127·4
Rain Days.	23	18	10	15	10	15	19	16	26	25	16	28	221

↓ 0·2mm or over

W 6,500, VII. 18. W W C

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Redruth (Trewirgie)
in the County of Cornwall
by Arthur Pearse Jenkin

Lat. 50° 14' Long. 5° 14' W
Time of Observation 9·20 am G.M.T.
Nearest Railway Station Redruth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	14·5	–	4·2	1·8	1·6	–	8·9	·4	14·5	2·4	·5	24·1	1
2	6·0	–	1·4	·1	–	–	–	·2	–	–	–	1·0	2
3	3·9	–	4·5	–	3·4	–	–	–	3·7	–	–	2·6	3
4	1·0	21·9	9·9	–	·1	·3	–	5·2	8·0	–	·3	·3	4
5	1·6	5·1	6·4	–	1·9	–	–	·3	–	–	1·2	4·4	5
6	20·7	26·1	5·6	–	–	–	–	–	–	–	–	1·1	6
7	7·9	·2	5·6	4·2	–	–	–	–	·3	–	–	1·6	7
8	10·5	–	8·2	1·4	–	1·5	–	–	–	–	16·9	2·8	8
9	2·4	–	·8	7·0	9·0	–	–	–	·1	–	7·3	4·9	9
10	2·2	–	20·0	·4	2·1	–	–	–	·2	3·7	·1	25·0	10
11	1·7	·6	14·4	4·8	9·4	1·8	5·1	–	·2	·9	·6	4·2	11
12	5·3	–	3·7	1·8	·1	·7	–	–	·4	5·8	5·6	·1	12
13	8·1	6·0	5·9	12·5	–	–	–	–	1·1	1·9	–	13·3	13
14	13·3	3·8	·9	5·7	·3	–	–	–	1·8	1·9	–	5·9	14
15	2·9	5·9	–	·2	–	–	–	–	–	·5	·1	10·9	15
16	·8	22·3	·9	–	3·3	·3	1·5	·2	·1	–	4·4	·6	16
17	·5	15·9	·7	–	–	·9	·6	·4	·2	–	3·9	·5	17
18	5·4	14·0	4·0	·4	·8	–	5·9	4·7	4·9	·1	6·2	·1	18
19	15·9	6·9	2·7	–	1·5	11·5	–	16·7	4·8	·1	3·2	2·0	19
20	6·0	6·6	3·3	–	7·0	5·2	–	·7	4·0	–	1·4	1·6	20
21	18·0	17·1	·2	–	6·1	–	1·0	3·6	5·3	–	2·7	2·1	21
22	–	·1	·5	–	–	1·0	1·4	·1	2·9	·4	1·2	1·9	22
23	·3	–	–	–	–	–	–	3·3	–	6·1	1·5	1·8	23
24	–	·1	–	–	–	8·6	–	·1	·2	7·1	3·6	3·6	24
25	4·2	2·7	–	·4	–	–	–	6·6	–	·1	1·6	2·5	25
26	·9	2·3	1·8	2·9	–	–	–	1·8	4·5	·3	1·8	12·5	26
27	1·7	·5	·9	3·9	–	–	–	29·4	1·0	7·7	·2	1·2	27
28	1·0	4·7	14·0	4·5	–	–	–	3·4	·2	4·2	9·0	12·9	28
29	–	X	·4	4·0	–	·2	–	3·4	–	1·1	2·6	2·5	29
30	–	X	1·2	3·6	–	4·4	–	2·4	1·2	–	15·9	18·4	30
31	–	X	3·3	X	–	X	2·2	–	X	–	X	20·5	31
TOTAL	156·7	162·8	125·4	59·6	46·6	36·4	26·6	82·9	59·6	44·3	91·8	186·9	YEAR'S TOTAL 1079·6
Days with 0·2 mm. or more	26	18	27	17	12	12	8	17	20	14	22	29	222

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Redruth (M.O.)

in the County of Cornwall

by J. Pea[illegible] J[illegible]

Lat. 50° 14' N Long. 5° 14' W

Time of Observation 9h G.M.T.

Nearest Railway Station

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form!

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	14.5	-	4.2	1.8	1.6	-	8.9	0.4	14.5	2.4	0.5	24.1	1
2	6.0	-	1.4	0.1	-	-	-	0.2	-	-	-	1.0	2
3	3.9	-	4.5	-	3.4	-	-	-	3.7	-	-	2.6	3
4	1.0	21.9	9.9	-	0.1	0.3	-	5.2	8.0	-	0.3	0.3	4
5	1.6	5.1	6.4	-	1.9	-	-	0.3	-	-	1.2	4.4	5
6	20.7	26.1	5.6	-	-	-	-	-	-	-	-	1.1	6
7	7.9	0.2	5.6	4.2	-	-	-	-	0.3	-	-	1.6	7
8	10.5	-	8.2	1.4	-	1.5	-	-	-	-	16.9	2.8	8
9	2.4	-	0.8	7.0	9.0	-	-	-	0.1	-	7.3	4.9	9
10	2.2	-	20.0	0.4	2.1	-	-	-	0.2	3.7	0.1	25.0	10
11	1.7	0.6	14.4	4.8	9.4	1.8	5.1	-	0.2	0.9	0.6	4.2	11
12	5.3	-	3.7	1.8	0.1	0.7	-	-	0.4	5.8	5.6	0.1	12
13	8.1	6.0	5.9	12.5	-	-	-	-	1.1	1.9	-	13.3	13
14	13.3	3.8	0.9	5.7	0.3	-	-	-	1.8	1.9	-	5.9	14
15	2.9	5.9	-	0.2	-	-	-	-	-	0.5	0.1	10.9	15
16	0.8	22.3	0.9	-	3.3	0.3	1.5	0.2	0.1	-	4.4	0.6	16
17	0.5	15.9	0.7	-	-	0.9	0.6	0.4	0.2	-	3.9	0.5	17
18	5.4	14.0	4.0	0.4	0.8	-	5.9	4.7	4.9	0.1	6.2	0.1	18
19	15.9	6.9	2.7	-	1.5	11.5	-	16.7	4.8	0.1	3.2	2.0	19
20	6.0	6.6	3.3	-	7.0	5.2	-	0.7	4.0	-	1.4	1.6	20
21	18.0	17.1	0.2	-	6.1	-	1.0	3.6	5.3	-	2.7	2.1	21
22	-	0.1	0.5	-	-	1.0	1.4	0.1	2.9	0.4	1.2	1.9	22
23	0.3	-	-	-	-	-	-	3.3	-	6.1	1.5	1.8	23
24	-	0.1	-	-	-	8.6	-	0.1	0.2	7.1	3.6	3.6	24
25	4.2	2.7	-	0.4	-	-	-	6.6	-	0.1	1.6	2.5	25
26	0.9	2.3	1.8	2.9	-	-	-	1.8	4.5	0.3	1.8	12.5	26
27	1.7	0.5	0.9	3.9	-	-	-	29.4	1.0	7.7	0.2	1.2	27
28	1.0	4.7	14.0	4.5	-	-	-	3.4	0.2	4.2	9.0	12.9	28
29	-	-	0.4	4.0	-	0.2	-	3.4	-	1.1	2.6	2.5	29
30	-		1.2	3.6	-	4.4	-	2.4	1.2	-	15.9	18.4	30
31	-		3.3		-		2.2	-		-		20.5	31
TOTAL	156.7	162.8	125.4	59.6	46.6	36.4	26.6	82.9	59.6	44.3	91.8	186.9	YEAR'S TOTAL 1079.6
Days with 0·2 mm. or more	26	18	27	17	12	12	8	17	20	14	22	29	222

Copied from M.O. Form 3202.

FORM A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Redruth (Trewirgie)
in the County of Cornwall
by Arthur Pearse Jenkin

Lat. 50° 14' Long. 5° 14' W
Time of Observation 9.20 am G.m.T.
Nearest Railway Station Redruth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 399 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	·9	-	·9	13·5	22·2	-	28·0	-	1·8	8·5	·4	23·0	1
2	9·8	-	·1	2·5	-	-	1·5	3·0	9·6	5·6	·1	3·7	2
3	8·1	2·2	-	3·5	·6	-	1·4	·5	·5	21·7	-	7·4	3
4	-	-	1·7	-	·3	-	-	22·9	·1	34·5	-	·1	4
5	-	-	4·3	-	6·4	-	5·8	·2	-	2·2	-	-	5
6	·1	-	11·4	1·7	3·2	-	15·0	-	·4	4·1	-	-	6
7	1·0	1·5	·7	7·3	1·3	-	17·5	-	1·1	-	-	1·8	7
8	1·8	·6	1·4	3·9	2·5	-	·8	2·4	-	·1	-	4·0	8
9	13·7	1·9	·3	·4	-	·5	17·7	-	-	-	-	-	9
10	22·1	2·7	3·8	3·9	-	11·9	1·1	-	-	-	1·1	-	10
11	9·0	·5	5·1	11·5	6·5	·6	4·8	-	-	1·9	-	-	11
12	3·9	2·6	6·8	5·6	·6	7·8	·8	·1	·2	·3	4·0	-	12
13	6·2	·5	11·6	-	-	1·2	-	-	-	11·1	·2	·1	13
14	4·0	3·9	9·6	21·5	-	1·2	1·9	-	4·0	12·1	6·4	-	14
15	·7	3·5	·1	9·5	·8	-	-	·3	3·0	25·2	1·8	-	15
16	·2	·2	1·2	·2	·3	3·0	2·2	-	7·8	2·9	4·0	-	16
17	·9	·2	-	1·5	7·5	3·9	·6	-	12·3	48·6	-	-	17
18	6·5	-	-	4·4	1·1	6·9	-	7·1	8·5	·1	-	-	18
19	1·8	·2	-	11·4	-	10·8	-	-	27·7	3·2	-	·1	19
20	1·6	-	·1	·4	-	1·6	-	-	2·7	6·4	-	13·4	20
21	·1	-	·1	8·3	-	-	·3	-	·2	·1	-	6·0	21
22	1·8	-	·1	·1	-	·1	1·8	-	-	·1	-	12·3	22
23	·9	-	1·8	-	-	-	6·0	3·7	-	-	-	13·9	23
24	1·0	·5	10·5	·7	-	-	1·8	-	-	-	11·4	3·2	24
25	10·2	-	3·3	-	·3	-	17·6	-	-	-	·1	-	25
26	11·1	-	6·1	-	-	·4	·6	-	·1	·2	1·2	1·4	26
27	15·5	1·4	2·1	1·8	·2	9·4	3·6	-	-	-	13·5	14·9	27
28	5·9	·7	6·7	-	-	4·9	1·0	-	-	-	1·6	1·9	28
29	12·4	·2	8·6	1·5	3·5	-	·1	-	17·2	-	10·7	9·3	29
30	6·2		1·3	-	-	10·6	26·9	-	25·3	17·0	8·4	26·9	30
31	2·7		10·5		-		·3	-		9·5		4·2	31
TOTAL	160·1	23·3	110·2	115·1	57·3	74·8	159·1	40·2	122·5	215·4	64·9	147·6	YEAR'S TOTAL 1290·5
Days with 0·2 mm. or more	27	17	22	21	16	15	24	8	16	18	13	16	213
Days with 1·0 mm. or more	22	8	19	17	9	12	18	5	12	16	11	16	165

RE

Kept at Redruth

in the County of Corn

by Mr Alfred

IMPORTANT NOTE.
previous day. If an Obse
requested to add the readir
for it at the end of this
the selection and placing
Organization are given in "
Dr. H. R. Mill, 62, Camde

REDRUTH
(TOLVEAN)
CORNWALL

1911-1912

FORM A2.
BRITISH RAINFALL.
-6 MAY 1912

in.
round ft. in.
ea Level ft.

ame

istance Direction

he result entered to the
sal rule, he is earnestly
r in the space provided
nt of rain,
sh Rainfall
plication to

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·08			·03	·30			·01		·03	·03	·04	1
2	·02		·03	·08	·31			·28		·48	·10	·32	2
3	—		·03		·32			·06	·01		·26	·22	3
4	—		·11	·01				·60		·03	·35	·58	4
5	·40		·30					·67		·04	·11	·10	5
6	·41		·11							·01	·14	1·09	6
7	·09		—	·03							·79	·20	7
8	·03		·28								·09	·57	8
9	·10		·02								·11	·77	9
10	·05	·12	1·22								·08	·29	10
11	·63	—	·67	—	·06				·25	·01	·51	·07	11
12	—	—	·21					·06	·60		·08	·54	12
13	—	—	·16						·11		·11	·05	13
14	—	·25	—							·09	·29	·78	14
15	—	·08	—			·21					·45	·03	15
16	—	—	·02			·81					·07	·82	16
17	—	·03	·80	·14	·03	·15			—	·06	·28	·47	17
18	—	·30	·57	·35		·05				·07	·18	·70	18
19	—	·04	·01	·05		·11			·64	·25	·02	·38	19
20	·01	·03	·11	·16		·05		·01	·45	1·04	·01	·81	20
21	·02	·30	·15	·11		·09			·05	·15		·15	21
22	—	·11		—		·14			·48	·27	·04	·66	22
23	—	·43		·02		·03	—	·25	·08	·50		·51	23
24	·03	·17		·25		·28		·05	—	·13		·48	24
25	·01	·02		—		·01			·14	·22		·06	25
26	—	·02		·47			·08	·39	—	·32		·31	26
27	—	·10	·10	·03		·01	—	·34	·11	·18		·24	27
28	—	·89	·05	·47			·01		·10		·04		28
29	—	—	·02	·21	·03	·52	·51		·14	·21			29
30	—	—		—		·04	·09		·03	·28	·35	·14	30
31	—						·25			·12			31
Total	1·88	2·89	4·97	2·41	1·05	2·50	·94	2·72	3·19	4·49	4·49	11·38	TOTAL for year 42·91
No. of Rain Days.	13	15	20	15	6	14	5	11	14	21	23	28	185

W. 8,000, X. '11.

RE

FORM A2.
BRITISH RAINFALL.

-6 MAY 1912

Kept at Redruth

in the County of Cornwall

by Mr Alfred Lanyon

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·08			·03	·30			·01		·03	·03	·04	1
2	·02		·03	·08	·31			·28		·48	·10	·32	2
3	—		·03		·32			·06	·01		·26	·22	3
4	—		·11	·01				·66		·03	·35	·58	4
5	·40		·30					·67		·04	·11	·10	5
6	·41		·11							·01	·14	1·09	6
7	·09		—	·03							·79	·20	7
8	·03		·28								·09	·57	8
9	·10		·02		—						·11	·77	9
10	·05	·12	1·22								·08	·29	10
11	·63	—	·67		·06				·25	·01	·51	·07	11
12	—	—	·21					·06	·60		·08	·54	12
13	—	—	·16						·11		·11	·05	13
14	—	·25	—							·09	·29	·78	14
15	—	·08	—			·21					·45	·03	15
16	—	—	·02			·81					·07	·82	16
17	—	·03	·80	·14	·03	·15				·06	·28	·47	17
18	—	·30	·57	·35		·05				·07	·18	·70	18
19	—	·04	·01	·05		·11			·64	·25	·02	·38	19
20	·01	·03	·11	·16		·05		·01	·45	1·04	·01	·81	20
21	·02	·30	·15	·11		·09			·05	·15		·15	21
22	—	·11		—		·14			·48	·27	·04	·66	22
23	—	·43		·02		·03		·25	·08	·50		·51	23
24	·03	·17		·25		·28		·05	—	·13		·48	24
25	·01	·02		—		·01			·14	·22		·06	25
26	—	·02		·47			·08	·39	—	·32		·31	26
27	—	·10	·10	·03		·01	—	·34	·11	·18		·24	27
28	—	89	·05	·47			·01		·10		·04		28
29	—	—	·02	·21	·03	·52	·51		·14	·21			29
30	—	—		—		·04	·09		·03	·28	·35	·14	30
31	—						·25			·12			31
Total	1·88	2·89	4·97	2·41	1·05	2·50	·94	2·72	3·19	4·49	4·49	11·38	TOTAL for year 42·91
No. of Rain Days.	13	15	20	15	6	14	5	11	14	21	23	28	185

W. 8,000, X. '11.

FORM A2. BRITISH RAINFALL.

8 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Redruth

in the County of Cornwall

by Alfred Lanyon J.P.

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 7 ft.
" " " Sea Level ft.

Time of Observation 8 a.m

Nearest Railway Station
Name Redruth
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			12	8		61	10	3	19	27	3	33	1
2			30	5		83	13	1		1		2	2
3	3		29	5		14		2·25	7			15	3
4	32	5	39		11	56		12			42		4
5	76	36	30	3	6		37	1-19			1	39	5
6	48	19	8	5	33		6	25				2	6
7	11	82	51	4	8		9	20			3	23	7
8	50	8	16			24	2						8
9		33	4	1		8	28	2	1		~~37~~	81	9
10	28	12	28	12		2	21		1		27	9	10
11		31					4	65			9	76	11
12	3	37	37		8		29	88			30	6	12
13	43		6	9		6		21		13	11	18	13
14	20	21	67		1			22		2	[illegible]	5	14
15	120	12	6		4	65		3			6	76	15
16	27	1	63			5		40		13	7	12	16
17			32		2	11		59			12	18	17
18		7	30					66		18	3	1	18
19		20	34		4	3	7	90		4		8	19
20	12	17	55	1	10			9		53	5		20
21		46	37		31		31	5		32			21
22	33	42	34			21	33	19		11	4	21	22
23	38	55	31			10	16	82		10	15	34	23
24	23	9	4			47	11	2		21		21	24
25	1	2				8	9	13		27	40	45	25
26		3				44	10	1		29	80	55	26
27		8	4			18	14	7	4	109	17	71	27
28		16	1				8	81	45	28	39	47	28
29		25	2		1	38	26	5	24	30	4	10	29
30			6	4	2	3	32		18	26			30
31			32		49		22			14		26	31
Total	5·68	5·47	7·28	·57	1·70	5·27	3·78	10·85	1·19	4·68	3·58	7·54	TOTAL for year 57·59
No. of Rain Days.	17	24	28	11	14	20	22	27	8	19	20	26	236

W. 8,000, X. '11.

✓

REGISTER

CORNWALL
REDRUTH
TEHIDY PARK
1911 –1916

FORM A2.
BRITISH RAINFALL.

1 MAY 1912

Kept at Tehidy Pa ... in.
in the County of Cornwa ... nd 1 ft. — in.
by F. J. Clark ... Level 187 ft.
m Camborne
Distance 3m Direction S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·06			·04	·50			·04		·04	·04	·04	1
2			·02	·50	·08			·28		·36	·13	·27	2
3			·04		·40			·04		·04	·25	·14	3
4					·02	·01		·73		·12	·28	·58	4
5	·65							·35			·22	·11	5
6	·10		·02								·21	1·59	6
7	·08		·50	·08							·56	·04	7
8	·04		·27								·15	·51	8
9	·15		·25								·10	·71	9
10	·65	·10	·84		·07						·16	·27	10
11	—								·25		·40	·15	11
12	·03		·71					·07	·62		·07	·75	12
13			·18								·14	·10	13
14			·10								·44	·64	14
15			·12								·31	·03	15
16						·04					·05	·33	16
17		·18	1·20	·20	·06	·26				·22	·32	·81	17
18		·30	·14	·35		·15					·16	·27	18
19	·06	·02		·03		·14			·95	·12	·05	·71	19
20	·02	·08	·15	·18		·13		·02	·42	1·14	·03	1·05	20
21		·25	·14			·15			·14	·27	·04	·18	21
22		·13				·14			·45	·14	·01	·37	22
23		·40		·07				·40	·08	·43	·06	·38	23
24		·18				·03		·17		·10		·32	24
25	·05	·01		·20		·40			·12	·32		·18	25
26		·10	·02	·40				·26		·30	·03	·19	26
27	·02	·65	·10					·41	·19	·16		·18	27
28		·15		·50					·25	·20	·04		28
29			·02	·05	·02	·60	·61		·05	·18			29
30				·16		·04	·12			·14	·38	·12	30
31							·77			·30			31
Total	1·91	2·55	4·85	2·76	1·15	2·09	1·50	2·77	3·52	4·58	4·63	11·02	TOTAL for year ~~43·33~~ 43·33
No. of Rain Days.	12	13	18	13	4	12	3	11	11	18	26	28	days 175

W. 8,000, X. '11.

Form A2.
British Rainfall.

-1 MAY 1912

REGISTER

Kept at Tehidy Park

in the County of Cornwall

by F. J. Clark

Rain Gauge: Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. — in.
„ „ „ Sea Level 187 ft.

Time of Observation 9 a.m.

Nearest Railway Station: Name Camborne
Distance 3m Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06			·04	·50			·04		·04	·04	·04	1
2			·02	·50	·08			·28		·36	·13	·27	2
3			·04		·40			·04		·04	·25	·14	3
4					·02	·01		·73		·12	·28	·58	4
5	·65							·35			·22	·11	5
6	·10		·02								·21	1·59	6
7	·08		·50	·08							·56	·04	7
8	·04		·27								·15	·51	8
9	·15		·25								·10	·71	9
10	·65	·10	·87		·07						·16	·27	10
11	—								·25		·40	·15	11
12	·03		·71					·07	·62		·07	·75	12
13			·18								·14	·10	13
14			·10								·44	·64	14
15			·12								·31	·03	15
16						·04					·05	·33	16
17		·18	1·20	·20	·06	·26				·22	·32	·81	17
18		·30	·14	·35		·15					·16	·27	18
19	·06	·02		·03		·14			·95	·12	·05	·71	19
20	·02	·08	·15	·18		·13		·02	·42	1·14	·03	1·05	20
21		·25	·14			·15			·14	·27	·04	·18	21
22		·13				·14			·45	·14	·01	·37	22
23		·40		·07				·40	·08	·43	·06	·38	23
24		·18				·03		·17		·10		·32	24
25	·05	·01		·20		·40			·12	·32		·18	25
26		·10	·02	·40				·26		·30	·03	·19	26
27	·02	·65	·10					·41	·19	·16		·18	27
28		·15		·50					·25	·20	·04		28
29			·02	·05	·02	·60	·61		·05	·18			29
30				·16		·04	·12			·14	·38	·12	30
31							·44			·30			31
Total	1·91	2·55	4·85	2·76	1·15	2·09	1·50	2·77	3·52	4·58	4·63	11·02	TOTAL for year ~~43·33~~ 43·33
No. of Rain Days.	12	13	18	13	4	12	3	11	11	18	26	28	days 173

W. 8,000, X. '11.

EL ML

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.

13 JAN 1913

Kept at Tehidy Park Gardens
in the County of Cornwall
by Frank J. Clark

Lat. Long.
Time of Observation 9. a.m.
Nearest Railway Station Camborne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	-	-	·27	·04	-	·85	·10	·05	·15	·20	-	·30	1
2	·03	-	·30	·03	-	·80	·03	·08	-	·25	-	-	2
3	·01	-	·35	·10	-	·20	-	1·80	·05	·05	-	·12	3
4	·17	·05	·33	·02	·05	·45	-	·13	-	-	·45	-	4
5	·63	·35	·25	·03	·10	-	·35	·90	·01	-	-	-	5
6	·27	·15	·35	·05	·35	-	·03	·16	-	-	·01	·05	6
7	·10	·90	·40	·02	·03	-	·12	·12	-	-	·05	·05	7
8	·45	·10	·35	-	-	·35	-	·03	·01	-	-	-	8
9	·01	·30	·05	·10	-	·03	·30	·06	-	-	·20	·70	9
10	·30	·15	·25	-	-	-	·20	-	-	-	·15	·11	10
11	·04	·35	-	-	-	-	·05	·40	-	-	·40	-	11
12	·12	·23	·30	·02	·05	-	·30	·80	-	-	·05	-	12
13	·37	·15	·02	-	-	·05	-	·20	-	-	-	·20	13
14	·07	·20	·60	-	-	-	-	·25	-	·20	-	·10	14
15	1·12	·22	·10	-	·03	·58	-	·05	-	-	-	·30	15
16	·06	-	·50	-	-	·10	-	·30	-	-	-	·10	16
17	-	-	·20	-	·03	·08	-	·50	-	·15	·04	·15	17
18	-	·12	·28	-	·04	-	-	·50	-	-	·30	·05	18
19	-	·10	·24	-	·10	·02	-	·80	-	·15	-	·10	19
20	·09	·25	·60	-	·04	-	-	·25	-	·05	·05	-	20
21	-	·60	·30	-	·40	-	·33	·05	-	·50	-	-	21
22	·28	·30	·28	-	-	·20	·15	·20	-	·40	-	·15	22
23	·29	·80	·24	-	-	·02	·12	·70	-	·15	·10	·33	23
24	·13	·06	·02	-	-	·40	·15	·03	-	·10	-	-	24
25	·01	-	-	-	-	·20	·23	·13	-	·20	·35	·55	25
26	-	-	-	-	-	·50	·10	·01	-	·30	·50	·60	26
27	-	·06	-	-	-	·03	·19	·20	-	·20	·25	·70	27
28	-	·12	-	-	-	·15	·12	·70	·05	·90	·40	·60	28
29	-	·25	·10	-	-	·23	·30	·12	·30	·20	-	·05	29
30	-	-	·05	·15	·03	·22	·25	-	·20	·45	-	-	30
31	-	-	·30		·35		·10	-		·30		·20	31
													YEAR'S TOTAL
Total	4·55	5·81	7·06	0·56	1·60	5·46	3·52	9·52	0·77	4·75	3·30	5·53	52·43
Rain Days.	20	22	26	10	13	20	20	28	7	18	15	21	220

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

9 MAY 1914

REGISTER OF RAINFALL IN 1913

Kept at Tehidy Gardens.
in the County of Cornwall.
by Frank J. Clark.

Lat.
Long.
Time of Observation 9 a m
Nearest Railway Station Camborne
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·17	·31		·15	·10			·03	·06	·45		1
2	·05	·07	·01	·50	·34						·15		2
3	·30		·07		·08	·08			·60	·36		·24	3
4	1·00	·02	·20	·01		·20			·30		·30	·15	4
5	·05	·05			·25	·13			·26	·23	·49	·90	5
6	·40	·12	·13		·04	·03	·01		·03	·44	·27	·05	6
7	·10	·62	·07		1·05		·05			·19		·01	7
8	·60	·25			·35	·01	·20	·15					8
9	·12	·03			·01				·03		1·13		9
10	1·15				·45	·12		·05		·45	·02		10
11	·42				·50	·02		·46	·05		·37	·04	11
12	·15			·07	·15				·90		·09		12
13	·50		·08	·08	·08		·05	·03	·82		·22		13
14	·63		·20	·04			·04		·17	·04	·06		14
15	·13		·35	·85					·08		·32		15
16	·42		·50	·04					·03				16
17	·10		·01	·10			·01						17
18	·33		·45	·12							·13		18
19	·27		·04		·12	·07			·18	·25	·45		19
20	·13		·10	·28		·05				·21	·22		20
21	·23		·06	·10		·22	·02	·02		·04			21
22			·85	·72	·02				·08	·05	·33	·37	22
23	·03				·03			·01	·01		·05	·50	23
24	·02	·20		·12		·09		~~·08~~		·11	·05		24
25				·26					·11	·07		·28	25
26				1·20						·03	·05		26
27	·50		·38	·65				·30		·45	·01	·30	27
28			·17	·25	·20				·25	1·10	·06	·07	28
29	·10		·55	·30	·08					·30	·02		29
30	·44			·05	·26					·10			30
31	·15		·60										31
Total	8·37	1·53	5·13	5·74	4·16	1·12	·38	1·02	3·93	4·48	5·24	2·91	YEAR'S TOTAL 44·01
Rain Days.	27	9	20	19	18	12	7	~~8~~ 7	17	18	22	11	187

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

17 MAY 1915

Kept at Tehidy Gardens
in the County of Cornwall
by F. J. Clark

Lat. .... Long. ....
Time of Observation 9 a.m
Nearest Railway Station Carn Brea
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	-	-	·09	·20		·25		·72			·48		1
2	-		·02			·10	·59	·45			-	·55	2
3	·13		·09	·21	·05	·10						·75	3
4	·38		·07	·45	·56		1·00	·48	·08			·40	4
5	·21		·15	·15	·10							·10	5
6	-	·25	-	·04	·06			·05				·59	6
7	·09	·40	·30	·05	·02	·35	·14	·15	·54			·13	7
8	·09		·92	·24	-	·10		·03	·09		·01		8
9	·02		·19	~~·38~~	·11	1·45		·24	·92			·05	9
10	·11	·82		·38	·09				·14			·79	10
11	-	·29	·88			·10			·09		·02	·18	11
12	-	·75	·20						·06	·08	·18	·04	12
13	-	·50	·21			·05	·25		·04	·75	·23	·10	13
14	-	·23	·27				·05		·07		·64	·25	14
15	-	-	·10								·33	·12	15
16	-	-							·37			·03	16
17	-	·55	·39									·90	17
18	-	·23	·06				·20		·30	·07		·49	18
19	-	·05	·38			·09	·60					·09	19
20	-	·33	·05				·08			·40		·36	20
21	-	·62	·02			·05		·01					21
22	-	·03	·10		·05	·06	·01	·02		·20			22
23	-	-	·22		·09			·12		·06			23
24	-	·09	·12				·05			·06	·06	·12	24
25	·41		·60				·07	·60		·52	·10	·83	25
26	-	·05	·68				·16			·32	·44	·62	26
27	·10	·10	·12				·05			·17	·29	·27	27
28	-		·25							·24	·12	·66	28
29	-		·28		·11					·10	·63	·03	29
30	·27	X	·10				·05			·12	·42	·74	30
31	-	X	-	X		X	·65		X	·34	X	·48	31
Total	2·11	5·59	6·86	1·42	1·24	2·70	3·95	2·87	2·73	3·43	3·95	9·67	YEAR'S TOTAL 46·82
Rain Days.	10	16	27	8	10	11	15	11	11	14	14	26	173

W. 8,000. X. 14.

Ex. Jl

1991

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 4 . 1916

Kept at Tehidy Gardens
in the County of Cornwall
by F. J. Clark

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Carn Brea
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 5 in.
" " " " Sea Level 187 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·013

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·33	·34	·01					·42	·27	·50	·11	·07	1
2	·18	·42	·17	·03		·15			·35			·52	2
3	·36	·16	·19	·11	·14			·03				·75	3
4	·21	·27	·02		·17							·27	4
5	·02	·75	·01	·44				·15				1·15	5
6	·98	·08		·48			·64	·02				·13	6
7	·23	·55		·05			·30			1·06	·04	·34	7
8	·15	·26						·17		·05	·10	·16	8
9	·07	·17		·26				·03			·54	·70	9
10	·19	·39	·06	·18				·15		·42	·02		10
11	·03	·03	·03	·02				·09		·04	·84	·27	11
12	·13	·68		·03	·63			·31		·05	·06	·05	12
13	·01	·48			·43			·02		·07	·14	·05	13
14	·04	·11			·04	·03	·10		·14		·23	1·64	14
15	·11				·09	·04	·41				·11	·07	15
16		1·65			·47		1·40						16
17	·05	·29											17
18		·20											18
19	·04	·08		·05	·25								19
20	·31	·03				·24	·11			·38			20
21	·05	·08			·03	·44	·22						21
22	·24	·14	·25	·07		·03	·20			·24		1·00	22
23		·12	·06				·08		·06	·20		·31	23
24				·03		·42	·03		·20	·14		·18	24
25	·07				·08	·14			·14		·05	·28	25
26	·07	·50				·20	·02		·04			·49	26
27		·05				·23			·09	·70			27
28		·11				·19		·40	·08	·09		·06	28
29						·04		·03	·34	·13	·22	·20	29
30	·09	X		·04					·19	·71	·49	·34	30
31	·05	X		X		X	·27	·14	X	·24	X	·22	31
Total	4·01	7·94	·80	1·79	2·33	2·15	3·78	1·96	1·90	5·02	2·95	9·25	YEAR'S TOTAL 43·88
Rain Days.	24	25	9	13	10	12	12	13	11	16	13	23	181

W. 8,000. X. 15.

Entd.

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

Kept at Tehidy Park Gdns

in the County of Cornwall

by F. J. Clark

Lat. 50° 18m Long. 5° 15m W

Time of Observation 9 a m

Nearest Railway Station Carn Brea

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 5 in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·12		·06			·04	·22		·04	·32	·16		1
2	·25	·11	·22						·56	·24	·67		2
3	·03	1·60	·02		·14	·15	·30			·61	·27	·04	3
4	·19	·14		·06	·19	·13			·13	·09	·74	·06	4
5	·01	·14	·04		·15	·04	·07		·03	·12	·14		5
6	·02	·12			·03	·13	·80			·23	·80		6
7		·14			·15					·17	·50	·04	7
8	·09	·16	·15		·18						·24	·23	8
9		·25	·14				·04			·11	·22	·70	9
10		·97		·05	·04						·02	·32	10
11		·04		·10	·22				·01		·02	·13	11
12	·10	·09	·16	·04	·02		·12	·08		·11			12
13		·14	·08		·02			·25				·37	13
14		·30	·15		·04			·21		·08		·02	14
15		·16	·56	·09				·10					15
16	·15	·11		·07			·08	·70		·28	1·05		16
17	·20	·04	·15	·05				·01	·05	·09	·91		17
18	·02	·07	·43					·07	·09	·04	·02	·27	18
19	·36	·05	·03	·14							·36	·16	19
20	·10	·24	·15		·04						·16	·21	20
21	·02	·13	·19	·07							·03	·12	21
22	·03		·08			·12		·07		·33	·04	·79	22
23	·08		·03	·13		·17		·26		·09	·36	·10	23
24			·11	·11	·27			·27		·41		·37	24
25		·44	·22		·04	·07		·43	·09	·15	·21		25
26	·02	·10	·10					·08	·17	·95	·24		26
27	·03		1·82		·33	·05		·05	·03	·44		·02	27
28		·04		·05				·15	·41	·56		·26	28
29		·30	·06			·33		·71	·12	·14		·31	29
30		×				·07		·11		·20		·01	30
31		×		×		×			×	·15	×	·02	31
Total	1·82	5·88	4·95	·96	1·89	1·30	1·63	3·55	1·43	5·91	7·16	4·55	YEAR'S TOTAL 41·33
Rain Days.	18	24	22	12	15	11	7	16	12	23	21	21	202

W. 8,000, VIII. 16

REDRUTH
PENCOYS VICARAGE
CORNWALL
1911, 1913 - 1916

R … 11

FORM A.
BRITISH RAINFALL.
No 25 JAN 1912

Kept at Pencoys … 5° 14' 30"
… Redruth

in the County of Cor … 20 am
… 5 in.

by (Rev:) Rober … bove Ground 1 ft. – in.

Sea Level 700 ft.

NOTE.—Rain should be me … Full instructions for the measurement of rain and particulars as to the … servers," sent post-free on application to Dr. H. R. MILL, 62, Camden …

Date	Jan.	Feb.	Mar							Oct.	Nov.	Dec.	Date.
	in.	in.	in.							in.	in.	in.	
1	·12	–	–							·54	·08	·10	1
2	·01	–								–	·19	·39	2
3	–	–	·07	·06	·32	–	–	·09	·03	–	·27	·11	3
4	–	–	·18	–	–	–	–	·93	–	·02	·23	·54	4
5	·71	–	·26	–	–	–	–	·40	–	·10	·15	·07	5
6	·14	–	·16	–	–	–	–	·02	–	–	·15	1·23	6
7	·11	–	–	·06	–	–	–	–	–	–	·67	·34	7
8	·05	–	·27	–	–	–	–	–	–	–	·11	·28	8
9	·10	·05	–	–	–	–	–	–	–	–	·06	·64	9
10	·07	·18	1·42	–	–	–	–	–	–	–	·21	·29	10
11	·60	–	–	–	–	–	–	–	·30	–	·65	·27	11
12	·09	–	·92	–	–	–	–	·05	·66	–	·10	·62	12
13	–	–	·45	–	·02	–	–	–	·06	–	·15	·08	13
14	·01	·30	·10	–	–	–	–	–	–	·14	·28	·67	14
15	·01	·11	·05	–	–	·32	–	–	–	–	·43	·11	15
16	–	–	–	–	–	·89	–	–	–	–	·16	·43	16
17	–	·06	1·26	–	–	–	–	–	–	·14	·24	·69	17
18	–	·34	·49	·17	–	·30	–	–	–	·03	·13	·33	18
19	–	·08	·04	·35	–	·42	–	–	·65	·35	·03	·35	19
20	–	·07	·14	·20	–	·05	–	–	·69	1·02	–	·65	20
21	·05	·24	·23	·02	–	·08	–	–	·09	·29	–	1·04	21
22	·02	·11	–	·15	–	·20	–	–	·71	·06	–	·43	22
23	–	·41	–	–	–	·07	–	·26	·09	·53	–	·54	23
24	03	·22	–	–	–	·30	–	·05	–	·05	–	·58	24
25	·03	–	–	·32	–	·06	–	·01	·14	·45	–	·17	25
26	–	·19	–	·56	–	–	·20	·35	·02	·15	–	·28	26
27	–	·91	·16	·06	–	–	·06	–	·11	·21	–	·25	27
28	–	·16	–	·44	–	·02	–	–	·08	·08	·13	–	28
29	–		·03	·26	·03	·53	·34	·29	·17	·23	–	·01	29
30	–		–	–	–	·05	·22	·01	·14	·25	·48	·20	30
31	–		–		–		·17	–		·15		·01	31
Total	2·15	3·43	6·23	2·69	1·16	3·29	0·99	2·82	3·94	4·79	4·90	11·70	TOTAL for year 48·09
No. of Rain Days	16	15	17	13	5	13	5	13	15	19	21	30	182

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

R 11

FORM A.
BRITISH RAINFALL.
25 JAN 1912

Kept at Penc~~y~~p

in the County of Cornwall

by (Rev:) Robert Prior

5° 14' 30" N

Redruth

Time of Observation 9 20 am

Diameter of Rain Gauge 5 - in.

Height of top of Gauge above Ground 1 ft. - in.

" " " Sea Level 700 ft.

NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·12	-	-	·04	·59	-	-	·03	-	·54	·08	·10	1
2	·01	-	-	-	·20	-	-	·33	-	-	·19	·39	2
3	-	-	·07	·06	·32	-	-	·09	·03	-	·27	·11	3
4	-	-	·18	-	-	-	-	·93	-	·02	·23	·54	4
5	·71	-	·26	-	-	-	-	·40	-	·10	·15	·07	5
6	·14	-	·16	-	-	-	-	·02	-	-	·15	1·23	6
7	·11	-	-	·06	-	-	-	-	-	-	·67	·34	7
8	·05	-	·27	-	-	-	-	-	-	-	·11	·28	8
9	·10	·05	-	-	-	-	-	-	-	-	·06	·64	9
10	·07	·18	1·42	-	-	-	-	-	-	-	·21	·29	10
11	·60	-	-	-	-	-	-	-	·30	-	·65	·27	11
12	·09	-	·92	-	-	-	-	·05	·66	-	·10	·62	12
13	-	-	·45	-	·02	-	-	-	·06	-	·15	·08	13
14	·01	·30	·10	-	-	-	-	-	-	·14	·28	·67	14
15	·01	·11	·05	-	-	·32	-	-	-	-	·43	·11	15
16	-	-	-	-	-	·89	-	-	-	-	·16	·43	16
17	-	·06	1·26	-	-	-	-	-	-	·14	·24	·69	17
18	-	·34	·49	·17	-	·30	-	-	-	·03	·13	·33	18
19	-	·08	·04	·35	-	·42	-	-	·65	·35	·03	·35	19
20	-	·07	·14	·20	-	·05	-	-	·69	1·02	-	·65	20
21	·05	·24	·23	·02	-	·08	-	-	·09	·29	-	1·04	21
22	·02	·11	-	·15	-	·20	-	-	·71	·06	-	·43	22
23	-	·41	-	-	-	·07	-	·26	·09	·53	-	·54	23
24	·03	·22	-	-	-	·30	-	·05		·05	-	·58	24
25	·03	-	-	·32	-	·06	-	·01	·14	·45	-	·17	25
26	-	·19	-	·56	-	-	·20	·35	·02	·15	-	·28	26
27	-	·91	·16	·06	-	-	·06	-	·11	·21	-	·25	27
28	-	·16	-	·44	-	·02	-	-	·08	·08	·13	-	28
29	-		·03	·26	·03	·53	·34	·29	·17	·23	-	·01	29
30	-		-	-	-	·05	·22	·01	·14	·25	·48	·20	30
31	-		-		-		·17	-		·15		·01	31
Total	2·15	3·43	6·23	2·69	1·16	3·29	0·99	2·82	3·94	4·79	4·90	11·70	TOTAL for year 48·09
No. of Rain Days	16	15	17	13	5	13	5	13	15	19	21	30	182

6,000, XI '07.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London

Price 2d.

Co #2

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL. 14 JAN 1914

Kept at Illogan Vicarage

in the County of Cornwall 2

by Rev. Leavitt C. Carpenter

Lat. 50° 12' N Long. 5° 15' W

Time of Observation 9 am

Nearest Railway Station Redruth

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. · in.

" " " " Sea Level 700 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·06	·24	·32	·09	·09	—	—	—	·02	·07	·31	·03	1
2	·13	·04	·16	·85	·40	·20	—	—	·01	—	·12	·05	2
3	·14	·02	·12	—	·09	—	—	—	·70	·33	·02	·18	3
4	·75	·03	—	—	·02	·16	—	—	·40	·01	·20	·25	4
5	·10	·06	·05	—	·32	·33	—	—	1·70	·03	·43	1·26	5
6	·50	·25	·07	·02	·09	·20	—	—	·02	·30	·31	·11	6
7	·12	·34	·07	—	1·31	·14	—	·02	—	·27	·38	·02	7
8	·45	·33	—	—	·25	—	·27	·05	—	·04	·02	·05	8
9	·14	·05	—	—	·03	·01	·02	·03	·05	·01	·92	·06	9
10	1·55	—	·01	·01	·16	—	—	—	—	·85	·03	·01	10
11	}	—	·03	—	·88	·20	—	·72	·10	—	·40	·08	11
12	·40 }	·01	—	·02	·11	·03	·01	—	·42	—	·19	—	12
13	·04	—	—	—	·08	·04	·06	·06	·52	—	·28	—	13
14	·58	—	·23	·10	·03	—	·06	·02	·18	·06	·33	·03	14
15	·11	—	·44	·87	—	—	—	·01	·02	—	·38	·05	15
16	·60	—	·43	·10	—	—	·03	·02	·03	—	·03	—	16
17	·17	—	·03	·25	—	—	·07	—	·01	—	·11	—	17
18	·38	—	·40	·24	—	·05	—	—	—	·02	—	—	18
19	·26	—	·09	·58	·18	·02	·01	—	·25	·31	·15	—	19
20	·15	—	·07	·25	·02	·04	—	—	·01	·24	·64	—	20
21	·19	—	·21	·10	·05	·05	·05	·02	—	·12	·19	—	21
22	·15	—	·80	—	·04	·39	—	·14	·14	—	—	·59	22
23	·02	—	—	·03	—	·01	—	—	·05	—	·40	·87	23
24	·02	·23	—	·21	—	·10	—	—	·01	·02	·15	·03	24
25	—	·01	·03	·41	·01	·01	—	—	·14	·10	·08	·09	25
26	·01	—	—	1·23	—	·05	—	—	·01	·05	·06	·36	26
27	·84	—	·41	·38	—	—	—	·24	—	·94	·07	·06	27
28	·03	—	·10	·24	·23	—	—	·01	·42	·65	·03	·09	28
29	·21		·60	·54	·10	—	—	—	·01	·21	·06	·33	29
30	·57		·04	·06	·25	—	·01	—	—	·20	·02	—	30
31	·21		·61		—		—	·01		·08		—	31
													YEAR'S TOTAL
Total	9·47	1·68	5·35	6·58	4·74	2·03	·54	1·35	5·22	4·91	6·31	4·60	52·83
Rain Days.	30	12	23	21	22	18	10	13	23	22	28	21	243

W.7,000, XI. 13

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
4 JAN 1915

Kept at Pencoys Vicarage
in the County of Cornwall 2
by Rev: L. C. Carpenter

Lat. 50° 12" Long. 5° 15"
Time of Observation 9·20 a.m.
Nearest Railway Station Redruth
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 701 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·05	·23	–	·26	·07	·84	·01	–	·73	·02	1
2	·05	–	·01	–	·09	·07	·40	·01	–	–	–	·33	2
3	·10	–	·13	·26	·53	–	–	·64	–	·02	·10	·39	3
4	·27	–	·16	·57	·10	–	1·28	–	·04	–	–	·32	4
5	·23	·01	·15	·15	·01	–	–	·03	·01	–	–	·07	5
6	·01	·25	·09	·14	·10	–	·10	·07	–	–	–	·76	6
7	·13	·46	·25	·11	·05	·33	·20	·24	·94	–	–	·23	7
8	·16	–	·83	·21	–	·32	·02	·04	·34	–	–	·02	8
9	·07	·21	·24	–	·12	1·46	–	·28	·01	–	–	·14	9
10	·23	·54	·09	·45	·16	·18	–	–	·28	–	·03	1·32	10
11	·02	·26	·93	–	–	·04	·08	–	·11	–	·05	·45	11
12	–	·65	·23	–	–	–	–	–	·02	·09	·18	·12	12
13	–	·54	·43	–	–	–	·30	–	·16	·42	·29	·12	13
14	–	·27	·19	–	–	·10	·03	–	·10	·01	·70	·18	14
15	–	·01	·14	–	–	–	·02	·02	·03	–	·41	·20	15
16	·01	·02	·01	–	–	–	·07	–	·52	–	–	·06	16
17	–	·64	·44	–	–	–	·02	–	–	–	·16	·56	17
18	–	·30	·06	–	–	–	·11	–	·36	·11	–	·34	18
19	–	·06	·60	–	–	–	·96	–	–	–	–	·21	19
20	–	·26	·05	–	–	·18	·14	–	·03	·02	–	·50	20
21	–	·60	·02	–	–	·05	·03	–	·01	·49	·06	·02	21
22	–	·05	·16	·02	·04	·05	·01	·05	–	·22	·12	·04	22
23	–	·03	·20	–	·02	·09	·01	·15	–	·21	–	·01	23
24	–	–	·15	–	–	·03	·02	–	–	·13	·07	·04	24
25	·21	·02	·93	–	–	–	·05	·69	–	–	·05	·65	25
26	·01	·17	1·10	–	–	–	·18	–	·02	·09	·39	·48	26
27	·16	·26	·01	–	–	–	·22	–	–	·18	·41	·44	27
28	·04	·03	·59	–	–	·02	·02	–	–	·22	·08	1·09	28
29	·37	✕	·31	–	·19	–	–	–	–	·12	·64	·05	29
30	·01	✕	·18	·01	–	–	·04	–	–	·14	·42	·42	30
31	·01	✕	–	✕	·01	✕	1·14	–	✕	·42	✕	·43	31
Total	2·09	5·64	8·73	2·15	1·42	3·18	5·52	3·06	2·99	2·89	4·89	10·01	YEAR'S TOTAL 52·57
Rain Days.	18	22	30	10	12	14	25	12	17	16	18	31	225

W. 8,000. X. 14.

[illegible]

2024

FORM A.
BRITISH RAINFALL.

4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Pencoys Vicarage

in the County of Cornwall

by Rev: L. C. Carpenter

Z

Lat. 50°. 12" Long. 5°. 15'

Time of Observation 9. 20 am.

Nearest Railway Station Redruth

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level 701 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·47	·02	–	·08	–	–	·43	·26	·59	·04	·06	1
2	·32	·17	·16	·03	–	·21	–	–	·25	·01	–	·91	2
3	·41	·16	·22	·19	·20	–	·06	–	·02	–	–	·55	3
4	·20	·33	·02	–	·30	–	–	·40	–	–	–	·24	4
5	·07	·63	·02	·35	·01	·01	–	–	–	–	–	1·63	5
6	·94	·26	–	·55	–	–	·75	–	–	–	–	·05	6
7	·35	·55	–	·04	–	–	·33	–	–	1·88	·06	·51	7
8	·23	·43	–	–	–	–	–	·20	–	·29	·21	·46	8
9	·04	·18	–	·28	–	–	–	·07	–	–	·62	·75	9
10	·22	·31	·13	·29	–	·01	–	·19	–	·51	·03	·03	10
11	·08	·04	·06	·02	·02	–	–	–	–	·07	1·29	·24	11
12	·20	·75	·01	·04	·60	–	–	–	–	·06	·13	·14	12
13	·02	·65	–	–	·58	–	·06	–	·04	·07	·22	·11	13
14	·05	·18	–	·04	·02	·06	·30	·04	·21	·01	·25	2·22	14
15	·10	·01	–	–	·25	·10	·53	–	·05	–	·08	·19	15
16	–	2·04	–	–	·78	–	1·15	–	·01	·04	–	·07	16
17	·04	·13	–	–	·01	–	·03	–	·01	–	–	–	17
18	·01	·28	–	–	–	–	–	–	–	–	–	–	18
19	·05	·10	–	·06	·58	–	·19	–	–	–	·05	–	19
20	·42	·01	–	–	·03	·26	·23	–	–	·51	–	·01	20
21	·09	·10	–	·07	·04	·65	·30	–	–	–	–	–	21
22	·21	·20	·33	·14	–	·01	·30	–	·08	·40	–	·58	22
23	·05	·14	·03	–	–	·09	·05	–	·02	·18	–	·51	23
24	–	·01	–	·05	–	1·17	–	–	·03	·43	–	·19	24
25	·14	–	–	·03	·16	·21	–	–	·02	–	·06	·08	25
26	·03	·44	–	–	–	·22	–	–	·05	–	–	·95	26
27	–	·06	–	–	–	·39	–	–	·10	·97	–	–	27
28	–	·11	–	–	–	·21	·06	·43	·05	·10	–	·15	28
29	–	X	–	–	–	·04	–	–	·46	·05	·19	·08	29
30	·08	X	–	·03	–	–	·46	–	·34	1·12	·41	·56	30
31	·10	X	–	X	–	X	–	·02	X	·25	X	·23	31
Total	4·68	8·74	1·00	2·21	3·66	3·64	4·80	1·78	2·00	7·54	3·64	11·50	YEAR'S TOTAL 55·19
Rain Days.	26	27	10	16	15	15	15	8	17	19	14	26	208

W. 8,000. X. 15.

Exd Ely

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.
4 JAN 1917

Kept at Pencoys Vicarage
in the County of Cornwall
by Rev. L. C. Carpenter

Lat. 50. 12 Long. 5·15
Time of Observation 9. 20 am.
Nearest Railway Station Redruth
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 701 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·24	·40	·02	–	–	·09	·17	–	·05	·43	·15	–	1
2	·37	1·16	·49	·01	·01	–	·05	–	·64	·24	·76	–	2
3	·08	·30	–	–	·23	·21	·06	–	–	·75	·13	–	3
4	·26	–	·03	·11	·18	·26	–	–	·20	·05	·96	·11	4
5	·05	·30	·07	·03	·18	·08	·22	–	·04	·16	·20	·05	5
6	·08	·24	–	–	·07	·06	·65	–	–	·12	1·03	–	6
7	·04	·12	·02	–	·27	·12	·01	–	–	·03	·80	·08	7
8	·10	·21	·41	·02	·38	–	–	–	–	–	·77	·28	8
9	·05	·36	·22	–	–	–	·11	–	–	·07	·30	·73	9
10	·02	1·33	–	·10	·13	·07	·02	–	–	·01	·02	·27	10
11	–	·02	–	·13	·31	–	·06	–	·41	–	·02	·25	11
12	–	·14	·33	·04	·02	–	·14	·18	–	·21	–	·17	12
13	·01	·16	·17	·05	·03	–	·04	·43	·03	·01	·02	·28	13
14	·08	·23	·26	–	·04	–	·03	·32	–	·09	·02	·05	14
15	·03	·18	·66	·09	–	–	–	·24	–	·02	–	·06	15
16	·26	·13	·02	·13	–	–	·12	·23	–	·58	1·85	–	16
17	·35	·09	·23	·06	–	–	–	·08	·15	·21	·56	–	17
18	·03	·08	·79	·07	–	–	–	·31	·12	·14	·02	·24	18
19	·10	·09	·04	·21	–	–	–	–	–	–	·52	·08	19
20	–	1·27	·19	·13	–	–	–	–	–	·08	·24	·28	20
21	·20	·22	·22	–	·06	·19	–	–	–	–	·13	·17	21
22	·21	·01	·12	–	–	·28	–	·04	–	·52	·11	·82	22
23	·03	·01	·01	·16	·02	·16	·02	·34	–	·13	·29	–	23
24	·03	–	·12	·18	·23	·01	–	·47	–	·48	·02	·15	24
25	–	·42	·22	–	·03	·15	–	·11	·03	·03	–	·02	25
26	·21	·04	·14	–	·03	·02	–	·27	·31	1·32	·25	·11	26
27	–	–	1·88	·01	–	·03	–	·02	·04	·39	–	–	27
28	–	–	·01	–	–	–	–	·14	·53	·67	·05	·46	28
29	–	·34	·13	–	–	·62	–	1·02	·15	·22	–	·54	29
30	–	X	–	·03	–	·15	–	–	–	·26	–	·03	30
31	·04	X	–	X	–	X	–	·20	X	·17	X	·06	31
Total	2.87	7·85	6·80	1·56	2·22	2·50	1·70	4·40	2·40	7·39	9·22	5·29	YEAR'S TOTAL 54·20
Rain Days.	23	25	25	18	17	16	14	16	13	27	24	23	241

W. 8,000, VIII. 16

CORNWALL

ROCHE,

"GLENCOE"

1911 – 1916

FORM A.
BRITISH RAINFALL.
3 - JAN 1912

RE 1911

Kept at Glencoe,

in the County of Corn

by E. J. B. B. Jor

Long.

Station Roche

ion 9 a.m.

n Gauge 5 in.

Gauge above Ground ft. 9 in.

„ Sea Level 602 ft.

NOTE.—Rain should be meas us day. Full instructions for the measurement of rain and particulars as to the ainfall Observers," sent post-free on application to Dr. H. R. MILL, 62, Camden

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·00	·00	·06	·21	05	·01	·18	·00	·02	·06	·01	1
2	·01	·00	·03	·00	·19	·00	·00	·29	·00	·37	·12	·21	2
3	·00	·00	·04	·00	·15	·00	·00	·04	·06	·00	·11	·36	3
4	·00	·00	·13	·00	·01	·00	·00	·58	·02	·01	·14	·59	4
5	·50	·00	·49	·00	·00	·00	·00	·56	·00	·05	·10	·07	5
6	·27	·00	·30	·00	·00	·00	·00	·02	·00	·01	·15	1·39	6
7	·13	·00	·00	·01	·00	·00	·00	·00	·00	·00	·61	·03	7
8	·03	·00	·20	·00	·00	·00	·00	·00	·00	·00	·11	·89	8
9	·07	·00	·01	·00	·00	·00	·00	·00	·00	·00	·22	·92	9
10	·04	·12	·84	·00	·05	·00	·00	·00	·00	·00	·17	·27	10
11	·43	·00	·00	·00	·00	·00	·00	·00	·11	·00	·65	·22	11
12	·01	·00	·63	·00	·00	·00	·00	·02	·43	·00	·13	·34	12
13	·00	·00	·08	·00	·00	·00	·00	·00	·04	·00	·12	·05	13
14	·00	·16	·09	·00	·00	·00	·00	·00	·00	·10	·25	·57	14
15	·00	·06	·15	·00	·00	·12	·00	·00	·00	·00	·19	·05	15
16	·01	·01	·00	·00	·00	·73	·00	·00	·00	·00	·15	·33	16
17	·00	·04	·38	·19	·01	·21	·00	·00	·00	·04	·62	1·14	17
18	·00	·29	·16	·29	·00	·61	·00	·00	·00	·05		·28	18
19	·00	·01		·03	·00	·21	·00	·00	·46	·07		·78	19
20	·01	·06	·05	·12	·00	·01	·00	·00	·25	1·06		·86	20
21	·06	·06	·13	·00	·00	·02	·00	·00	·20	·23		·21	21
22	·04	·03	·00	·08	·00	·10	·00	·00	·47	·26		·52	22
23	·01	·06	·02	·01	·00	·05	·00	·11	·20	·34		·27	23
24	·03	·19	·01	·00	·00	·33	·00	·05	·00	·28		·35	24
25	·02	·01	·00	·15	·00	·02	·00	·00	·14	·31		·14	25
26	·00	·10	·00	·41	·00	·00	·15	·17	·00	·74	·93	·22	26
27	·00	·49	·10	·07	·00	·02	·00	·43	·33	·09	·00	·25	27
28	·00	·13	·10	·49	·00	·01	·00	·00	·06	·01	·03	·01	28
29	·00		·04	·13	·01	·81	·57	·02	·19	·25	·00	·00	29
30	·00		·01	·00	·00	·02	·39	·00	·02	·23	·38	·12	30
31	·00		·00		·00		·03	·00		·05		·01	31
Total	1·78	1·82	3·99	1·98	·63	3·32	1·15	2·47	2·98	4·57	5·24	11·47	TOTAL for year 41·40
No. of Rain Days	17	16	22	13	7	16	5	12	15	21	22	30	196

194

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, LONG ACRE, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

FORM A.
BRITISH RAINFALL.
3 - JAN 1912

RE 1911

Long.

Kept at Glencoe, Roche
in the County of Cornwall
by E. J. B. B. for the late S. Browne.

Nearest Railway Station Roche
Time of Observation 9 a.m.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " Sea Level 602 ft.

Note.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. Full instructions for the measurement of rain and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11	·00	·00	·06	·21	05	·01	·18	·00	·02	·06	·01	1
2	·01	·00	·03	·00	·19	·00	·00	·29	·00	·37	·12	·21	2
3	·00	·00	·04	·00	·15	·00	·00	·04	·06	·00	·11	·36	3
4	·00	·00	·13	·00	·01	·00	·00	·58	·02	·01	·14	·59	4
5	·50	·00	·49	·00	·00	·00	·00	·56	·00	·05	·10	·07	5
6	·27	·00	·30	·00	·00	·00	·00	·02	·00	·01	·15	1·39	6
7	·13	·00	·00	·01	·00	·00	·00	·00	·00	·00	·61	·03	7
8	·03	·00	·20	·00	·00	·00	·00	·00	·00	·00	·11	·89	8
9	·07	·00	·01	·00	·00	·00	·00	·00	·00	·00	·22	·92	9
10	·04	·12	·84	·00	·05	·00	·00	·00	·00	·00	·17	·27	10
11	·43	·00	·00	·00	·00	·00	·00	·00	·11	·00	·65	·22	11
12	·01	·00	·63	·00	·00	·00	·00	·02	·43	·00	·13	·34	12
13	·00	·00	·08	·00	·00	·00	·00	·00	·04	·00	·12	·05	13
14	·00	·16	·09	·00	·00	·00	·00	·00	·00	·10	·25	·57	14
15	·00	·06	·15	·00	·00	·12	·00	·00	·00	·00	·19	·05	15
16	·01	·01	·00	·00	·00	·73	·00	·00	·00	·00	·15	·33	16
17	·00	·04	·38	·19	·01	·21	·00	·00	·00	·04	·62	1·14	17
18	·00	·29	·16	·29	·00	·61	·00	·00	·00	·05		·28	18
19	·00	·01		·03	·00	·21	·00	·00	·46	·07		·78	19
20	·01	·06	·05	·12	·00	·01	·00	·00	·25	1·06		·86	20
21	·06	·06	·13	·00	·00	·02	·00	·00	·20	·23		·21	21
22	·04	·03	·00	·08	·00	·10	·00	·00	·47	·26		·52	22
23	·01	·06	·02	·01	·00	·05	·00	·11	·20	·34		·27	23
24	·03	·19	·01	·00	·00	·33	·00	·05	·00	·28		·35	24
25	·02	·01	·00	·15	·00	·02	·00	·00	·14	·31		·14	25
26	·00	·10	·00	·41	·00	·00	·15	·17	·00	·74	·93	·22	26
27	·00	·49	·10	·07	·00	·02	·00	·43	·33	·09	·00	·25	27
28	·00	·13	·10	·49	·00	·01	·00	·00	·06	·01	·03	·01	28
29	·00		·04	·13	·01	·81	·57	·02	·19	·25	·00	·00	29
30	·00		·01	·00	·00	·02	·39	·00	·02	·23	·38	·12	30
31	·00		·00		·00		·03	·00		·05		·01	31
Total	1·78	1·82	3·99	1·98	·63	3·32	1·15	2·47	2·98	4·57	5·24	11·47	TOTAL for year 41·40
No. of Rain Days	17	16	22	13	7	16	5	12	15	21	22	30	196

20
194

6,000, XI, '08.

EDWARD STANFORD, 12, 13 & 14, Long Acre, W.C.
Waterlow and Sons Limited, Printers, London Wall, London.

Price 2d.

REGISTER OF RAINFALL IN 1912

Exd

FORM A.
BRITISH RAINFALL
2 JAN 1913

2

Kept at Glencoe, Roche

in the County of Cornwall 2

E.J.B

by Miss Browne

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Roche, G.W.R

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 602 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·03	·01	·02	·74	·41	·18	·35	·30	·00	·23	1
2	·00	·02	·25	·07	·00	·84	·02	·00	·00	·00	·00	·80	2
3	·03	·00	·26	·02	·00	·15	·05	1·86	·06	·00	·00	·02	3
4	·32	·00	·31	·00	·09	·13	·00	·04	·00	·00	·26	·02	4
5	·58	·30	·25	·04	·09	·01	·17	1·55	·00	·00	·02	·20	5
6	·30	·10	·12	·01	·42	·02	·05	·51	·00	·00	·01	·03	6
7	·19	1·08	·45	·04	·10	·02	·08	·53	·02	·00	·02	·14	7
8	·52	·18	·08	·03	·00	·27	·01	·00	·00	·00	·00	·00	8
9	·03	·17	·09	·11	·00	·13	·30	·03	·01	·00	·00	·74	9
10	·37	·10	·32	·22	·00	·31	·10	·02	·02	·01	·10	·15	10
11	·01	·17	·02	·00	·04	·05	·00	·09	·00	·00	·18	·40	11
12	·04	·17	·17	·01	·01	·00	·30	·70	·00	·00	·73	·01	12
13	·06	·00	·01	·02	·00	·09	·01	·11	·00	·04	·03	·11	13
14	·19	·31	·53	·00	·08	·02	·00	·30	·04	·01	·00	·03	14
15	1·48	·09	·04	·00	·21	·77	·00	·01	·00	·00	·08	·40	15
16	·29	·01	·46	·00	·00	·06	·00	·27	·00	·09	·21	·13	16
17	·01	·00	·29	·00	·07	·18	·00	·56	·00	·00	·12	·11	17
18	·00	·11	·25	·00	·00	·00	·00	1·37	·00	·15	·11	·03	18
19	·00	·09	·28	·00	·04	·03	·09	·28	·00	·18	·03	·05	19
20	·09	·17	·47	·03	·00	·00	·00	·09	·00	·48	·05	·00	20
21	·01	·43	·16	·00	·54	·00	·27	·08	·00	·30	·00	·00	21
22	·31	·19	·48	·00	·02	·02	·05	·35	·00	·07	·01	·20	22
23	·18	·56	·27	·00	·00	·09	·22	1·02	·00	·39	·07	·28	23
24	·11	·04	·01	·00	·00	·29	·13	·00	·00	·27	·00	·20	24
25	·01	·02	·00	·00	·00	·10	·03	·08	·00	·40	·36	·58	25
26	·00	·01	·01	·00	·00	·00	·18	·23	·00	·35	·45	·36	26
27	·00	·02	·01	·00	·00	·54	·40	·10	·00	1·00	·10	·35	27
28	·00	·10	·01	·00	·00	·07	·54	·81	·38	·29	·33	·47	28
29	·00	·28	·07	·00	·00	·55	·23	·05	·41	·25	·00	·17	29
30	·00		·02	·03	·18	·17	·29	·00	·14	·37	·00	·01	30
31	·00		·40		·34		·23	·04		·10		·08	31
Total	5·13	4·72	6·12	·64	2·33	5·76	4·24	11·26	1·43	5·13	3·36	5·50	YEAR'S TOTAL 55·61
Rain Days.	21	24	30	13	16	25	23	27	9	20	21	27	256

Written Dec. 25-3-14

Dec 22 est. 24.111.14

REGISTER OF RAINFALL IN 1913.

FORM A.
BRITISH RAINFALL.

12 JAN 1914

Kept at Glencoe, Roche

in the County of Cornwall.

by Miss Browne

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Roche G. W. R.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 602 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·19	·36	·05	·14	·00	·00	·00	·02	·04	·12	·03	1
2	·10	·08	·02	·24	·39	·10	·00	·00	·00	·08	·12	·01	2
3	·19	·00	·04	·00	·21	·04	·00	·00	·80	·10	·02	·11	3
4	·81	·00	·01	·02	·00	·12	·00	·00	·03	·01	·28	·29	4
5	·06	·02	·00	·00	·29	·35	·05	·00	·98	·00	·54	1·23	5
6	·16	·08	·08	·00	·05	·13	·03	·00	·04	·61	·36	·12	6
7	·16	·33	·05	·00	1·25	·06	·19	·00	·00	·54	·37	·01	7
8	·25	·11	·00	·00	·28	·00	·10	·02	·00	·02	·00	·01	8
9	·17	·05	·01	·02	·04	·03	·02	·02	·04	·00	1·15	·03	9
10	1·09	·00	·01	·10	·28	·02	·00	·02	·00	1·26	·38	·00	10
11	·55	·00	·02	·03	·84	·20	·03	·23	·05	·03	·43	·04	11
12	·08	·00	·00	·00	·02	·01	·00	·00	·04	·00	·29	·01	12
13	·10	·01	·03	·03	·06	·02	·07	·03	·05	·00	·15	·00	13
14	·70	·00	·10	·04	·00	·00	·28	·01	·10	·06	·20	·01	14
15	·04	·00	·35	·48	·00	·00	·00	·00	·14	·00	·08	·03	15
16	·58	·00	·61	·07	·00	·00	·02	·00	·05	·00	·01	·00	16
17	·11	·00	·09	·14	·01	·00	·01	·04	·00	·00	·04	·00	17
18	·05	·00	·25	·16	·00	·03	·00	·00	·00	·00	·05	·00	18
19	·55	·00	·08	·00	·12	·02	·02	·00	·38	·34	·00	·00	19
20	·11	·00	·09	·45	·01	·04	·00	·00	·00	·14	·36	·00	20
21	·10	·00	·20	·15	·06	·08	·06	·04	·00	·01	·21	·01	21
22	·16	·00	·80	·02	·02	·27	·00	·04	·18	·33	·00	(·25) ·88	22
23	·02	·00	·01	·00	·00	·00	·00	·11	·02	·00	·35	·02	23
24	·02	·31	·00	·16	·00	·10	·00	·05	·00	·01	·05	·05	24
25	·02	·00	·00	·40	·00	·00	·00	·00	·10	·03	·04	·32	25
26	·85	·00	·00	·75	·00	·01	·00	·05	·02	·02	·01	·22	26
27	·84	·00	·37	·20	·00	·00	·00	·13	·00	·28	·02	·18	27
28	·04	·00	·04	·12	·17	·00	·00	·00	·04	·57	·02		28
29	·09		·34	·44	·02	·00	·07	·00	·00	·26	·02	·02	29
30	·50		·00	·02	·11	·00	·01	·00	·00	·29	·02	·00	30
31	·15		·81		·01		·00	·07		·00		·00	31
Total	7·86	1·18	4·72	4·09	4·38	1·63	·96	·86	3·88	5·11	5·69	(3·88) ~~3·86~~	YEAR'S TOTAL (44·24) ~~43·99~~
Rain Days.	30 ~~29~~	9	24	22	21	18	14	14	18	21	27	22	240 ~~238~~

(3·88)

W.7,000, XI. 13

Written
25.3.14

12 JAN 1914

Jany. 9th 1914.

Glencoe,
Roche,
Cornwall.

Dear Sir,

I much regret that the rainfall on one day in December is missing, I believe it to be about Christmas time, but I am not certain of the exact day as I only noticed it when registering the 29th —

Yrs faithfully,
Emily J. B. Browne —

Dr. R. H. Mill —

Exd [illegible]

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
8 JAN 1915

Kept at Glencoe,
in the County of Cornwall
by Miss Browne

2

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Roche.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 9 in.
" " " " Sea Level 602 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·00	·00	·14	·25	·00	·10	·03	·69	·00	·00	1·82	·00	1
2	·02	·00	·07	·01	·16	·01	·31	·00	·00	·00	·00	·27	2
3	·05	·00	·20	·30	·37	·00	·00	·32	·00	·01	·12	·12	3
4	·27	·00	·09	·32	·10	·00	1·48	·45	·07	·00	·06	·65	4
5	·34	·01	·19	·23	·07	·00	·01	·04	·00	·00	·03	·11	5
6	·04	·16	·20	·05	·13	·02	·04	·03	·00	·00	·01	·05	6
7	·03	·47	·20	·10	·16	·33	·24	·22	1·28	·00	·01	·21	7
8	·08	·00	·20	·10	·02	·29	·00	·02	·09	·00	·01	·01	8
9	·02	·23	·22	·04	·07	·80	·00	·05	1·00	·01	·00	·00	9
10	·11	·54	·07	·81	·22	·07	·00	·00	·26	·00	·06	·81	10
11	·00	·14	·66	·00	·00	·10	·00	·00	·12	·00	·15	·74	11
12	·00	·63	·20	·00	·00	·00	·01	·00	·07	·11	·13	·30	12
13	·00	·13	·33	·00	·00	·00	·21	·00	·15	·39	·28	·17	13
14	·00	·12	·13	·00	·00	·11	·04	·27	·09	·07	·66	·20	14
15	·00	·03	·14	·00	·00	·00	·01	·04	·17	·01	·41	·93	15
16	·01	·00	·03	·00	·00	·00	·08	·00	·30	·00	·01	·06	16
17	·00	·32	·45	·00	·00	·00	·09	·00	·01	·00	·00	·56	17
18	·00	·25	·06	·00	·00	·00	·06	·00	·30	·00	·00	·31	18
19	·00	·06	·38	·00	·00	·00	1·15	·00	·00	·00	·11	·07	19
20	·00	·37	·20	·00	·00	·60	·00	·00	·00	·10	·00	·34	20
21	·00	·51	·05	·00	·00	·12	·07	·02	·00	·43	·00	·03	21
22	·00	·10	·17	·02	·02	·01	·00	·02	·00	·43	·00	·01	22
23	·00	·10	·17	·00	·00	·02	·05	·13	·00	·37	·00	·01	23
24	·00	·00	·04	·00	·00	·02	·00	·00	·00	·02	·10	·00	24
25	·20	·00	·33	·00	·00	·02	·02	·55	·00	·63	·01	·56	25
26	·04	·22	·15	·00	·00	·00	·28	·01	·00	·05	·23	·56	26
27	·25	·19	·00	·00	·00	·00	·11	·00	·00	·36	·17	·25	27
28	·02	·05	·48	·00	·02	·00	·00	·00	·00	·28	·09	1·07	28
29	·20		·43	·00	·09	·00	·09	·00	·00	·03	·47	·08	29
30	·01		·10	·02	·00	·00	·00	·00	·00	·08	·34	·49	30
31	·01		·00		·05		1·06	·00		·22		·74	31
Total	1·70.	4·63.	6·67.	2·25.	1·48.	27·8	5·44	2·86	3·99	3·60	5·28	9·79	YEAR'S TOTAL 50·47
Rain Days.	17	20	29	12	13.	15.	21	15.	13.	18.	22.	29	224

W.7,000, XI. 13

notified 17/3/16

cmd for auth 16.III.16

2037

FORM A. BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Glencoe, Roche

in the County of Cornwall

by Miss Browne.

Z

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Roche.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 9 in.

" " " " Sea Level 602 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·17

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·34	·36	·00	·00	·05	·00	·00	·34	·49	·37	·00	·15	1
2	·33	·23	·09	·03	·00	·15	·00	·01	·04	·01	·00	·37	2
3	·05	·15	·09	·13	·12	·00	·05	·00	·00	·00	·00	·64	3
4	·23	·23	·00	·00	·26	·00	·00	·00	·00	·00	·00	·09	4
5	·09	1·06	·01	·17	·00	·00	·00	·36	·00	·00	·00	1·48	5
6	·93	·16	·00	·41	·00	·00	·53	·02	·00	·00	·00	·09	6
7	·36	·49	·00	·14	·00	·00	·61	·00	·00	·00	·06	·33	7
8	·28	·52	·00	·00	·00	·00	·00	·09	·00	1·46	·09	·20	8
9	·15	·24	·00	·57	·00	·00	·00	·00	·00	·07	·59	·59	9
10	·25	·26	·09	·21	·00	·03	·00	·16	·00	·00	·09	·08	10
11	·12	·03	·11	·01	·00	·00	·04	·27	·00	·50	1·10	·47	11
12	·09	1·08	·00	·03	·46	·00	·00	·12	·00	·04	·23	·09	12
13	·01	·52	·01	·03	·49	·00	·06	·03	·03	·05	·27	·02	13
14	·01	·12	·00	·03	·00	·05	·29	·03	·16	·01	·32	1·16	14
15	·08	·00	·00	·00	·24	·01	·42	·01	·04	·00	·05	·08	15
16	·05	1·42	·00	·00	·50	·00	1·16	·00	·00	·00	·00	·04	16
17	·05	·12	·00	·00	·01	·00	·00	·00	·00	·04	·00	·06	17
18	·02	·17	·00	·00	·00	·00	·03	·00	·00	·00	·00	·00	18
19	·03	·04	·00	·08	·51	·00	·15	·00	·00	·00	·00	·00	19
20	·53	·02	·00	·09	·06	·31	·00	·00	·00	·46	·00	·02	20
21	·10	·08	·00	·00	·01	·19	·14	·00	·00	·00	·00	·01	21
22	·27	·24	·26	·02	·00	·08	·25	·00	·06	·34	·00	·26	22
23	·03	·34	·01	·00	·00	·07	·08	·00	·00	·29	·00	·48	23
24	·00	·00	·00	·02	·00	·13	·02	·00	·11	·44	·00	·12	24
25	·08	·00	·00	·00	·01	·27	·05	·00	·00	·00	·04	·25	25
26	·26	·26	·00	·00	·00	·42	·01	·00	·18	·00	·00	·63	26
27	·00	·06	·00	·00	·00	·74	·20	·00	·12	·62	·00	·00	27
28	·00	·10	·00	·00	·00	·05	·00	·06	·28	·33	·04	·07	28
29	·00		·00	·00	·00	·21	·00	·04	·65	·00	·22	·06	29
30	·19	X	·00	·01	·00	·00	·00	·00	·05	1·03	·49	·31	30
31	·02	X	·00	X	·00	X	·69	·04	X	·74	X	·17	31
Total	4·95	8·30	·67	1·92	2·72	2·71	4·78	1·58	2·21	6·80	3·56	8·32 8·32	YEAR'S TOTAL 48·52 48·52
Rain Days.	27	25	8	16	12	14	18	14	12	17	13	28	204

W. 8,000. X. 15.

1982

FORM A. BRITISH RAINFALL.

3 JAN 1917

REGISTER OF RAINFALL IN 1916

Kept at *Glencoe, Roche*

in the County of *Cornwall.*

by *E. J. B. Browne (Miss Browne.)*

Lat. .... Long. ....

Time of Observation *9 a.m. Summer Time 10 a.m.*

Nearest Railway Station *Roche.*

Diameter of Funnel of Rain Gauge *5* in.

Height of top of Gauge above Ground .... ft. *9* in.

" " " " Sea Level *602* ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. *·03*

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	?·00	·00	·06	·00	·02	·06	·20	·00	·01	·34	·09	·00	1
2	·06	·17	·24	·00	·01	·00	·00	·00	·44	·21	·57	·00	2
3	·01	1·63	·01	·00	·11	·16	·33	·00	·02	·55	·34	·02	3
4	·09	·15	·00	·01	·06	·14	·40	·00	·08	·02	1·15	·01	4
5	·03	·04	·04	·01	·11	·05	·05	·00	·01	·09	·35	·01	5
6	·03	·19	·01	·00	·05	·08	·56	·00	·00	·12	·84	·00	6
7	·01	·21	·00	·00	·23	·00	·00	·00	·00	·23	·70	·10	7
8	·07	·14	·13	·01	·35	·02	·04	·00	·00	·00	·06	·29	8
9	·01	·44	·00	·00	·00	·02	·09	·00	·00	·21	·23	·65	9
10	·00	1·12	·00	·11	·03	·14	·00	·00	·00	·00	·02	·16	10
11	·00	·03	·00	·08	·14	·00	·02	·00	·05	·00	·01	·04	11
12	·06	·07	·09	·03	·04	·00	·07	·13	·00	·24	·01	·00	12
13	·00	·26	·07	·01	·03	·00	·03	·24	·01	·00	·00	·10	13
14	·03	·22	·21	·01	·05	·00	·00	·71	·00	·01	·01	·00	14
15	·02	·15	·19	·07	·00	·00	·00	·02	·01	·04	·00	·02	15
16	·11	·06	·00	·10	·01	·00	?·00	1·11	·00	·31	·54	·00	16
17	·17	·05	·10	·06	·00	·00	·00	·01	·12	·21	1·81	·00	17
18	·02	·08	·52	·05	·00	·00	·00	·03	·11	·36	·11	·29	18
19	·08	·09	·04	·26	·00	·00	·00	·00	?·00	·00	·62	·05	19
20	·03	·62	·05	·00	·00	·00	·00	·00	·00	·00	·16	·33	20
21	·01	·05	·10	·00	·06	·04	·00	·00	·00	·00	·01	·10	21
22	·03	·00	·05	·00	·00	·18	·31	·12	·00	·57	·02	·71	22
23	·07	·00	·07	·09	·00	·17	·00	·22	·00	·14	·19	·15	23
24	·00	·08	·21	·05	·12	·01	·00	·41	·00	·53	·01	·50	24
25	·03	×·17	·28	·00	·03	·05	·00	·17	·00	·07	·16	·06	25
26	·01	·00	·06	·00	·02	·12	·00	·28	·59	1·18	·22	·00	26
27	·01	·01	1·92	·00	·00	·09	·00	·10	·12	·26	·00	·01	27
28	·00	·00	·02	·04	·00	·10	·00	·20	·34	·89	·00	·26	28
29	·00	·25	·07	·00	·00	·50	?·00	·34	·03	·19	·00	·36	29
30	·00	✕	·00	·00	·00	·02	·00	·00	·00	·29	·00	·01	30
31	·00	✕	·00	✕	·00	✕	·00	·08	✕	·09	✕	·02	31
Total	·99	6·28	4·54	·99	1·47	1·95	2·10	4·17	1·94	7·09	8·23	4·25	YEAR'S TOTAL 44·00 42·00
Rain Days.	22	24	23	16	18	18	11	16	14	24	24	23	233

W. 8,000, VIII. 16

× Snow- not very accurate-

Jh

338

FORM A2.
BRITISH RAINFALL.
28 JAN 1912

ST AUSTELL
(TREVARNA)

CORNWALL

1911–1920

RE

Kept at Trevarna

in the County of Corn

by W. M. Coode

in.

Ground ft. in.

Sea Level ft.

ame

istance Direction

IMPORTANT NOTE the result entered to the previous day. If an Ob ersal rule, he is earnestly requested to add the read r in the space provided for it at the end of this ent of rain, the selection and placing ish Rainfall Organization are given in ' pplication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
11 1	·09	—	—	·10	·25	—	—	·03	—	—	·03	·01	1
2	—	—	·05	—	·20	·11	—	·25	—	·21	·13	·27	2
3	—	—	·02	—	·24	—	—	·01	·05	—	·14	·23	3
4	—	—	·11	—	—	—	—	·75	—	—	·24	·71	4
5	·59	—	·48	—	—	—	—	·61	—	·03	·17	·05	5
6	·30	—	·25	—	—	—	—	·02	—	·01	·06	1·40	6
7	·16	—	—	·06	—	—	—	—	—	—	·45	·04	7
8	·04	—	·21	—	—	—	—	—	—	—	·05	·74	8
9	·10	—	·01	—	—	—	—	—	—	—	·26	·68	9
10	·04	·09	·90	—	·03	—	—	—	—	—	·18	·26	10
11	·44	—	—	—	—	—	—	—	·07	—	·70	·15	11
12	—	—	·68	—	—	—	—	·02	·45	—	·10	·31	12
13	—	—	·05	—	·01	—	—	—	·03	—	·14	·09	13
14	—	·17	·09	—	—	—	—	—	—	·06	·30	·60	14
15	—	·07	·19	—	—	·14	—	—	—	—	·26	·08	15
16	—	—	—	—	—	·85	—	—	—	—	·21	·35	16
17	—	·05	·44	·16	—	·20	—	—	—	·02	·18	·70	17
18	—	·28	·15	·14	—	·14	—	—	—	·03	·53	·30	18
19	—	·08	—	·03	—	·56	—	—	·48	·40	·27	·76	19
20	—	·08	·04	·12	—	·11	—	—	·30	·78	—	·61	20
21	·05	·13	·09	·01	—	·04	—	—	·32	·12	—	·31	21
22	·02	·05	·01	·18	—	·09	—	—	1·14	·16	—	·69	22
23	—	·26	·01	·02	—	·08	—	·20	·06	·34	·08	·48	23
24	·02	·25	—	—	—	·19	—	·13	—	·26	—	·45	24
25	·03	·01	—	·18	—	·03	—	—	·07	·43	—	·19	25
26	—	·16	—	·42	—	—	—	·16	—	·89	—	·27	26
27	—	·61	·08	·03	·15	·01	—	·32	·15	·77	—	·35	27
28	—	·16	·09	·39	—	—	—	—	·04	—	·10	—	28
29	—		·05	·18	·14	·56	·82	—	·14	·25	—	·01	29
30	—		—	—	—	? ·05	·33	—	·04	·23	·36	·11	30
31	—		—		—	~~·05~~	·02	—		·13			31
99 Total	1·88	2·45	4·00	2·02	1·02	3·16	1·17	2·50	3·34	4·52	4·94	11·20	TOTAL for year 42·20
~~No.~~ of Rain Days	12	15	21	14	7	15	3	11	14	18	22	29	181

9,000, IX. '10.

RE

FORM A2.
BRITISH RAINFALL
26 JAN 1912

Kept at Trevarna, St. Austell
in the County of Cornwall 2
by W. M. Coode

RAIN GAUGE
Pattern
Diameter of top in.
Height of top above Ground ft. in.
" " " Sea Level ft.
Time of Observation
Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
11 1	·09	—	—	·10	·25	—	—	·03	—	—	·03	·01	1
2	—	—	·05	—	·20	·11	—	·25	—	·21	·13	·27	2
3	—	—	·02	—	·24	—	—	·01	·05	—	·14	·23	3
4	—	—	·11	—	—	—	—	·75	—	—	·24	·71	4
5	·59	—	·48	—	—	—	—	·61	—	·03	·17	·05	5
6	·30	—	·25	—	—	—	—	·02	—	·01	·06	1·40	6
7	·16	—	—	·06	—	—	—	—	—	—	·45	·04	7
8	·04	—	·21	—	—	—	—	—	—	—	·05	·74	8
9	·10	—	·01	—	—	—	—	—	—	—	·26	·68	9
10	·04	·09	·90	—	·03	—	—	—	—	—	·18	·26	10
11	·44	—	—	—	—	—	—	—	·07	—	·70	·15	11
12	—	—	·68	—	—	—	—	·02	·45	—	·10	·31	12
13	—	—	·05	—	·01	—	—	—	·03	—	·14	·09	13
14	—	·17	·09	—	—	—	—	—	—	·06	·30	·60	14
15	—	·07	·19	—	—	·14	—	—	—	—	·26	·08	15
16	—		—		—	·85	—	—	—	—	·21	·35	16
17	—	·05	·44	·16	—	·20	—	—	—	·02	·18	·70	17
18	—	·28	·15	·14	—	·14	—	—	—	·03	·53	·30	18
19	—	·08	—	·03	—	·56	—	—	·48	·40	·27	·76	19
20	—	·08	·04	·12	—	·11	—	—	·30	·78	—	·61	20
21	·05	·13	·09	·01		·04	—	—	·32	·12	—	·31	21
22	·02	·05	·01	·18	—	·09	—	—	1·14	·16	—	·69	22
23	—	·26	·01	·02	—	·08	—	·20	·06	·34	·08	·48	23
24	·02	·25	—	—	—	·19	—	·13	—	·26	—	·45	24
25	·03	·01	—	·18		·03	—	—	·07	·43	—	·19	25
26	—	·16	—	·42	—	—	—	·16		·89	—	·27	26
27	—	·61	·08	·03	·15	·01	—	·32	·15	·17	—	·35	27
28	—	·16	·09	·39	—	—	—	—	·04	—	·10	—	28
29	—		·05	·18	·14	·56	·82	—	·14	·25	—	·01	29
30	—		—	—	—	·05	·33	—	·04	·23	·36	·11	30
31	—		—		—	~~·05~~	·02	—		·13		—	31
99 Total	1·88	2·45	4·00	2·02	1·02	3·16	1·17	2·50	3·34	4·52	4·94	11·20	TOTAL for year 42·20
No. of Rain Days	12	15	21	14	7	15	3	11	14	18	22	29	181

9,000, IX. '10.

Jl EX 9112 333

FORM A2. BRITISH RAINFALL. 25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Trevarna, St. Austell

in the County of Cornwall 2

by W. M. Coode

Rain Gauge: Pattern

Diameter of top .... in.

Height of top above Ground .... ft. .... in.

" " " Sea Level .... ft.

Time of Observation

Nearest Railway Station: Name

Distance .... Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
12 1	—	—	·08	—	·02	·54	·38	·08	·26	·44	—	·39	1
2	—	—	·24	·10	—	·53	·01	—	·01	·24	—	—	2
3	·04	—	·31	·01	—	·21	·02	2·17	·20	—	—	·05	3
4	·26	—	·34	—	·07	·34	—	·06	—	—	·41	·02	4
5	·68	·25	·27	·02	·10	·02	·40	1·65	—	—	·02	·17	5
6	·51	·03	·05	—	·59	·23	—	·63	—	—	·03	—	6
7	·16	·77	·44	·03	·08	·38	·05	·48	·01	—	·04	·16	7
8	·69	·17	·10	·03	—	·87	—	—	—	—	—	—	8
9	·02	·12	·05	·16	—	·08	·44	·03	—	—	·01	·75	9
10	·54	·08	·32	·20	—	—	·15	·02	—	—	·08	·15	10
11	—	·27	—	—	—	—	·04	·24	—	—	·30	·56	11
12	·05	·18	·30	—	·32	—	·27	·65	—	—	·78	·02	12
13	·46	—	·04	—	—	·08	—	·08	—	·05	·05	·19	13
14	·15	·39	·45	—	·11	·05	—	·26	—	·01	—	·07	14
15	1·04	·14	·08	—	·28	·61	—	·01	—	—	·04	·60	15
16	·24	—	·49	—	—	·08	—	·25	—	·08	·08	·23	16
17	—	—	·23	—	·01	·29	—	·61	—	—	·13	·14	17
18	—	·15	·38	—	—	·02	—	·57	—	·14	·07	·03	18
19	—	·20	·39	—	·01	—	·04	·34	—	·02	·03	·06	19
20	·11	·15	·42	·03	·12	—	—	·12	—	·48	·04	—	20
21	·01	·49	·31	—	·72	—	·40	·18	—	·50	—	—	21
22	·37	·24	·68	—	·02	·14	·13	·47	—	·20	·04	·10	22
23	·30	·43	·34	—	—	·10	·32	1·00	—	·30	·11	·31	23
24	·10	·05	·05	—	—	·38	·04	—	—	·26	—	·20	24
25	·08	·01	—	—	—	·12	·02	·08	—	·60	·44	·65	25
26	—	—	—	—	—	—	·25	·25	—	·31	·58	·49	26
27	—	·04	—	—	—	·68	·45	·19	—	1·32	·14	·60	27
28	—	·11	—	—	—	·20	·15	·85	·21	·14	·41	·42	28
29	—	·19	·08	—	—	·36	·32	·01	·35	·25	—	·16	29
30	—		·07	·01	·05	·17	·29	—	·21	·35	—	·01	30
31	—		·41		·28		·38	·04		·09		·17	31
99 Total	5·81	4·46	6·92	·59	2·78	6·48	4·55	11·32	1·25	5·78	3·83	6·70	TOTAL for year 60·47
No. of Rain Days.	19	21	26	9	15	23	21	27	7	19	21	26	234

V. 8,000, X. '11.

88 ✓

345

FORM A. BRITISH RAINFALL.
28 JAN 1914

REGISTER OF RAINFALL IN 1913

Ex. 452

Kept at St Austell, Trevarna

in the County of Cornwall

by W. M. Coode

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	·01	·18	·35	·05	·15	—	—	—	·03	·04	·29	·04	1
2	·23	·13	·02	—	·48	·08	—	—	·02	—	·14	·03	2
3	·32	—	·16	—	·11	—	—	—	·58	·32	·01	·26	3
4	·66	—	·07	·03	—	·13	—	—	·06	·01	·12	·49	4
5	·07	·03	—	—	·38	·33	·06	—	·48	—	·57	1·03	5
6	·23	·14	·14	—	·07	·18	·04	—	·05	·76	·44	·11	6
7	·12	·55	·08	—	1·02	·19	—	—	—	·46	·39	·04	7
8	·20	·17	—	—	·26	—	·19	·02	—	·08	—	·03	8
9	·10	·07	·01	—	·03	·04	·03	·01	—	—	·81	·05	9
10	1·23	—	—	·08	·07	·04	—	—	—	·94	·26	—	10
11	·47	—	·01	—	·81	·19	—	·21	·03	—	·57	·06	11
12	·11	—	—	·30	·03	·02	—	—	·11	—	·29	·01	12
13	·02	—	·05	·01	·06	—	·01	·05	1·18	—	·19	—	13
14	·36	—	·21	·04	·09	—	·20	—	·09	·04	·37	—	14
15	·12	—	·48	·75	—	—	—	—	·14	—	·13	·01	15
16	·43	—	·56	·06	—	—	·02	—	·04	—	·01	·05	16
17	·06	—	·10	·10	—	—	·02	—	—	—	·06	—	17
18	·11	—	·38	·30	—	—	—	—	—	—	·16	—	18
19	·63	—	·06	—	·15	·01	—	—	·40	·41	—	—	19
20	·22	—	·09	·83	·02	·03	—	—	—	·09	·44	—	20
21	·16	—	·13	·29	·06	·05	·04	·03	·01	—	·20	—	21
22	·27	—	·78	·19	·02	·33	—	·02	·13	·38	·01	·27	22
23	·02	—	—	—	—	—	—	·02	—	—	·28	·97	23
24	·02	·20	—	·13	·01	·08	—	—	—	—	·06	·01	24
25	—	—	—	·38	—	—	—	—	·13	·04	·08	·08	25
26	—	—	—	1·04	—	·01	—	—	·02	·03	—	·33	26
27	·90	—	·25	·10	—	—	—	·19	—	·35	·02	·15	27
28	·03	—	·08	·10	·15	—	—	—	·06	·65	—	·31	28
29	·16		·35	·46	·03	—	·14	—	—	·16	·06	·04	29
30	·54		—	·02	·10	—	·02	—	—	·28	·02	—	30
31	·13		·21		—		—	·05		·05	~~·02~~	—	31
99 Total	7·93	1·47	4·57	5·26	4·10	1·71	·77	·60	3·56	5·09	5·98	4·37	YEAR'S TOTAL 45·41
Rain Days.	29	8	22	20	21	15	11	9	18	18	26	21	218

W. 7,500, XI. ·12

8d 329

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.

28 JAN 1915

Kept at Trevarna, St. Austell
in the County of Cornwall 2
by W. M. Coode

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
14 1	—	—	·17	·21	—	·15	·03	·71	—	—	1·10	·05	1
2	·01	—	·08	·01	·15	·01	·32	·02	—	—	—	·42	2
3	·05	—	·29	·23	·46	—	—	·13	—	—	—	·07	3
4	·16	—	·15	·46	·13	—	1·61	·33	·33	—	—	·78	4
5	·22	—	·28	·23	·05	—	—	·03	—	—	—	·08	5
6	·09	·12	·14	·15	·22	—	·25	·07	—	—	·09	1·03	6
7	·05	·54	·38	·17	·13	·25	·42	·26	1·22	—	—	·16	7
8	·16	—	·69	·14	·01	·26	·01	·05	·09	—	—	—	8
9	·07	·23	·34	·10	·06	·62	—	·09	·26		—	—	9
10	·14	·60	·08	·60	·30	·03	—	—	·28	—	·06	·72	10
11	—	·29	·90	—	—	·10	—	—	·14	—	·05	1·19	11
12	—	·50	·24	—	—	—	·03	—	·19	·04	·14	·29	12
13	—	·44	·38	—	—	—	·31	—	·26	·30	·24	·17	13
14	—	·32	·21	—	—	·13	—	·08	·02	·04	·59	·24	14
15	—	—	·18	—	—	—	—	·06	·04	—	·65	·83	15
16	—	—	·08	—	—	—	·08	—	·52	—	—	—	16
17	—	·44	·38	—	—	—	·03	—	·01	—	—	·50	17
18	—	·32	·07	—	—	—	·05	—	·30	—	—	·39	18
19	—	·11	·56	—	—	—	1·46	—	·01	—	·16	·13	19
20	—	·43	·27	—	—	·32	—	—	—	·12	—	·41	20
21	—	·38	·03	—	—	—	·02	—	—	·35	—	·08	21
22	—	·09	·08	·01	·01	·03	—	·03	—	·22	—	—	22
23	—	·19	·23	—	—	·03	·09	·16	—	·40	—	—	23
24	—	·03	·06	—	—	—	·04	—	—	·03	·10	—	24
25	·10	—	·66	—	—	—	·01	·58	—	·66	·05	·61	25
26	·03	·45	·20	—	—	—	·25	—	—	·08	·27	·65	26
27	·23	·48	—	—	—	—	·18	—	—	·26	·15	·32	27
28	·03	·05	·31	—	·03	—	—	—	—	·24	·11	1·07	28
29	·26		·24	—	·08	—	—	—	—	·01	·64	·16	29
30	—		·12	—	—	—	—	—	—	·09	·32	·41	30
31	·03		—		·02		1·11	—		·38		·46	31
99 Total	1·63	6·01	7·80	2·31	1·65	1·93	6·30	2·60	3·67	3·22	4·72	11·22	YEAR'S TOTAL 53·06
Rain Days.	15	19	29	11	13	11	19	14	14	15	16	25	201

W.7,000, XI. 13

82

0034
~~324~~

REGISTER OF RAINFALL IN 1915

FORM A.
BRITISH RAINFALL.

Kept at Trevarna, St. Austell
in the County of Cornwall
by W. M. Coode

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
15 1	·33	·40	—	—	·15	—	—	·37	·24	·72	—	·15	1
2	·31	·26	·14	·05	—	·16	—	·08	·04	—	—	·60	2
3	·03	·22	·14	·15	·20	—	·04	·02	—	—	—	·67	3
4	·26	·30	·02	—	·17	—	—	—	—	—	—	·15	4
5	·05	·78	·01	·27	—	—	—	·56	—	—	—	1·24	5
6	1·08	·39	—	·47	—	—	·34	·02	—	—	—	·17	6
7	·49	·56	—	·18	—	—	·39	·07	—	2·00	·04	·34	7
8	·36	·40	—	·07	—	—	—	—	—	·14	·15	·46	8
9	·09	·21	—	·49	—	—	·02	—	—	—	·70	·84	9
10	·33	·20	·10	·17	—	·09	—	·16	—	·61	·10	·09	10
11	·11	·04	·06	·01	·01	—	—	·06	—	·11	1·43	·33	11
12	·16	·61	—	·02	·62	—	—	·19	—	·04	·32	·17	12
13	·03	·73	—	·04	·53	—	·01	—	·04	·06	·16	·03	13
14	·07	·12	—	·02	—	—	·28	·01	·21	—	·24	1·37	14
15	·14	—	—	—	·41	·07	·48	—	·06	—	·06	·10	15
16	·09	1·54	—	—	·56	—	1·31	—	·01	·04	—	·07	16
17	·06	·24	—	—	·04	—	—	—	—	—	—	·01	17
18	·07	·23	·02	—	—	—	·04	—	—	—	—	—	18
19	·03	·02	—	·03	·58	—	·26	—	—	—	—	—	19
20	·67	—	—	·06	·03	·48	—	—	—	·49	—	—	20
21	·12	·17	—	—	·02	·33	·26	—	—	·01	—	·02	21
22	·29	·27	·63	·04	—	·03	·36	—	·06	·47	—	·47	22
23	·08	·23	·01	—	—	·13	·04	—	·03	·24	—	·66	23
24	—	—	—	·03	—	·12	·09	—	·05	·48	—	·19	24
25	·06	—	—	—	—	·15	·34	—	—	—	·02	·22	25
26	·21	·33	—	—	·10	·33	·01	—	·10	—	—	·85	26
27	—	·12	—	·02	—	·63	·10	—	·12	·91	—	·01	27
28	—	·10	—	—	—	·56	—	·01	·31	·16	·01	·17	28
29	—	X	—	—	—	·36	—	·02	·59	·01	·19	·11	29
30	·14	X	—	—	—	·07	—	—	·02	·60	·34	·39	30
31	·09	X	—	X	—	X	·88	·02	X	·83	X	·19	~~31~~
99 Total	5·75	8·47	1·13	2·12	3·42	3·51	5·25	1·59	1·88	7·92	3·76	10·07	YEAR'S TOTAL 54·87
Rain Days.	27	24	9	17	13	14	18	13	14	18	13	28	208

W. 8,000. X. 14.

8L Ex 8f

REGISTER OF RAI ALL IN 1916

FORM A.
BRITISH RAINFALL.
30 JAN 1917

2/22

Kept at St. Austell, Trevarna

in the County of Cornwall

by W. M. Coode

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
16													
1	·18	–	·02	–	·06	·04	·10	–	·04	·77	·12	–	1
2	·21	·17	·14	–	·01	–	·04	–	·50	·40	·32	–	2
3	·02	1·96	–	–	·10	·19	·81	–	·01	·61	·17	·02	3
4	·13	·31	–	–	·08	·21	·10	–	·14	·11	·72	·01	4
5	·07	·08	·06	·04	·06	·09	·04	–	–	·17	·71	·01	5
6	·05	·14	·01	–	·08	–	·66	–	–	·19	·86	–	6
7	·03	·29	–	–	·23	–	–	–	–	·14	1·08	·10	7
8	·05	·26	·05	–	·31	·03	–	–	–	·10	·22	·37	8
9	–	·39	–	–	–	·03	·02	–	–	–	·47	·79	9
10	–	1·38	–	·17	·06	·17	–	–	–	–	·03	·17	10
11	–	·03	–	·13	·16	–	·04	–	·13	–	·01	·07	11
12	·08	·09	·19	·06	·03	–	·08	·23	–	·16	–	–	12
13	–	·30	·07	·05	·07	–	·05	·21	–	–	–	·04	13
14	·04	·31	·12	–	·06	–	–	·22	–	·04	·01	–	14
15	·02	·21	·20	·09	–	–	–	·03	–	–	–	·10	15
16	·13	·14	–	·15	–	–	·03	1·69	–	·39	·37	–	16
17	·17	·10	·11	·06	–	–	–	·01	·12	·21	1·37	–	17
18	·04	·08	·42	·08	–	–	–	–	·16	·23	·10	·21	18
19	·21	·12	·02	·24	–	–	–	–	·09	–	·69	·22	19
20	·07	·65	·02	–	–	–	–	–	–	–	·23	·52	20
21	·03	·08	·15	·18	·04	·03	–	–	–	–	·05	·05	21
22	·02	–	·03	–	–	·23	·05	·10	–	·49	·08	·57	22
23	·08	–	·03	·09	·08	·21	–	·37	–	·13	·22	·21	23
24	–	·05	·05	·10	·04	·01	–	·49	–	·74	·01	·45	24
25	·03	·08	·26	–	–	·04	–	·22	–	·17	·25	·01	25
26	·02	·01	·16	–	·06	·07	–	·98	·67	·97	·28	·09	26
27	·02	–	1·79	–	–	·09	–	·31	·08	·71	–	–	27
28	–	–	–	·08	–	–	–	·24	·42	·73	–	·43	28
29	–	·17	·13	–	–	·53	–	·38	·02	·35	–	·52	29
30	–	╳	–	–	–	·04	–	–	–	·38	–	·02	30
31	–	╳	–	╳	–	╳	–	·09	╳	·17	╳	·22	31
99 Total	1·70	7·40	4·03	1·52	1·53	2·01	2·02	5·57	2·38	8·36	8·37	5·20	YEAR'S TOTAL 50·09
Rain Days.	22	24	21	14	17	16	12	15	12	23	23	2~~2~~3	222
W. 8,000. X. 15.	14	22	15	14	15	12	10	13	10	23	19	18	185

82

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

Kept at Trevarna, St Austell
in the County of Cornwall
by W. M. Coode

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
17 1	·03	—	—	·28	—	·09	—	—	—	—	·10	·01	1
2	·01	—	·08	·11	—	·03	—	—	—	—	·41	—	2
3	·10	—	·08	·02	—	—	·01	—	—	·34	·21	—	3
4	·01	·12	·58	—	—	—	—	—	·18	·36	—	—	4
5	·32	—	·51	·16	—	—	—	—	·02	·38	·08	—	5
6	·01	—	·35	·07	—	·37	—	—	—	·07	·10	·06	6
7	·84	—	—	·11	—	·01	·24	·69	—	·22	·16	·02	7
8	·15	—	·67	·08	—	·14	·22	·08	·06	·30	·21	·46	8
9	·06	—	·11	·04	·25	—	—	—	·02	·27	·52	·16	9
10	·74	—	·43	·29	—	—	—	·37	—	·32	·11	—	10
11	·04	—	·64	·16	—	—	—	·07	—	·82	·50	—	11
12	·14	—	·02	—	·35	—	—	·05	—	·69	—	—	12
13	·18	—	·19	·06	—	·03	—	·19	·28	·42	—	·02	13
14	—	—	—	·04	—	—	—	·25	·08	·23	·01	·01	14
15	·24	—	—	·02	·12	—	·16	·01	·06	·34	—	·32	15
16	—	·19	—	—	—	—	·10	·01	·02	·27	·01	·29	16
17	—	·05	·01	·17	·10	—	·58	·05	·48	·10	—	—	17
18	—	·03	—	·01	·26	·12	·20	·04	·62	·07	—	—	18
19	—	·72	·05	—	—	·29	·02	—	·01	—	·01	—	19
20	—	·33	·03	—	·76	·65	—	·01	·04	—	·02	—	20
21	—	·01	·12	—	·05	·03	—	·12	—	·05	·03	·16	21
22	—	—	—	—	·24	—	—	·82	—	·13	—	—	22
23	—	·29	—	—	·12	·09	—	·24	—	·37	·03	—	23
24	—	·01	—	—	—	·07	·10	·06	—	·29	·10	·03	24
25	—	·06	·09	—	—	—	·01	1·05	·11	·16	·07	·01	25
26	—	—	—	—	·37	·64	—	·26	·05	·14	·08	—	26
27	—	—	—	—	—	·48	·03	1·55	—	·23	·03	—	27
28	—	·01	·27	—	—	·81	·01	·26	—	·01	·05	·08	28
29	—	X	·14	—	—	—	—	·02	—	·50	·02	—	29
30	—	X	·11	—	—	—	—	·27	—	·13	·02	—	30
31	—	X	·13	X	·33	X	·01	·03	X	·44	X	—	31
99 Total	2·87	1·82	4·61	1·62	2·95	3·85	1·69	6·50	2·03	7·65	2·88	1·63	YEAR'S TOTAL 40·10
Rain Days.	14	11	20	15	11	15	13	23	14	27	23	13	199

W. 8,000, VIII. 16

DL

Copy B. 18.2.19

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.

Kept at Trevarna, St Austell
in the County of Cornwall
by W. M. Coode

Lat. .... Long. ....
Time of Observation ....
Nearest Railway Station ....
Diameter of Funnel of Rain Gauge .... in.
Height of top of Gauge above Ground .... ft. .... in.
" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	—	·26	—	·20	·06	—	—	·42	—	·01	1·40	·01	1
2	—	·67	—	·06	·03	—	—	·10	—	—	·02	·29	2
3	—	·31	—	·42	·31	—	—	·10	·30	·08	·23	·09	3
4	—	·04	—	·16	—	—	—	·35	·54	—	·54	·94	4
5	·01	·06	·27	·12	—	—	—	·43	·72	·23	·10	·21	5
6	·47	·27	·14	·42	—	—	—	·07	·60	·10	—	·20	6
7	·32	·23	—	·01	—	·01	—	·03	·04	·10	·42	·58	7
8	·06	·08	—	·01	—	·16	—	—	—	·67	—	·01	8
9	·11	—	—	—	—	·18	·27	—	·49	·07	·03	·33	9
10	·06	—	—	·24	—	—	·44	—	·15	·07	—	·30	10
11	—	—	·14	—	·02	—	·03	—	—	·51	—	·19	11
12	·05	·14	—	—	·22	—	·07	—	·48	·08	·12	·02	12
13	—	—	—	—	·06	—	·31	—	·49	·39	—	·12	13
14	·34	—	·01	—	·04	·09	·18	—	·22	·09	—	·18	14
15	·68	—	—	—	·02	·15	1·19	—	·16	·25	—	·42	15
16	·85	—	—	·20	—	·08	·20	—	·21	·09	—	·18	16
17	·14	—	—	·21	·01	·02	·22	·02	·04	—	—	·22	17
18	1·03	·10	·26	·10	—	·56	·05	·09	·56	·20	—	·37	18
19	·17	·08	·03	—	—	—	·17	·03	·21	—	—	·17	19
20	·18	·12	·01	·23	·05	·07	·07	—	·18	—	—	·04	20
21	·31	·01	—	·08	—	·04	·09	—	—	·51	—	·84	21
22	·01	—	—	—	·18	—	1·22	—	·60	·03	—	·25	22
23	·06	·01	—	—	·03	·07	·04	—	·09	—	·25	·24	23
24	·06	·23	—	—	—	·03	·02	·54	·15	—	·13	·19	24
25	—	—	—	—	·08	—	·26	·20	·10	·05	·31	·01	25
26	·05	·37	—	—	—	—	·21	—	—	·03	·11	·45	26
27	·01	·30	·09	—	—	—	—	·10	·08	·09	·33	·04	27
28	—	·33	·11	—	—	—	—	—	—	·06	·36	·11	28
29	—	✕	·25	—	—	—	—	—	1·45	·08	·06	·16	29
30	—	✕	·29	·17	—	—	—	·10	·09	—	·22	·40	30
31	—	✕	·17	✕	—	✕	·06	·02	✕	·34	✕	·03	31
99 Total	4 4·97	3·61	1·77	2·63	1·11	1·46	5·10	2·60	7·95	4·13	4·63	7·59	YEAR'S TOTAL 47·55
Rain Days.	20	18	12	15	13	12	19	15	23	23	16	31	217
	17	16	9	13	8	9	17	11	23	20	14	26	183

W. Daw

W. 8,000, VIII. 16

81 1773

REGISTER OF RAINFALL IN 1919

FORM A.
BRITISH RAINFALL.

Kept at Trevarna, St. Austell

in the County of Cornwall

by W. M. Coode

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 19	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.69	—	.21	.17	.09	—	.34	—	.23	.12	—	.69	1
2	.17	—	.03	—	—	—	—	—	—	—	—	.16	2
3	.06	—	.43	—	.20	—	—	—	.66	—	—	.14	3
4	.17	1.30	.36	—	—	—	—	.16	.37	—	.05	—	4
5	.21	.25	.42	—	.04	—	—	—	—	—	—	.08	5
6	.54	1.39	.23	—	—	—	—	—	—	—	—	.37	6
7	.43	—	.21	.19	—	—	—	—	—	—	—	.15	7
8	.28	—	.27	.12	.01	—	—	—	—	—	.50	—	8
9	.18	—	.02	.47	.21	—	—	—	—	—	.22	.09	9
10	.08	—	.63	.02	.02	—	—	—	—	.12	—	.96	10
11	.17	—	.41	.22	.30	.04	.08	—	.01	.03	.13	.08	11
12	.26	—	.10	.06	—	—	—	—	—	.24	.16	—	12
13	.19	.24	.30	.65	—	—	.02	—	.02	.13	.12	.50	13
14	.46	.35	.05	.42	.24	—	—	—	—	.14	—	.24	14
15	.11	.17	—	.15	—	—	—	—	—	.08	—	.42	15
16	.08	.91	—	—	.13	.02	.02	—	—	—	.96	.05	16
17	.04	.67	—	—	—	.03	.01	—	—	—	.35	.02	17
18	.26	.73	.29	—	—	—	.10	.11	.03	—	.30	.03	18
19	.89	.30	.21	—	.04	.24	—	.39	.35	—	.13	.17	19
20	.48	.10	.53	—	.16	.28	.01	.09	.72	—	.33	.08	20
21	.49	.76	—	—	.61	—	.10	—	.22	—	.07	.13	21
22	—	—	—	—	—	.01	.04	—	.11	.04	.05	.10	22
23	—	—	—	—	—	—	—	—	—	.28	.05	.26	23
24	—	—	—	—	—	.14	—	—	.01	.23	.23	.38	24
25	.24	.02	—	—	—	.06	—	.58	—	.01	.15	.13	25
26	.12	.15	.13	.18	—	—	—	.05	.11	.08	.10	.48	26
27	.21	.05	.11	.46	—	—	—	1.60	—	.18	—	.05	27
28	.02	.12	.72	.71	—	—	—	.01	—	.24	.42	.76	28
29	—	X	.02	.16	—	—	—	.37	—	.06	—	.11	29
30	—	X	.02	.12	—	.16	—	.19	—	—	.54	.66	30
31	—	X	.20	X	—	X	.06	—	X	—	X	.73	31
99 Total	6.83	7.51	5.90	4.10	2.05	.98	.78	3.55	2.84	1.98	4.86	8.02	YEAR'S TOTAL 49.40
Rain Days.	25	16	23	15	12	9	10	10	12	15	19	28	194
Days with ·04 in.	24	15	19	14	10	6	6	9	8	13	19	26	169

W, 6,500, VII. 18. W W C

2/298

Moles 13

1890

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at St. Austell, Trevarna

in the County of Cornwall

by W. M. Coode

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station ....

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ☐

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02	—	·01	·15	·80	—	·84	—	·09	·27	—	1.00	1
2	·42	—	—	·18	—	—	·07	·12	·16	·09	—	·18	2
3	·55	·04	—	·06	—	—	·08	·03	·02	·96	—	·17	3
4	—	—	·01	—	—	—	—	·73	—	·40	—	·01	4
5	—	·06	·19	—	·36	—	·29	·04	—	·12	—	—	5
6	—	—	·24	·15	·21	—	·39	—	—	·09	—	—	6
7	·04	—	·07	·32	·08	—	·57	—	—	—	·01	·27	7
8	·11	·03	·01	·28	·06	—	·10	·05	·02	·02	—	·45	8
9	·84	·03	—	·08		—	·48	—	—	—	—	—	9
10	·72	·27	·11	·10	—	·46	·16	—	—	—	·01	—	10
11	·17	·03	·23	·56	·29	—	·30	—	—	·03	·01	—	11
12	·24	·09	·09	·76	·01	—	·05	—	—	·07	·15	—	12
13	·18	·05	·44	—	—	·21	—	—	—	·74	—	·02	13
14	·31	·15	·62	·68	—	—	·10	—	·18	·71	·19	—	14
15	·03	·16	·05	·41	·08	·17	—	—	—	·72	·20	—	15
16	—	·03	·11	·01	·01	—	·06	—	·62	·17	·11	—	16
17	·09	—	·01	·09	·38	—	·07	—	·54	·52	—	—	17
18	·17	·01	—	·07	·02	·54	·02	·21	·05	—	—	—	18
19	·17	·01	—	·59	·19	·53	—	—	·07	·16	—	—	19
20	·07	—	—	·15	·01	·12	—	—	·06	·72	—	·32	20
21	—	—	—	·41	—	—	·03	—	·02	—	—	·23	21
22	·05	—	·03	·03	—	·01	·03	—	—	·01	—	·35	22
23	—	—	·03	—	—	—	·13	·12	—	—	—	·55	23
24	·04	·05	·36	·03	—	—	·03	—	—	—	·24	·09	24
25	·16	—	·11	—	—	·02	·68	—	—	—	—	·01	25
26	·43	—	·25	—	—	·01	·06	—	·01	—	·10	·02	26
27	·69	·06	·13	·12	—	·28	·16	—	—	—	·73	·51	27
28	·89	·01	·53	·07	—	·09	·17	—	—	—	·10	·10	28
29	·45	·02	—	·03	·05	·01	·01	—	·33	—	·49	·25	29
30	·31	✕	·44	·01	—	·49	·56	—	1.65	·63	·31	·59	30
31	·10	✕	·51	✕	—	✕	·01	—	✕	·71	✕	·13	31
99 TOTAL	7.25	1.10	4.58	5.34	2.55	2.94	5.45	1.30	3.82	7.14	2.65	5.25	YEAR'S TOTAL 49.37
Days with ·01 in. or more	25	17	23	24	14	13	26	7	14	19	13	19	214
04	23	9	17	19	10	9	20	6	10	16	10	15	164

(44283) Wt. 21958—218. 1500. 1919. Gp. 132. A.&E.W.

FORM A.
BRITISH RAINFALL.

13 JAN 20

REGIS

1927

—

ST AUSTELL, CHARLESTOWN

1919 ~~50~~

Kept at Old Vicarage, C … ustell.

in the County of Cornwal … e 5" in.

by C A Battiscomb … und ft. 5 in.

Level 220 ft.

IMPORTANT NOTE.- … result entered to the previous day. If an Observer prefers … rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1							·29		·17	·14	·05	·00	1
2					← Observations commenced 15.5.19				·01			·90	2
3									·93			·16	3
4								·13	·41		·03	·16	nil. 4
5									-			·09	5
6												·21	6
7							·01					·15	7
8											·52		8
9						·01					·19	·07	9
10										·07		1.08	10
11							·05		·02	10 ·09	·13	·09	11
12										·13	·13		12
13										·13		·56	13
14										·11		·25	14
15					·37					·04		·49	15
16					·17	·06	·01				·94	·04	16
17					·10		·03				·33	·03	17
18							·05	·13			·30	·03	18
19					·04	·27		·37	·27		·13	·15	19
20					·15	·28		·37	·57		·07	·09	20
21					·64		·08	·10	·23		·06	·13	21
22						·01			·08			·09	22
23										·25		·15	23
24										·20	·23	·40	24
25								·63			·13	·07	25
26								·03	·12	·16	·12	·56	26
27								1.25		·10		·04	27
28								·03		·18	·34	·80	28
29								·29				·08	29
30		X				·13		·17			·62	·64	30
31		X		X		X	·03		X		X	·65	31
Total					~~1.30~~	·76	·55	3.13	2.81	1.60	4.32	8.15	YEAR'S TOTAL
Rain Days.						6	8	10	10	12	17	28	

REGIS

FORM A.
BRITISH RAINFALL.
13 JAN 20

Kept at Old Vicarage, Charlestown

in the County of Cornwall.

by C A Battiscombe.

Time of Observation 9

Nearest Railway Station St Austell.

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground ft. 5 in.

" " " " Sea Level 220 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Director, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	~~June.~~	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·29		·17	·14	·05	·[illegible]	1
2					← Observations commenced 15.5.19				·01			·90	2
3									·93			·16	3
4								·13	·41		·03	·16	1 in. 4
5												·09	5
6												·21	6
7							·01					·15	7
8											·52		8
9						·01					·19	·07	9
10										·07		1.08	10
11							·05		·02	10 ·10	·13	·09	11
12										·13	·13		12
13										·13		·56	13
14										·11		·25	14
15					·37					·04		·49	15
16					·17	·06	·01				·94	·04	16
17					·10		·03				·33	·03	17
18							·05	·13			·30	·03	18
19					·04	·27		·37	·27		·13	·15	19
20					·15	·28		·37	·57		·07	·09	20
21					·64		·08	·10	·23		·06	·13	21
22						·01			·08			·09	22
23										·25		·75	23
24										·20	·23	·40	24
25								·63			·13	·07	25
26								·03	·12	·15	·12	·56	26
27								1.25		·10		·04	27
28								·03		·18	·34	·80	28
29								·29				·08	29
30		X				·13		·17			·62	·64	30
31		X		X		X	·03		X		X	·65	31
Total					~~1.30~~	·76	·55	3.13	2.81	1.60	4.32	8.15	YEAR'S TOTAL
Rain Days.						6	8	10	10	12	17	28	

CORNWALL.

ST. COLUMB MINOR.
"PORTHBEAN"
1918

B. Made

REGISTE

FORM A.
BRITISH RAINFALL.

Kept at Porthbean St. Colum

5°4'W

2.1.19

in the County of Cornwall

Newquay

5 in.

by G. R. Peck.

ove Ground 1 ft. 0 in.

Sea Level 100 ft.

IMPORTANT NOTE.—R d the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	31 ·02	–	33 ·25	·17	·25					·14	·21		1
2	–	·07	34 –	·15	·08			·37		·04	1·22	·37	2
3	32 –	·27	32	·03	·04			·65	·06		·14		3
4	28 –	·20	30		·23				·16	·11	·19	0·07	4
5	29 –			·28	–			·15	·58		·23	·43	5
6	33 ·12	·03	·31	·19	–			·16	·27	·16	·03	·16	6
7	·21	·30	·04	·10	–			·04		·28		·06	7
8	28 –	·21		–	–			·04	·96	·04	·23	·23	8
9	32 ·18	·03	–	–	–	·20	·03		·15	·41			9
10	32 ·03		–	·07	–	·08	·06		·40	·02	·05	·34	10
11	45 ·03		–	·13	–		·25		·28	·05		·21	11
12	·01		·13	·01	–		·07		·25	·76	·06	·11	12
13	–	·05			·12		·12			·16	–	·01	13
14	–				·08		·08		·30	·12	–	·40	14
15	·45				·02	·07	·01	·01	·33	·06	–	·14	15
16	·91		·–		·02	·38	·50		·16	·11	–	·46	16
17	·58			·33		·07	·03		·16 40	·01	–	·05	17
18	·72			·21		·15	·22		·02	·08	–	·21	18
19	·22	·10	·26			·10	·08	·04	·75	·20	–	·29	19
20	·19	·05		·16		·08	·13	·03	·16		–	·08	20
21	·30	·08		·03		·07	·18		·15		–	·03	21
22	·02			·02			·29		·54	·18	–	·32	22
23	·04				·18		·68		·08		–	·31	23
24	·01				·01	·01	·01		·02		·34	·16	24
25	–	·16				·07	·08	·10	·11		·20	·20	25
26	·03				·10		·18	·77		·09	·02	0	26
27	–	·12					·12	·01			·22	·31	27
28	–	·20	·15					·02			·42	·02	28
29	–		·05						·50		·14	·06	29
30		X	·08						·91	·03	·13	·06	30
31		X	·25	X		X		·02	X	·05	X	·22	31
Total	4·04	1·87	1·52	1·88	1·13	1·28	3·12	2·41 ~~2·34~~	7·30	3·10	3·83	5·31	YEAR'S TOTAL 36·79 ~~36·80~~
Rain Days.	18	14	9	14	11	11	19	14	23	21	16	27	197

W. 3,000. X. 14.

FORM A. BRITISH RAINFALL.

REGISTE

Kept at Porthbean St Columb Minor

in the County of Cornwall

by G. R. Peck.

Long. 5°4'W

2. 1. 19

Time of Observation

Nearest Railway Station Newquay

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·03

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	—	·25	·17	·25					·14	·21		1
2	—	·07	—	·15	·08			·37		·04	1·22	·37	2
3	—	·27		·03	·04			·65	·06		·14		3
4	—	·20			·23				·16	·11	·19	0·07	4
5	—			·28	—			·15	·58		·23	·43	5
6	·12	·03	·31	·19	—			·16	·27	·16	·03	·16	6
7	·21	·30	·04	·10	—			·04		·28		·06	7
8	—	·21	—	—	—			·04	·96	·04	·23	·23	8
9	·18	·03	—	—	—	·20	·03		·15	·41			9
10	·03		—	·07	—	·08	·06		·40	·02	·05	·34	10
11	·03		—	·13	—		·25		·28	·05		·21	11
12	·01		·13	·01	—		·07		·25	·76	·06	·11	12
13	—	·05			·12		·12			·16	—	·01	13
14	—				·08		·08		·30	·12	—	·40	14
15	·45				·02	·07	·01	·01	·33	·06	—	·14	15
16	·91		—		·02	·38	·50		·16	·11	—	·46	16
17	·53			·33		·07	·03		·16	·01	—	·05	17
18	·72			·21		·15	·22		·02	·08	—	·21	18
19	·22	·10	·26			·10	·08	·04	·75	·20	—	·29	19
20	·19	·05		·16		·08	·13	·03	·16		—	·08	20
21	·30	·08		·03		·07	·18		·15		—	·03	21
22	·02			·02			·29		·54	·18	—	·32	22
23	·04				·18		·68		·08		—	·31	23
24	·01				·01	·01	·01		·02		·34	·16	24
25	—	·16				·07	·08	·10	·11		·20	·20	25
26	·03				·10		·18	·77		·09	·02	0	26
27	—	·12					·12	·01			·22	·31	27
28	—	·20	·15					·02			·42	·02	28
29	—		·05						·50		·14	·06	29
30			·08						·91	·03	·13	·06	30
31			·25					·02		·05		·22	31
Total	4·04	1·87	1·52	1·88	1·13	1·28	3·12	2·41 ~~2·34~~	7·30	3·10	3·83	5·31	YEAR'S TOTAL 36·79 ~~36·80~~
Rain Days.	18	14	9	14	11	11	19	14	23	21	16	27	197

W. 8,000. X. 14.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

RE

ST GERMANS
(TRETHILL)

CORNWALL

1911 - 1913

Kept at Trethill Sheviock
in the County of Cornw
by Lt Cl. J. D. A. R

5 in.
Ground 2 ft. in.
Sea Level 200 ft.
AM
Name St Germans
Distance 4 m. Direction N. W.

IMPORTANT NOT the result entered to the previous day. If an O versal rule, he is earnestly requested to add the rea year in the space provided for it at the end of th ment of rain, the selection and placi ritish Rainfall Organization are given in "*Rules for Rainfall Observers*, application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.02	-	.07	-	-	-	-	-	-	-	.05	-	1
2	.01	-	.03	.08	.44	-	-	.55	-	.05	.10	-	2
3	-	-	-	-	.20	-	-	.03		-	.10	.10	3
4	-	-	.11	-	-	-	-	.20	-	-	.20	.40	4
5	.35	″	-	-	-	-	-	.62	-	.10	.22	.02	5
6	.27	-	.28	-	-	-	-	.02	-	-	.08	1.05	6
7	.05	-	-	-	-	-	-	-	-	-	.41	.03	7
8	.03	-	.21	-	-	.17	-	-	-	-	.05	.45	8
9	.05	-	-	-	-	-	-	-	-	-	.15	.45	9
10	-	.10	65	-	.06	-	-	-	-	-	.04	.20	10
11	.20	-	-	-	-	-	-	-	-	-	.90	.10	11
12	-	-	.48	-	.01	-	-	-	.08	-	.20	.35	12
13	-	-	.08	-	-	-	-	-	.50	-	.05	.25	13
14	-	.14	-	-	-	-	-	-	-	10	.07	.20	14
15	-	.04	.12	-	-	.06	-	-	-	-	.20	.04	15
16	-	.02	-	-	-	.37	-	-	-	-	.60	.30	16
17	-	.04	.30	(.04)	-	.03	-	-	-	-	.20	.35	17
18	-	.34	.10	.10	-	.20	-	-	-	-	.47	.30	18
19	-	.06	-	-	-	.84	-	-	.65	.25	.17	.70	19
20	-	.10	.04	-	-	.04	-	-	.10	.30	.03	.60	20
21	.06	.20	.06	.16	-	.04	-	-	.38	.40	-	.15	21
22	.08	.10	-	.28	-	.06	-	.05	.30	.16	-	.40	22
23	.01	.15	-	.01	-	.22	-	-	.13	.30	.05	.22	23
24	-	.15	-	-	-	.26	-	.20	-	.33	-	.33	24
25	.03	-	-	.16	-	.02	-	.10	.08	.10	-	.20	25
26	.02	.15	[illegible]	.41	-	-	-	.15	-	.45	-	.30	26
27	-	.60	[illegible]	.04	-	-	-	.27	27	.25	-	.27	27
28	-	.11	[illegible]	.30	.10	-	-	.03	-	-	.28	.03	28
29	-	|	.05	.25	-	.52	1.15	-	-	.30	-	-	29
30	-		-	.01	.43	.03	.20	[illegible]	.15	.14	.12	.03	30
31			.20				.05	-		.07		.01	31
Total	1.18	2.30	2.78	1.84	1.24	2.86	1.40	2.22	2.64	3.30	4.74	7.83	TOTAL for year
No. of Rain Days.	13	15	15	12	6	14	3	11	10	15	23	28	34.33

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911.

FORM A2.
BRITISH RAINFALL.
6 - JAN 1912

Kept at Trethill Sheviock

in the County of Cornwall

3

by Lt Col: J. D. A. Roberts

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 2 ft. in.
" " " Sea Level 200 ft.

Time of Observation 9.30 AM

Nearest Railway Station
Name St Germans
Distance 4 m Direction N. W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	-	.07	-	-	-	-	-	-	-	.05	-	1
2	.01	-	.03	.08	.44	-	-	.55	-	.05	.10	-	2
3	-	-	-	-	.20	-	-	.03		-	.10	.10	3
4	-	-	.11	-	-	-	-	.20	-	-	.20	.40	4
5	.35		-	-	-	-	-	.62	-	.10	.22	.02	5
6	.27	-	.28	-	-	-	-	.02	-	-	.08	1.05	6
7	.06	-	-	-	-	-	-	-	-	-	.41	.03	7
8	.03	-	.21	-	-	.17	-	-	-	-	.05	.45	8
9	.05	-	-	-	-	-	-	-	-	-	.15	.45	9
10	-	.10	65	-	.06	-	-	-	-	-	.04	.20	10
11	.20	-	-	-	-	-	-	-	-	-	.90	.10	11
12	-	-	.48	-	.01	-	-	-	.08	-	.20	.35	12
13	-	-	.08	-		-	-	-	.50	-	.05	.25	13
14	-	.14	-	-	-	-	-	-	-	10	.07	.20	14
15	-	.04	.12	-	-	.06	-	-	-	-	.20	.04	15
16	-	.02	-	-	-	.37	-	-	-	-	.60	.30	16
17	-	.04	.30	(.04)	-	.03	-	-	-	-	.20	.35	17
18	-	.34	.10	.10	-	.20	-	-	-	-	.47	.30	18
19	-	.06	-	-	-	.84	-	-	.65	.25	.17	.70	19
20	-	.10	.04	-	-	.04	-	-	.10	.30	.03	.60	20
21	.06	.20	.06	.16	-	.04	-	-	.38	.40	-	.15	21
22	.08	.10	-	.28		.06	-	.05	.30	.16	-	.40	22
23	.01	.15	-	.01	-	.22	-	-	.13	.30	.05	.22	23
24	-	.15	-	-	-	.26		.20	-	.33	-	.33	24
25	.03	-	-	.16	-	.02	-	.10	.08	.10	-	.20	25
26	.02	.15		.41	-	-		.15	-	.45	-	.30	26
27	-	.60		.04	-	-	-	.27	27	.25	-	.27	27
28	-	.11		.30	.10	-	-	.03	-	-	.28	.03	28
29	-		.05	.25	-	.52	1.15	-	-	.30	-	-	29
30	-		-	.01	.43	.03	.20		.15	.14	.12	.03	30
31			.20				.05	-		.07		.01	31
Total	1.18	2.30	2.78	1.84	1.24	2.86	1.40	2.22	2.64	3.30	4.74	7.83	TOTAL for year
No. of Rain Days.	13	15	15	12	6	14	3	11	10	15	23	28	34.33

W. 8,000, X. '11.

165

FORM A.
BRITISH RAINFALL.
6 - JAN 1913

REGISTER Ex DB OF RAINFALL IN 1912

Kept at Trethill, (parish) Sheviock,

in the County of Cornwall 3

by Lt Col. J. D. A. Roberts

Lat. 50·22 Long. 4·17 W
Time of Observation 9·30 AM
Nearest Railway Station St Germans
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–	–	·05	–	·08	·40	–	·02	·20	·48	–	·26	1
2	–	–	·23	·02	–	1·20	–	·03	–	·18	·03	·04	2
3	–	–	·30	–	–	·15	–	·95	·10	–	–	–	3
4	–	·02	·25	–	·10	–	–	·05	–	–	–	·04	4
5	·28	·10	·02	·02	·06	–	–	1·45	–	–	·02	·06	5
6	·70	·15	·30	–	·60	·20	–	·20	–	–	–	–	6
7	·30	·57	·24	·05	·12	·57	·20	·25	–	–	·06	·08	7
8	·10	·13	·26	·06	·02	·23	·10	·02	–		–	–	8
9	·60	·12	·20	–	–	·12	·20	–	–	–	–	·65	9
10	·15	·05	·23	·12	–	–	·08	·20		–	·13	·25	10
11	–	·17	·07	–	–	·05	·02	·12	–	–	·32	·30	11
12	·45	–	·07	–	·35	–	·25	·50	–	–	·08	·06	12
13	·10	–	·13	–	–	–	·11	·17	–	·03	–	·18	13
14	·13	–	·40	–	·20	·02	–	·04	–	·02	–	·06	14
15	·27	·20	·10	–	·13	·12	–	·01	–	–	–	·38	15
16	·15	–	·26	–	–	·43	–	·30	–	·18	·03	·08	16
17	–	–	·24	–	–	·13	–	1·00	–	·01	·17	·08	17
18	–	·10	·12	·03	–	·02	–	·36	–	·04	·05	·06	18
19	–	·04	·21	–	–	·02	·04	·30	–	·04	–	·02	19
20	·05	–	·40	–	·20	–	–	·27	–	·22	·06	–	20
21	·02	·40	·22	–	–	–	·06	·05	–	·10	–	–	21
22	·34	56	·35	–	–	·05	·17	·20	–	·06	04	·13	22
23	·10	·44	·33	–	–	·10	·08	·95	–	·20	·15	·25	23
24	·10	·05	·10	–	–	·33	·04	–	–	·02		·20	24
25	·08	–	·01	–	–	·10	–	·06	–	·32	·36	·40	25
26	–	·10	–	–	–	–	·10	·04	–	·02	·60	·48	26
27	–	·05	–	–	–	·55	·60	·20	–	1·32	·10	·62	27
28	–	·05	–	–	–	·07	·10	·60	·20	·32	·30	·60	28
29	–	·21	–	–	–	·01	·12	·17	·70	·20	–	·08	29
30	–		·05	–	·20	·40	·10	·01	·20	·34	–	·02	30
31	–		·25		·04		·55	–		·04		·09	31
Total	3·92	3·52	5·39	·30	2·10	5·27	2·92	8·52	1·40	4·14	2·50	5·47	YEAR'S TOTAL 45·45
Rain Days.	17	19	27	6	12	22	18	28	5	20	16	26	216

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

3 - JAN 1914

Kept at Trethill, parish Sheviock
in the County of Cornwall 3
by Lieut: Col: J. D. A. Roberts

Lat. 50°.22′ Long. 4°.17′ W.
Time of Observation 9.30 AM
Nearest Railway Station St Germans
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.03	.20	.23	.15	.25	-	-	-	.14	.17	.28	.02	1
2	.04	.22	.02	.26	.20	-	-	-	-	.23	.13	.02	2
3	.50	-	.11	-	.20	-	-	-	.30	-	-	.20	3
4	1.15	-	.10	-	-	-	-	-	.07	.08	.05	.26	4
5	.10	.04	.02	-	.33	.20	-	-	.40	.02	.47	.38	5
6	.10	.10	.03	-	.16	.12	.06	-	.03	.40	.35	.03	6
7	.05	.26	.04	-	.64	-	-	-	-	.53	.10	.01	7
8	.10	.05	-	-	.22	-	-	-	-	.07	-	.08	8
9	.05	.15	-	.03	.04	.05	.17	.35	-	-	.35	.02	9
10	.70 }	.01	-	-	-	-	-	-	-	.45	.45	-	10
11	.60 }	-	-	.02	.05	.05	-	-	-	.05	.70	.04	11
12	.13	-		-	.45	-	-	-	.25	-	.20	.02	12
13	.05	-	-	.20	-	-	.03	-	.15	-	.16	-	13
14	.28	.01	.20	.04	.24	-	-	-	-	-	.10	.03	14
15	.20	-	.46	.60	-	-	-	-	.15	-	.22	-	15
16	.28	-	.56	.04	-	-	-	-	.03	-	.04	-	16
17	.07	-	.08	.08	-	-	-	-	-	-	.02	.02	17
18	.03	-	.20	.16	.01	.03	.04	-	-	-	.07	-	18
19	.40	-	.06	-	.04	-	-	-	.37	.11	-	-	19
20	.20	-	(.06) 5	.20	-	.08	-	-	-	.07	.13	-	20
21	-	-	.40	.36	.03	.21	-	-	-	.07	.40	-	21
22	.27	-	.47	.02	.01	-	-	.02	.06	.20	-	-	22
23	-	-	.03	-	-	.08	-	-	-	-	.08	1.15	23
24	.03	.10	-	.15	-	-	-	-	-	-	.02	-	24
25	-		-	.43	-	-	-	.04	.05	.02	.05	.03	25
26	-		-	.52	-	-	-	-	-	.03	.02	.22	26
27	.65	-	.15	.40	-	-	-	.16	-	.50	-	.03	27
28	.13	-	.05	.12	-	-	-	-	.11	.10	-	.15	28
29	.15		-	.10	.15	-	-	-	-	.44	.02	-	29
30	.60		-	.02	.03	-	.10	-	-	1.05	-	-	30
31	.15		.20		-		-	.13		.11		-	31
Total	7.04	1.14	3.46✓	3.90	3.05	.82	.40	.70	2.11	4.70	4.41	2.71	YEAR'S TOTAL 34.44✓
Rain Days.	27	10	20	20	17	8	5	5	13	20	23	18	186

W.7,000, XI, 13

13

Rain Total 34.44

CORNWALL.

ST. GERMAN'S,

"FAIRFIELD"

1913 – 1917

Inwade

cord for aulto the WD

REGIST 13

FORM A. BRITISH RAINFALL.

13 MAR 1914

Kept at "Fairfield." g. 9.30 a m

St Germans

in the County of Corn 5 in.

by I. Wallis ove Ground 1 ft. 6" in.

Sea Level 140 ft.

IMPORTANT NOTE.—Ra a.m. and the result entered to the previous day. If an Observer form to this almost universal rule, he is earnestly requested to add the reading at a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.28		.28	.11						.5		1
2	.5	.22	.30	.10	.30				.20	.10	.43		2
3	.2		.2	.26	.40					.60	.25	.7	3
4	1.02				.11				.43	.57		.25	4
5	1.17		.35		Away. Total 2.57 in	.16			.3		.10	.35	5
6	.3					.8	.10		.55			.40	6
7	.18		.8			.27					.18		7
8	.2	.49				.11				.80	.30	.4	8
9	.18	.30					.15	.26		.3			9
10	.14					.7		.12	.2		.53		10
11	1.30	.5				.2		.2		.74	.33		11
12	.35					.4			.4		.91		12
13	.20	.2		.3					.18		.27		13
14	-		.15	.16					.15		.15		14
15	.36		.26				.2		.8		.10		15
16	.24		.52	1.15					.28		.3		16
17	.35		.56	.5					.8		.5		17
18	.8		.8	.12									18
19	.7		.28	.30									19
20	.47		.8						.53	.13	.18		20
21	.15		.14	.34		.8				.6	.63		21
22	.15		.56	.22						.3	.33		22
23	.25		.14	.40		.28		.5	.8	.20	.5		23
24	.3		.10			.2						1.30	24
25	.3			.22		.6					.3		25
26	-	.14		.48				.2	.4			.3	26
27	-			.82						.2		.37	27
28	1.15		.25	.48				.15		.47		8	28
29	.15			.12	.18				.18	.28			29
30	.80		.37	.13	.9		.4				.2		30
31							.2			1.04			31
Total	.28 9.16 9.22	1.50 1.22	.28 4.24 4.52	.11 5.46 5.49	3.4 3.59	1.19	.33	.62	2.85	.05 5.01 5.06	4.92 4.87	(–) 2.89	YEAR'S TOTAL 41.84
Rain Days.	24	7	14	18	?	11	5	6	15	14	20	9	149

W.7,000, XI. 13

Sr Wade

REGIST 3

FORM A. BRITISH RAINFALL.

13 MAR 1914

Kept at "Fairfield." St Germans

in the County of Cornwall 3

by I. Wallis Junr

Lat. Long.

Time of Observation 9.30 a m

Nearest Railway Station St Germans

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6" in.

" " " " Sea Level 140 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.22	.28		.28	.11						.5	–	1
2	.5	.22	.30	.10	.30				.20	.10	.43		2
3	.2		.2	.26	.40					.60	.25	.7	3
4	1.02				.11				.43	.57		.25	4
5	1.17		.35		Away. Total 2.57 in	.16			.3		.10	.35	5
6	.3					.8	.10		.55			.40	6
7	.18		.8			.27					.18		7
8	.2	.49				.11				.80	.30	.4	8
9	.18	.30					.15	.26		.3			9
10	.14					.7		.12	.2		.53		10
11	1.30	.5				.2		.2		.74	.33		11
12	.35					.4			.4		.91		12
13	.20	.2		.3					.18		.27		13
14	-		.15	.16					.15		.15		14
15	.36		.26				.2		.8		.10		15
16	.24		.52	1.15					.28		.3		16
17	.35		.56	.5					.8		.5		17
18	.8		.8	.12									18
19	.7		.28	.30									19
20	.47		.8						.53	.13	.18		20
21	.15		.14	.34		.8				.6	.63		21
22	.15		.56	.22						.3	.33		22
23	.25		.14	.40		.28		.5	.8	.20	.5		23
24	.3		.10			.2						1.30	24
25	.3			.22		.6					.3		25
26	-	.14		.48				.2	.4			.3	26
27	-			.82						.2		.37	27
28	1.15		.25	.48				.15		.47		8	28
29	.15			.12	.18				.18	.28			29
30	.80		.37	.13	.9		.4				.2		30
31							.2			1.04			31
Total	.28 9.16 9.22	1.50 1.22	.28 4.24 4.52	.11 5.66 5.49	3.4 3.59	1.19	.33	.62	2.85	.05 5.01 5.06	4.92 4.87	(–) 2.89	YEAR'S TOTAL 41.84
Rain Days.	24	7	14	18	?	11	5	6	15	14	20	9	149

W.7,000, XI. 13

Exd D J J

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at St Germans

in the County of Cornwall 3

by J. Wallis Gill

Lat. Long.

Time of Observation 9 am

Nearest Railway Station St Germans

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level about 170 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		.2	.15	.15		.16	.3	1.24			1.05	.3	1
2			.4		.10		.36	.85			.13		2
3	.3		x	.25	.54			.2	.4		.23		3
4	.20		x	.48	.11		1.20	.11			.5	.56	4
5	.10		x	.20								.10	5
6		.8	x 1.30 +		.25		.16				.15	.62	6
7	.16	.58	x	.32	.24	.16	.38	.34	.75			.30	7
8	.12	.3	x	.10	.2	.19		.2	.21				8
9	.6	.5	1.04	.23	.5	.65		.25	.44		.2		9
10	.15	.46	.5	.43	.8	.5			.34			.85	10
11		.20	1.04			.15			.5	.3	.3	.26	11
12		.33	.21				.15		.32		.21	.57	12
13		.65	.32						.34	.18	.44	.48	13
14		.32	.57			.5		.5	.2	.4	.68	.38	14
15	.16		.16				.10	.5	.5		.40	1.02	15
16			.3						.53			.2	16
17		.65	.38									.68	17
18		.33	.10				.60		.31			.22	18
19			.72				1.40		.3			.6	19
20		.35	.20			.4						.31	20
21		.37								.40			21
22		.12	.24			.5		.10		.28			22
23			.28				.2	.15		.12			23
24			.3								.4		24
25			.30				.8	.75		.73	.5	.86	25
26		.40	.21				.24			.4	.22	.42	26
27		.33								.18	.4	.34	27
28	.10		.34		.10					.10	.31	.83	28
29	.40		.20		.5					.2	.50	.13	29
30	.2	X	.18		.2					.10	.20	.82	30
31		X		X	.2	X			X	.43	X	.43	31
Total	1.50	5.24	8.06	2.16	1.58	1.53	4.42	3.96	3.43	2.68	4.48	10.23	YEAR'S TOTAL
Rain Days.	11	14	26(1)	8	12	9	12	12	13	13	18.	23	49.90

8,000. X. 14. + in 6 days I was away from home

174

notified 17/3/16

W DL

Crrd by auth 16.III.16

2044

4 JAN 1916

FORM A. BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1915

Kept at [illegible]

in the County of Cornwall

by [illegible]

3

Lat. Long.

Time of Observation 9 am

Nearest Railway Station [illegible]

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 2 ft. – in.

" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.05	.42			.03			.60	.08	.40		.09	1
2	.48	.33	.30	.10		.22		.02	.22			.42	2
3	.05	.12	.18	.22	.18							.85	3
4	.35	.52	.02		.08							.21	4
5	-	.54		.15				.38				.82	5
6	1.13	.21		.45			.60	.05				.33	6
7	.52	.45					.22			.90		.62	7
8	.15	.18						.15			.31	.17	8
9	.10	.05		.03				.05			.21	1.10	9
10	.47	.06	.07	.08				.09		.31	.18	.21	10
11	.10	.42	.10			.22		.02			1.24	.38	11
12	.02	.52		.03	.52			.18		.04	.31	.07	12
13		.81			.40				.03		.13	.12	13
14	.05						.32		.20	.10	.08	1.35	14
15	.20						.40		.02		.12	.28	15
16	.04	1.28			.42		1.14					.10	16
17	.02	.13					.02						17
18		.21			.06		.02						18
19	.03	.05			.41		.08						19
20	.38			.08		.25				.27			20
21	.27	.19			.15	.42	.40			.04		.02	21
22	.07	.15	.40				.37		.02	.10		.43	22
23		.05		.03		.07	.05		.07	.96		.73	23
24						.15	.12		.08	.40		.64	24
25						.08	.58					.26	25
26		.33				.27			.03			.81	26
27	.03	.10				.10				.70		.01	27
28		.06				.30			.33	.17		.18	28
29						.29	.02		.16		.42	.07	29
30	.10	✕				.10			.14	.42	.70	.34	30
31		✕		✕		✕	.40		✕	.65	✕	.28	31
Total	4.61	6.18. 7.18	1.07	1.17	2.55	2.47	4.75 4.77	1.64	1.38.	5.46	3.40	10.69 10.89	YEAR'S TOTAL 45.78 46.79
Rain Days.	21	23	6	9	9	12	15	9	12	14	10	27	164.

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1917

2nd Key

FORM A.
BRITISH RAINFALL.

5. JAN 1917

Kept at St Germans
in the County of Cornwall
by J. W. Gill.

Lat. Long.
Time of Observation 9 am
Nearest Railway Station St Germans
Diameter of Funnel of Rain Gauge ~~4~~ 5 in.
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 200 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.28		3		20	6	5		5	45	9	2	1
2	.45	10	7			8			30	36	28		2
3	3	1.28			40				2	85	32	2	3
4	23	23		5	4				4	17	38		4
5	10	24	8		2	81				14	36		5
6	6	20	3		22	4"-8	95			18	93		6
7		27	5		12		2			20	1.18	10	7
8		21	20		45						13	41	8
9		18	14			6				2	38	61	9
10		1.05		7	12	4				2	3		10
11				14	6				5				11
12	7	8		5	15		23	10		13			12
13		50	12	8	2			32			2		13
14		48	2		4			31		18			14
15	3	31	20	12				3		2		10	15
16	33	21		9			4	37		28		6	16
17	16	15	2						10	35	2.15		17
18	2		20	5					10	6	18	13	18
19	27	23		25							42	16	19
20		44	6								18	90	20
21	12	10	7	12	5						10	12	21
22			2			31	3	6		48		57	22
23	13					18		37		32	24	15	23
24		4	10	35		5		23		35		47	24
25	7	26	11					61		6	15	8	25
26	4	3	12		4	23		68	80	32	2	9	26
27			1.40			4		65	49	1.08			27
28						2		17	27	42	3	48	28
29		15	4			41		72		16		55	29
30		X				5			15	40			30
31		X		X		X		13	X	35	X		31
Total	2.39	4.04	3.11	1.37	1.43	2.67	1.32	4.75	2.37	7.68	7.54	4.96	YEAR'S TOTAL 47.19
Rain Days.	16	22.	20	11	14	16	6	14	11.	25	20	18	193

W. 8,000, VIII. 16

REGISTER OF RAINFALL IN 1917

1897

FORM A.
BRITISH RAINFALL.

16 1918

Kept at St. Ermans
in the County of Cornwall
by J. Walter Gill

Lat. 50.22 N. Long. 4.21 W.
Time of Observation 9 am
Nearest Railway Station St. Germans
Diameter of Funnel of Rain Gauge 5
Height of top of Gauge above Ground 2 ft. - in.
" " " " Sea Level 200. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.5		.2	.19		.31					.10		1
2	.2		.2	.13		.7							2
3	.7			.3						.64	.41		3
4	~~.28~~	.25	.70						Sept 1	.10			4
5	.28			.12		.1			to 10th	.18	.13		5
6			.63	.2		.30			.84	.26	.12		6
7	.73		.18			.3	.28	.27		.9	.17	.25	7
8	.10		.45	.12			.30	.24		.44	.21		8
9			.18	.8	.15					.10	.57		9
10			.31	.28				.43		.2	.1		10
11	.76		.44	.32				.3		.60	.58		11
12	.25		.2		.35			.4		.64	.1		12
13	.14		.23	.5		.4		.29	.10	.25		.5	13
14				.10			.18	.24		.24			14
15							.20		.9	.64		.45	15
16	.8	.18		.3		.14		.2		.23			16
17				.4			.46	.10	.80	.18			17
18					.41	.5	.24		.73	.3			18
19			.7			.20		.4	.4				19
20		1.08			1.01		.1	.22			.1		20
21			.10		.2			.18		.12			21
22					.4	.4		.16		.9			22
23		.19			.15			.14				.5	23
24							.56	.15		.28	.10	.2	24
25						.99	.2	.31	.20	.11	.11		25
26					.48	+		.10	.15	.3	.4		26
27			.7					.38		.3			27
28			.20			.39				.2	.3		28
29			.18			.5		.83		.47		.2	29
30		╳	.28							.2			30
31		╳	.17	╳	.24	╳			╳	.24	╳		31
Total	2.48	1.70	4.28	1.52	2.88	2.65	2.25	4.20	2.95	6.05	2.84	.84	YEAR'S TOTAL 34.66
Rain Days.	10	4	18	13	9	16	9	19	11 ?	26	15	6	156

W. 8,000, IX. 17.

+ 4 days included? c/o 24-27th = .99

Eso 84L

FORM A2.
BRITISH RAINFALL.
5 JAN 1912

REGISTER OF RAINFALL IN 1911.

Kept at St. Ives,

in the County of Cornwall.

by John Michael Nicholls, LRCP. L. &c.

RAIN GAUGE
Pattern Cassella's ordinary
Diameter of top 5 in.
Height of top above Ground 5 ft. — in.
" " " Sea Level 60 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name ~~J. M. Nicholls~~ St. Ives, C.
Distance 200 yards. Direction North.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.15	–	–	.08	.32	–	.02	.09	–	.02	.06	.15	1
2	.10	–	–	.06	.14	–	–	.26	.01	.21	.14	.14	2
3	–	–	.04	–	.36	–	–	.08	–	–	.14	.13	3
4	–	–	.10	–	–	–	–	1.21	–	.08	.22	.48	4
5	.85	–	.26	–	–	–	–	.12	–	.01	.14	.08	5
6	.04	–	.11	–	–	–	–	–	–	–	.16	.79	6
7	.15	–	–	–	–	–	–	–	–	–	.85	.83	7
8	.04	–	.21	–	–	–	–	–	–	–	.26	.42	8
9	.08	.03	–	–	–	–	–	–	–	–	.20	.44	9
10	.06	.06	.84	–	–	–	–	–	–	–	.27	.30	10
11	.55	–	.03	–	–	–	–	.06	.35	–	.62	.15	11
12	–	–	.66	–	–	–	–	.12	.42	–	.13	.21	12
13	.03	–	.10	–	–	–	–	–	.07	–	.20	.06	13
14	–	.25	.08	–	–	–	–	–	–	.11	.19	.48	14
15	–	.09	.05	–	–	.14	–	–	–	–	.41	.10	15
16	–	–	–	–	–	.75	–	–	–	–	.04	.18	16
17	–	.04	.65	.46	–	.23	–	–	–	.01	.27	.36	17
18	–	.27	.21	.24	–	.03	–	–	–	–	.10	.24	18
19	–	.02	.02	–	–	.02	–	–	.84	.11	.10	.60	19
20	–	.05	.08	.16	–	.04	–	–	.47	.86	.08	.68	20
21	.04	.22	.15	.01	–	.07	–	–	.12	.20	.07	.16	21
22	.01	.09	.02	.09	–	.15	–	–	.67	.19	.09	.24	22
23	.03	.23	–	.01	–	.06	–	.30	.06	.45	–	.23	23
24	.02	.28	–	–	–	.24	–	–	–	.32	–	.28	24
25	.04	.01	–	21	–	.02	–	–	.12	.24	–	.18	25
26	–	.22	–	.40	–	–	.10	.29	.02	.36	–	.25	26
27	–	.71	.07	.07	–	–	–	.26	.04	.25	–	.13	27
28	–	.10	.08	.46	–	–	.04	–	.13	.02	.05	–	28
29	–		.09	.32	.01	.44	.42	–	.07	.30	–	–	29
30	–		–	–	–	.03	.13	–	.04	.18	.03	.04	30
31	–		–		–		.12	–		.08		.06	31
Total	2.19	2.67	3.85	2.57	.83	2.22	.83	2.79	3.43	4.00	4.82	8.39	TOTAL for year 38.59
No. of Rain Days.	15	16	20	13	4	13	6	10	15	19	24	29	184

W. 8,000, X. '11.

Eng DS

REGISTER OF RAINFALL IN 1912

FORM A. BRITISH RAINFALL.

8 - JAN 1913

Kept at St. Ives,

in the County of Cornwall

by Dr. J. M. Nicholls.

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station St. Ives Cornwall

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 5 ft. — in.

" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
.02
taken on
Jan. 2nd.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	—	—	.12	—	.01	.54	.24	.03	.14	.33	—	.23	1
2	—	.01	.22	.02	—	.40	.04	.03	—	.02	—	.01	2
3	.01	—	.30	—	—	.28	—	1.09	.05	—	—	.05	3
4	.27	.01	.13	—	.01	.09	—	.12	—	—	.34	—	4
5	.67	.23	.35	—	.07	—	.26	1.71	—	—	—	.25	5
6	.35	.11	.05	—	.40	—	.12	.13	—	—	.02	—	6
7	.21	.50	.20	.01	.03	—	.06	.07	—	—	.02	.14	7
8	.31	.08	.16	—	—	.23	.04	—	—	—	—	—	8
9	.01	.25	.13	.06	—	.07	.46	.04	—	—	.01	.84	9
10	.36	.03	.11	.04	—	.10	.24	—	—	—	.15	.11	10
11	—	.30	.06	—	—	.04	.15	.51	—	—	.11	.55	11
12	.03	.11	.31	.03	—	—	.25	.46	—	—	.32	.03	12
13	.37	—	.02	.08	—	.04	—	.11	—	—	.18	.20	13
14	.01	12	.46	—	—	—	—	.03	—	—	.02	.13	14
15	.54	.09	.06	—	.05	.42	—	.40	—	.03	.05	.46	15
16	.02	—	.35	—	—	.09	—	.04	—	.13	.07	.13	16
17	.14	—	.28	—	.01	.07	—	.46	—	—	.14	.20	17
18	—	.09	.24	—	—	—	—	.48	—	.10	.02	.06	18
19	—	.14	.26	—	—	.02	.03	.60	—	.04	—	.04	19
20	.06	.17	.37	—	.06	.03	—	.08	—	.35	.02	—	20
21	—	.60	.30	—	.08	—	.38	.02	—	.41	—	—	21
22	.24	.10	.41	—	—	.18	.18	.10	—	.08	—	.20	22
23	.40	.50	.26	—	—	.04	.13	.85	—	.10	.16	.23	23
24	.08	.04	.03	—	—	.24	.12	.03	—	.21	—	.21	24
25	—	—	—	—	—	.15	.20	.19	—	.41	.34	.44	25
26	—	.02	—	—	—	—	.20	.01	—	.12	.85	.48	26
27	—	.04	—	—	—	.42	.18	.02	.22	.74	.27	.71	27
28	—	.11	—	—	—	.12	.25	.85	.26	.20	.38	.40	28
29	—	.18	.02	—	.02	.18	.18	.06	.35	.21	.18	.09	29
30	—		.06	—	—	.09	.40	—	.20	.17	.05	—	30
31	—		.23	—	.19		.06	.02		.05		.10	31
Total	4.08	3.83	5.49	.24	.93	3.84	4.17	8.54	1.22	3.70	3.70	6.29	YEAR'S TOTAL 46.03
Rain Days.	18	23	27	6	11	22	22	28	6	18	21	25	~~225~~ 227

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.
19 JAN 191

REGISTER OF RAINFALL IN 1913

Kept at St. Ives.
in the County of Cornwall.
by Dr. I. M. Nicholls

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station St. Ives, Cornwall.
Diameter of Rain Gauge 5in. in.
Height of top of Gauge above Ground 6 ft. 6 in.
" " " " Sea Level 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. —

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.02	.16	.27	.09	.03	—	—	—	.01	.05	.21	.02	1
2	.03	.09	.03	.21	.42	.07	—	—	—	—	.13	.04	2
3	.18	—	.05	—	.09	.01	—	—	.49	.15	—	.20	3
4	.44	.01	.02	.01	—	.02	—	—	.07	.02	.29	.21	4
5	.13	.05	—	—	.24	.11	—	—	—	—	.40	.84	5
6	.10	.08	.12	—	.11	.19	—	—	.03	.30	.30	.02	6
7	.07	.24	.03	—	.75	.01	.06	—	—	.21	.18	.02	7
8	.18	.17	—	—	.32	—	—	.07	—	—	—	.04	8
9	.19	.04	.01	—	.04	.04	—	.05	—	.07	.37	.03	9
10	1.10	—	.01	—	.24	—	—	—	—	.21	.17	.01	10
11	.40	—	.01	—	.08	—	—	.79	.04	—	.22	.09	11
12	.32	—	—	.12	.01	—	—	.02	.17	—	.20	—	12
13	.10	—	.09	—	.10	—	—	—	.34	—	.23	—	13
14	.35	—	.14	.04	—	—	.02	—	.22	—	.19	—	14
15	.20	—	.45	.74	—	—	—	—	.09	—	.15	.02	15
16	.27	—	.44	.13	—	—	—	—	.03	—	.01	—	16
17	.12	—	.04	.10	—	—	—	—	—	—	.11	—	17
18	.31	—	.22	.22	—	.02	—	—	—	—	.07	—	18
19	.36	—	.11	—	.05	—	—	—	.22	.18	—	—	19
20	.08	—	.18	.29	—	.03	—	—	—	.09	.41	—	20
21	.14	—	.19	.30	.01	.06	—	.06	—	.10	.17	—	21
22	.15	—	.59	.03	—	.24	—	.16	—	.05	.02	.43	22
23	.04	—	—	.05	—	—	—	.09	—	—	.22	.80	23
24	.08	.13	—	.07	—	.10	—	—	.02	—	.18	—	24
25	—	—	—	.27	—	—	—	—	—	.01	.07	.07	25
26	—	—	—	.71	—	—	—	.09	—	.02	.02	.38	26
27	.41	—	.24	.28	—	—	—	.05	.10	.41	.01	.09	27
28	.03	—	.09	.14	.22	—	—	—	.06	.48	.01	.14	28
29	.13		.39	.32	.10	—	.03	—	—	.14	—	.28	29
30	.40		—	.08	.11	—	—	—	—	.11	.02	—	30
31	.14		.32		.01		—	—		.08		—	31
Total	6.47	.97	4.04	4.20	2.93	.90	.11	1.38	1.89	2.68	4.36	3.73	YEAR'S TOTAL 33.66
Rain Days.	29.	9.	23.	20.	18.	12.	3.	9.	14.	18.	26.	19.	200.

W. 7,500, XI. 12

REGISTER OF RAINFALL IN 1911

FORM A2. BRITISH RAINFALL.

3 - JAN 1912

Kept at New Bussow Reservoir St Ives.

in the County of Cornwall

by S. E. Wintle

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground – ft. 8
" " " Sea Level 393 ft. B M.

Time of Observation 9 a

Nearest Railway Station
Name St Ives
Distance 1¼ Direction W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·05			·21	·30		·03	·09		·06	·03	·21	1
2	·06			·01	·26			·39		·36	·18	·33	2
3			·02					·07	·02		·41	·13	3
4			·10		·28			1·65	·01	·02	·38	·62	4
5	·70		·25		·01			·04		·02	·10	·02	5
6	·01		·02					·01		·02	·08	1·43	6
7	·12			·03							·74	·08	7
8	·10		·20								·27	·42	8
9	·04	·10	·02								·17	·68	9
10	·12	·06	1·17		·02						·27	·26	10
11	·32		·02					·12	·26	·04	·59	·06	11
12			·61					·09	·71		·11	·40	12
13	·07		·05		·01				·08		·26	·12	13
14		·25								·28	·37	·84	14
15		·11	·02			·17					·49	·09	15
16	·01	·01				·91					·09	·41	16
17		·04	·25	·14		·21				·01	·31	·70	17
18		·30	·18	·28		·01				1·31	·09	·41	18
19	·04	·01	·01	·05		·08			·79	·14	·08	·78	19
20		·05	·11	·20		·06		·01	·63	1·31	·13	·75	20
21		·12	·28	·02		·16			·25	·21	·06	·35	21
22	·08	·19	·01	·08		·13			·79	·07		·56	22
23		·02		·02				·37	·07	·20	·05	·70	23
24	·02	·21				·22		·02		·15		·60	24
25	·02	·01		·24		·03	·11		·14	·49		·15	25
26		·22	·01	·48			·02	·42	·01	·66		·39	26
27		·45	·06	·06		·05		·26	·04	·24		·24	27
28		·05	·01	·53					·10	·07	·03		28
29			·04	·21		·72	·52	·02	·22	·34		·01	29
30						·04	·12		·05	·31	·65	·13	30
31							·31			·06		·01	31
Total	1·76	2·50	3·44	2·56	·88	2·79	1·11	3·56	4·14	6·37	5·94	11·88	TOTAL for year 46·96
No. of Rain Days	15	17	21	15	6	13	6	14	16	22	24	30	199

9,000, IX. '10.

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
18 JAN 1913

Kept at New Bussow Reservoir St Ives
in the County of Cornwall
by S Palmer

Lat. ……… Long. ………
Time of Observation 9. am
Nearest Railway Station St Ives
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09			·60	·08	·06	·17	·38	·02	·30	1
2			·22	·01	·02	·25	·12		·01	·04			2
3	·04		·62	·04		·21	·01	2·07	·08			·13	3
4	·33	·02	·41	·01	·05	·18		·18			·46	·03	4
5	·88	·29	·02	·04	·08		·31	1·76	·01		·01	·30	5
6	·41	·11	·17	·07	·43		·15	·39			·01	·05	6
7	·27	·73	·30	·07	·03		·18	·02			·03	·30	7
8	·70	·13	·05			·18		·07					8
9	·02	·44	·29	·02		·03	·58	·02		·01	·02	1·15	9
10	·39	·06	·03	·08	·01	·03	·24	·65	·03	·02	·37	·09	10
11	·02	·59					·08	1·10		·01	·04	·90	11
12	·08	·17	·53		·12		·49	·03			·40	·02	12
13	·71		·04	·54		·12	·01	·05		·09	·18	·25	13
14	·02	·56	·52					·09		·01	·01	·11	14
15	1·27	·21	·10		·08	·61		·50		·01	·17	·69	15
16	·04	·02	·78			·11		·60		·26	·09	·07	16
17	·08	·01	·32		·03			·49			·17	·05	17
18	·01	·13	·29					·57		·16	·01	·03	18
19		·07	·36		·02	·07		·15		·09	·01	·11	19
20	·22	·17	·61		·09	·62				·44	·03		20
21	·01	·76	·39		·17		·17	·08		·17			21
22	·28	·34	·40			·22	·77	·20		·09	·09	·19	22
23	·33	·68	·32			·05	·20	1·00		·13	·18	·38	23
24	·03	·11	·04			·45	·11	·04		·23		·18	24
25		·03				·07	·22	·31		·49	·50	·41	25
26		·04					·28	·01		·34	·69	·58	26
27		·06	·02			·73	·26	·16	·26	·90	·26	·65	27
28		·18	·02			·24	·22	·90	·29	·30	·38	·45	28
29		·31	·04			·15	·39	·23	·38	·18	·05	·11	29
30			·04	·02	·12	·03	·48		·17	·22		·01	30
31			·47		·35		·16	·04		·06		·26	31
Total	6·14	6·32	7·49	·90	1·60	4·35	5·51	11·77	1·40	4·63	4·18	4·80	YEAR'S TOTAL 61·99
Rain Days.	21	25	28	10	14	20	22	28	9	23	24	~~28~~ 27	252

W. 7,500, XI. 12

✓

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
9- JAN 1914

Kept at New Bussow Reservoir
in the County of St Ives Cornwall.
by S. Palmer Boro Surveyor

Lat. Long.
Time of Observation 9 o'clock A.M.
Nearest Railway Station St Ives.
Diameter of Rain Gauge 5" in.
Height of top of Gauge above Ground – ft. 8 in.
" " " " Sea Level 393 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	·05	·11	·40	·04	·01	·	·	·	·	·10	·43	·08	1
2	·15	·12	·03	·32	·45	·14	·	·	·	·	·19	·07	2
3	·27	·	·14		·02		·	·	1·44	·02	·	·26	3
4	·73	·05	·25	·02	·	·31	·	·03	·34	·01	·56	·39	4
5	·09	·06			·42	·17	·01	·	·16	·	·33	1·36	5
6	·46	·19	·11		·10	·31	·02	·	·02	·19	·18	·03	6
7	·26	·76	·03		1·13	·04	·04	·01	·	·25	·64	·02	7
8	·31	·30	·		·66	·	·29	·03	·	·02	·01	·05	8
9	·50	·04	·02	·	·11	·03	·	·06	·10	·03	·76	·04	9
10	1·55	·	·01	·01	·28	·01	·	·	·	·17	·07	·00	10
11	·43		·04		·84	·20	·	·88	·16	·	·52	·10	11
12	·12			·23	·02	·04	·01	·	·51	·	·10	·01	12
13	·48	·	·18	·11	·13	·03	·03	·04	·50	·	·22	·	13
14	·53	·	·20	·02	·07		·	·	·29	·08	·20	[illegible]	14
15	·10		·53	1·10		·	·	·	·36	·	·47	·08	15
16	·55		·58	·10		·	·01	·01	·01	·	·04	·	16
17	·07		·01	·26		·05	·03	·	·	·	·21	·	17
18	·38		·46	·27		·		·	·46	·	·12	·	18
19	·37		·08		·14	·07	·	·	·01	·31	·	·	19
20	·15		·34	·49	·03	·02		·	·	·06	·88	·	20
21	·16	·	·24	·16	·01	·04	·03	·07	·19	·04	·18	[illegible]	21
22	·12		1·06	·48	·05	·28	·	·24	·10	·03	·	·63	22
23	·02	·	·03	·06		·	·	·08	·	·	·37	·80	23
24	·03	·26	·	·18		·15	·	·	·17	·	·10	[illegible]	24
25	·03			·44	·01	·	·	·	·	·01	·12	·09	25
26	·		·	1·40		·02	·	·12	·	·06	·03	·08	26
27	·99	·	·34	·31		·	·	·16	·11	·36	·05	·09	27
28	·01	·	·17	·09	·15		·	·	·01	·88	·02	·29	28
29	·11		·46	·53	·10	·	·03	·	·01	·29	·07	·40	29
30	·79		·	·07	·24	·	·01	·	·	·05	·01	·02	30
31	·39		·42		·10		·	·		·04		·	31
Total	10·20	1·89	6·13	6·69	5·37	1·91	·51	1·73	4·95	3·00	6·88	4·89	YEAR'S TOTAL 54·15
Rain Days.	30	9	24	22	22	17	11	12	19	20	27	20	233

W. 7,500, XI. ·12

ST KERVERNE
ROSEWICK COTTAGE
CORNWALL
1911 - 1920

FORM A2.
BRITISH RAINFALL.
23 JAN 1912

I 11

ROSUICK Co

Kept at Rosuick l, from Negretti

5 in.

ove Ground 1 ft. 0 in.

in the County of Co „ Sea Level abt 250 ft.

by G. Walter Je 9 a.m.

Name Helston

Distance 7½ miles ~~8~~ Direction N.W.

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the r year in the space provided for it at the end of rement of rain, the selection and pla British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	·00	·02	·01	·30	·00	·02	·03	·00	·03	·04	·03	1
2	·02	·00	·01	·07	·32	·00	·00	·33	·00	·22	·10	·26	2
3	·00	·00	·03	·00	·27	·00	·00	·02	·00	·00	·27	·06	3
4	·00	·00	·13	·00	·02	·00	·00	1·12	·06	·07	·36	·46	4
5	·55	·00	·28	·00	·00	·00	·00	·22	·00	·07	·14	·04	5
6	·31	·00	·12	·00	·00	·00	·00	·00	·00	·07	·11	·89	6
7	·10	·00	·00	·00	·00	·00	·00	·00	·00	·00	·59	·02	7
8	·08	·00	·25	·00	·00	·02	·00	·00	·00	·00	·18	·63	8
9	·07	·00	·01	·00	·00	·00	·00	·00	·00	·00	·13	·69	9
10	·06	·13	·83	·00	·00	·00	·00	·00	·00	·06	·22	·37	10
11	·61	·00	·01	·00	·00	·00	·00	·07	·21	·01	·99	·10	11
12	·01	·00	·60	·00	·00	·00	·00	·13	·87	·00	·16	·25	12
13	·00	·00	·17	·00	·01	·00	·00	·00	·15	·02	·17	·03	13
14	·00	·23	·15	·00	·00	·00	·00	·00	·00	·17	·16	·47	14
15	·00	·08	·03	·00	·00	·29	·00	·00	·00	·01	·23	·08	15
16	·00	·02	·01	·00	·00	·64	·00	·00	·00	·02	·22	·25	16
17	·00	·06	·70	·13	·00	·10	·00	·00	·00	·03	·20	·65	17
18	·00	·35	·21	·10	·00	·22	·00	·00	·00	·00	·20	·24	18
19	·00	·03	·01	·04	·00	·08	·00	·00	·47	·25	·02	·65	19
20	·00	·13	·14	·12	·00	·03	·00	·02	·34	·84	·09	·80	20
21	·03	·20	·18	·01	·00	·05	·01	1·03	·23	·15	·00	·26	21
22	·03	·07	·01	·26	·00	·20	·00	·00	1·06	·20	·00	·51	22
23	·07	·11	·02	·03	·00	·02	·00	·40	·04	·38	·16	·36	23
24	·02	·33	·00	·00	·00	·10	·00	·03	·00	·18	·01	·42	24
25	·05	·02	·00	·21	·00	·04	·00	·00	·08	·48	·00	·11	25
26	·02	·18	·02	·57	·00	·01	·08	·21	·01	·24	·00	·35	26
27	·00	·80	·20	·01	·00	·01	·00	·17	·01	·54	·00	·22	27
28	·00	·16	·01	·47	·00	·00	·05	·01	·13	·01	·05	·01	28
29	·00		·06	·55	·06	·44	·60	·00	·19	·36	·00	·02	29
30	·00		·01	·06	·00	·02	·05	·00	·05	·22	·43	·23	30
31	·00		·00		·00		·07	·00		·02		·03	31
Total	2·10	2·90	4·22	2·58	·98	2·27	·88	3·79	3·90	4·65	5·23	9·49	TOTAL for year 42·99
No. of Rain Days.	16	16	27	14	6	16	7	14	15	25	24	31	~~42·99~~ 211

W. 8,000, X. '11.

FORM A2. BRITISH RAINFALL. 23 JAN 1912

REGISTER OF RAINFALL IN 1911

ROSUICK COTTAGE

Kept at Rosuick Cottage

in the County of Cornwall 2

by G. Walter Jevons

RAIN GAUGE Pattern usual, from Negretti
Diameter of top 5 in.
Height of top above Ground 1 ft. 0 in.
" " " Sea Level abt 250 ft.

Time of Observation 9 a.m.

Nearest Railway Station Name Helston
Distance 7½ ~~3~~ miles Direction N.W.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·07	·00	·02	·01	·30	·00	·02	·03	·00	·03	·04	·03	1
2	·02	·00	·01	·07	·32	·00	·00	·33	·00	·22	·10	·26	2
3	·00	·00	·03	·00	·27	·00	·00	·02	·00	·00	·27	·06	3
4	·00	·00	·13	·00	·02	·00	·00	1·12	·06	·07	·36	·46	4
5	·55	·00	·28	·00	·00	·00	·00	·22	·00	·07	·14	·04	5
6	·31	·00	·12	·00	·00	·00	·00	·00	·00	·07	·11	·89	6
7	·10	·00	·00	·00	·00	·00	·00	·00	·00	·00	·59	·02	7
8	·08	·00	·25	·00	·00	·02	·00	·00	·00	·00	·18	·63	8
9	·07	·00	·01	·00	·00	·00	·00	·00	·00	·00	·13	·69	9
10	·06	·13	·83	·00	·00	·00	·00	·00	·00	·06	·22	·37	10
11	·61	·00	·01	·00	·00	·00	·00	·07	·21	·01	·99	·10	11
12	·01	·00	·60	·00	·00	·00	·00	·13	·87	·00	·16	·25	12
13	·00	·00	·17	·00	·01	·00	·00	·00	·15	·02	·17	·03	13
14	·00	·23	·15	·00	·00	·00	·00	·00	·00	·17	·16	·47	14
15	·00	·08	·03	·00	·00	·29	·00	·00	·00	·01	·23	·08	15
16	·00	·02	·01	·00	·00	·64	·00	·00	·00	·02	·22	·25	16
17	·00	·06	·70	·13	·00	·10	·00	·00	·00	·03	·20	·65	17
18	·00	·35	·21	·10	·00	·22	·00	·00	·00	·00	·20	·24	18
19	·00	·03	·01	·04	·00	·08	·00	·00	·47	·25	·02	·65	19
20	·00	·13	·14	·12	·00	·03	·00	·02	·34	·84	·09	·80	20
21	·03	·20	·18	·01	·00	·05	·01	1·03	·23	·15	·00	·26	21
22	·03	·07	·01	·26	·00	·20	·00	·00	1·06	·20	·00	·51	22
23	·07	·11	·02	·03	·00	·02	·00	·40	·04	·38	·16	·36	23
24	·02	·33	·00	·00	·00	·10	·00	·03	·00	·18	·01	·42	24
25	·05	·02	·00	·21	·00	·04	·00	·00	·08	·48	·00	·11	25
26	·02	·18	·02	·57	·00	·01	·08	·21	·01	·24	·00	·35	26
27	·00	·80	·20	·01	·00	·01	·00	·17	·01	·54	·00	·22	27
28	·00	·16	·01	·47	·00	·00	·05	·01	·13	·01	·05	·01	28
29	·00		·06	·55	·06	·44	·60	·00	·19	·36	·00	·02	29
30	·00		·01	·00	·00	·02	·05	·00	·05	·22	·43	·23	30
31	·00		·00		·00		·07	·00		·02		·03	31
Total	2·10	2·90	4·22	2·58	·98	2·27	·88	3·79	3·90	4·65	5·23	9·49	TOTAL for year 42·99
No. of Rain Days.	16	16	27	14	6	16	7	14	15	25	24	31	~~42·99~~ 211

W. 8,000, X. '11.

EXMS

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL
3-

Kept at ROSUICK Cottage, St Keverne (Parish) } St Martin (Post Town)

in the County of Cornwall 2

by G. Vatter Jevons

RAIN GAUGE { Pattern Usual from Negretti & Zambra
Diameter of top 5 in. (5 in)
Height of top above Ground 1 ft. in.
" " " Sea Level abt 250 ft.

Time of Observation 9 a.m.

Nearest Railway Station { Name Helston
Distance 7½ Direction NW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.00	.00	.06	.02	.02	.47	.16	.04	.18	.46	.00	.32	1
2	.00	.00	.21	.01	.00	.39	.00	.05	.01	.06	.01	.01	2
3	.03	.02 snow	.34	.01	.00	.27	.00	1.86	.08	.00	.00	.04	3
4	.25	.02 snow	.20	.00	.04	.11	.00	.13	.00	.00	.43	.00	4
5	.84	.30	.39	.01	.06	.40	.50	.97	.00	.00	.01	.22	5
6	.37	.07	.02	.00	.65	.01	.18	.33	.00	.00	.05	.01	6
7	.16	.55	.35	.01	.04	.04	.07	.03	.00	.00	.05	.15	7
8	.61	.10	.07	.04	.01	.10	.02	.00	.00	.00	.00	.10	8
9	.01	.16	.03	.01	.01	.20	.45	.32	.00	.00	.00	1.02	9
10	.36	.04	.20	.05	.01	.00	.26	.02	.00	.00	.20	.10	10
11	.01	.40	.15	.00	.00	.00	.01	.63	.00	.00	.38	.62	11
12	.05	.36	.37	.00	.02	.00	.28	Fll	.00	.00	.32	.02	12
13	.60	.02	.08	.04	.00	.09	.00	.10	.00	.06	.06	.20	13
14	.09	.18	.38	.00	.02	.00	.00	.14	.00	.04	.01	.16	14
15	.72	.18	.16	.00	.07	.36	.00	.07	.00	.00	.02	.61	15
16	.24	.01	.45	.00	.00	.08	.00	.33	.00	.11	.02	.11	16
17	.01	.00	.36	.00	.06	.07	.00	.64	.00	.00	.20	.22	17
18	.00	.12	.26	.00	.00	.01	.00	.77	.00	.13	.02	.03	18
19	.00	17	.09	.00	.03	.09	.01	.27	.00	.13	.01	.02	19
20	.12	.27	.54	.01	.07	.03	.00	.06	.00	.97	.03	.00	20
21	.01	.89	.38	.00	.39	.00	.70	.03	.00	.30	.00	.00	21
22	.32	.25	.42	.00	.00	.20	.28	.16	.00	.07	.10	.16	22
23	.41	.50	.34	.00	.00	.10	.23	1.05	.00	.10	.25	.42	23
24	.38	.04	.05	.00	.00	.33	.10	.02	.00	.16	.00	.22	24
25	.01	.01	.01	.00	.00	.17	.00	.16	.00	.62	.43	.53	25
26	.00	02	.01	.00	.00	.00	.13	.00	.00	.16	.62	.61	26
27	.00	.09	.01	.00	.00	.44	.20	.21	.12	1.50	.16	.88	27
28	.00	.11	.01	.00	.00	.22	.33	.70	.28	.22	.45	.65	28
29	.00	.17	.06	.00	.00	.17	.11	.11	.10	.27	.53	.05	29
30	.00		.12	.01	.00	.05	.44	.00	.21	.14	.10	.01	30
31	.00		.24		.29		.20	.01		.02		.37	31
Total	5.60	5.05	6.36	.22	1.79	4.40	4.66	10.32	98	5.52	4.46	7.86	TOTAL for year 57.22
No. of Rain Days.	21	26	31	11	15 16	24	20	28	7	19	24	28	254 255

W. 8,000, X. '11.

Ex D.L

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
2- JAN 1914

Kept at BOSVICK Cottage Parish 1 St Keverne
Porthoustock St Martin 2
in the County of Cornwall
by G. Walter Jevons

Lat. 50° 5′ Long. 5° 10′
Time of Observation 9 a.m.
Nearest Railway Station Helston
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level abt 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·10	·32	·04	·04	·00	·00	·00	·02	·12	·29	·04	1
2	·05	·12	·00	·27	·45	·20	·00	·00	·00	·01	·16	·09	2
3	·20	·01	·14	·02	·18	·02	·00	·00	1·20	·56	·01	·32	3
4	·71	·00	·09	·04	·01	·09	·00	·00	·47	·04	·19	·36	4
5	·22	·04	·03	·00	·34	·08	·01	·00	·05	·01	·48	1·05	5
6	·13	·17	·09	·00	·07	·25	·01	·00	·01	·28	·19	·07	6
7	·11	·42	·11	·00	·65	·08	·01	·00	·00	·25	·30	·03	7
8	·23	·30	·00	·00	·34	·00	·25	·07	·00	·03	·01	·09	8
9	·07	·05	·01	·00	·02	·01	·01	·02	·00	·00	·81	·08	9
10	1·08	·00	·00	·00	·05	·03	·00	·01	·00	1·33	·11	·00	10
11	·76	·00	·01	·00	·70	·19	·00	1·61	·08	·01	·41	·11	11
12	·11	·00	·00	·02	·00	·02	·01	·00	·04	·00	·13	·01	12
13	·10	·00	·09	·23	·01	·00	·01	·03	·14	·00	·28	·00	13
14	·37	·00	·18	·01	·32	·00	·10	·00	·23	·02	·16	·00	14
15	·17	·00	·77	·71	·00	·00	·00	·00	·10	·00	·24	·06	15
16	·49	·00	·50	·07	·00	·00	·02	·00	·04	·00	·06	·00	16
17	·18	·00	·05	·17	·00	·00	·05	·00	·00	·00	·08	·00	17
18	·11	·00	·32	·44	·00	·03	·00	·00	·00	·00	·16	·00	18
19	·28	·00	·07	·00	·14	·05	·00	·00	·36	·23	·00	·00	19
20	·08	·00	·10	·59	·00	·01	·00	·00	·01	·14	·60	·00	20
21	·24	·00	·29	·26	·04	·03	·03	·07	·00	·02	·20	·00	21
22	·11	·00	·57	·01	·04	·37	·00	·10	·14	·07	·00	·46	22
23	·04	·00	·01	·00	·01	·00	·00	·04	·03	·00	·24	1·12	23
24	·06	·13	·00	·16	·01	·11	·00	·04	·00	·00	·09	·01	24
25	·01	·01	·12	·55	·00	·00	·00	·00	·13	·02	·10	·12	25
26	·00	·00	·00	·96	·00	·02	·00	·06	·02	·04	·01	·41	26
27	·57	·00	·19	·15	·00	·00	·00	·15	·00	·24	·01	·07	27
28	·02	·00	·08	·11	·15	·00	·00	·01	·35	1·23	·00	·34	28
29	·18		·58	·37	·02	·00	·05	·00	·01	·08	·05	hail ·27	29
30	·72		·00	·09	·09		·04	·00	·00	·26	·03	hail ·00	30
31	·30		·33		·00		·00	·00		·07		·00	31
Total	7·73	1·35	5·05	5·27	3·68	1·59	·60	2·21	3·43	5·06	5·40	5·11	YEAR'S TOTAL 46·48
Rain Days.	30	10	24	21	21	17	13	12	19	22	27	20	236

W.7,000, XI. 13

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
- JAN 1914

Kept at Rosuick Cottage Parish of St Keverne Post-town St Martin

in the County of Cornwall 2

by G. Walter Jevons

Lat. 50° 5′ Long. 5 10

Time of Observation 9 a.m

Nearest Railway Station Helston

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level abt 250 ft.

G. WALTER JEVONS,
ROSUICK COTTAGE,
ST. MARTIN, CORNWALL.

G. WALTER JEVONS,
ROSUICK COTTAGE,
ST. MARTIN, CORNWALL.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·00	·00	·15	·15	·00	·12	·14	·86	·00	·00	·53	·06	1
2	·02	·00	·01	·01	·11	·00	·41	·01	·00	·00	·00	·43	2
3	·05	·00	·18	·33	·45	·00	·00	·00	·00	·01	·00	·11	3
4	·25	·00	·18	·61	·00	·00	1·32	1·10	·06	·00	·00	·82	4
5	·26	·00	·18	·25	·01	·00	·02	·01	·00	·00	·01	·01	5
6	·01	·15	·22	·17	·13	·00	·15	·06	·00	·00	·00	·48	6
7	·15	·58	·23	·29	·02	·21	·19	·17	·64	·00	·00	·17	7
8	·14	·00	1·29	·07	·01	·50	·01	·01	·01	·00	·02	·01	8
9	·05	·17	·18	·27	·05	·77	·02	·10	·04	·00	·01	·07	9
10	·15	·42	·08	·70	·21	·10	·00	·00	·24	·00	·04	·88	10
11	·01	·24	1·07	·00	·01	·02	·00	·00	·03	·00	·08	·54	11
12	·00	·55	·31	·00	·00	·00	·05	·00	·15	·08	·22	·11	12
13	·00	·39	·35	·00	·00	·00	·18	·00	·18	·24	·23	·19	13
14	·00	·30	·35	·00	·00	·30	·08	·00	·03	·01	·76	·19	14
15	·09	·01	·28	·00	·00	·00	·01	·11	·10	·02	·87	·52	15
16	·00	·03	·03	·00	·00	·00	·02	·00	·70	·00	·00	·03	16
17	·06	·65	·42	·00	·00	·00	·04	·00	·00	·00	·00	·75	17
18	·00	·33	·04	·00	·00	·00	·14	·00	·33	·00	·00	·28	18
19	·00	·24	·69	·00	·00	·00	·95	·00	·01	·00	·02	·15	19
20	·00	·29	·14	·00	·00	·20	·11	·00	·00	·01	·05	·38	20
21	·00	·49	·01	·00	·00	·13	·01	·04	·00	·50	·01	·01	21
22	·00	·16	·17	·03	·05	·10	·00	·04	·00	·16	·01	·02	22
23	·00	·25	·28	·00	·00	·15	·05	·14	·00	·28	·00	·00	23
24	·20	·00	·07	·00	·00	·01	·08	·01	·00	·05	·08	·00	24
25	·02	·00	·70	·00	·00	·06	·09	·51	·00	·69	·05	·66	25
26	·12	·22	·84	·00	·00	·00	·29	·01	·00	·14	·36	·60	26
27	·03	·33	·01	·00	·00	·00	·22	·00	·00	·06	·60	·39	27
28	·00	·04	·21	·00	·01	·06	·04	·00	·00	·03	·20	1·10	28
29	·38	✕	·20	·00	·10	·00	·00	·00	·00	·01	·56	·03	29
30	·01	✕	·16	·02	·00	·00	·04	·00	·00	·14	·26	·23	30
31	·01	✕	·00	✕	·00	✕	1·11	·00	✕	·24	✕	·45	31
Total	2·01	5·84	9·03	2,90	1·16	2·61	5·77	3·18	2,52	2·67	4·97	9·67	YEAR'S TOTAL 52·33
Rain Days.	19	20	30	12	12	12	26	15	13	17	22	29	227

226

W. 8,000. X. 14.

2011

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at ROSUICK Cottage Parish of St Keverne Post-town St Martin

in the County of Cornwall

by G. Walter Jevons

2

Lat. 50° 5′ Long. 5° 10′

Time of Observation 9 a.m.

Nearest Railway Station Helston

Diameter of Funnel of Rain Gauge 5 in in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level abt 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23	·60	·00	·00	·06	·00	·00	·26	·09	·62	·01	·11	1
2	·27	·18	·18	·10	·01	·35	·00	·19	·06	·00	·00	1·15	2
3	·11	·11	·17	·19	·32	·00	·00	·01	·02	·00	·00	·63	3
4	·26	·36	·06	·01	·37	·02	·00	·08	·00	·00	·00	·15	4
5	·05	·48	·02	·30	·01	·00	·00	·39	·00	·00	·00	·80	5
6	1·28	·34	·00	·53	·00	·00	·45	·08	·00	·00	·00	·13	6
7	·48	·53	·00	·04	·00	·00	·09	·01	·00	1·96	·09	·22	7
8	·16	·37	·00	·00	·00	·00	·00	·14	·00	·11	·10	·39	8
9	·04	·13	·00	·13	·00	·00	·00	·02	·00	·00	·33	·75	9
10	·30	·24	·08	·10	·00	·00	·00	·08	·00	·56	·03	·09	10
11	·07	·01	·03	·00	·00	·00	·00	·00	·00	·03	1·13	·17	11
12	·24	·46	·00	·01	·70	·00	·00	·17	·00	·05	·25	·11	12
13	·02	·58	·00	·01	·69	·00	·01	·01	·04	·05	·10	·11	13
14	·10	·12	·00	·01	·01	·23	·08	·03	·29	·05	·13	2·18	14
15	·14	·00	·00	·00	·40	·02	·44	·00	·02	·00	·05	·09	15
16	·04	1·64	·00	·00	·62	·00	1·16	·00	·01	·27	·00	·10	16
17	·09	·19	·00	·00	·00	·00	·01	·00	·00	·01	·00	·00	17
18	·01	·29	·00	·00	·00	·00	·03	·00	·00	·00	·00	·00	18
19	·04	·04	·00	·05	·38	·00	·09	·00	·00	·00	·00	·00	19
20	·45	·05	·00	·04	·01	·48	·00	·00	·00	·23	·00	·00	20
21	·10	·01	·03	·00	·00	1·63	·46	·00	·10	·00	·00	·01	21
22	·27 a little snow	·23	·42	·03	·00	·04	·39	·00	·02	·60	·00	·47	22
23	·09	·07	·03	·00	·00	·06	·01	·00	·03	·27	·00	·88	23
24	·00	·04	·01	·08	·00	·62	·10	·00	·00	·30	·00	·25	24
25	·07	·00	·00	·02	·25	·15	·00	·00	·01	·00	·08	·15	25
26	·10	·43	·00	·00	·00	·11	·11	·00	·04	·00	·00	·70	26
27	·00	·03	·00	·00	·00	·25	·06	·00	·09	·74	·00	·00	27
28	·00	·07	·00	·00	·00	·15	·00	·06	·04	·13	·00	·20	28
29	·00		·00	·00	·00	·01	·00	·06	·40	·04	·20	·06	29
30	·25		·00	·04	·00	·01	·05	·00	·31	·45	·50	·36	30
31	·08		·00		·00		·31	·30		·33		·20	31
Total	5·34	7·60	1·03	1·69	3·83	4·13	3·85	1·89	1·57	6·80	3·00	10·46	YEAR'S TOTAL 51·19
Rain Days.	27	26	10	17	13	15	17	16	16	19	13	26	215

Ead JW

1957

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Parish of St Keverne (Keverne)
Kept at Bosuick Cottage Post town St Martin

in the County of Cornwall

by G. Walter Jevons

Lat. 50° 5′ Long. 5° 10′
Time of Observation 9 a.m
Nearest Railway Station Helston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level abt 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·17	·00	·02	·00	·00	·07	·05	·00	·02	·53	·13	·00	1
2	·19	·11	·23	·00	·00	·01	·10	·00	·48	·22	·38	·00	2
3	·07	1·67	·01	·00	·18	·25	·00	·00	·01	·68	·16	·02	3
4	·12	·19	·00	·03	·10	·26	·15	·00	·27	·10	·57	·02	4
5	·08	·20	·04	·01	·04	·11	·10	·00	·02	·25	·14	·04	5
6	·06	·10	·01	·00	·11	·03	·98	·00	·00	·22	1·15	·00	6
7	·06	·17	·01	·00	·15	·02	·00	·00	·00	·03	·85	·08	7
8	·07	·19	·40	·00	·37	·10	·00	·00	·00	·00	·16	·33	8
9	·01	·29	·03	·00	·00	·01	·02	·00	·00	·09	·41	·91	9
10	·00	1·13	·00	·04	·07	·03	·00	·00	·00	·00	·03	·19	10
11	·00	·05	·00	·17	·10	·00	·03	·00	·12	·00	·03	·71	11
12	·15	·04	·28	·16	·05	·00	·16	·04	·00	·16	·01	·03	12
13	·00	·11	·19	·02	·02	·00	·01	·09	·00	·00	·02	·06	13
14	·07	·36	·50	·00	·05	·00	·00	·10	·00	·09	·01	·02	14
15	·03	43	·80	·06	·00	·00	·00	·04	·00	·01	·00	·23	15
16	·16	·12	·00	·13	·00	·00	·05	·44	·01	·40	·82	·00	16
17	·12	·14	·26	·03	·00	·00	·00	·01	·08	·28	·82	·00	17
18	·05	·12	·57	·08	·00	·00	·00	·01	·08	·09	·03	·15	18
19	·24	·14	·01	·19	·00	·00	·00	·01	·01	·00	·68	·04	19
20	·10	·96	·08	·12	·00	·00	·00	·00	·00	·00	·08	·34	20
21	·01	·62	40	·00	·04	·10	·00	·00	·00	·06	·15	·21	21
22	·01	·00	·12	·00	·00	·19	·00	·10	·00	·89	·03	·74	22
23	·06	·00	·01	·08	·00	·24	·00	·38	·00	·20	·38	·11	23
24	·00	·11s	·12	·11	·22	·01	·00	·60	·01	·32	·03	·48	24
25	·04	·20	·10	·00	·06	·10	·00	·21	·02	·06	·28	·04	25
26	·01	·01	·15	·00	·03	·06	·00	·38	·25	·60	·13	·21	26
27	·00	·01	1·63	·00	·01	·07	·00	·01	·08	·70	·00	·00	27
28	·00	·00	·00	·00	·00	·00	·00	·30	·64	·61	·01	·35	28
29	·00	·19	·19	·00	·00	·49	·00	·83	·01	·21	·00	·82	29
30	·00		·01	·02	·00	·04	·00	·01	·01	·49	·00	·06	30
31	·00		·00		·00		·00	·10		·19		·06	31
Total	1·88 ✓	7·66 ✓	6·17 ✓	1·25 ✓	1·60 ✓	2·19 ✓	1·65 ✓	3·66 ✓	2·12 ✓	7·48 ✓	7·49 ✓	6·25 ✓	YEAR'S TOTAL 49·40
Rain Days.	22 ✓	25 ✓	25 ✓	15 ✓	16 ✓	19 ✓	10 ✓	18 ✓	17 ✓	25 ✓	26 ✓	25 ✓	243 ✓

W. 8,000, VIII. 16

Exd C.F.E

1868

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

5 JAN 1918

Kept at Rosuick Cottage St Martin, Parish of St. Keverne

in the County of Cornwall

by G. Walter Jevons

Lat. 50° 5′ Long. 5° 10′

Time of Observation 9 a.m.

Nearest Railway Station Helston

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level abt 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	·00	·00	·30	·00	·16	·00	·00	·01	·00	·14	·01	1
2	·01	·00	·00	·22	·00	·01	·33	·00	·00	·04	·60	·00	2
3	·15	·00	·00	·02	·00	·00	·00	·00	·00	·16	·16	·00	3
4	·02	·17	·90	·00	·00	·00	·00	·00	·32	·32	·01	·02	4
5	·16	·00	·53	·16	·00	·00	·00	·20	·05	·13	·13	·00	5
6	·02	·00	·10	·05	·00	·23	·00	·00	·00	·13	·15	·19	6
7	·85	·00	·00	·00	·00	·01	·27	1·19	·00	·25	·09	·03	7
8	·18	·00	·39	·07	·00	·00	·21	·23	·03	·18	·19	·75	8
9	·02	·00	·16	·04	·13	·00	·01	·01	·03	·07	·20	·12	9
10	·77	·00	·33	·39	·00	·00	·00	·45	·01	·27	·08	·04	10
11	·03	·00	·56	·24	·00	·00	·00	·02	·00	·99	·47	·00	11
12	·13	·00	·05	·02	·20	·00	·00	·03	·00	·50	·01	·00	12
13	·19	·00	·15	·03	·00	·03	·00	·44	·20	·10	·01	·01	13
14	·00	·00	·00	·09	·00	·00	·04	·03	·17	·21	·01	·01	14
15	·30	·00	·00	·04	·03	·00	·05	·01	·07	·47	·00	·12	15
16	·00	·06	·00	·01	·01	·00	·00	·01	·02	·58	·01	·30	16
17	·00	·02	·03	·01	·17	·00	·82	·20	·88	·08	·01	·00	17
18	·00	·01	·00	·01	·10	·16	·17	·00	·85	·02	·00	·00	18
19	00	·78	·02	·00	·00	·38	·00	·00	·04	·00	·01	·00	19
20	·02	·12	·04	·00	·49	·11	·00	·07	·00	·00	·01	·00	20
21	·04	00	09	·00	·01	·01	·00	·11	·00	·10	·06	·23	21
22	·43	·00	·00	·00	·15	·22	·00	·88	·00	·18	·00	·00	22
23	·00	·27	·00	·00	·10	·02	·03	·45	·00	·05	·04	·01	23
24	·00	·00	·00	·00	·01	·03	·15	·02	·02	·16	·08	·01	24
25	·05	·03	·00	·00	·00	·01	·02	·40	·15	·13	·06	·01	25
26	·11	·00	·04	·00	·19	·51	·00	·19	·17	·06	·11	·00	26
27	·00	·00	·00	·00	·00	1·08	·02	1·37	·00	·15	·01	·00	27
28	·00	·00	·28	·00	·00	·06	·03	·20	·00	·05	·03	·00	28
29	·00	·00	·27	·00	·00	·00	·00	·04	·00	·55	·01	·04	29
30	·00	X	·40	·00	·00	·00	·00	·27	·00	·20	·02	·00	30
31	·00	X	·08	X	·24	X	·00	·01	X	·47	X	·00	31
Total	3·52 ✓	1·46 ✓	4·42 ✓	1·70 ✓	1·83 ✓	3·03 ✓	2·15 ✓	6·83 ✓	3·02 ✓	6·60 ✓	2·66 ✓	1·90 ✓	YEAR'S TOTAL 39·12 ✓
Rain Days.	19 ✓	8 ✓	18 ✓	16 ✓	13 ✓	16 ✓	13	24 ✓	16 ✓	28 ✓	27 ✓	16 ✓	214 ✓

W. 8,000, IX. 17.

21

FORM A. BRITISH RAINFALL.

3. 1. 19

REGISTER OF RAINFALL IN 1918

Kept at Bosuick Cottage St Martin Cornwall (postal addrn)
Parish of St Keverne
in the County of Cornwall
by G. Walter Jevons

Lat. 50° 5′ Long. 5° 10′
Time of Observation 9 a-m
Nearest Railway Station Helston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level abt 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan. ~~24~~	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·10	·00	·10	·16	·00	·00	·17	·01	·02	1·14	·01	1
2	·00	·38	·00	·06	·09	·00	·00	·37	·01	·01	·08	·45	2
3	·00	·20	·00	·42	·20	·00	·00	·01	·08	·14	·32	·17	3
4	·00	·10	·00	·04	·00	·00	·00	·48	·33	·00	·28	·83	4
5	·12	·09	·15	·08	·00	·00	·00	·09	·39	·30	·11	·09	5
6	·43	·30	·20	·14	·00	·01	·00	·09	·01	·08	·01	·25	6
7	·07 s	·30	·00	·02	·00	·05	·00	·06	·46	·12	·50	·38	7
8	·13 s	·08	·00	·00	·00	·08	·01	·00	·09	·73	·01	·02	8
9	·14	·00	·01	·00	·00	·08	·28	·00	·50	·03	·01	·43	9
10	·12	·02	·00	·02	·00	·00	·09	·00	·14	·11	·01	·21	10
11	·05	·01	·16	·00	·00	·00	·24	·00	·23	·40	·01	·15	11
12	·10	·07	·00	·00	·35	·01	05	·00	·01	05	·01	·08	12
13	·00	·00	·00	·00	·12	·00	·24	·00	·80	·45	·00	·19	13
14	·77	·00	·00	·00	·03	·10	·23	·01	·53	·01	·00	·29	14
15	·65	·00	·00	·00	·02	·03	·82	·00	·18	·19	·00	·24	15
16	·83	·00	·00	·18	·00	23	·25	·00	·25	·01	·00	·10	16
17	·07	·00	·00	·34	·03	·08	·01	·04	·05	·02	·00	·36	17
18	·99	·13	·27	·01	·00	·76	·12	·14	·39	·10	·00	·39	18
19	·15	·10	·01	·10	·00	·01	·18	·03	·13	·00	·00	·06	19
20	·21	·20	·01	·17	·00	·04	·29	·01	·10	·01	·00	·10	20
21	·27	·01	·00	·01	·00	·01	·18	·00	·55	27	·00	·79	21
22	·01	·00	·00	·00	·09	·00	·55	·00	·20	·06	·07	·38	22
23	·08	02	·00	·00	·00	·03	·01	·00	02	·00	·20	·16	23
24	·03	·20	·00	·00	·00	·00	·00	·51	·12	·00	·20	·10	24
25	·01	·00	·00	·00	·09	·01	·05	22	·01	·08	·35	·01	25
26	·03	·15	·00	·00	·00	·00	·03	·00	·11	·05	·01	·56	26
27	·01	·23	·26	·00	·00	·00	·00	·01	·33	·08	·10	·05	27
28	·01	·58	·12	·00	·00	·00	·00	·08	·50	·12	·11	·15	28
29	·00	·00	·24	·00	·00	·00	·00	·01	1·05	·01	·25	·11	29
30	·00	X	·46	·32	·00	·00	·00	·01	·02	·06	·14	·54	30
31	·00	X	·18	X	·00	X	·04	·03	X	·52	X	·03	31
Total	5·32	3·27	2·07	2·01	1·18	1·53	3·67	2·37	7·60	4·03	3·92	7·68	YEAR'S TOTAL 44·65
Rain Days.	24	20	12	15	10	15	19	19	30	27	21	31	243

W. 8,000, IX. 17.

For RB

1755

3 JAN 20

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Rosuick Cottage St Martin Cornwall (Postal address)
Parish of St Keverne
in the County of Cornwall
by G. Walter Jevons

Lat. 50° 5' Long. 5° 10'
Time of Observation 9 a.m.
Nearest Railway Station Helston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level abt 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·83	·00	·18	·09	·10	·00	·37	·00	·10	·25	·00	1·16	1
2	·18	·00	·04	·00	·03	·00	·06	·01	·00	·02	·00	·09	2
3	·25	·00	·57	·00	·30	·00	·00	·00	·12	·00	·00	·14	3
4	·54	·93	·30	·00	·00	·00	·00	·11	·33	·00	·04	·01	4
5	·14	·13	·49	·00	·05	·00	·00	·00	·00	·00	·01	·25	5
6	·70	1·33	·16	·00	·00	·00	·00	·00	·00	·00	·00	·15	6
7	·29	·01	·21	·18	·00	·01	·02	·00	·01	·00	·00	·13	7
8	·24	·00	·29	·14	·00	·04	·00	·00	·00	·00	·38	·01	8
9	·19	·00	·05	·33	·38	·00	·06	·00	·00	·00	·20	·04	9
10	·16	·00	·59	·08	·05	·00	·00	·00	·00	·06	·00	·71	10
11	·26	·02	·18	·33	·29	·03	·10	·00	·02	·01	·01	·14	11
12	·25	·00	·05	·01	·01	·01	·01	·00	·01	·09	·08	·00	12
13	·16	·32	·37	·54	·00	·00	·00	·00	·13	·01	·01	·36	13
14	·75	·06	·06	·26	·02	·00	·00	·00	·10	·00	·00	·09	14
15	·15	·12	·00	·03	·00	·00	·00	·00	·00	(03) ·03	·01	·46	15
16	·07	1·30	·01	·00	·05	·03	·02	·00	·00	·00	·30	·10	16
17	·05	·70	·02	·00	·00	·03	·03	·00	·00	·00	·37	·05	17
18	·25	·30	·22	·00	·00	·00	·27	·13	·07	·00	·32	·03	18
19	·93	·30	·18	·00	·04	·40	·00	·45	·18	·00	·15	·09	19
20	·16	·11	·18	·00	·26	·05	·00	·10	·13	·00	·19	·06	20
21	·62	·78	·03	·00	·38	·00	·09	·00	·29	·00	·16	·08	21
22	·00	·01	·03	·00	·00	·05	·04	·01	·11	·06	·09	·17	22
23	·00	·01	·04	·00	·06	·00	·00	·12	·01	·34	·06	·70	23
24	·00	·06	·00	·01	·00	·23	·00	·02	·01	·24	·10	·11	24
25	·28	·13	·00	·05	·00	·04	·00	·69	·00	·01	·04	·18	25
26	·07	·07	·12	·05	·00	·00	·00	·10	·15	·01	·13	·65	26
27	·09	·04	·08	·38	·00	·00	·00	1·40	·03	·20	·00	·15	27
28	·01	·14	·68	·22	·00	·00	·00	·22	·00	·22	·27	·75	28
29	·00	╳	·01	·09	·00	·00	·00	·07	·00	·10	·04	·09	29
30	·01	╳	·04	·05	·00	·22	·00	·25	·01	·00	·37	·72	30
31	·00	╳	·12	╳	·03	╳	·07	(·01) ·01	╳	·00	╳	·81	31
TOTAL	7·63	6·87	5·30	2·84	1·99	1·14	1·08	3·69	1·81	1·75	3·33	7·96	YEAR'S TOTAL 45·39
Days with ·01 in. or more	26	21	28	17	14	12	10	15	18	16	22	30	230

(44,283). Wt.21,958—218. 7500. 10/19. **Gp.132.** A.&E.W.

1670

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at Rosuick Cttge St. Martin Cornwall St. Keverne (Parish)
in the County of Cornwall
by G. Walter Jevons

Lat. 50° 5′ Long. 5° 10′
Time of Observation 9 a.m
Nearest Railway Station Helston
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. · in.
" " " " Sea Level abt 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·15	·00	·03	·04	·61	·00	·99	·00	·02	·05	·01	·58	1
2	·48	·00	·00	·05	·00	·00	·03	·06	·31	·09	·00	·12	2
3	·37	·12	·00	·14	·01	·00	·04	·01	·03	·50	·00	·67	3
4	·00	·01	·01	·01	·00	·00	·00	·76	·01	1·17	·00	·00	4
5	·00	·00	·08	·00	·07	·00	·16	·09	·01	·05	·00	·00	5
6	·00	·00	·18	·05	·20	·00	·42	·00	·00	·24	·02	·00	6
7	·10	·00	·09	·49	·07	·00	·67	·00	·01	·01	·01	·06	7
8	·24	·02	·03	·37	·15	·00	·00	·01	·02	·02	·00	·53	8
9	·61	·04	·06	·03	·00	·09	·67	·00	·00	·00	·00	·00	9
10	·58	·16	·30	·23	·00	·22	·14	·00	·00	·00	·03	·00	10
11	·36	·01	·23	·46	·35	·02	·29	00	·00	·09	·00	·00	11
12	·25	·13	·09	·16	·03	·21	·07	·01	·01	·01	·12	·02	12
13	·21	·04	·37	·06	·00	·00	·00	·00	·00	·34	00	·64	13
14	·29	·12	·45	·55	·00	·03	·07	·00	·33	·47	·14	·00	14
15	·06	·14	·08	·22	·05	·00	·00	·00	·00	1·22	·15	·00	15
16	·03	·01	·14	·01	·01	·22	·08	·00	·39	·07	·13	·00	16
17	·10	·00	·01	·05	·44	·00	·00	·00	·66	1·52	·01	·00	17
18	·24	·00	·03	·09	·14	·33	·00	·30	·01	·00	·00	·00	18
19	·14	·01	·01	·33	·00	·80	·00	·01	·01	·36	·00	·00	19
20	·04	·00	·00	·04	·00	·09	·05	·00	·08	·38	·00	·43	20
21	·00	·00	·00	·48	·00	·00	·01	·00	·17	·06	·00	·09	21
22	·09	·00	·02	·01	·00	·01	·02	·00	·00	·01	·00	·50	22
23	·01	·00	·07	·00	·00	·00	·22	·06	·00	·00	·00	·48	23
24	·03	·02	·30	·03	·00	·00	·10	·01	·00	·00	·28	·09	24
25	·14	·05	·18	·00	·07	·01	·89	·00	·00	·00	00	·00	25
26	·32	·00	·21	·00	·00	·03	·04	·00	·01	·00	·02	·01	26
27	·41	·04	·12	·04	·00	·23	·15	·00	·00	·00	·45	·40	27
28	·39	·02	·58	·01	·00	·17	·08	·00	·00	·00	·07	·11	28
29	·30	·02	·35	·03	·04	·01	·02	·00	·78	·00	·21	·30	29
30	·26		·08	·00	·00	·50	·55	·00	·89	·40	·21	·62	30
31	·15		·31		·00		·01	·00		·30		·18	31
TOTAL	6·35	·96	4·41	3·98	2·24	2·97	5·77	1·32	3·75	7·36	1·86	5·83	YEAR'S TOTAL 46·80 ✓
Days with ·01 in. or more	27	17	27	25	14	16	24	10	18	21	15	18	232 ✓
Days with ·04 in. or more	24	9	20	18	11	10	19	5	8	17	9	16	166 ✓

Section **A** for the entry of

Station No.

Metform 1090
(Rev. Feb, 1965)

Kept at St Mary's Sc

in the County of Cornw

912

Diameter of funnel of gauge

Height of top of gauge above groun

Height of ground above sea level

ST. MARYS
SCILLY

1912 - 1920

THE MORNING MEA … **OUS DAY**

An observer who does not conform to … *the space on the right of this paragraph.*

Jan. 1, following

Date	**Jan.**	**Feb.**	**Mar.**								**Nov.**	**Dec.**		*Date*
	in.	in.	in.								in.	in.	†	
1	·01	–	·08						·22	·25	–	·15		**1**
2	–	–	·18	·02	–	·19	·10	·03	·01	·02	·02	·01		**2**
3	–	·02	·10	·04	–	·39	–	1·87	·02	–	–	·02		**3**
4	–	–	·16	–	·01	·17	–	·01	–	–	·19	–		**4**
5	·10	·06	·47	·02	·05	–	·02	2·02	·01	–	·01	·01		**5**
6	·43	·04	·12	·01	·21	–	·03	·11	–	–	·06	·01		**6**
7	·23	·12	·25	·01	·02	–	·02	·05	–	–	·04	·13		**7**
8	·05	·36	·07	·02	–	·54	–	–	–	–	Tr	–		**8**
9	·27	·01	·17	·02	·01	·05	·12	·18	–	–	–	·67		**9**
10	·01	·32	·01	–	·01	·12	·09	·02	–	·02	·06	·16		**10**
11	·18	·06	–	·03	–	–	·12	·14	–	·01	·01	·36		**11**
12	–	·46	·18	–	·06	–	·49	·83	–	·01	·15	·10		**12**
13	·03	·09	·03	–	–	·07	–	·18	–	·06	·36	·05		**13**
14	·12	–	·20	·02	–	–	–	·04	–	·01	·04	·09		**14**
15	–	·14	·04	–	·13	·09	–	·04	Tr	–	·02	·33		**15**
16	·54	–	·33	–	–	·01	·	·09	–	·07	·02	·05		**16**
17	·01	·04	·21	–	·09	·02	–	·27	–	–	·14	·19		**17**
18	–	·01	·18	–	·01	·01	–	·17	–	·06	·04	·04		**18**
19	·01	·01	·41	–	·04	·06	–	·48	–	·01	·01	·03		**19**
20	–	·03	·46	–	·09	·01	–	·10	–	·43	·03	·01		**20**
21	·08	·12	·16	·01	·02	–	–	·04	–	·04	–	–		**21**
22	–	·24	·25	–	·09	·02	–	·12	–	·08	·01	·04		**22**
23	·22	·14	·23	–	·01	·06	·07	·62	–	·16	·14	·12		**23**
24	·82	·40	·04	–	–	·15	·08	·05	–	·05	–	·05		**24**
25	·15	·02	·01	–	–	·16	·09	·20	–	·28	·24	·24		**25**
26	–	–	–	–	–	·02	·46	·02	–	·13	·27	·49		**26**
27	–	·02	–	–	–	·22	–	·02	–	·47	·16	·69		**27**
28	–	·03	–	–	–	·10	·06	·23	·39	·23	·24	·32		**28**
29	–	·10	Tr	–	–	·11	·15	·18	·03	·32	·62	·01		**29**
30	–	X	·02	·02	·14	·01	·16	–	·07	·09	–	–		**30**
31	–	X	·40	X	·20	X	·14	·01	X	·01	X	·06		**31**
TOTAL	3·26	2·84	4·76	0·22	1·19	2·83	2·36	8·12	0·75	2·81	2·88	4·43	Year's Total 364·5	
*Days with ·01 in. or more														
Days with ·04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(Signed) .... (P.T.O.)

Section **A** for the entry of

Station No.

Metform 1090
(Rev. Feb, 1965)

REGISTER OF RAINFALL IN 1912

Kept at St Mary's Scilly
in the County of Cornwall
Diameter of funnel of gauge ……… in.
Height of top of gauge above ground 1 ft. ……… in.
Height of ground above sea level 129 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	·08	–	–	·25	·16	–	·22	·25	–	·15		1
2	–	–	·18	·02	–	·19	·10	·03	·01	·02	·02	·01		2
3	–	·02	·10	·04	–	·39	–	1·87	·02	–	–	·02		3
4	–	–	·16	–	·01	·17	–	·01	–	–	·19	–		4
5	·10	·06	·47	·02	·05	–	·02	2·02	·01	–	·01	·01		5
6	·43	·04	·12	·01	·21	–	·03	·11	–	–	·06	·01		6
7	·23	·12	·25	·01	·02	–	·02	·05	–	–	·04	·13		7
8	·05	·36	·07	·02	–	·54	–	–	–	–	Tr	–		8
9	·27	·01	·17	·02	·01	·05	·12	·18	–	–	–	·67		9
10	·01	·32	·01	–	·01	·12	·09	·02	–	·02	·06	·16		10
11	·18	·06	–	·03	–	–	·12	·14	–	·01	·01	·36		11
12	–	·46	·18	–	·06	–	·49	·83	–	·01	·15	·10		12
13	·03	·09	·03	–	–	·07	–	·18	–	·06	·36	·05		13
14	·12	–	·20	·02	–	–	–	·04	–	·01	·04	·09		14
15	–	·14	·04	–	·13	·09	–	·04	Tr	–	·02	·33		15
16	·54	–	·33	–	–	·01	·	·09	–	·07	·02	·05		16
17	·01	·04	·21	–	·09	·02	–	·27	–	–	·14	·19		17
18	–	·01	·18	–	·01	·01	–	·17	–	·06	·04	·04		18
19	·01	·01	·41	–	·04	·06	–	·48	–	·01	·01	·03		19
20	–	·03	·46	–	·09	·01	–	·10	–	·43	·03	·01		20
21	·08	·12	·16	·01	·02	–	–	·04	–	·04	–	–		21
22	–	·24	·25	–	·09	·02	–	·12	–	·08	·01	·04		22
23	·22	·14	·23	–	·01	·06	·07	·62	–	·16	·14	·12		23
24	·82	·40	·04	–	–	·15	·08	·05	–	·05	–	·05		24
25	·15	·02	·01	–	–	·16	·09	·20	–	·28	·24	·24		25
26	–	–	–	–	–	·02	·46	·02	–	·13	·27	·49		26
27	–	·02	–	–	–	·22	–	·02	–	·47	·16	·69		27
28	–	·03	–	–	–	·10	·06	·23	·39	·23	·24	·32		28
29	–	·10	Tr	–	–	·11	·15	·18	·03	·32	·62	·01		29
30	–	X	·02	·02	·14	·01	·16	–	·07	·09	–	–		30
31	–	X	·40	X	·20	X	·14	·01	X	·01	X	·06		31
TOTAL	3·26	2·84	4·76	0·22	1·19	2·83	2·36	8·12	0·75	2·81	2·88	4·43	Year's Total 364·5	
*Days with ·01 in. or more														
Days with ·04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(Signed) ……… (P.T.O.)

Section **A** for the entry of daily observations

Station No.

METEOROLOGICAL OFFICE

Metform 1090
(Rev. Feb, 1965)

REGISTER OF RAINFALL IN 1913

Kept at St Mary's Scilly
in the County of Cornwall
Diameter of funnel of gauge ...... in.
Height of top of gauge above ground ...... ft. ...... in.
Height of ground above sea level 129 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·04	·23	·21	–	·02	–	–	–	–	·21	·12	·03		1
2	·05	·05	·01	·26	·44	–	–	–	–	–	·02	·02		2
3	·05	·01	·02	·01	·02	–	–	–	·62	–	–	·21		3
4	·39	–	·02	·01	–	·14	–	–	·03	·10	·02	·12		4
5	·18	·02	–	–	·22	·08	–	–	·01	·09	·58	·92		5
6	·04	·02	·05	–	·10	·15	·01	–	–	·41	·22	·04		6
7	·06	·33	·09	–	·76	·01	·01	·01	–	·07	·14	·04		7
8	·12	·04	–	–	·22	–	·11	·13	–	·04	–	·01		8
9	·32	·09	–	–	·01	–	·91	·03	·01	–	·08	·02		9
10	·70	·01	–	–	·23	–	–	·03	·	·56	·36	·03		10
11	·34	–	–	–	·21	·04	–	1·47	·07	·04	·17	·02		11
12	·08	·01	–	–	·02	–	·01	–	·90	·01	·09	·02		12
13	·21	–	·03	·06	–	·01	–	·02	1·11	–	·16	–		13
14	·27	–	·14	·05	–	–	–	·01	·22	·03	·12	–		14
15	·04	–	·47	·37	–	–	–	·01	·01	–	·09	–		15
16	·66	–	·33	·07	–	–	–	–	–	–	·01	–		16
17	·04	–	·01	·15	–	–	·01	–	–	–	·04	–		17
18	·09	–	·21	·26	–	·12	–	–	–	–	·08	–		18
19	·48	–	·07	–	·01	·06	–	–	·23	·28	–	–		19
20	·14	–	·15	·21	–	·32	–	–	·04	·09	·06	–		20
21	·27	–	·10	·09	–	·13	·04	·02	·01	·21	·22			21
22	·20	–	·63	–	·01	·13	–	·20	·23	·22	–	·52		22
23	·02	–	–	·07	·01	–	–	·02	·19	–	·27	1·26		23
24	·02	·10	–	·18	·02	·13	–	·02	·05	–	·10	–		24
25	·01	·12	–	·25	–	–	–	–	·04	–	·03	·04		25
26	–	·02	–	·91	–	–	–	–	·13	·02	·01	·26		26
27	·38	–	·10	·15	–	–	–	·02	–	·22	·01	·08		27
28	–	–	·16	–	·09	–	–	–	·04	·50	·02	·06		28
29	·04	–	·34	·95	·17	–	·07	–	–	·28	·02	·05		29
30	·41	X	–	·06	·07	–	–	·01	–	·04	·01	·12		30
31	·22	X	·15	X	–	X	–	–	X	·02	X	–		31
TOTAL	5·87	1·05	3·29	4·11	2·63	1·32	0·27	2·00	3·94	3·44	3·05	3·87	Year's Total 348·4	
*Days with ·01 in. or more														
Days with ·04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(Signed) ...... (P.T.O.)

Section **A** for the entry of daily observations

Station No.

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN 1974

Metform 1090
(Rev. Feb, 1965)

Kept at St Mary's Scilly
in the County of Cornwall
Diameter of funnel of gauge .... in.
Height of top of gauge above ground 1 ft. .... in.
Height of ground above sea level 129 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph. **Please read the Notes and Instructions Overleaf**

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	–	–	·05	·07										1
2	·01	–	·02	–										2
3	·01	–	·03	·16										3
4	·03	–	·04	·40										4
5	·51	–	·07	·09										5
6	·01	·06	·04	·11										6
7	·06	·26	·14	·35										7
8	·12	–	·78	·03										8
9	·01	·05	·25	·14										9
10	·07	·28	·09	·42										10
11	–	·23	·37	·01										11
12	–	·32	·26	–										12
13	–	·13	·12	–										13
14	–	·06	·09	–										14
15	–	·01	·17	–										15
16	·07	–	·02	–										16
17	·04	·38	·50	–										17
18	·02	·11	·19	–										18
19	–	·02	·88	–										19
20	–	·24	·07	–										20
21	–	·45	–	–										21
22	–	·04	·10	–										22
23	–	·22	·16	–										23
24	–	–	·06	–										24
25	·10	–	·44	–										25
26	·02	·11	·46	–										26
27	·11	·02	·02	–										27
28	·03	·02	·26	–										28
29	·16	x	·14	–										29
30	·02	X	·07	–										30
31	·01	X	–	X		X			X		X			31
TOTAL	1·41	3·01	5·89	1·78									Year's Total	
*Days with ·01 in. or more														
Days with ·04 in. or more														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(Signed) .... (P.T.O.)

Metform 1091 (Revised 9/71)

Section **A** for the entry of daily observations

Station No.

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN 1974

Kept at St Mary's Scilly
in the County of Cornwall
Diameter of funnel of gauge 1 in.
Height of top of gauge above ground ft. in.
Height of ground above sea level 129 ft.

An annual return of observations on this form is **NOT** required from those observers making monthly returns on postcards

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1					–	4.1	4.8	0.8	–	–	7.7	1.6		1
2					2.0	–	4.6	Tr	–	–	0.1	7.4		2
3					8.7	–	–	Tr	–	–	0.1	1.3		3
4					1.6	–	22.4	7.3	–	–	3.4	12.9		4
5					0.5	–	0.6	–	0.2	0.1	0.1	0.7		5
6					0.7	–	2.3	0.4	0.8	–	4.0	10.4		6
7					0.8	7.4	3.2	1.8	23.4	–	0.1	3.5		7
8					–	5.9	0.2	0.2	0.7	0.1	0.6	0.3		8
9					0.1	20.5	–	Tr	12.1	0.1	1.6	0.6		9
10					0.4	1.7	0.5	0.1	2.2	–	1.6	4.7		10
11					–	0.2	–	–	0.7	–	0.8	10.9		11
12					–	0.1	0.6	–	3.1	3.2	0.2	5.5		12
13					–	–	2.5	–	1.0	5.4	4.5	3.1		13
14					0.1	0.5	0.4	0.8	1.7	0.7	7.9	3.8		14
15					–	–	0.1	0.6	0.7	0.1	11.3	6.2		15
16					–	–	0.5	0.1	13.2	–	1.7	0.2		16
17					–	–	0.7	–	0.3	–	0.1	9.8		17
18					–	0.1	2.7	0.1	7.3	0.1	–	7.0		18
19					0.1	–	18.5	Tr	–	–	–	3.4		19
20					–	10.7	0.7	0.8	–	–	0.9	4.5		20
21					–	1.7	–	1.3	–	10.3	–	9.9		21
22					4.5	2.0	–	0.3	–	1.6	–	0.1		22
23					0.7	2.3	0.2	0.8	–	4.4	–	–		23
24					–	Tr	1.0	–	–	0.1	0.2	0.7		24
25					–	–	–	10.6	0.3	10.6	1.6	10.2		25
26					–	0.1	1.0	0.1	0.1	2.7	5.2	11.6		26
27					–	0.6	1.2	–	0.1	8.3	3.5	5.7		27
28					–	–	0.4	0.1	–	7.1	3.1	18.0		28
29					5.0	0.2	0.2	0.1	–	1.3	5.0	4.1		29
30		x			–	0.1	0.1	–	–	6.7	11.2	6.6		30
31		x		x	–	x	7.0	–	x	2.2	x	4.2		31
TOTAL					25.2	58.2	76.4	26.3	67.9	65.1	76.5	168.9		
Days with 0.2 mm. or more														
Days with 1.0 mm. or more														

Metform 1091 (Revised 9/71)

Section **A** for the entry of daily observations

Station No.

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN 1915

Kept at St Mary's Scilly
in the County of Cornwall
Diameter of funnel of gauge ...... in.
Height of top of gauge above ground 1 ft. ...... in.
Height of ground above sea level 129 ft.

An annual return of observations on this form is **NOT** required from those observers making monthly returns on postcards

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	11·3	6·7	0·6	–	2·5	–	–	4·3	11·1	14·9	3·0	2·9		1
2	12·0	3·5	0·7	1·2	0·1	7·2	0·1	0·5	0·6	0·1	0·5	23·1		2
3	0·7	1·8	2·9	2·6	1·6	–	–	0·6	1·3	0·1	–	16·0		3
4	4·2	1·0	0·6	–	0·5	0·1	–	2·1	–	–	–	2·9		4
5	1·2	4·7	0·3	3·3	0·1	0·3	–	8·9	–	0·1	0·2	21·3		5
6	23·8	4·1	0·1	8·7	0·6	–	18·7	0·2	–	-	–	1·7		6
7	6·2	5·7	1·7	0·5	–	0·1	6·4	0·1	–	27·2	0·6	6·6		7
8	3·7	10·3	–	1·2	–	–	–	0·9	–	3·0	1·7	2·3		8
9	0·7	3·3	–	2·6	–	–	–	0·6	0·1	0·1	6·9	12·7		9
10	2·2	4·7	0·6	3·3	–	–	0·1	1·2	–	3·1	0·2	–		10
11	3·1	5·4	1·2	0·2	–	–	0·6	0·8	–	0·6	13·6	6·0		11
12	3·0	8·3	–	0·2	16·1	–	–	5·8	0·2	0·6	6·5	3·2		12
13	0·2	5·9	–	0·1	9·5	–	–	–	0·8	1·1	2·4	1·2		13
14	0·7	0·5	–	1·1	0·1	3·1	2·1	–	2·8	0·1	5·2	26·7		14
15	1·8	3·5	–	0·1	4·2	0·5	6·0	–	0·4	0·2	1·6	1·3		15
16	2·8	24·1	–	–	3·3	–	19·4	0·1	–	–	–	1·7		16
17	0·5	3·8	–	–	0·3	–	–	–	0·3	0·2	–	4·1		17
18	0·3	3·6	–	–	0·9	1·7	–	–	0·1	0·1	–	–		18
19	1·0	2·1	–	–	5·3	–	0·6	–	–	–	0·3	–		19
20	6·0	0·6	–	1·7	0·1	3·1	–	–	–	14·0	–	–		20
21	1·6	2·9	–	0·3	–	7·0	1·2	–	0·1	0·7	–	–		21
22	7·9	2·6	1·0	0·5	–	1·6	7·8	–	1·6	7·8	–	6·7		22
23	3·3	0·6	–	–	–	0·8	2·6	–	0·2	4·1	–	12·2		23
24	–	–	–	0·5	–	10·7	–	–	0·1	2·6	–	3·4		24
25	1·7	–	–	0·1	1·1	8·3	5·0	–	–	0·3	–	1·1		25
26	1·0	5·0	–	–	–	0·9	3·0	–	2·2	–	1·2	9·9		26
27	–	0·9	–	–	–	–	3·7	–	1·6	12·2	–	–		27
28	0·3	3·0	–	–	–	4·0	–	–	5·6	3·5	0·1	6·1		28
29	–	x	–	–	–	0·2	0·2	0·6	0·9	–	4·9	3·4		29
30	1·4	X	–	4·9	–	–	1·2	–	–	9·3	6·3	5·9		30
31	0·9	X	–	X	–	X	5·0	5·8	X	5·9	X	2·9		31
TOTAL	103·5	118·6	9·7	33·1	46·3	49·6	83·7	32·5	30·0	111·9	55·2	185·3	859·4	
Days with 0.2 mm. or more														
Days with 1.0 mm. or more														

Metform 1091 (Revised 9/71)

Section **A** for the entry of daily observations

Station No.

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN 1976

Kept at St Mary's Scilly
in the County of Cornwall
Diameter of funnel of gauge .... in.
Height of top of gauge above ground 1 ft. ...... in.
Height of ground above sea level 129 ft.

An annual return of observations on this form is NOT required from those observers making monthly returns on postcards

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	4·0	-	10·0	0·1	0·2	0·8	6·7	0·1	2·4	7·1	3·9	0·7		1
2	5·1	1·3	2·9	0·2	-	-	1·1	0·2	46·1	1·6	6·7	-		2
3	0·7	23·7	5·2	-	3·6	0·8	-	-	1·2	11·5	2·4	0·4		3
4	2·9	2·6	1·3	1·1	9·0	5·0	0·1	-	2·0	0·8	9·9	-		4
5	0·9	1·3	0·1	0·1	15·7	0·9	4·6	-	0·6	2·7	1·1	2·1		5
6	0·7	3·1	5·7	0·7	2·2	0·7	9·3	-	1·9	2·2	14·2	-		6
7	0·8	1·7	5·5	-	2·8	1·3	0·1	-	0·4	2·7	17·8	0·6		7
8	1·1	4·7	4·5	0·1	6·3	1·3	-	-	0·1	0·2	1·3	8·0		8
9	0·9	3·1	2·2	-	-	-	3·3	-	-	2·1	8·6	9·4		9
10	-	15·6	-	0·7	1·5	0·1	0·2	-	-	-	1·0	10·8		10
11	0·5	0·6	0·4	2·3	9·5	0·6	1·8	1·2	3·7	-	1·1	8·0		11
12	0·9	1·7	9·2	1·9	1·2	-	0·7	3·9	0·2	1·1	0·3	4·3		12
13	-	1·3	6·3	0·8	0·8	-	-	6·7	-	0·2	0·3	0·4		13
14	1·4	5·1	-	-	0·6	-	-	1·3	-	0·9	0·1	5·1		14
15	0·8	5·8	0·6	1·5	0·1	-	-	1·6	-	0·6	-	3·5		15
16	2·0	2·2	-	1·7	0·4	-	0·6	11·3	0·4	2·8	15·5	1·3		16
17	5·0	4·7	3·0	0·4	0·1	-	0·4	0·4	0·7	4·4	18·1	-		17
18	0·7	0·6	9·3	-	-	-	-	-	4·9	1·1	0·2	4·6		18
19	1·8	1·0	2·1	0·1	-	-	0·1	-	-	0·1	3·0	3·2		19
20	2·3	2·7	-	0·6	0·2	-	0·2	-	-	-	0·6	3·3		20
21	-	5·1	4·9	-	0·1	1·1	-	-	-	0·6	-	3·9		21
22	0·2	0·1	0·4	-	-	5·0	0·1	0·8	-	11·7	0·9	18·2		22
23	0·7	1·2	0·6	1·1	0·7	6·2	0·2	3·7	-	2·5	5·3	2·2		23
24	-	4·1	0·2	0·8	7·8	-	-	10·1	-	21·3	0·4	10·0		24
25	-	6·0	1·9	-	0·5	1·1	-	8·2	0·4	3·7	8·5	1·1		25
26	1·9	10·6	3·9	-	8·6	1·8	-	4·1	8·1	13·3	1·6	1·1		26
27	0·9	-	41·3	0·2	-	2·1	-	2·9	-	9·2	0·6	-		27
28	-	18·0	-	-	-	-	-	2·7	7·6	13·9	0·3	4·1		28
29	-	6·9	2·8	-	-	4·1	-	15·8	2·4	4·5	-	14·4		29
30	-	x	0·6	-	-	0·8	-	1·2	1·7	5·2	-	0·4		30
31	-	x	-	x	-	x	-	2·2	x	1·6	x	0·8		31
TOTAL	36·2	134·8	124·7	14·4	71·9	33·7	29·5	78·4	84·8	129·6	123·7	121·9	983·6	
Days with 0.2 mm. or more														
Days with 1.0 mm. or more														

Metform 1091 (Revised 9/71)

Section **A** for the entry of daily observations

Station No.

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN 1977

Kept at St Marys Scilly

in the County of Cornwall

Diameter of funnel of gauge ..... in.

Height of top of gauge above ground 1 ft. ..... in.

Height of ground above sea level 129 ft.

An annual return of observations on this form is **NOT** required from those observers making monthly returns on postcards

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	0·2	0·3	–	6·2	–	1·2	–	–	–	0·2	0·9	0·2		1
2	0·3	–	2·5	3·0	–	1·2	4·5	–	0·2	0·7	13·0	–		2
3	1·3	1·0	1·1	3·7	–	–	0·4	–	0·2	0·9	0·8	–		3
4	–	1·6	19·2	0·6	–	–	0·2	0·1	6·6	7·0	2·1	0·2		4
5	2·7	–	19·2	5·0	–	–	–	0·1	0·6	1·9	0·5	0·1		5
6	2·8	–	0·4	5·0	–	0·9	–	–	0·1	1·1	1·8	1·0		6
7	9·1	–	–	1·0	–	0·4	1·7	2·9	0·2	2·8	0·6	0·2		7
8	0·4	–	5·2	0·9	–	–	4·2	1·3	1·2	2·3	2·9	8·4		8
9	3·1	–	3·4	2·2	2·7	–	0·3	0·7	0·6	3·0	1·9	1·0		9
10	18·9	–	6·3	6·9	0·1	–	–	5·6	0·1	2·2	0·7	–		10
11	0·4	–	19·3	1·9	–	–	–	7·0	–	20·7	3·4	–		11
12	1·3	–	–	–	0·9	–	–	4·8	–	6·9	1·0	–		12
13	3·2	–	5·2	0·7	–	0·1	–	9·1	2·6	11·0	0·2	0·1		13
14	0·8	–	–	1·1	–	–	0·9	2·6	1·6	1·1	0·5	–		14
15	1·5	–	–	–	–	–	–	0·4	1·0	7·0	–	1·9		15
16	0·6	1·0	–	0·2	–	–	1·6	0·6	0·3	5·3	0·1	9·3		16
17	0·7	3·1	0·2	–	2·3	–	19·9	2·0	8·7	1·3	1·1	0·3		17
18	–	0·5	–	0·1	4·1	5·4	6·5	0·6	25·5	0·2	–	–		18
19	0·4	12·6	1·1	–	–	22·6	0·2	0·2	0·8	–	–	–		19
20	–	2·3	1·6	–	9·3	9·7	–	1·1	0·2	–	0·3	2·5		20
21	0·3	1·3	2·0	–	4·0	1·2	–	22·7	–	1·4	0·2	10·9		21
22	0·7	–	–	–	3·2	0·1	0·1	11·2	–	2·5	0·3	–		22
23	3·8	2·3	–	–	3·6	0·7	0·3	8·6	–	0·7	0·5	0·3		23
24	–	0·2	1·1	–	–	0·3	0·2	1·7	0·4	2·0	1·0	–		24
25	10·9	1·0	0·8	0·1	–	2·1	–	12·6	0·9	2·4	1·3	0·6		25
26	7·4	–	–	–	4·1	2·7	–	2·7	2·2	1·7	1·0	4·4		26
27	1·7	–	0·3	0·2	–	34·2	8·0	19·3	–	3·0	0·3	2·5		27
28	–	–	3·2	–	3·0	23·9	1·5	1·1	0·2	0·2	0·7	–		28
29	–	X	6·1	0·2	0·1	–	–	–	0·4	7·1	0·1	2·0		29
30	–	X	5·5	–	–	–	–	2·9	0·2	1·5	0·2	0·7		30
31	–	X	1·6	X	4·8	X	–	0·2	X	7·3	X	–		31
TOTAL	72·5	27·2	105·3	39·0	42·2	106·7	50·5	122·1	54·8	105·4	37·4	46·6	809·7	
Days with 0.2 mm. or more														
Days with 1.0 mm. or more														

Metform 1091 (Revised 9/71)

Section **A** for the entry of daily observations

Station No.

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN 1918

Kept at St Mary's Scilly
in the County of Cornwall
Diameter of funnel of gauge .... in.
Height of top of gauge above ground 1 ft. .... in.
Height of ground above sea level 129 ft.

An annual return of observations on this form is **NOT** required from those observers making monthly returns on postcards

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	2.3	1.4	-	2.3	1.5	-	-	-	-	0.2	16.3	0.2		1
2	-	3.2	-	1.0	6.4	-	-	42.2	1.6	-	0.2	7.2		2
3	-	3.0	-	2.7	7.2	-	-	-	7.6	2.2	3.0	1.8		3
4	-	2.2	-	0.4	0.2	-	0.1	5.8	5.6	-	3.9	10.2		4
5	0.5	-	0.9	0.2	0.1	-	-	1.2	9.3	3.9	0.8	3.1		5
6	7.9	2.6	3.0	2.1	-	0.2	-	-	5.2	3.6	-	0.3		6
7	2.2	4.1	0.1	-	-	0.7	-	1.3	9.9	2.7	7.0	4.5		7
8	0.5	2.9	-	0.3	0.1	0.9	1.4	0.1	0.9	13.1	-	0.3		8
9	1.7	-	-	12.1	-	1.2	1.3	0.3	7.8	0.4	-	6.1		9
10	1.0	-	-	0.6	-	-	3.1	-	6.5	1.3	-	3.7		10
11	0.4	0.3	2.9	0.6	0.1	-	4.4	0.1	1.7	0.7	-	2.3		11
12	2.8	0.9	-	0.4	3.7	0.2	1.8	0.1	-	0.2	0.6	0.5		12
13	0.6	0.2	-	0 3	3.2	-	4.3	-	7.9	3.5	-	3.7		13
14	5.7	-	0.1	-	1.0	1.7	1.1	-	3.3	4.9	-	5.1		14
15	21.9	2.1	0.5	-	-	3.0	22.8	-	3.8	0.4	-	3.2		15
16	7.0	8.0	-	5.8	0.1	2.7	2.1	-	0.7	0.2	-	1.2		16
17	1.9	1.3	0.1	0.8	0.3	1.8	1.6	0.9	0.4	4.1	-	7.3		17
18	23.8	2.7	2.4	-	-	8.4	0.4	-	16.6	6.1	-	5.5		18
19	2.1	1.4	3.1	6.2	-	0.1	4 0	0.4	2.5	-	-	1.0		19
20	3.7	2.1	0.5	2.4	0.1	0.3	11.2	0.2	3.6	1.3	-	-		20
21	4.3	-	0.1	0.4	-	0.1	3.8	0.1	13.2	13.8	-	9.1		21
22	0.9	0.2	0.2	-	3.6	-	20.0	-	5.6	3.0	0.3	6.2		22
23	2.3	-	0.1	-	0.2	-	0.9	-	-	0.2	4.7	0.5		23
24	0.6	2.6	-	0.3	-	0.1	0.8	0.6	1.0	-	7.4	0.9		24
25	-	-	-	0.1	18.6	-	2.9	8.1	-	0.2	12.2	0.3		25
26	0.9	0.3	-	0.1	-	-	0.9	0.3	1.6	0.7	0.5	6.8		26
27	0.2	2.1	1.1	-	0.1	-	0.1	0.4	2.4	0.4	0.9	0.7		27
28	-	5.2	2.2	-	-	0.7	-	-	6.9	0.8	1.4	0.8		28
29	-	X	1.7	-	-	-	0.1	0.3	18.2	0.3	12.2	1.7		29
30	0.2	X	5.1	3.1	-	-	-	0.3	0.6	0.1	2.7	2.2		30
31	-	X	1.1	X	-	X	4.1	-	X	6.7	X	0.2		31
TOTAL	95.4	48.8	25.2	42.2	46.5	22.1	93.2	62.7	144.4	75.0	74.1	96.6	826.2	
Days with 0.2 mm. or more														
Days with 1.0 mm. or more														

Esa

1790

Form A. 2. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Scilly

in the County of Cornwall

by The Coastguard

Lat. Long.

Time of Observation 7h

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 129 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	**Jan.**	**Feb.**	**March**	**April**	**May**	**June**	**July**	**August**	**Sept.**	**Oct.**	**Nov.**	**Dec.**	*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	13·4	-	1·9	0·8	0·9	-	-	0·6	2·9	2·4	0·9	19·4	1
2	5·7	-	1·5	-	0·2	-	-	0·2	-	-	1·4	1·0	2
3	2·6	0·6	4·4	1·0	3·1	-	1·0	-	0·6	-	2·1	1·2	3
4	3·6	10·3	8·3	-	-	-	-	1·4	0·3	-	-	-	4
5	5·3	5·8	6·7	0·3	0·3	-	-	-	0·6	-	4·9	1·6	5
6	20·5	21·3	1·0	-	-	-	-	-	-	-	1·3	1·7	6
7	8·2	-	4·1	2·3	-	0·2	0·3	-	-	-	-	0·7	7
8	4·1	-	6·0	0·7	0·2	0·3	-	-	-	-	6·6	0·9	8
9	3·4	-	0·4	4·6	1·1	-	0·1	-	-	-	4·2	1·0	9
10	3·1	-	21·6	-	0·3	-	-	-	-	-	2·2	7·0	10
11	2·9	1·7	10·1	3·7	3·2	0·8	0·6	0·1	-	-	2·0	2·4	11
12	0·9	-	0·4	0·4	-	1·4	-	-	-	2·0	2·1	-	12
13	1·9	4·3	8·4	8·0	-	-	-	-	1·2	1·8	-	4·0	13
14	7·9	4·1	5·5	4·7	18·2	-	-	0·2	0·2	1·0	0·6	3·2	14
15	5·4	0·5	0·4	-	-	-	-	-	1·6	0·2	-	1·3	15
16	2·1	15·7	0·3	-	2·2	0·2	0·2	0·3	-	-	2·0	0·8	16
17	1·8	33·6	0·1	0·1	0·2	0·2	0·2	0·2	-	-	2·7	0·9	17
18	1·3	5·3	3·9	0·3	0·2	-	4·5	1·7	0·8	-	2·0	-	18
19	5·5	3·0	5·3	-	2·5	11·2	3·1	12·9	5·0	-	2·0	1·3	19
20	10·0	0·1	5·0	-	30·0	6·1	-	2·5	6·0	-	2·8	0·6	20
21	6·2	13·3	2·8	-	0·2	0·2	0·4	0·3	5·2	-	2·0	2·1	21
22	-	-	0·8	-	-	0·2	1·4	0·3	1·0	1·0	0·6	1·6	22
23	-	1·7	1·2	-	-	-	-	0·2	-	3·2	1·2	4·8	23
24	-	-	-	-	-	4·8	-	-	0·3	12·2	4·4	5·4	24
25	2·7	4·1	-	0·6	0·1	0·2	0·1	1·6	0·2	-	0·8	2·3	25
26	1·3	2·9	0·2	0·4	-	-	-	0·2	4·0	-	3·1	7·6	26
27	4·1	-	0·4	2·7	-	-	-	8·6	2·1	-	7·2	5·3	27
28	0·8	2·6	11·6	9·1	-	-	-	19·8	2·1	1·4	9·2	12·0	28
29	-		1·8	3·2	-	-	-	3·9	-	0·4	-	1·1	29
30	2·4		1·2	0·9	-	2·9	-	10·2	-	0·6	7·2	8·5	30
31	0·2		3·1		0·1		0·7	10·2		1·1		10·4	31
TOTAL	127·3	130·9	118·4	43·8	63·0	28·7	12·6	75·4	34·1	27·3	74·9	110·1	YEAR'S TOTAL 846·5
Days with 0·2 mm. or more	27	17	28	17	15	13	10	19	17	12	25	28	228

(44,284). Wt.21,958—218. 500. 10/19. Gp.132. A.&E.W.

5·5

Metform 1091 (Revised 9/71)

Section **A** **for the entry of daily observations**

Station No.

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN 1979

Kept at St Mary's Scilly
in the County of Cornwall
Diameter of funnel of gauge .... in.
Height of top of gauge above ground 1 ft. .... in.
Height of ground above sea level 129 ft.

An annual return of observations on this form is **NOT** required from those observers making monthly returns on postcards

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	13.4	-	1.9	0.8	0.9	-	-	0.6	2.9	2.4	0.9	19.4		1
2	5.7	-	1.5	-	0.2	-	-	0.2	-	-	1.4	1.0		2
3	2.6	0.6	4.4	1.0	3.1	-	1.0	-	0.6	-	2.1	1.2		3
4	3.6	10.3	8.3	-	-	-	-	1.4	0.3	-	-	-		4
5	5.3	5.8	6.7	0.3	0.3	-	-	-	0.6	-	4.9	1.6		5
6	20.5	21.3	1.0	-	-	-	-	-	-	-	1.3	1.7		6
7	8.2	-	4.1	2.3	-	0.2	0.3	-	-	-	-	0.7		7
8	4.1	-	6.0	0.7	0.2	0.3	-	-	-	-	6.0	0.9		8
9	3.4	-	0.4	4.6	1.1	-	0.1	-	-	-	4.2	1.0		9
10	3.1	-	21.6	-	0.3	-	-	-	-	-	2.2	7.0		10
11	2.9	1.7	10.1	3.7	3.2	0.8	0.6	0.1	-	-	2.0	2.4		11
12	0.9	-	0.4	0.4	-	1.4	-	-	-	2.0	2.1	-		12
13	1.9	4.3	8.4	8.0	-	-	-	-	1.2	1.8	-	4.0		13
14	7.9	4.1	5.5	4.7	18.2	-	-	0.2	0.2	1.0	0.6	3.2		14
15	5.4	0.5	0.4	-	-	-	-	-	1.6	0.2	-	1.3		15
16	2.1	15.7	0.3	-	2.2	0.2	0.2	0.3	-	-	2.0	0.8		16
17	1.8	33.6	0.1	0.1	0.2	0.2	0.2	0.2	-	-	2.7	0.9		17
18	1.3	5.3	3.9	0.3	0.2	-	4.5	1.7	0.8	-	2.0	-		18
19	5.5	3.0	5.3	-	2.5	11.2	3.1	12.9	5.0	-	2.0	1.3		19
20	10.0	0.1	5.0	-	30.0	6.1	-	2.5	6.0	-	2.8	0.6		20
21	6.2	13.3	2.8	-	0.2	0.2	0.4	0.3	5.2	-	2.0	2.1		21
22	-	-	0.8	-	-	0.2	1.4	0.3	1.0	1.0	0.6	1.6		22
23	-	1.7	1.2	-	-	-	-	0.2	-	3.2	1.2	4.8		23
24	-	-	-	-	-	4.8	-	-	0.3	12.2	4.4	5.4		24
25	2.7	4.1	-	0.6	0.1	0.2	0.1	1.6	0.2	-	0.8	2.3		25
26	1.3	2.9	0.2	0.4	-	-	-	0.2	4.0	-	3.1	7.6		26
27	4.1	-	0.4	2.7	-	-	-	8.6	2.1	-	7.2	5.3		27
28	0.8	2.6	11.6	9.1	-	-	-	19.8	2.1	1.4	9.2	12.0		28
29	-	X	1.8	3.2	-	-	-	3.9	-	0.4	-	1.1		29
30	2.4	X	1.2	0.9	-	2.9	-	10.2	-	0.6	7.2	8.5		30
31	0.2	X	3.1	X	0.1	X	0.7	10.2	X	1.1	X	10.4		31
TOTAL	127.3	130.9	118.4	43.8	63.0	28.7	12.6	75.4	34.1	27.3	74.9	110.1	846.5	
Days with 0.2 mm. or more														
Days with 1.0 mm. or more														

Metform 1091 (Revised 9/71)

Section **A** for the entry of daily observations

Station No.

METEOROLOGICAL OFFICE

REGISTER OF RAINFALL IN 1920

Kept at St Mary's Scilly
in the County of Cornwall
Diameter of funnel of gauge .... in.
Height of top of gauge above ground 1 ft. .... in.
Height of ground above sea level 129 ft.

An annual return of observations on this form is **NOT** required from those observers making monthly returns on postcards

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.		
1	3·4	–	1·7	3·6	11·9	–	27·7	0·1	0·4	5·3	1·3	7·6		1
2	4·1	–	1·0	0·2	–	–	1·0	0·7	2·4	1·3	–	1·4		2
3	11·3	1·9	–	2·4	0·5	–	0·4	0·3	0·7	14·5	0·8	2·8		3
4	–	–	0·4	–	–	–	–	17·0	0·1	8·3	–	–		4
5	–	0·6	1·2	–	1·7	–	4·8	3·7	–	3·2	–	–		5
6	–	–	1·8	0·8	2·4	–	10·8	0·1	0·1	12·9	0·6	–		6
7	0·6	–	1·8	6·8	1·0	–	15·2	0·1	–	–	–	4·4		7
8	3·6	1·2	–	4·0	3·8	–	0·9	3·1	–	–	–	1·3		8
9	8·3	0·6	0·2	1·1	–	4·2	6·4	–	–	0·1	–	–		9
10	8·4	2·8	3·8	0·3	–	1·3	2·9	–	–	–	–	–		10
11	6·5	–	2·9	10·9	2·2	4·6	2·9	–	–	0·4	–	–		11
12	2·8	1·8	0·6	1·6	–	0·2	0·7	3·2	–	–	3·0	1·1		12
13	2·9	0·3	10·8	0·7	–	0·6	–	–	–	1·8	–	2·3		13
14	1·9	0·4	6·7	1·0	–	2·3	1·4	–	4·3	9·0	2·6	–		14
15	0·8	1·7	0·2	3·7	0·2	–	–	0·6	0·2	30·8	3·9	–		15
16	0·4	–	1·0	0·2	0·2	2·0	1·5	–	7·7	4·1	1·7	–		16
17	1·1	–	0·2	–	2·6	0·9	–	–	7·4	16·0	–	–		17
18	3·1	–	–	1·2	0·5	4·2	–	7·7	0·7	–	–	–		18
19	3·9	–	0·3	5·7	–	8·4	0·4	0·7	0·8	3·3	–	–		19
20	0·9	–	–	0·2	–	2·9	0·2	–	4·1	0·9	–	6·1		20
21	–	–	0·5	6·1	–	–	0·2	–	1·6	0·8	–	1·2		21
22	1·0	–	0·9	0·2	–	–	0·9	–	–	–	–	5·1		22
23	0·7	–	0·6	0·2	–	–	2·5	0·3	0·2	–	–	5·3		23
24	1·2	–	5·2	0·2	–	–	0·8	–	–	–	–	2·1		24
25	2·8	–	2·1	–	0·6	–	11·9	–	–	–	–	–		25
26	5·4	–	5·9	–	–	0·6	1·8	–	0·7	–	0·9	0·6		26
27	8·9	1·1	1·9	1·1	1·2	3·9	1·8	–	–	–	10·4	9·3		27
28	4·9	0·4	1·8	2·2	–	3·4	1·1	–	–	–	–	1·9		28
29	4·4	X	2·3	1·3	5·9	2·4	0·3	–	2·3	–	4·3	2·3		29
30	1·8	X	–	–	–	8·4	10·2	–	15·3	29·0	8·2	10·0		30
31	2·6	X	8·0	X	–	X	–	–	X	14·3	X	2·8		31
TOTAL	97·7	12·8	63·8	55·7	34·7	50·3	108·7	37·6	49·0	156·0	37·7	67·6	771·6	
Days with 0.2 mm. or more														
Days with 1.0 mm. or more														

Form A. 2. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.** 1709

REGISTER OF RAINFALL IN 1920.

(M.O.)

Kept at St. Mary's, Scilly

in the ~~County of~~ Scilly Is., Cornwall.

by Coastguard, for M.O.

Lat. 49° 56' Long. 6° 18' W

Time of Observation 7h GMT.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 129 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Inches should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	mm.	
1	3·4	-	1·7	3·6	11·9	-	27·7	0·1	0·4	5·3	1·3	7·6	1
2	4·1	-	1·0	0·2	-	-	1·0	0·7	2·4	1·3	-	1·4	2
3	11·3	1·9	-	2·4	0·5	-	0·4	0·3	0·7	14·5	0·8	2·8	3
4	-	-	0·4	-	-	-	-	17·0	0·1	8·3	-	-	4
5	-	0·6	1·2	-	1·7	-	4·8	3·7	-	3·2	-	-	5
6	-	-	1·8	0·8	2·4	-	10·8	0·1	0·1	129	0·6	-	6
7	0·6	-	1·8	6·8	1·0	-	15·2	0·1	-	-	-	4·4	7
8	3·6	1·2	-	4·0	3·8	-	0·9	3·1	-	-	-	1·3	8
9	8·3	0·6	0·2	1·1	-	4·2	6·4	-	-	0·1	-	-	9
10	8·4	2·8	3·8	0·3	-	1·3	2·9	-	-	-	-	-	10
11	6·5	-	2·9	10 9	2·2	4·6	2·9	-	-	0·4	-	-	11
12	2·8	1·8	0·6	1·6	-	0·2	0·7	3·2	-	-	3·0	1·1	12
13	2·9	0·3	10·8	0·7	-	0·6	-	-	-	1·8	-	2·3	13
14	1·9	0·4	6·7	1·0	-	2·3	1·4	-	4·3	9·0	2·6	-	14
15	0·8	1·7	0·2	3·7	0·2	-	-	0·6	0·2	30·8	3·9	-	15
16	0·4	-	1·0	0·2	0·2	2·0	1·5	-	7·7	4·1	1·7	-	16
17	1·1	-	0·2	-	2·6	0·9	-	-	7·4	16·0	-	-	17
18	3·1	-	-	1·2	·0·5	4·2	-	7·7	0·7	-	-	-	18
19	3·9	-	0·3	5·7	-	8·4	0·4	0·7	0·8	3·3	-	-	19
20	0·9	-	-	0·2	-	2·9	0·2	-	4·1	0·9	-	6·1	20
21	-	-	0·5	6·1	-	-	0·2	-	1·6	0·8	-	1·2	21
22	1·0	-	0·9	0·2	-	-	0·9	-	-	-	-	5·1	22
23	0·7	-	0·6	0·2	-	-	2·5	0·3	0·2	-	-	5·3	23
24	1·2	-	5·2	0·2	-	-	0·8	-	-	-	-	2·1	24
25	2·8	-	2·1	-	0·6	-	11·9	-	-	-	-	-	25
26	5·4	-	5·9	-	-	0·6	1·8	-	0·7	-	0·9	0·6	26
27	8·9	1·1	1·9	1·1	1·2	3·9	1·8	-	-	-	10·4	9·3	27
28	4·9	0·4	1·8	2·2	-	3·4	1·1	-	-	-	-	1·9	28
29	4·4	-	2·3	1·3	5·9	2·4	0·3	-	2·3	-	4·3	2·3	29
30	1·8		-	-	-	8·4	10·2	-	15·3	29·0	8·2	10·0	30
31	2·6		8·0		-		-	-		14·3		2·8	31
Total	97·7	12·8	63·8	55·7	34·7	50·3	108·7	37·6	49·0	156·0	37·7	67·6	771·6 ✓
Days with 0·2 mm. or more	27 ✓	11 ✓	26 ✓	24 ✓	14 ✓	16 ✓	25 ✓	10 ✓	15 ✓	17 ✓	11 ✓	18 ✓	214 ✓
Days with 1·0 mm. or more	22 ✓	6 ✓	17 ✓	15 ✓	9 ✓	12 ✓	16 ✓	5 ✓	8 ✓	14 ✓	8 ✓	17 ✓	149 ✓

(44,284). 10/19. (52,639). Wt.10,000—359. 1000. 7/20. Gp.132. A.&E.W.

Copied from M 3200.

CORNWALL.

ST. MELLION REC.

1911, 14, 1919.

FORM A2.
BRITISH RAINFALL.

31 JAN 1912

REG … 1911

Kept at St Melli…
f top 5 in.
in the County of Corn…
p above Ground 1 ft. 0
„ Sea Level 400 ft.
by The Rev. Frederic T.…
9 am.

Nearest Railway Station { Name Saltash
Distance 6m Direction S. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·03	·42						·12		1
2				·12	·32			·56		·04	·13	·41	2
3			·02		·32			·03	·02		·14	·14	3
4			·07					·62			·25	·82	4
5	·63		·25			·09		·40		·12	·18	·02	5
6	·12		·11					·01		·05	·11	1·44	6
7	·03			·02							·60	·04	7
8	·02		·20								·07	·76	8
9	·05		·01								·15	·72	9
10	·05	·09	1·10		·08						·12	·30	10
11	·38								·02		·81	·14	11
12	·01		·83						·37		·08	·36	12
13		·01	·11						·18	·07	·12	·23	13
14		·07	·08							·04	·31	·50	14
15	·01	·06	·16			·10					·42	·14	15
16	·01	·01	·01			·55					·29	·48	16
17		·04	·23	·09		·16					·24	·80	17
18		·26		·15		·36				·10	·50	·39	18
19		·05	·04	·05		·56			·62	·08	·28	·82	19
20	·02	·08		·18		·01			·18	·79		·78	20
21	·02	·15		·01		·09		·49	·41	·41		·18	21
22	·11	·07	·08	·09		·02			·48	·21		·59	22
23		·10	·01	·01		·12		·26	·03	·60	·48	·54	23
24		·31		·21		·40		·11		·10		·38	24
25	·03	·02		·50		·03		·02	·10	·56		·27	25
26	·01	·16			·95			·26		·55		·32	26
27		·63			1·55			·37	·19	·10		·28	27
28		·13		·35							·40		28
29			·02	·20	·28	·55	1·22		·15	·46			29
30						·06	·25		·03	·31	·29	·08	30
31			·25				·07			·09		·01	31
Total	1·52	2·24	3·58	2·01	3·92	3·10	1·54.	3·13	2·78	4·68	6·09	11·94	TOTAL for year ✓
No. of Rain Days	16.	17.	18.	14.	7.	14.	3.	11.	13.	18.	22.	29	46.53 181

9,000, IX. '10.

REGISTER OF RAINFALL 1911

FORM A2. BRITISH RAINFALL.

31 JAN 1912

Kept at St. Mellion Rectory

in the County of Cornwall 3

by The Rev. Frederic T. Wintle

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. 0
" " " Sea Level 400 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Saltash
Distance 6m Direction S.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·02			·03	·42						·12		1
2				·12	·32			·56		·04	·13	·41	2
3			·02		·32			·03	·02		·14	·14	3
4			·07					·62			·25	·82	4
5	·63		·25			·09		·40		·12	·18	·02	5
6	·12		·11					·01		·05	·11	1.44	6
7	·03			·02							·60	·04	7
8	·02		·20								·07	·76	8
9	·05		·01								·15	·72	9
10	·05	·09	1.10		·08						·12	·30	10
11	·38								·02		·81	·14	11
12	·01		·83						·37		·08	·36	12
13		·01	·11						·18	·07	·12	·23	13
14		·07	·08							·04	·31	·50	14
15	·01	·06	·16			·10					·42	·14	15
16	·01	·01	·01			·55					·29	·48	16
17		·04	·23	·09		·16					·24	·80	17
18		·26		·15		·36				·10	·50	·39	18
19		·05	·04	·05		·56			·62	·08	·28	·82	19
20	·02	·08		·18		·01			·18	·79		·78	20
21	·02	·15		·01		·09		·49	·41	·41		·18	21
22	·11	·07	·08	·09		·02			·48	·21		·59	22
23		·10	·01	·01		·12		·26	·03	·60	·48	·54	23
24		·31		·21		·40		·11		·10		·38	24
25	·03	·02		·50		·03		·02	·10	·56		·27	25
26	·01	·16			·95			·26		·55		·32	26
27		·63			1.55			·37	·19	·10		·28	27
28		·13		·35							·40		28
29			·02	·20	·28	·55	1.22		·15	·46			29
30						·06	·25		·03	·31	·29	·08	30
31			·25				·07			·09		·01	31
Total	1.52	2.24	3.58	2.01	3.92	3.10	1.54.	3.13	2.78	4.68	6.09	11.94	TOTAL for year ✓
No. of Rain Days	16.	17.	18.	14.	7.	14.	3.	11.	13.	18.	22.	29	46.53 181

9,000, IX. '10.

Ex DL

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
18 JAN 1915

Kept at St Mellion Rectory

in the County of Cornwall 3

by The Rev: F. T. Wmitte

Lat. 50° 28'N Long. 4° 16'W

Time of Observation 9 am.

Nearest Railway Station Saltash

Diameter of Rain Gauge Same as before in.

Height of top of Gauge above Ground Same ft. in.

" " " " Sea Level 400 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.04	—	.07	.11	.13	.26	.05	.84	—	—	.93	10	1
2	—	—	.08	.05	.59	.03	.23	.03	—	—	.03	.55	2
3	—	—	.20	—	.15	—	—	.07	—	—	.20	.12	3
4	.25	—	.08	.37	.03	—	1.53	.10	.08	—	.07	.52	4
5	.28	—	.21	.22	.18	—	.28	.01	—	—	.09	.07	5
6	.02	.08	.16	.10	.28	—	.15	.06	—	—	.01	.86	6
7	.06	.81	.45	.13	—	.23	.38	.21	.85	—	—	—	7
8	.10	—	.85	.12	.03	.20	.02	.05	.07	—	—	.20	8
9	.05	.09	.39	.15	.12	—	—	.20	.38	—	.01	—	9
10	.10	.76	.09	.55	—	.02	—	—	.18	—	.01	.37	10
11	—	.24	.75	.01	—	.19	—	—	.44	—	.05	.46	11
12	—	.32	.23	—	—	.61	—	—	.24	—	.17	.43	12
13	—	.72	.34	—	—	—	.29	—	.25	.02	.30	.12	13
14	—	.41	.40	—	—	.17	.01	.12	.06	.07	.72	.11	14
15	—	.01	.23	—	—	—	.14	.07	.01	.06	.33	.67	15
16	—	.01	.01	—	—	—	.04	—	—	.01	—	.02	16
17	—	.40	.23	—	—	—	.02	—	—	—	—	.81	17
18	—	.16	.02	—	—	—	.07	—	.23	—	—	.34	18
19	—	.05	.55	—	—	—	1.53	—	.06	—	.11	.14	19
20	—	.30	.24	—	—	.12	.02	—	.01	—	.01	.20	20
21	—	.44	.01	—	—	—	—	—	—	.45	—	.04	21
22	—	.09	.02	—	.06	.03	—	.08	—	.40	—	—	22
23	—	.04	.32	—	—	—	.04	.05	—	.09	—	—	23
24	—	—	.02	—	—	—	.02	.17	—	.03	.03	—	24
25	.13	—	.27	—	.22	—	.19	.94	—	.70	.06	.90	25
26	.03	.19	.18	—	—	—	.21	.01	—	.02	.25	.53	26
27	.06	.40	—	—	—	—	.12	—	—	.05	.20	.36	27
28	.02	.21	.40	—	.10	—	.01	—	—	.18	.11	.85	28
29	.38		.29	—	.09	—	.83	—	—	.06	.69	.03	29
30	.02	✕	.16	—	.01	.01	—	—	—	.07	.34	1.10	30
31	.07	✕	—	✕	.02	✕	1.09	—	✕	.84	✕	.54	31
Total	1.61	5.73	7.25	1.81	2.01	1.87	7.27	3.01	2.83	3.05	4.72	10.44	YEAR'S TOTAL 51.60
Rain Days.	15	20	29	10	14	11	23	16	13	15	22	26	214

W. 8,000. X. 14.

1783

REG STER OF RAINFALL IN 19~~19~~. 1919

FORM A. BRITISH RAINFALL

Kept at St. Mellion Rectory ~~Ex. #806~~
in the County of Cornwall
by Rev. F. T. Wintle.

Lat. 50° 28′ N. Long. 4° 16′ W.
Time of Observation 9.0. a.m.
Nearest Railway Station Saltash 5½ m.
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 400·05 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.71	—	.45	.07	.08	—	.22	—	.20	.29	—	1.12	1
2	.19	—	.03	—	.02	—	.18	—	.07	.02	—	.10	2
3	.19	—	.41	—	.11	—	.13	—	.28	—	—	.17	3
4	.08	.80	.95	—	—	—	.25	.31	.80*	—	.01	.02	4
5	.06	.25	.40	—	.02	—	—	.01	—	—	.01	.08	5
6	*.72	.80	.22	—	—	—	—	—	—	—	.01	.35	6
7	.52	—	.20	.12	—	.03	—	—	—	—	—	.20	7
8	.41	—	.30	.02	.02	—	—	—	—	—	.90*	—	8
9	.15	—	.04	.27	.11	—	—	—	—	—	.26*	.06	9
10	.05	—	.78	.03	.06	—	—	—	—	.01	.01	1.23	10
11	.06	—	.43	.34	.52	.01	.11	—	.01	.04	.04*	.37	11
12	.47	—	.11	—		.01	—	—	—	.15	.11*	.01	12
13	.50	.23	.22	.67	.41	—	.03	—	—	.10	—	.48	13
14	.70	.23	—	.74	.25	—		—	—	.08	—	.22	14
15	.20	.03	—	.02		—		—	—	.19	—	.60	15
16	.09	*1.45	.01	—	.11	.01		—	—	—	.32	.03	16
*17	.03	*.23	.03	—		.02		.01	—	—	.44	.02	17
18	.18	.52	.69	—	.08	—	.37	.14	.09	—	.47	.03	18
19	.63	.48	.19	—		.17	.28	.58	.23	.01	.12	.01	19
20	.45	.16	.16	—	.05	.30	.03	.09	.23	—	.19	.05	20
21	.36	.95	—	—	.26	—	.08	.02	.22	—	.03	.11	21
22	—	.01	—	—	.01	.03	.02	—	.10	.02	—	.14	22
23	—	—	—	—	—	—		.04	.02	.57	.08	.20	23
24	.02	—	—	—	—	.25		.05	.02	.46	.08	.33	24
25	.18	—	—	.06	—	.12		1.07	—	—	.14	.18	25
26	.10	—	.10	.05*	—	—		.13	.11	—	.16	.51	26
27	.26	.07	.05	.40	—	—		1.08	—	—	.01	.08	27
28	—	.03	.54	.11	—	—		.01	—	.01	.68	.64	28
29	—	~~.03~~	.03*	—	—	—		.18	.01	.05	.01	.06	29
30	—	X	.01*	.17	—	.13		.17		—	.68	.92	30
31	—	X	.03*	X	—	X	.01	—	X	—	X	.23	31
Total	7.31	6.24	6.38	3.07	2.11	1.08	1.71	3.89	2.39	2.00	4.76	8.55	YEAR'S TOTAL 49.49
Rain Days.	25	15	24	14	15	11	12	15	14	14	22	30	211

*. Partly melted snow

*=partly melted snow.

W. 6,500, VII. 18. W W C

CORNWALL

ST. WENN VICARAGE

1911–1914, 19, 1920.

REC 1911

FORM A2.
BRITISH RAINFALL.

19 JAN 1912

Kept at St Wenn Vi
in the County of Corn
by Rev. J. Gordon Co

top 8 in.
p above Ground 1 ft.
„ Sea Level 431 ft.
9 am
tion { Name Roche
Distance 4 miles Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·01	·05	—	·02	·06	—	1
2							—	·33	—	·45	·14	·18	2
3							—	·05	·04	—	·24	·16	3
4							—	·44	—	·05	·34	·59	4
5							—	·50	—	·05	·11	·25	5
6							—	·05	—	—	·18	1·06	6
7							—	—	—	—	·57	·02	7
8							—	—	—	—	·18	·60	8
9							—	—	—	—	·22	·60	9
10							—	—	—	—	·10	·29	10
11							—	—	·13	—	·47	·16	11
12							—	—	·34	—	·22	·35	12
13							—	—	·05	—	·10	·03	13
14							—	—	—	·08	·14	·46	14
15							—	—	—	—	·41	·10	15
16							—	—	—	—	·09	·33	16
17							—	—	—	·02	·49	·70	17
18							—	—	—	·04	·27	·30	18
19							—	—	·55	·10	·24	·68	19
20							—	—	·59	·76	·05	·60	20
21							—	—	·23	·27	·02	·15	21
22							—	—	·30	·15	—	·45	22
23							—	·12	·20	·27	·18	·13	23
24							—	·04	—	·23	—	·42	24
25							—	—	·11	·25	—	·13	25
26							·05	·16	—	·70	·06	·28	26
27							—	·39	·36	·10	—	·38	27
28							—	—	·03	—	·02	·02	28
29							·96	·04	·27	·19	—	·02	29
30							·34	—	·03	·38	·17	·23	30
31							·07	—		·10		—	31
Total							1·43	2·17	3·23	4·11	5·11	9·67	TOTAL for year
No. of Rain Days.							5	11	14	19	25	29	

Recd 1st Jan to 30 June 1911
Kept by L. Shadwell Esq
at Trewollack 1 mile N of Vicarage
now T. Cotts' Well Forward.

W. 8,000, X. '11.

REGISTER OF RAINFALL IN 1911

FORM A2.
BRITISH RAINFALL.

19 JAN 1912
3/3

Kept at St Wenn Vicarage

in the County of Cornwall

by Rev. J Gordon Cotterbrooke

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft.
" " " Sea Level 431 ft.

Time of Observation 9 am

Nearest Railway Station
Name Roche
Distance 4 m Direction S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1							·01	·05	—	·02	·06	—	1
2							—	·33	—	·45	·14	·18	2
3							—	·05	·04	—	·24	·16	3
4							—	·44	—	·05	·34	·59	4
5							—	·50	—	·05	·11	·25	5
6							—	·05	—	—	·18	1·06	6
7							—	—	—	—	·51	·02	7
8							—	—	—	—	·18	·60	8
9							—	—	—	—	·22	·60	9
10							—	—	—	—	·10	·29	10
11							—	—	·13	—	·47	·16	11
12							—	—	·34	—	·22	·35	12
13							—	—	·05	—	·10	·03	13
14							—	—	—	·08	·14	·46	14
15							—	—	—	—	·41	·10	15
16							—	—	—	—	·09	·33	16
17							—	—	—	·02	·49	·70	17
18							—	—	—	·04	·27	·30	18
19							—	—	·55	·10	·24	·68	19
20							—	—	·59	·76	·05	·60	20
21							—	—	·23	·27	·02	·15	21
22							—	—	·30	·15	—	·45	22
23							—	·12	·20	·27	·18	·13	23
24							—	·04	—	·23	—	·42	24
25							—	—	·11	·25	—	·13	25
26							·05	·16	—	·70	·06	·28	26
27							—	·39	·36	·10	—	·38	27
28							—	—	·03	—	·02	·02	28
29							·96	·04	·27	·19	—	·02	29
30							·34	—	·03	·78	·17	·23	30
31							·07	—		·10		—	31
Total							1·43	2·17	3·23	4·11	5·11	9·67	TOTAL for year
No. of Rain Days.							5	11	14	19	25	29	

Record 1st Jan to 30 June 1911
Kept by L. Shadwell Esq
at Trewoolrack 1 mile N of Vicarage
now N Cotts' Well Forest.

W. 8,000, X. '11.

[illegible] own stats 24·11·13

REGISTER OF RAINFALL IN 1912

FORM A.
BRITISH RAINFALL.
14 JAN 1913

Kept at St Wenn Vicarage Bodmin
in the County of Cornwall
by Rev. J. Gordon Addenbrooke

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Roche G.W.R.
Diameter of Rain Gauge 8' in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 431 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	–		·10		·07	·73	·26	·10	·15	·28		·21	1
2	–	(·05)	·29	·10		1·09	·02			·05			2
3	·07		·41	·05		·20		1·40	·17			·04	3
4	·50		·67		·05	·05		·07			·47	·	4
5	·66	·22	·79	·05	·06		·23	1·34			·02	·18	5
6	·65	·10	·13	·02	·40		·03	·57			·02	·09	6
7	·13	·78	·26	·09	·13	·15	·08	·28	·02		·05	·12	7
8	·35	·05	·14	·04		·23							8
9	·02	·34	·19	·11		·17	·21				·03	·80	9
10	·38	·08	·27	·17		1·38	·14	·08	·02		·19	·74	10
11		·15				·21		·05			·19	·65	11
12	·04	·20	·33		·03		·37	·62			·93		12
13	·33		·03	·04		·10		·12		·10	·04	·31	13
14	·18	·10	·58		·03			·39	·04			·11	14
15	·67	·05	·09		·16	·85		·02			·06	·70	15
16	·17		·43			·07		·35		·18	·09	·15	16
17			·25		·04	·19		·57			·12	·18	17
18		·10	·25					1·45		·26	·11	·02	18
19		·09	·32		·08	·02	·12	·37		·12	·04	·08	19
20	·12	·09	·31		·06			·09		·46	·06		20
21		·35	·24		·50	0·01	·03	·09		·29			21
22	·24	·18	·33			·11	·03 ~~·04~~	·50		·08	·02	·20	22
23	·05	·49	·31			·07	·14	1·26		·43	·15	·46	23
24	·09	·04	·08			·22	·12	·02		·29		·18	24
25		·02				·18	·09	·08		·24	·73	·67	25
26		·02					·18	·18		·26	·60	·52	26
27		·04	·03			·28	·54	·07		·93	·20	·53	27
28		·18	·06			·04	·55	·58	·31	·17	·32	·49	28
29		·30	·06		·02	·80	·26	·07	·33	·36		·13	29
30			·05	·05	·41	·10	·22		·10	·37			30
31			·36		·24		·10	·04		·10		·14	31
Total	4·65	4·02	6·86	·72	2·28	7·25	3·62	10·76	1·14	4·97	4·44	7·10	YEAR'S TOTAL 57·81 ✓
Rain Days.	17	23	28	10	15	23	21 20	27	8	18	21	24	235

W. 7,500, XI. 12

2

✓ Esa D11

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.
9 - JAN 1914

Kept at St Wenn Vicarage Bodmin
in the County of Cornwall
by Rev. J Gordon Ardenbrooke

Lat. Long.
Time of Observation 9 am.
Nearest Railway Station Roche G. W. R
Diameter of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 431 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·05	·22	·37	·05	·10					·04	·28	·15	1
2	·06	·16	·06	·09	·21	·12				·09	·15	·07	2
3	·15	·02	·17		·16				1·02	·21		·20	3
4	·66		·08			·09			·02		·35	·27	4
5	·06	·04			·21	·45	·05		·55		·78	1·30	5
6	·17	·09	·15		·06	·29	·04		·03	·97	·31	·13	6
7	·07	·44	·05		1·23	·07	·12			·46	·18	·01	7
8	·16	·17			·23		·10	·08		·06		·06	8
9	·13	·09	·14	·02	·14	·09		·03	·07		·80	·09	9
10	·70		·04	·08	·06			·02		1·31	·22		10
11	·61	·01	·07	·04	·43	·40	·02	·33	·07	·02	·37	·20	11
12	·10			·02		·06			·08		·26	·02	12
13	·14		·19	·05	·15	·02	·10	·05	·66		·24		13
14	·44		·27				·25		·12	·10	·15	·03	14
15	·05		·42	1·07					·09		·23	·10	15
16	·53		·74	·11			·07		·09		·03		16
17	·12		·09	·13	·02		·05				·20		17
18	·12		·30	·25		·03					·22		18
19	·60		·05		·20		·03		·22	·37			19
20	·20		·10	·20		·03				·08	·58		20
21	·09		·07	·09	·04	·08	·09	·12			·21		21
22	·23		·98	·05	·05	·25		·13	·12	·23	·	·37	22
23	·03		·03					·08	·02		·27	·91	23
24	·04	·29		·09		·10		·03			·06		24
25	·05			·32					·12	·03	·18	·25	25
26				1·04		·05			·03	·03	·02	·45	26
27	·54		·34	·31				·25		·15	·03	·23	27
28	·04		·15	·13	·21				·05	·58	·04	·20	28
29	·05		·27	·31			·03			·19	·08	·05	29
30	·82			·05	·13					·32	·06		30
31	·16		·98					·05					31
Total	7·17	1·53	6·11	4·50	3·63	2·13	·95	1·17	3·36	5·24	6·30	5·09	YEAR'S TOTAL 47·18
Rain Days.	30	10	~~25~~ 24	21	17	15	12	11	17	18	26	20	~~222~~

221

W.7,000, XI. 13

Exd L

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
20 JAN 1915

Kept at St. Wenn Vicarage

in the County of Cornwall

by Rev. J. G. Addenbrooke

Lat. .... Long. ....

Time of Observation 9 am.

Nearest Railway Station Roche

Diameter of Rain Gauge 8 in.

Height of top of Gauge above Ground 1 ft. 6 in.

" " " " Sea Level 431 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·09	24		·15	·02	·60			1·10	·12	1
2	·03		·06		·09		·42					·59	2
3	·07		·27	·20	·42			·21		·02	·08	·37	3
4	·33		·13	·30	·08		·86	1·02	·18		·03	·89	4
5	·29		·42	·38	·06						·25	·03	5
6	·06	·15	·25	·17	·12		·06	·09		·01		·44	6
7	·04	·45	·56	·13	·03	·25	·32	·25	1·32		·01	·17	7
8	·20		1·20	·07	·01	·43		·02	·09		·02		8
9	·03	·13	·24	·03	·09	1·06		·12	·59			·02	9
10	·14	·47	·09	·65	·38	·06			·35		·07	·70	10
11		·25	·90			·13			·16		·17	·63	11
12		·67	·27						·14	·17	·21	·20	12
13		·32	·30				·07		·26	·17	·32	·12	13
14		·15	·29			·19	·04	·21	·11	·01	·33	·25	14
15		·06	·24					·04	·09		·68	1·11	15
16			·06				·09		·23			·03	16
17		·50	·53				·11				·01	·71	17
18		·23	·13				·06		·41			·39	18
19		·06	·43				·99				·14	·11	19
20		·45	·27			1·15				·05		·27	20
21		·56	·05			·08	·10	·21		·34		·13	21
22		·10	·19	·04	·02	·02		·03		·34		·01	22
23		·06	·18				·09	·13		·24			23
24			·09			·03				·07	·09	·01	24
25	·21	·01	·16				·03	·45		·44	·04	·40	25
26	·03	·03	·13				·31			·09	·29	·43	26
27	·21	·05					·20			·33	·35	·31	27
28	·03	·04	·22		·03					·35	·16	1·01	28
29	·39		·22		·11		·70			·06	·57	·08	29
30	·	X	·10							·07	·52	·44	30
31	·03	X		X	·05	X	·66		X	·10	X	·49	31
Total	2·09	4·74	8·07	2·21	1·49	3·55	5·13	3·38	3·93	2·86	5·44	10·46	YEAR'S TOTAL 53·35
Rain Days.	15	20	29	10	13	11	18	13	12	17	21	29	208.

W. 8,000. X. 14.

B. made

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at S. Wenn Vicarage, Bodmin
in the County of Cornwall
by Lt. B. H. Davies R.A.F.

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Roche
Diameter of Funnel of Rain Gauge 8 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	1·28	—	·28	—	·12	—	·36	—	·81	·16	—	1·35	1
2	·30	—	—	—	—	—	—	—	—	—	—	·30	2
3	~~1·1~~	—	·41	—	·34	—	—	·43	—	—	—	·40	3
4	—	·73	·50	—	—	—	—	—	·67	—	—	·20	4
5	—	·30	—	—	·02	—	—	—	—	—	—	—	5
6	1·20	1·60	—	—	—	—	—	—	·10	—	—	—	6
7	·26	—	·64	·28	·23	—	—	—	—	—	—	—	7
8	·34	—	·38	~~·40~~	—	·06	—	—	—	—	·81	—	8
9	·38	—	—	·40	—	—	—	—	—	—	—	·23	9
10	·30	—	·98	—	—	—	—	—	—	·22	·22	·90	10
11	·64	—	·73	·19	—	·04	·10	—	—	—	—	·24	11
12	—	—	~~4~~	—	·28	—	—	—	—	·03	—	—	12
13	·86	—	·42	·55	—	—	—	—	—	·37	—	—	13
14	—	·36	—	·91	·30	—	—	—	·03	·20	—	·37	14
15	·42	—	—	·12	—	—	—	—	—	·26	—	·30	15
16	—	·76	—	—	·06	—	—	—	—	·08	·79	·48	16
17	—	1·20	—	—	—	—	—	—	—	—	·60	·10	17
18	—	1·00	·34	—	—	—	·28	·36	—	—	·51	·26	18
19	·34	—	·24	—	—	—	—	·50	·40	—	·18	·14	19
20	·66	·30	·15	—	·12	·48	—	·06	·42	—	·37	·20	20
21	·38	·96	—	—	·75	—	·26	—	·43	—	·20	—	21
22	·49	—	—	—	—	·04	—	—	·46	—	·18	·22	22
23	—	—	—	—	—	—	—	·12	—	·18	—	·18	23
24	—	—	—	—	—	·25	—	—	—	·30	·10	·30	24
25	·36	—	—	—	—	—	—	·58	—	—	·34	·31	25
26	·17	·20	·24	—	—	—	—	·07	·24	·10	·20	·42	26
27	·18	·13	·06	·87	—	—	—	·70	·36	·08	·36	·37	27
28	—	·41	·60	·89	—	—	—	—	—	·27	—	·64	28
29	—	—	—	·36	—	—	—	·84	—	·07	—	·72	29
30	—	×	—	·15	—	·27	—	·14	—	—	·60	1·07	30
31	—	×	·18	×	—	×	·16	—	×	—	×	·74	31
TOTAL	~~8·50~~ 8·56	7·95	6·15	4·72	2·22	1·14	1·46	~~3·74~~ 3·80	3·92	2·32	5·46	~~10·53~~ 10·44	YEAR'S TOTAL 57·84 ~~57·81~~
Days with ·01 in. or more	17	12	15	10	9	6	5	10	10	13	14	24	145

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

REV. BASIL H. DAVIES.

Telegrams: DAVIES, ST. WENN, ROCHE.
Parcels: ROCHE STATION, G.W.R.

ST. WENN VICARAGE,
BODMIN,

1 — 1 — 1919

Dear Sir.

I have been away in the Army & the enclosed record, being taken by an illiterate person for the most part, is probably not more than approximately correct.

Yours faithfully
B. H. Davies

W 1654

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

10 JAN 1921

Kept at S. Wenn Vicarage

in the County of Cornwall

by Rev. B. H. Davies

Lat. .... Long. ....

Time of Observation 9 a m

Nearest Railway Station Roche

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

" " " " Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1			·05				1·14	·40	·12	·77		·62	1
2	·54			·48	·75		·05	·27	·38	·59		·14	2
3	·74	·10					·10		·12	·69			3
4		~~·90~~						·67		·29			4
5			·25		·55		·41	·09	·04	·24			5
6				·26	·34		·22		·05	·43			6
7			·43	·35	·10		·97				·10		7
8	·61	·90	·11	·40			·15	·06					8
9	·66	·11	·06	·10			·70						9
10	1·12	·46	·23	·27			·30				·08		10
11	1·09	·06	·10	·85	·49	·62	·25						11
12	·42	·11	·09	·87			·20						12
13	·22	·08				·46				·42			13
14	·50		·62	·80					·16	·38	·28		14
15	·80	·21	·67	·46					·08	·63	·26		15
16									·20	·24	·72		16
17	·22		·30	·36	·32	·14	·12		·40	·90	·32		17
18	·42			·15		·25		·40	·14				18
19	·24			·60	·12				·08				19
20				·26		·58			·26	·22		·99	20
21	·16		·10	·24								·32	21
22	·10			·14			·10					·28	22
23							·65	·27				·56	23
24			·44				·31	·06			·44		24
25	·18		·28	·10			·42						25
26	·61		·29	·15		·32	·59				·19	·31	26
27	·80	·30	·25		·02	·37	·14				·39	·49	27
28	·78		·76			·19	·27				·51		28
29	·38	·02	·59			·26	·05		·11		·40	·69	29
30	·42	✕	·60		·09	·42	·64		1·44	·58	·24	·70	30
31	·21	✕		✕		✕	·03		✕	·89	✕		31
TOTAL	11·22	2·35	6·22	6·84	2·78 ~~2·68~~	3·61 ~~3·81~~	7·81	2·22	3·58 ~~3·48~~	7·27	3·93	5·10	YEAR'S TOTAL 62·93
Days with ·01 in. or more	22	10	19	18	9	10	22	8	14	14	12	10	~~168~~
Days with ·04 in. or more	22	~~10~~ 9	19	18	8	10	21	8	14	14	12	10	~~166~~ 165

CORNWALL.

ST. WENN,

"TREWOLLACK"

1911

FORM A2.
BRITISH RAINFALL.

5 - JAN 1912

REGIS 911

Kept at Trewollack S

in the County of Cornw

by Walter H. L. Shaw

p 8 in.

bove Ground 1 ft. in.

„ Sea Level 251 ft.

9 a.m.

on { Name Wadebridge

Distance 5 m. Direction N.N.E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	—	—	·15	·17	·01							1
2	—	—	·03	—	·23	—							2
3	—	—	·08	—	·33	—							3
4	—	—	·20	—	·02	—							4
5	·45	—	·60	—	—	—							5
6	·25	—	·29	—	—	—							6
7	·30	—	—	·01	—	—							7
8	·13	—	·21	—	—	—							8
9	·21	—	·04	—	—	—							9
10	·05	·10	·70	—	·02	—							10
11	·49	—	—	—	—	—							11
12	—	—	·46	—	·02	—							12
13	—	—	·13	—	—	—							13
14	—	·25	·09	—	—	—							14
15	·02	·10	·21	—	—	·08							15
16	·01	·02	—	—	—	·50							16
17	—	·11	·38	·20	·03	·25							17
18	—	·38	·09	·33	—	·26							18
19	—	·04	—	·03	—	·22							19
20	·02	·05	·13	·18	—	·03							20
21	·03	·17	·11	—	—	·04							21
22	·07	·03	·01	·16	—	·14							22
23	·05	·22	—	—	—	·04							23
24	·04	·29	·02	—	—	·30							24
25	·06	·01	—	·29	—	·02							25
26	·02	·08	—	·42	—	—							26
27	—	·82	·12	·02	—	·03							27
28	—	·17	·09	·57	—	·02							28
29	—		·04	·15	·08	·97							29
30	—		—	—	—	·07							30
31	—		—		—								31
Total	2·29	2·84	4·03	2·51	·90	2·98							TOTAL for year 15·55
No. of Rain Days.	17	16	21	12	8	16							90

This Return is for six months only. At the end of June I changed my residence and the gauge was transferred to Mr. J. G. Addenbrooke Vicar of St Wenn by whom the record has been kept from 1 July 1911

Walter H. L. Shadwell

3 January 1912

W. 8,000, X. '11.

REGIS 11

FORM A2.
BRITISH RAINFALL.
5 - JAN 1912

Kept at Trewollack St Wenn

in the County of Cornwall

by Walter H. L. Shadwell

RAIN GAUGE
Pattern
Diameter of top 8 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 251 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Wadebridge
Distance 5 m. Direction N. N. E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·09	—	—	·15	·17	·01							1
2	—	—	·03	—	·23	—							2
3	—	—	·08	—	·33	—							3
4	—	—	·20	—	·02	—							4
5	·45	—	·60	—	—	—							5
6	·25	—	·29	—	—	—							6
7	·30	—	—	·01	—	—							7
8	·13	—	·21	—	—	—							8
9	·21	—	·04	—	—	—							9
10	·05	·10	·70	—	·02	—							10
11	·49	—	—	—	—	—							11
12	—	—	·46	—	·02	—							12
13	—	—	·13	—	—	—							13
14	—	·25	·09	—	—	—							14
15	·02	·10	·21	—	—	·08							15
16	·01	·02	—	—	—	·50							16
17	—	·11	·38	·20	·03	·25							17
18	—	·38	·09	·33	—	·26							18
19	—	·04	—	·03	—	·22							19
20	·02	·05	·13	·18	—	·03							20
21	·03	·17	·11	—	—	·04							21
22	·07	·03	·01	·16	—	·14							22
23	·05	·22	—	—	—	·04							23
24	·04	·29	·02	—	—	·30							24
25	·06	·01	—	·29	—	·02							25
26	·02	·08	—	·42	—	—							26
27	—	·82	·12	·02	—	·03							27
28	—	·17	·09	·57	—	·02							28
29	—		·04	·15	·08	·97							29
30	—		—	—	—	·07							30
31	—		—		—								31
Total	2·29	2·84	4·03	2·51	·90	2·98							TOTAL for year 13·55
No. of Rain Days.	17	16	21	12	8	16							90

This return is for six months only. At the end of June I changed my residence and the gauge was transferred to Mr. I. G. Addenbrooke Vicar of St Wenn by whom the record has been kept from 1 July 1911

Walter H. L. Shadwell

3 January 1912

WD Cons. 19.11.12

RE 1911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

CORNWALL.
— TALLAND
TORFREY.
1911, 13 - ~~1915~~ 1918 ~~1917~~ 1913

Kept at Torfrey,

in the County of Cor

by W. J. Mill

...r of top 4 in.

...f top above Ground ft. 3 in.

" " Sea Level 300 ft.

...tion 9.30

Nearest Railway Station { Name Golant
Distance ½ mile Direction E.E.S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	—	17	—	—	26	7	—	—	—	8	41	1
2	—	—	—	—	34	—	—	—	—	—	—	—	2
3	—	—	—	—	14	—	—	30	—	23	12	33	3
4	—	—	6	—	34	—	—	2	5	—	19	19	4
5	—	—	5	—	—	—	—	1.11	—	~~5~~	34	86	5
6	75	—	44	—	—	—	—	19	—	6	22	5	6
7	16	—	22	—	—	—	—	—	—	—	7	1.14	7
8	7	—	—	—	—	—	—	—	—	—	45	11	8
9	5	—	22	—	—	13	—	—	—	—	5	53	9
10	—	—	—	—	—	—	—	—	—	—	22	52	10
11	11	9	95	—	—	—	—	—	—	—	21	37	11
12	34	—	—	—	—	—	—	—	—	—	74	10	12
13	—	—	64	—	—	—	—	—	61	—	22	28	13
14	—	—	9	—	—	—	—	—	~~08~~	—	16	9	14
15	—	10	8	—	—	—	—	—	—	6	29	51	15
16	—	8	—	—	—	12	—	—	—	—	45	11	16
17	—	2	—	—	—	52	—	—	—	—	24	33	17
18	—	6	40	14	—	15	—	—	—	—	25	67	18
19	—	36	16	19	—	29	—	—	—	—	82	40	19
20	—	12	—	6	—	61	—	—	63	19	46	83	20
21	—	12	5	13	—	10	—	—	13	69	—	46	21
22	9	17	7	2	14	3	—	—	8	18	—	51	22
23	—	18	—	21	—	7	—	—	91	13	—	46	23
24	—	13	—	—	—	20	—	33	9	39	5	42	24
25	—	31	—	19	—	27	—	3	—	25	—	48	25
26	9	—	—	43	—	2	—	—	7	54	—	27	26
27	—	29	—	2	—	—	—	—	—	92	—	39	27
28	—	57	7	—	—	—	—	57	17	17	—	28	28
29	—		3	41	—	—	—	—	7	—	38	—	29
30	—		—	16	10	61	67	14	20	38	—	6	30
31	—	.17	—	~~5~~	~~.56~~	.07	42	—		22 .08	41	—	31
Total	1.69 1.66	2.60 2.77	3.70 3.53	1.96 1.96	1.06 1.32	3.38 3.19	1.16 1.09	2.69 2.69	3.09 3.09	4.41 4.49	6.00 6.33	11.26	Total for Year 41.87
No. of Rain Days.	~~9~~ 8	~~14~~ 15	~~16~~ 15	11	~~5~~ 6	14	~~8~~ 2	8	12	~~14~~ 15	21	~~28~~ 27 10.75	~~153~~ 154

W. 8,000, X. '11.

WD Cornwall 2

RE 1911

FORM A2.
BRITISH RAINFALL.

2 - JAN 1912

Kept at Torpey, Par Station

in the County of Cornwall 2

by W. J. Milly

RAIN GAUGE
Pattern
Diameter of top 4 in.
Height of top above Ground ft. 3 in.
" " " Sea Level 300 ft.

Time of Observation 9·30

Nearest Railway Station
Name Golant
Distance ½ mile Direction E.E.S.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
(—)

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	3	—	17	—	—	26	7	—	—	—	8	41	1
2	—	—	—	—	34	—	—	—	—	—	—	—	2
3	—	—	—	—	14	—	—	30	—	23	12	33	3
4	—	—	6	—	34	—	—	2	5	—	19	19	4
5	—	—	5	—	—	—	—	1·11	—	~~5~~	34	86	5
6	75	—	44	—	—	—	—	19	—	6	22	5	6
7	16	—	22	—	—	—	—	—	—	—	7	1·14	7
8	7	—	—	—	—	—	—	—	—	—	45	11	8
9	5	—	22	—	—	13	—	—	—	—	5	53	9
10	—	—	—	—	—	—	—	—	—	—	22	52	10
11	11	9	95	—	—	—	—	—	—	—	21	37	11
12	34	—	—	—	—	—	—	—	—	—	74	10	12
13	—	—	64	—	—	—	—	—	61	—	22	28	13
14	—	—	9	—	—	—	—	—	·08	—	15	9	14
15	—	10	8	—	—	—	—	—	—	6	29	51	15
16	—	8	—	—	—	12	—	—	—	—	45	11	16
17	—	2	—	—	—	52	—	—	—	—	24	33	17
18	—	6	40	14	—	15	—	—	—	—	25	67	18
19	—	36	16	19	—	29	—	—	—	—	82	40	19
20	—	12	—	6	—	61	—	—	63	19	46	83	20
21	—	12	5	13	—	10	—	—	13	69	—	46	21
22	9	17	7	2	14	3	—	—	8	18	—	51	22
23	—	18	—	21	—	7	—	—	91	13	—	46	23
24	—	13	—	—	—	20	—	33	9	39	5	42	24
25	—	31	—	19	—	27	—	3	—	25	—	48	25
26	9	—	—	43	—	2	—	—	7	54	—	27	26
27	—	29	—	2	—	—	—	—	—	92	—	39	27
28	—	57	7	—	—	—	—	57	17	17	—	28	28
29	—		3	41	—	—	—	—	7	—	38	—	29
30	—		—	16	10	61	67	14	20	38	—	6	30
31	—	·17	—	[illegible]	·26	·07	42	—		22 ·88	·41	—	31
Total	1·69 1·66	2·60 2·77	3·70 3·53	1·96 1·96	1·06 1·32	3·38 3·19	1·16 1·09	2·69 2·69	3·09✓ 3·09	4·41 4·49	6·00 6·33	11·16 ~~11·16~~	TOTAL for year 41·87
No. of Rain Days.	~~9~~ 8	~~14~~ 15	~~16~~ 15	11	~~5~~ 6	14	~~5~~ 2	8	12✓	~~14~~ 15	21	~~26~~ 27 10·75	~~153~~ 154

W. 8,000, X. '11.

✓ Ind [illegible] WD } 24·III·14

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

13 JAN 1913

Kept at Torfrey Par Station

in the County of Cornwall 2

by WG Mills

Lat. Long.

Time of Observation

Nearest Railway Station

Diameter of Rain Gauge in.

Height of top of Gauge above Ground ft. in.

" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (—)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	27	10	—	19	28	—	—	—	10	—	12	—	1
2	~~23~~	20	29	22	14	—	—	—	—	6	37	—	2
3	~~68~~	22	—	33	49	10	—	—	—	—	15	14	3
4	5~~6~~	—	24	—	18	—	—	—	1.20	72	2	38	4
5	~~68~~	—	13	—	—	17 30	—	—	6	—	18	35	5
6	~~46~~ 6	3	—	—	46	10	—	—	1.04	—	40	71	6
7	~~56~~ 15	24	14	—	7	24	—	—	—	73	32	18	7
8	6	54	—	—	1.11	—	—	—	—	22	~~34~~	8	8
9	21	24 ~~24~~	—	—	24	9	13	—	—	—	1.13	9	9
10	—	12	3	—	—	4	—	—	—	—	81	5	10
11	1.03	—	2	10	8	—	—	—	—	66	49	—	11
12	41	—	—	—	66	—	—	10	5	2	35	11	12
13	10	—	—	8	—	—	—	—	—	—	19	—	13
14	—	—	8	—	4	—	—	3	43	—	18	—	14
15	41	—	21	—	12	—	15	—	—	—	8	—	15
16	17	—	58	99	—	—	—	—	18	—	—	—	16
17	49	—	57	8	—	—	—	—	—	—	—	—	17
18	8	—	14	9	—	—	—	7	—	—	—	—	18
19	27	—	41	34	—	—	—	—	—	—	26	—	19
20	39	—	7	—	—	—	—	—	45	48	—	—	20
21	—	—	10	53	—	—	—	—	—	—	58	—	21
22	30	—	34	38	13	—	—	6	—	—	22	—	22
23	23	—	46	9	—	44	—	2	16	38	—	54	23
24	4	—	—	—	—	—	—	7	—	—	25	79	24
25	—	17	—	21	—	13	—	—	—	—	8	—	25
26	—	—	—	48	—	—	—	—	10	—	—	9	26
27	—	—	—	86	—	—	—	9	—	—	—	35	27
28	1.10	—	19	15	—	—	—	8	—	46	10	9	28
29	3		2	11	—	—	—	—	9	39	—		29
30	13		37	36	—	—	13	—	—	14	5	27	30
31	69		—		31					38			31
	10		.19	.28				.10		.12		(—)	YEAR'S TOTAL
Total	~~2.83~~	~~1.86~~	~~4.39~~	~~5.59~~	~~4.31~~	~~1.61~~	~~.41~~	~~.52~~	~~3.86~~	~~6.64~~	~~6.67~~	~~4.22~~	~~45.90~~
Rain Days.	~~23~~	~~9~~	~~19~~	~~18~~	~~14~~	~~89~~	~~3~~	~~8~~	~~11~~	~~12~~	~~22~~	~~15~~	~~163~~ ~~170~~
	7.66	1.76	4.58	5.68	4.03	1.61	.41	.62	3.76	4.76	6.55	4.22	45.64
	23	8	20	18	13	9	3	9	10	13	21	15	162

W. 7,500, XI. 12

W.D. entered 11·III·15 ✓

Ex D.L

Cor. for W.D. 17·III·15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
1 FEB 1915

Kept at Torfrey

in the County of Cornwall 2

by

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Par

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground ft. 6 in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·51

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		7	3					119			41	34	1
2			17	22		24		73			72	4	2
3	5		4		16		26	16				43	3
4	3		23	16	51			10			3	25	4
5	29		8	48	13		141	36	12			46	5
6			32	27	8		3		124			10	6
7		14	13	10	20		34	11	10		40	84	7
8	23	56	43	7	16	21	41	10				21	8
9	13		91	8	2	20		18					9
10	7	17	14	19	7			14	35				10
11	9	62	9	53	17	62			36			68	11
12		20	1.01			8			10		19	46	12
13		72	21						21	4	25	37	13
14		61	46				35		29	14	42	40	14
15		42	33			8		42			68	21	15
16		3	23					6			44	1.08	16
17			9				6		56				17
18		41	28									74	18
19		28	6				8		24		4	42	19
20		6	47				125		2			11	20
21		32	20			52				9		44	21
22		42	6							35			22
23		5	11					6		21			23
24		13	15				13	7		28			24
25			14							2			25
26	13		31							78	11	40	26
27		55	9				21			6	27	56	27
28	13	49					9			23	18	27	28
29			30		5					24	6	1.09	29
30	40	✕	17		9					4	67	12	30
31		✕	13	✕		✕			✕	6	✕	47	31
	·07	·03	–	–	–	–	1·19	–	–	·41	·34	·51	YEAR'S TOTAL
Total	~~1,55~~	~~6,25~~	~~7,37~~	~~2,10~~	~~1,64~~	~~195~~	~~4,62~~	~~3,68~~	~~3,59~~	~~2,54~~	~~487~~	~~10,49~~	~~50,65~~
Rain Days.	11	~~20~~ 19	29	9	11	7	13	12	11	14	15	24	175
W. 8,000. X. 14.	1·62	6·21	7·34	2·10	1·64	1·95	5·81	2·49	3·59	2·95	4·80	10·66	51·16

end for WD. 11. IV. 16 end for auth 11. IV. 16

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL. 23 MAR 1916

Kept at Torfrey, Par Station

in the County of Cornwall

by Miss D Mills

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Golant

Diameter of Funnel of Rain Gauge 4 in.

Height of top of Gauge above Ground ft. 5 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·21

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	51	3	12		2			76		6	94	23	1
2	18	42			7			33	19	57		13	2
3	21	18	19	12		18		5	8			41	3
4	7	24	13	10	12		3					83	4
5	29	31	3		10							16	5
6		66		30				46				122	6
7	122	38		41			51	2				10	7
8	55	59		16			27			190	5	37	8
9	18	32		4				10		8	27	19	9
10	12	15		30		4		12			46	102	10
11	47	31		13		37		26		99	5	9	11
12	11	3	13				3			7	137	18	12
13	10	52			59			22			27	11	13
14	4	71			51					13	24	27	14
15	12	7					21		25		20	147	15
16	19				46		68				4	8	16
17	2	139			47		112					7	17
18	5	13										3	18
19	11	27		11			5						19
20	3	6			58		24						20
21	71	5				15				27			21
22	19	12				5	2					4	22
23	14	26	37		10	13	41			71		52	23
24	4	12					4			117		65	24
25				9		58	10	~~5~~	5	53		24	25
26	7						43				4	34	26
27		41			6	46	28		28			75	27
28		7				27	4		10	85			28
29						12		12	23	24	4	14	29
30		X							44		19	7	30
31	26	X		X		X			X	49	X	40	31
	5.98	.12	–	.02	–	–	.76	–	.06	.94	.23	.21	YEAR'S TOTAL
Total	~~5,98~~	~~7,70~~	~~97~~	~~1,76~~	~~3,08~~	~~2,35~~	~~4,46~~	~~2,44~~	~~1,62~~	~~8,06~~	~~4,16~~	~~10,41~~	~~52,69~~
Rain Days.	25	25	~~6~~ 5	10	10	10	17	~~10~~ 9	~~8~~ 9	14	13	27	175 ✓
	5.50	7.79	.85	1.78	3.06	2.35	5.22	1.68	1.68	8.94	3.45	10.09	52.39 ✓

[illegible]

1977

FORM A.
BRITISH RAINFALL.
12 JUN 1917

REGISTER OF RAINFALL IN 1916

Kept at Trefrey
in the County of Cornwall
by Mrs D Treffrey

Lat. Long.
Time of Observation 9·30
Nearest Railway Station Par
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 2

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	21		13		4		5		10		23		1
2	23		18		2		14		6	89	6		2
3	26	25	10						43	42	29		3
4	6	135			19	22	34		3	68		6	4
5		14		7		11				16	82		5
6		27	6		11	30	7			21	50		6
7	17	13			15		75			26	116		7
8	10	40	4		25		6			14	94	17	8
9		15	2		38	24					18	44	9
10		17				7					56	116	10
11		115		6	10						7		11
12		6		14	18							8	12
13		16	10				9	16		22			13
14		43	8	(·13)			6	20					14
15		40	13		6			29					15
16	5	43	16	18				7		8		11	16
17	28	15		10				68		39	48		17
18	17	9	8	8					19	22	138		18
19	5	17	37	9					17	32	45	22	19
20	22	6	2	22							8	7	20
21	8	65									16	44	21
22	5	4		8	4							4	22
23			14	2		26		9		64	18	65	23
24		7	5			12		39		22	33	16	24
25		4	16	14				56		46	3	45	25
26	14	5	18			5		23		9	23	8	26
27		2	13			9		65	86	83	15		27
28			169					63	13	98			28
29				14				26	48	54		70	29
30		✕				55		33		23		47	30
31		✕		✕		✕			✕	47	✕	2	31
	— √	·13 √	— √	·04	— √	·05 √	— √	·10 √	— √	·23 √	— √	·02 √	YEAR'S TOTAL
Total	~~2,07~~	~~6 83~~	~~3,82~~	~~1,45~~	~~1 52~~	~~2 01~~	~~1 56~~	~~4 54~~	~~2,45~~	~~6,45~~	~~8 28~~	~~5 32~~	~~48 30~~ √
	1·86	6·96	3·69	1·49 √	1·48	2·06	1·51	4·64	2·35	8·68	8·05 √	5·34	48·11
Rain Days.	14	24	18	14 √	10	19	9	14	8	22	19	18	189

W. 8,000, VIII. 16

1889

and for WD

[illegible] rain stats

REGISTER OF RAINFALL IN 1917

FORM A.
BRITISH RAINFALL.

15 JAN 1918

Kept at TORFREY . PAR STATION

in the County of CORNWALL

by T. G. Mills.

Lat. Long.

Time of Observation 9 . A M .

Nearest Railway Station PAR

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground – ft. 6 in.

" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following. –

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	2	–	–			26			7		35	2	1
2	6	–	–	48		9					8	3	2
3	–	–	4	22							27		3
4	7	–								57	28		4
5	2	9	89			7			20	19	15		5
6	17	–	57	17						30	4		6
7		–	(·21)	6		30				11	3		7
8	86	–	–	11			35	103		7	15	14	8
9	7	–	88				36	61	2	54	36	54	9
10		–	30	11	8					23	39	6	10
11	74	–	21	40				37		19	6		11
12	5	–	73	25	22			44		89	45		12
13	29	–	–	4	17					67			13
14	–	–	19	7				29	3	26			14
15	8	–			4		4	63	6	17			15
16	17	–					7			41		44	16
17		15					3		7	33		31	17
18		–		23	13		64	12	61	6			18
19		9			23	8	18		66	7			19
20		79	9			23							20
21		25			70	49		15					21
22		–				54		10				8	22
23		–			17			48		22			23
24		37	5		9	8	5	28		17			24
25		–				14	9			24	14		25
26		–						31	14	6	6		26
27		–			38	56		14		15	8		27
28	–	–				77		101		26	2		28
29	–	–	19			63		20		7	5		29
30	–	✕	17							41	3	4	30
31	–	✕	19	✕		✕		19	✕	10	✕		31
	–	–	–	–	·26	–	–	·07	–	·35	·02	(–)	YEAR'S TOTAL
Total	~~250~~ 2·58	174	47	214	~~221~~ 2·47	~~415~~ 3·89	181	~~635~~ 6·42	~~186~~ 1·79	~~674~~ 7·09	~~299~~ 2·66	~~166~~ 1·64	~~38.96~~ 38·94
Rain Days.	17	6	14	11	10	12	9	14	8	26	18	8	150

W. 8,000, IX. 17.

W D Card for auth. for W D

39

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL.
18 2. 18

Kept at Torfrey
in the County of Cornwall
by Mrs Treffrey

Lat. Long. —
Time of Observation 9-30
Nearest Railway Station Par
Diameter of Funnel of Rain Gauge 4 in.
Height of top of Gauge above Ground ft. 6 in.
" " " " Sea Level 300 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. 9

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			41	12	18					14	41	4	1
2		41		13				62			91		2
3		59		9				28				36	3
4		29		32	24				14		38	17	4
5		7		7				57	52		54	97	5
6		4	42	23				54	70	31	8	19	6
7	59	49	28	9		2		9		12		20	7
8	9	25				6			63	13	39	43	8
9	3	10				23			14	81	6	2	9
10	14						27		47	12	4	37	10
11	11			29			28		5	7		25	11
12		13	23				6		33	26		14	12
13										7		3	13
14					24		34		59	44		21	14
15	68				2	6	27		32	11		18	15
16	47				9	18	106		13	42		27	16
17	94			11	2	13	11		12	6		21	17
18	8		2	14		8	48		3			31	18
19	109	10	29			56	12		61	19		42	19
20	13	7		8			16		23	2		14	20
21	21	14	4	26			5	5	22			5	21
22	24	4		7		6	16		37	49		61	22
23	2			3	11		135		26		19	30	23
24	8	26				3			13		31	18	24
25	10						31	21	15		26	16	25
26	6				10		15	29		5	6	2	26
27	4	21						2	19	3	25	44	27
28		7	13					13	13	6	14	2	28
29			9						20			9	29
30			10						128		15	8	30
31			42					5		9		26	31
	-	.41	.12	.18	-	-	-	-	.14	.41	.04	.29	
				2.03						3.97		7.12	YEAR'S TOTAL
Total	~~5,10~~ 5.10	~~3,26~~ 3.67	~~2,43~~ 2.14	~~2,02~~ 2.09	~~1,00~~ .82	~~1,41~~ 1.41	~~5,17~~ 5.17	~~2,85~~ 2.85	~~7,94~~ 8.08	~~3,87~~ 4.21	~~4,17~~ 3.80	~~7,13~~ 7.17	~~46,35~~ 46.54
Rain Days.	18	19	17	14	8	10	15	11	24 5	20	15	30	~~192~~ 193

W, 6,000, VII. 18. W W 6

Corr. by

CORNWALL.
— TALLAND
POLPERRO,
"THE ORCHARD"
1911 -1916

FORM A2.
BRITISH RAINFALL.
22 JAN 1912

REGI 911

Kept at The Orchard

in the County of Cornw

by Herbert E. Bu

p 5 in.

bove Ground 1 ft. ~~6~~ in.

" Sea Level 120 ft.

9 A.M

n { Name Looe
Distance 4 mile Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	–	·01	·04	·27	·05	–	–	–	–	·05	–	1
2	–	–	·01	–	·22	–	–	·40	–	·04	·14	·24	2
3	–	–	·03	–	·23	–	–	·03	·03	–	·15	·12	3
4	–	–	·12	–	·01	–	–	·73	–	–	·23	·38	4
5	·48	–	·39	–	–	·02	–	·27	–	·06	·17	·02	5
6	·26	–	·14	–	–	–	–	·02	–	·05	·09	1·07	6
7	·06	–	·02	·04	–	–	–	–	–	–	·61	·03	7
8	·04	–	·22	–	–	·33	–	–	–	–	·07	·30	8
9	·08	–	·02	·01	–	–	–	–	–	–	·21	·42	9
10	·04	·10	·71	–	–	–	–	–	–	–	·12	·25	10
11	·29	–	·01	–	–	–	–	–	–	–	·79	·10	11
12	–	–	·56	–	–	–	–	–	·62	–	·08	·24	12
13	–	–	·11	–	–	–	–	–	·08	–	·12	·05	13
14	–	·13	·11	–	–	–	–	–	–	·17	·21	·30	14
15	–	·08	·09	–	–	·07	–	–	–	–	·32	·14	15
16	–	·03	·01	–	–	·38	–	–	–	–	·22	·32	16
17	–	·06	·40	·08	–	·09	–	–	–	·02	·15	·41	17
18	–	·31	·15	·11	–	·10	–	–	–	·08	·81	·26	18
19	–	·11	·01	·04	–	·51	–	–	·79	·14	·40	·94	19
20	–	·12	·04	·02	–	·04	–	–	·20	·57	–	·60	20
21	·04	·19	·12	·01	–	·03	–	–	·18	·51	–	·30	21
22	·02	·04	·02	·30	–	·05	–	·68	·69	·27	–	·40	22
23	–	·21	·02	·02	–	·36	–	·09	·06	·35	·25	·30	23
24	·02	·35	–	–	–	·33	–	·09	–	·09	·01	·40	24
25	·05	·03	–	·24	–	·03	·02	·02	·07	·30	–	·20	25
26	·02	·10	–	·47	–	–	–	·16	–	·76	–	·35	26
27	–	·70	–	·04	·21	–	–	·22	·16	·34	–	·28	27
28	–	·19	·04	·33	–	–	–	–	·06	·01	·19	–	28
29	–	–	·04	·11	·54	·48	·55	–	·12	·25	·01	–	29
30	–	–	·01	–	–	·09	·18	–	·02	·20	·25	·04	30
31	–		·24		–		·03	–		·12		–	31
Total	1·44	2·75	3·65	1·86	1·48	2·96	·78	2·71	3·08	4·33	5·65	8·46	TOTAL for Year 39·15
No. of Rain Days.	13	16	27	15	6	~~15~~ 16	4	11	13	19	24	27	38·15 191

W. 8,000, X. '11.

Cor? by of

REGI 911

FORM A2.
BRITISH RAINFALL.
22 JAN 1912

Kept at The Orchard Polperro

in the County of Cornwall 2

by Herbert E. Butler

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. ~~6~~ in.
" " " Sea Level 120 ft.

Time of Observation 9 A.M.

Nearest Railway Station
Name Looe
Distance 4 mil Direction E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. nil.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·04	–	·01	·04	·27	·05	–	–	–	–	·05	–	1
2	–	–	·01	–	·22	–	–	·40	–	·04	·14	·24	2
3	–	–	·03	–	·23	–	–	·03	·03	–	·15	·12	3
4	–	–	·12	–	·01	–	–	·73	–	–	·23	·38	4
5	·48	–	·39	–	–	·02	–	·27	–	·06	·17	·02	5
6	·26	–	·14	–	–	–	–	·02	–	·05	·09	1·07	6
7	·06	–	·02	·04	–	–	–	–	–	–	·61	·03	7
8	·04	–	·22	–	–	·33	–	–	–	–	·07	·30	8
9	·08	–	·02	·01	–	–	–	–	–	–	·21	·42	9
10	·04	·10	·71	–	–	–	–	–	–	–	·12	·25	10
11	·29	–	·01	–	–	–	–	–	–	–	·79	·10	11
12	–	–	·56	–	–	–	–	–	·62	–	·08	·24	12
13	–	–	·11	–	–	–	–	–	·08	–	·12	·05	13
14	–	·13	·11	–	–	–	–	–	–	·17	·21	·30	14
15	–	·08	·09	–	–	·07	–	–	–	–	·32	·14	15
16	–	·03	·01	–	–	·38	–	–	–	–	·22	·32	16
17	–	·06	·40	·08	–	·09	–	–	–	·02	·15	·41	17
18	–	·31	·15	·11	–	·10	–	–	–	·08	·81	·26	18
19	–	·11	·01	·04	–	·51	–	–	·79	·14	·40	·94	19
20	–	·12	·04	·02	–	·04	–	–	·20	·57	–	·60	20
21	·04	·19	·12	·01	–	·03	–	–	·18	·51	–	·30	21
22	·02	·04	·02	·30	–	·05	–	·68	·69	·27	–	·40	22
23	–	·21	·02	·02	–	·36	–	·09	·06	·35	·25	·30	23
24	·02	·35	–	–	–	·33	–	·09	–	·09	·01	·40	24
25	·05	·03	–	·24	–	·03	·02	·02	·07	·30	–	·20	25
26	·02	·10	–	·47	–	–	–	·16	–	·76	–	·35	26
27	–	·70	–	·04	·21	–	–	·22	·16	·34	–	·28	27
28	–	·19	·04	·33	–	–	–	–	·06	·01	·19	–	28
29	–	–	·04	·11	·54	·48	·55	–	·12	·25	·01	–	29
30	–	–	·01	–	–	·09	·18	–	·02	·20	·25	·04	30
31	–		·24		–		·03	–		·12		–	31
Total	1·44	2·75	3·65	1·86	1·48	2·96	·78	2·71	3·08	4·33	5·65	8·46	TOTAL for Year 39·15
No. of Rain Days.	13	16	27	15	6	~~15~~ 16	4	11	13	19	24	27	38·15

191

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
1 FEB 1913

REGISTER ~~Ex~~ OF ~~JS~~ RAINFALL IN 1912

Kept at The Orchard Polperro
in the County of Cornwall. 2
by Herbert E. Butler

Lat. ______ Long. ______
Time of Observation 9 A.M.
Nearest Railway Station Looe. G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 130 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ______

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
1	~~[illegible]~~	—	·07	·01	·05	·47	·12	·02	·15	·49	—	·26	1
2	~~[illegible]~~	—	·25	·03	·01	·84	·02	—	·01	·20	—	·01	2
3	·08	—	·29	—	—	·19	·06	·90	·15	—	—	·05	3
4	·28	—	·32	—	06	·24	—	·03	·01	—	44	—	4
5	·82	·11	·24	—	·05	·03	·43	1·99	—	—	·02	·22	5
6	·32	·06	·12	—	·64	·07	·02	·33	—	—	·04	·01	6
7	·12	·46	·28	·05	·11	·15	—	·24	—	—	·07	·09	7
8	·38	·12	·19	—	·01	·27	·06	—	—	—	—	·01	8
9	·01	·11	·01	·06	—	·04	·23	·02	—	—	·01	·65	9
10	·43	·16	·15	·10	·01	—	·19	·12	—	—	·20	·20	10
11	·01	·20	·02	—	—	—	·01	·25	—	—	·44	·47	11
12	·03	·30	·27	·01	·39	·01	·27	·54	—	—	·63	·03	12
13	·23	·02	·06	—	—	·07	·03	·17	—	·07	·01	·25	13
14	·07	·13	·42	—	·17	·02	—	·20	—	·03	—	·10	14
15	·47	·15	·05	—	·13	·53	—	·02	—	—	—	·55	15
16	·13	·01	·32	—	·01	·05	—	·24	—	·09	·06	·12	16
17	·01	—	·21	—	·02	·31	—	·95	—	—	·12	·04	17
18	—	·08	·27	—	—	—	—	·25	—	·04	·03	·04	18
19	—	·06	·31	—	·05	·02	·03	·34	—	·02	·04	·02	19
20	·05	·12	·38	·02	·06	—	—	·41	—	·32	·09	—	20
21	—	·49	·39	—	·52	—	·02	·05	—	·21	—	—	21
22	·32	·32	·48	—	·01	·11	·12	·39	—	·26	·02	·06	22
23	·29	·32	·41	—	—	·02	·03	1·04	—	·16	·11	·32	23
24	·30	·03	·15	—	—	·38	·03	—	—	·13	—	·23	24
25	·63	—	·01	—	—	·15	—	·07	—	·41	·45	·46	25
26	—	·03	—	—	—	—	·25	·20	—	·21	·64	·53	26
27	—	·12	·02	—	—	·65	·54	·11	—	1·75	·20	·70	27
28	—	·13	—	—	—	·12	·03	·55	·16	·23	·33	·45	28
29	—	·11	·02	—	—	·40	·14	·32	·50	·23	—	·16	29
30	—		·13	·01	·05	·09	·24	·01	·21	·23	—	·01	30
31	—		·28		·27		·39	·02		·08		·01	31
Total	4·98	3·64	6·12	·29	2·62	5·23	3·26	9·78	1·19	5·16	3·95	6·05	YEAR'S TOTAL 52·27
Rain Days.	20	23	29	8	19	24	22	28	7	19	20	28	247

W. 7,500, XI. 12

Exd BSS

REGISTER OF RAINFALL IN 1913

FORM A. BRITISH RAINFALL.

6 - JAN 1914

Kept at The Orchard, Polperro.

in the County of Cornwall.

by Herbert E. Butler

2

Lat. .... Long. ....

Time of Observation 9. A.M.

Nearest Railway Station Looe. Cornwall.

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1. ft. 0 in.

" " " " Sea Level 130. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·19	·27	·02	·13	–	–	–	·04	·12	·38	–	1
2	·15	·12	·01	·13	·40	·04	–	–	–	·01	·15	·05	2
3	·43	–	·15	–	·12	–	–	–	·86	·31	–	·21	3
4	·77	–	·09	·04	–	·07	·01	–	·08	–	·04	·24	4
5	·14	·06	·02	–	·36	·21	·07	–	1·35	·05	·43	·70	5
6	·17	·08	·06	–	·10	·19	·01	–	·02	·54	·40	·10	6
7	·03	·44	·13	–	·70	·07	–	–	–	·18	·23	·02	7
8	·10	·21	·01	–	·20	–	·19	·02	–	·02	·01	·10	8
9	·04	·10	–	–	·04	·06	·03	·07	–	–	·75	·03	9
10	·84	–	–	·03	·09	·08	–	–	–	·40	·14	–	10
11	·45	–	–	–	·52	·09	–	·04	·04	·05	·61	·07	11
12	·08	–	–	·06	·02	·02	·01	–	·13	–	·23	·03	12
13	·08	–	·07	·08	·01	–	·01	·01	·20	–	·20	–	13
14	·31	–	·20	·04	·37	–	·12	–	·05	–	·12	·03	14
15	·22	–	·53	·75	·01	–	–	–	·25	–	·10	·05	15
16	·46	–	·46	·04	–	–	·03	–	·07	–	·01	–	16
17	·04	–	·05	·09	–	–	·05	·19	–	–	·05	–	17
18	·06	–	·29	·33	–	–	–	–	–	–	·12	–	18
19	·31	–	·08	–	·05	·02	–	–	·41	·18	–	–	19
20	·19	–	·06	·34	·01	–	–	–	·04	·09	·34	–	20
21	·08	–	·34	·27	·08	·07	·02	·02	·03	·05	·51	–	21
22	·26	–	·49	·18	·03	·25	–	·04	·10	·36	–	·24	22
23	·02	–	·01	·01	·02	–	–	·06	·01	–	·11	1·09	23
24	·02	·11	–	·15	·01	·13	–	·01	–	·01	·02	·01	24
25	–	–	–	·42	–	–	–	·05	·08	·03	·08	·04	25
26	–	–	–	·73	–	·02	–	·04	–	·02	–	·29	26
27	·76	–	·14	·24	–	–	–	·25	–	·23	·01	·10	27
28	·03	–	·03	·18	·09	–	–	–	·09	·26	–	·21	28
29	·18		·37	·46	·04	–	·20	–	–	·20	·05	·04	29
30	·56		·01	·14	·10		·04	–	–	·45	–	–	30
31	·15		·14		–		–	·30		·11		–	31
Total	6·94	1·31	4·01	4·73	3·50	1·32	·79	1·10	3·85	3·67	5·09	3·65	YEAR'S TOTAL 39·96
Rain Days.	29	8	24	22	23	14	13	13	18	21.	24	20	229

W.7,000, XI. 13

cnd fr auth 10·11·15 JAF DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL. 7 - JAN 1915

Kept at The Orchard Polperro
in the County of Cornwall 2
by Herbert E. Butler

Lat. Long.
Time of Observation 9. A. M.
Nearest Railway Station Looe G.W. Ry.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·10	·12	–	·33	·03	·95	–	–	·67	·04	1
2	·02	–	·05	·03	·11	·01	·21	·04	–	–	–	·48	2
3	·03	–	·28	·18	·47	–	–	·03	–	–	·02	·30	3
4	·15	–	·08	·43	·09	–	1·25	·29	·23	–	·02	·53	4
5	·19	–	·25	·21	·02	–	–	·02	–	–	–	·02	5
6	·01	·04	·16	·07	·22	·01	·35	·03	–	–	–	·63	6
7	·05	·60	·35	·22	·13	·14	·42	·20	1·62	–	–	·15	7
8	·18	·01	·83	·06	·04	·22	·01	·01	·07	–	·02	·04	8
9	·08	·10	·41	·18	·04	·55	–	·14	·24	–	–	–	9
10	·09	·51	·06	·43	·21	·04	–	–	·41	–	·03	·58	10
11	–	·20	·90	–	–	·12	–	–	·11	–	·05	·31	11
12	–	·40	·26	–	–	–	·01	–	·23	·02	·12	·42	12
13	–	·61	·36	–	–	–	·18	–	·27	·06	·50	·18	13
14	–	·26	·24	–	–	·08	·04	·02	·02	–	·59	·11	14
15	–	–	·19	–	–	–	·01	·03	·09	–	·45	1·18	15
16	–	–	·02	–	–	–	·06	–	·45	–	–	·02	16
17	–	·49	·30	–	–	–	·04	–	–	–	–	·57	17
18	–	·20	·03	–	–	–	·07	–	·25	–	–	·20	18
19	–	·08	·73	–	–	–	1·13	–	·07	–	·11	·09	19
20	–	·40	·18	–	–	·27	–	–	–	·03	·01	·25	20
21	–	·40	·05	–	–	·08	–	–	–	·38	–	·02	21
22	–	·10	·09	·02	·04	·03	–	·06	–	·32	–	–	22
23	–	·18	·30	–	–	·01	·08	·07	–	·12	–	–	23
24	–	–	·04	–	–	–	–	·03	–	·03	·01	–	24
25	·11	–	·25	–	·06	–	·02	·52	–	·59	·04	·59	25
26	·02	·24	·15	–	·02	–	·25	·03	–	·05	·26	·44	26
27	·15	·18	–	–	–	–	·05	–	–	·15	·20	·25	27
28	·02	·04	·25	–	·08	–	·02	–	–	·21	·25	1·08	28
29	·25	–	·13	–	·11	–	–	–	–	·01	·59	·06	29
30	–	×	·12	–	–	–	–	–	–	·15	·20	·47	30
31	·03	×	–	×	·03	×	1·06	–	×	·33	×	·37	31
Total	1·38	5·04	7·16	1·95	1·67	1·89	5·29 5·29	2·47	4·05 4·06	2·45	4·14	9·38	YEAR'S TOTAL 46·88 46·88
Rain Days.	15	19	29	11	15	13	20	16	13	14	19	27	211

W. 8,000. X. 14.

REGISTER OF RAINFALL IN 1915

2031

FORM A.
BRITISH RAINFALL.
24 JAN 1916

Kept at The Orchard. Polperro

in the County of Cornwall.

2

by Herbert E. Butler

Lat. Long.

Time of Observation 9. A. M.

Nearest Railway Station Looe. G.W.Ry

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·17	·37	·01	—	·08	—	—	·58	·15	·42	—	·08	1
2	·23	·23	·20	·12	—	·15	—	·09	·06	·01	—	·45	2
3	·03	·27	·10	·15	·22	—	·01	—	—	—	—	·74	3
4	·25	·28	·04	—	·11	·03	—	—	—	—	—	·13	4
5	·05	·60	·05	·37	·01	—	—	·51	—	—	—	·68	5
6	1·17	·27	—	·46	—	—	·47	·02	—	—	—	·28	6
7	·40	·38	—	·10	—	—	·13	—	—	1·35	·04	·60	7
8	·17	·39	—	·02	—	—	—	·13	—	·03	·09	·29	8
9	·10	·05	—	·13	—	—	—	·07	—	—	·48	·95	9
10	·33	·62	·05	·06	—	·45	—	·08	—	·51	·05	·09	10
11	·02	—	·11	—	·01	—	·02	·01	—	·01	1·06	·35	11
12	·13	·36	·01	·03	·60	—	—	·15	—	·02	·24	·09	12
13	·03	·72	—	·01	·67	—	—	—	·03	·02	·17	·11	13
14	·05	·05	—	·02	·01	—	·17	—	·11	·24	·11	1·27	14
15	·16	—	—	—	·37	—	·52	—	·04	·01	·07	·22	15
16	·09	1·14	—	—	·42	—	·99	—	—	—	—	·10	16
17	·01	·20	·01	—	·03	—	—	—	—	—	—	·01	17
18	·03	·15	—	—	·02	—	·04	—	—	—	—	—	18
19	·02	·02	—	—	·45	—	·12	—	—	—	—	—	19
20	·52	·02	—	·11	·01	·44	—	—	—	·21	—	—	20
21	·33	·06	—	—	·10	·28	·28	—	—	·10	—	·01	21
22	·04	·20	·43	·03	—	·01	·52	—	·03	·17	—	·36	22
23	·08	·12	·02	—	—	·29	·07	—	·02	1·01	—	·90	23
24	—	—	—	·03	—	·18	·04	—	·01	·35	—	·38	24
25	·05	—	—	·02	—	·11	1·12	—	—	—	·02	·30	25
26	·02	·31	—	—	·05	·16	—	—	·03	—	—	·75	26
27	—	·07	—	—	—	·60	·01	—	·08	·70	—	·01	27
28	—	·10	—	—	—	·52	—	·03	·23	·12	·01	·18	28
29	—		—	—	—	·04	—	·01	·14	·07	·10	·17	29
30	·08	X	—	·01	—	·05	—	—	·02	·38	·48	·46	30
31	·04	X	—	X	—	X	·32	—	X	·68	X	·23	31
Total	4·60	6·98	1·03	1·67	3·16	3·31	4·83	1·68	·95	6·41	2·92	10·19	YEAR'S TOTAL 47·73
Rain Days.	27	24	11	16	16	14	16	11	13	20	13	28	209

1976

cndly nur stats ~~W.~~ HW

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL.

2 JAN 1917

Kept at The Orchard Polperro.

in the County of Cornwall

by Herbert E. Butler

Lat. .... Long. ....

Time of Observation 9 A.M. (10 A.M. "Summer time")

Nearest Railway Station Looe G.W.Ry

Diameter of Funnel of Rain Gauge 5 in in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 120 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·13	—	~~·20~~ ·02	—	·08	·03	·04	—	·04	·73	·16	—	1
2	·26	·06	·08	—	—	—	·02	—	·33	·47	·23	—	2
3	·03	1·24	—	—	·35	·17	·03	—	·08	·62	·08	·01	3
4	·15	·14	—	·02	·05	·26	—	—	·13	·20	·48	·01	4
5	·12	·12	·06	—	·04	·07	·02	—	—	·17	·25	—	5
6	·10	·11	—	—	·23	·05	·90	—	—	·26	1·03	—	6
7	·07	·26	·04	—	·18	—	·01	—	—	·16	·88	·07	7
8	·02	·20	·17	—	·41	—	—	—	—	—	·11	·39	8
9	—	·17	·01	—	—	·12	·04	—	—	·12	·42	1·10	9
10	—	1·22	—	·10	·08	·05	·01	—	—	·02	·02	·13	10
11	—	·01	—	·09	·11	—	·11	—	·09	—	·01	—	11
12	·05	·10	·04	·04	·05	—	·08	·09	—	·23	—	—	12
13	—	·30	·09	·04	·03	—	·08	·40	·01	—	·01	·11	13
14	·03	·40	·17	—	·05	—	—	·13	—	·15	—	—	14
15	·02	·27	·27	·15	·01	—	—	·11	—	·01	—	·09	15
16	·15	·13	—	·15	—	—	·04	·28	—	·30	·20	—	16
17	·10	·12	·05	·02	—	—	—	—	·11	·45	1·08	—	17
18	·03	·11	·35	·05	—	—	—	—	·18	·38	·07	·20	18
19	·19	·07	·02	·24	—	—	—	—	·08	·01	·43	·10	19
20	·07	·80	·03	·05	—	—	—	—	—	—	·19	·70	20
21	·03	·15	·06	·14	·03	·03	—	—	—	—	·07	·11	21
22	—	—	·04	·01	—	·18	·05	—	—	·42	·07	·55	22
23	·09	—	·01	·10	—	—	—	·37	—	·42	·25	·15	23
24	—	·10	·04	·18	·10	·01	—	·35	—	·35	·03	·41	24
25	·04	·20	·13	—	·02	·04	—	·25	—	·02	·15	·07	25
26	·03	·02	·18	—	·01	·04	—	1·40	1·31	·80	·12	·13	26
27	·02	—	1·59	—	—	·48	—	·70	·13	·86	—	—	27
28	—	·02	·02	—	—	·05	—	·33	·41	·30	·01	·30	28
29	—	·10	·06	—	—	·37	—	·18	·07	·26	—	·73	29
30	—	×	—	—	—	·04	—	—	—	·28	—	·02	30
31	—	×	—	×	—	×	—	·07	×	·41	×	·02	31
Total	1·73	6·42	3·53 ✓	1·38	1·83	1·99	1·43	4·66	2·97	8·40	6·35	5·40	YEAR'S TOTAL 46·09 ✓
Rain Days.	21	25	23	15	17	16	13	13	13	26	24	21	227

W. 8,000, VIII. 16

Lat. 50°"23′"2" N
Long. 4°"13′"8" W.

REGIST

CORNWALL.
TORPOINT
MERIFIELD VIC.
1911 -1916

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

Kept at Merifield Vi
in the County of Cornwal
by Rev Leonard A.

ward
5 in.
Ground —— ft. 6 in.
Sea Level 160 ft.
a.m
Name Devonport
Distance 2¼ miles Direction E.

IMPORTANT NOTE.—Rain a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·03		1
2										·02	·15	·30	2
3										[illegible]	·17	·09	3
4											·37	·39	4
5										·11	·18		5
6										·09	·09	1·17	6
7											·53	·04	7
8											·07	·54	8
9											·16	·68	9
10											·06	·32	10
11											1·04	·08	11
12											·09	·30	12
13											·13	·23	13
14										·02	·16	·33	14
15										[illegible]	·33	·04	15
16											·57 51	·35	16
17											·23	·54	17
18										·08	·33	·33	18
19										·08	·11	·81	19
20										·86		·86	20
21										·14		·08	21
22										·17		·54	22
23										·34	·03	·35	23
24										·24		·37	24
25										·29		·16	25
26										·51		·37	26
27										·21	·02	·24	27
28											·28		28
29										·40			29
30										·16	·22	·04	30
31										·02			31
Total										3·74	5·28	9·55	TOTAL for year
No. of Rain Days.										17	23	26	

W. 8,000, X. '11.

Lat. 50°"23'"2" N
Long. 4°"13'"8" W.

REGIST

FORM A2.
BRITISH RAINFALL.
18 JAN 1912

Kept at Merifield Vicarage nr Torpoint.

in the County of Cornwall.

by Rev Leonard A. Williams

RAIN GAUGE
attern Howard
Diameter of top 5 in.
Height of top above Ground — ft. 6 in.
" " " Sea Level 160 ft.

Time of Observation 9 a.m

Nearest Railway Station
Name Devonport
Distance 2¼ miles Direction E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·00

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1											·03		1
2										·02	·15	·30	2
3										[illegible]	·17	·09	3
4											·37	·39	4
5										·11	·18		5
6										·09	·09	1·17	6
7											·53	·04	7
8											·07	·54	8
9											·16	·68	9
10											·06	·32	10
11											1·04	·08	11
12											·09	·30	12
13											·13	·23	13
14										·02	·16	·33	14
15										[illegible]	·33	·04	15
16											·57 51	·35	16
17											·23	·54	17
18										·08	·33	·33	18
19										·08	·11	·81	19
20										·86		·86	20
21										·14		·08	21
22										·17		·54	22
23										·34	·03	·35	23
24										·24		·37	24
25										·29		·16	25
26										·51		·37	26
27										·21	·02	·24	27
28											·28		28
29										·40			29
30										·16	·22	·04	30
31										·02			31
Total										3·74	5·28	9·55	TOTAL for year
No. of Rain Days.										17	23	26	

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.

6 - JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Merifield Vicarage : Torpoint
in the County of Cornwall 3
by Rev Leonard A. Williams.

Lat. 53° 23′ 0″ Long. 4° 13′ 8″ W.
Time of Observation 9 a.m.
Nearest Railway Station Devonport G.W.R.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
9 a.m.
·03

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			·48		·05	·46	·06	·02	·13	·79	·02	·29	1
2				·02		1·04		·09		·06	·04	·02	2
3	·03		·22			(·19)		1·08	·09			·05	3
4	·28	·02	·35		·07	·15		·06			·38		4
5	·68	·23	·32		·04		·07	1·68			·01	·07	5
6	·30	·09	·02		·63	·74		·23			·03		6
7	·17	·75	·34	·05	·10			·14			·04	·15	7
8	·81	·18	·27			·88	·08					·01	8
9	·01	·17	·32	·09		·09	·15	·02				·72	9
10	·44	·06	·18	·07	·01		·11	·10			·10	·21	10
11	·02	·14				·07	·02	·09			·23	·38	11
12	·03	·33	·19		·53		·31	·52			·05	·02	12
13	·26	·02	·04			·01	·10	·07		·06		·27	13
14	·14	·22	·64		·15			·04		·03		·07	14
15	·36	·18	·03		·08	·46						·47	15
16	·17		·34		·02	·01		·45		·19	·02	·09	16
17			·26			·25		1·16		·01	·15	·07	17
18		·08	·09					·29		·03	·03	·05	18
19		·04	·35		·09	·03		·21		·05	·02	·02	19
20	·04	·13	·39		·20			·14		·25	·03		20
21		·64	·19		·37		·05	·05		·11			21
22	·28	·30	·39			·03	·05	·30		·20	·06	·23	22
23	·12	·40	·33			·03	·04	1·12		·03	·20	·32	23
24	·05	·07	·10			·34	·04			·02		·31	24
25	·02					·06	·10	·06		·39	·37	·40	25
26		·03					·16	·17		·27	·40	·38	26
27		·07				·81	·60	·11		1·53	·09	·64	27
28		·17				·07	·11	·67	·34	·41	·42	·54	28
29		·15				·13	·09	·27	·79	·17		·07	29
30			·05			·23	·24		·21	·50		·02	30
31			·29				·62	·03		·03		·20	31
Total	4.21	4.47	6.18	·23	2.34	5·28	3.00	9.17	1·56	5·13	2.69	6.07	YEAR'S TOTAL 50.33
Rain Days.	19	23	25	4	13	23	19	27	5	20	20	27	225

W. 7,500, XI. 12

FORM A.
BRITISH RAINFALL.

REGISTER OF RAINFALL IN 1913

26 JAN 1914

Exd D.W

3

Kept at Merifield Vicarage Torpoint
in the County of Cornwall
by Rev Leonard A. Williams

Lat. 50 23 1 Long. 4 13 5 W.
Time of Observation 9 a.m
Nearest Railway Station Devonport
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	·24	·34	·08	·39				·06	·09	·41	·04	1
2	·03	·16	·02	·23	·42	·02					·14		2
3	·47		·14		·22				·36	·18		·22	3
4	1.55		·06			·11			·05	·09	·07	·29	4
5	·08	·04	·11		·47	·06	·05		·58	·10	·47	·42	5
6	·11	·10	·04		·26	·19			·01	·32	·19	·02	6
7	·05	·30	·05		·75	·06	·20			·48	·39		7
8	·18	·17			·15			·30		·06	·03	·08	8
9	·09	·12			·09	·04		·18			·49	·02	9
10	1.05	·01			·07					·32	·22		10
11	·63				·71				·05	·05	·69	·07	11
12	·11	·02			·02				·09		·24	·02	12
13	·06		·07	·26	·01			·02	·17		·19		13
14	·39		·14	·04	·13		·01		·05	·02	·05	·04	14
15	·15		·51	·73					·21		·23		15
16	·52		·55	·05			·02		·10	·01	·06	·01	16
17	·07		·03	·09			·02				·03		17
18	·06		·27	·19	·01				·01		·11		18
19	·49		·06		·03				·50	·23			19
20	·23		·08	·33						·08	·37		20
21	·05		·37	·22	·02		·01	·02	·01	·13	·28		21
22	·25		·55		·02		·01	·03	·06	·18	·01	·26	22
23	·02		·10	·01	·01						·08	·96	23
24	·03	·14		·17						·01	·03		24
25		·04		·57				·06	·08	·07	·05	·02	25
26				·52				·01		·03		·24	26
27	1.18		·22	·43		51		·11		·32		·05	27
28			·07	·24	·10				·16	·24		·13	28
29	·14		·35	·14	·01		·05	·03		·25	·02		29
30	·64		·01	·09	·05		·04			·93			30
31	·09		·21					·22		·25			31
Total	8.75	1.34	4.35	4.39	3.94	·99	·41	·98	2.55	4.44	4.85	2.89	YEAR'S TOTAL 39.88
Rain Days.	29	11	23	18	21	(*10)	9	10	17	23	24	17	(212)

W.7,000, XI. 13

* Taken from Antony Vicarage 2 miles S.W.
i.e. the Rain Days only.

Est D 33

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
5 JAN 1915

Kept at Merifield Vicarage
in the County of Cornwall 3
by Rev. Leonard A. Williams.

Lat. 50° 23' N Long. 4° 13' 5" W
Time of Observation 9 a.m.
Nearest Railway Station Devonport.
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground — ft. 8 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.06	.16		.20	.05	.67			1.17	.07	1
2	.01		.10	.03	.10	.02	.19	.02			.03	.57	2
3	.04		.20	.28	.53						.04	.02	3
4	.13		.05	.48	.11		1.13	.12	.06		.06	.79	4
5	.18		.29	.18	.02		.01					.09	5
6	.02	.12	.08	.06	.20	.01	.06	.05			.01	.66	6
7	.07	.64	.43	.26	.11	.12	.39	.26	.73		.02	.25	7
8	.14		.90	.04	.02	.22		.03	.06		.01	.04	8
9	.08	.07	.42	.28	.04	.69		.19	.42				9
10	.10	.53	.07	.36	.14	.07			.36			.23	10
11		.16	.79		.03	.10			.03		.04	.76	11
12		.53	.24						.28	.03	.06	.45	12
13		.54	.37				.10		.18	.06	.32	.17	13
14		.30	.37			.08		.22	.05	.02	.61	.37	14
15			.26				.03	.11	.04	.03	.35	.84	15
16	.01						.02		.49			.01	16
17		.62	.34				.02					.72	17
18		.18	.09				.24		.24			.21	18
19		.08	.59				1.43		.02		.06	.05	19
20		.41	.17			.11						.21	20
21		.41	.01							.48			21
22		.10	.09	.01	.07	.06		.14		.30		.01	22
23		10	.46					.02		.12			23
24		.01	.02				.01	.05		.02	.05	.01	24
25	.13	.01	.16		.12		.03	.62		.80	.05	.78	25
26	.02	.24	.17				.30			.03	.21	.52	26
27	.03	.27					.14			.08	.12	.33	27
28	.03	.06	.44				.13			.16	.48	.56	28
29	.34		.18				.61			.01	.44	.03	29
30	.01		.13							.06	.20	.90	30
31	.04						1.24			.99		.44	31
Total	1.38	5.38	7.48	2.14	1.49	1.68	6.13	2.50	2.96	3.19	4.33	10.09	YEAR'S TOTAL 48.75
Rain Days.	17	20	28	11	12	11	19	13	13	15	20	28	207

W. 8,000. X. 14.

2046

FORM A.
BRITISH RAINFALL.
7 JAN. 1916

REGISTER OF RAINFALL IN 1915

Kept at Merifield Vicarage Torpoint
in the County of Cornwall
by Rev Leonard A. Williams

3

Lat. 50° 23′ 1″ Long. 4° 13′ 5″ W.
Time of Observation 9 a.m.
Nearest Railway Station Devonport
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground ~~ft.~~ 8 in.
" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	.19	.36			.02		.01	.60		.30		.12	1
2	.42	.17	.23	.11		.22		.02	.52			.40	2
3	.05	.19	.25	.18	.08							.69	3
4	.13	.81	.03		.03	.04						.25	4
5	.15	.55	.01	.18	.02			.43				.91	5
6	1.19	.22		.54			.65	.04				.25	6
7	.40	.39		.05			.18	.13		.87	.02	.49	7
8	.14	.22					.02				.15	.15	8
9	.02	.06		.04				.03			.33	.80	9
10	.45	.25	.05	.08				.10		.20	~~1.22~~ .05	.20	10
11	.14	.05	.08			.05		.20		.01	~~.30~~ 1.22	.23	11
12	.10	.48		.03	.57			.17		.05	~~.14~~ .30	.03	12
13	.02	.66			.71		.04	.02	.03		~~.21~~ .14	.04	13
14	.10	.09					.18	.08	.18	.20	~~.04~~ .21	1.19	14
15	.21				.31		.60	.01	.01		.04	.22	15
16	.02	1.35			.41		.92			.01		.16	16
17		.28			.07					.01			17
18	.01	.29					.05				.01	.01	18
19	.03	.05			.43		.12						19
20	.27			.11	.01	.28	.01			.21			20
21	.24	.26			.19	.14	.40		.01	.12		.02	21
22	.02	.15	.29	.03			.40		.01	.07		.38	22
23	.03	.03	.02			.05	.11		.03	.94		.85	23
24		.02		.01		.15	.08		.03			.85	24
25	.01			.01		.08	.34		.01			.33	25
26	.03	.35				.31			.19			.85	26
27		.08				.10	.02		.04	.61			27
28		.05				.22			.28	.13	.03	.13	28
29		X				.21	.01	.02	.15	.23	.30	.18	29
30	.17	X				.09	.03		.10	.47	.41	.34	30
31	.03	X		X		X	.32		X	.57	X	.30	31
Total	4.57	7.41	.94	1.37	2.85	1.94	4.49	1.85	1.59	5.00	3.21	10.37	YEAR'S TOTAL 45.59
Rain Days.	26	25	8	12	12	13	20	13	14	17	13	27	200

W. 8,000. X. 15.

REGISTER OF RAINFALL IN 1916.

FORM A.
BRITISH RAINFALL.
8 JAN 1917

Kept at Merifield Vicarage : Torpoint

in the County of Cornwall

by Rev Leonard A. Williams.

Lat. 50° 23′ 1″ Long. 40° 13′ 5″

Time of Observation 9 a.m G.M.T.

Nearest Railway Station Devonport

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground — ft. 8 in.

" " " " Sea Level 160 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·23		·03		·16	·05	·12		·04	·83	·19	·01	1
2	·33	·14	·12	·01					·20	·30	·32		2
3	·04	1·18			·33	·13			·08	·78	·22	·03	3
4	·14	·25		·01	·05	·40			·06	·12	·64	·01	4
5	·12	·19	·02	·02	·02	·05	·06			·17	·24		5
6	·08	·11			·19	·13	1·11			·13	·98		6
7	·04	·21	·04		·07	·03				·15	·92	·10	7
8	·01	·27	·32		·47	·03					·17	·35	8
9		·13	·11		·01	·08	·02			·03	·30	·49	9
10		·94		·06	·10	·04	·01			·04	·06	·06	10
11		·04		·14	·09				·03	·01		·08	11
12	·05	·10	·04	·04	·16		·20	·09		·13			12
13		·40	·08	·03	·05		·01	·20		·01	·03	·05	13
14	·02	·42	·04		·05			·42		·07			14
15	·04	·32	·24	·18				·01		·06		·03	15
16	·29	·14	·01	·10			·01	·47		·25	·04		16
17	·21	·12	·03	·01						·58	1·91		17
18	·02	·15	·24	·01	·01				·19	·04	·19	·12	18
19	·17	·15	·02	·17							·28	·14	19
20	·07	·60	·07								·08	·72	20
21	·04	·02	·06	·12		·03					·12	·14	21
22			·01		·08	·31	·01	·08		·32	·03	·55	22
23	·09			·14		·17		·40		·21	·22	·08	23
24		·08	·04	·26		·02		·29	·01	·33	·05	·44	24
25	·09	·23	·15		·02	·15		·35		·03	·10	·02	25
26	·03	·03	·10			·14		·40	·70	·72	·06	·10	26
27	·02		1·38			·05		·80	·19	·60		·02	27
28		·04						·18	·33	·45	·06	·62	28
29	·02	·10	·06			·66		·86	·20	·24		·58	29
30		X							·01	·50			30
31		X		X		X		·10	X	·40	X	·02	31
Total	2·15	6·36	3·21	1·30	1·86	2·47	1·55	4·65	2·04	7·50	7·21	4·76	YEAR'S TOTAL 45·06
Rain Days.	22	25	22	15	16	17	9	14	12	27	23	23	225

W. 8,000, VIII. 16

in stats 17.III.16

FORM A.
BRITISH RAINFALL.

3 JAN 1916

REGIST 5

CORNWALL

TINTAGEL

1915

Kept at Tintagel 9am

in the County of Cornw Camelford

by H J Taylor

ain Gauge 5 in.

bove Ground 1 ft. 2 in.

„ Sea Level 240 ft.

IMPORTANT NOTE.—E daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·15

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·50	·20	·02	·00	·08	·00	·00	·17	·09	·17	·22	·00	1
2	·32	·30	·00	·00	·20	·00	·00	·00	·30	·33	·00	·75	2
3	(·08)	·06	·09	·11	·00	·07	·00	·00	·00	·00	·00	·00	3
4	·10	·18	·14	·13	·04	·00	·00	·00	·00	·00	·00	1·08	4
5	·15	·26	·03	·00	·07	·00	·00	·00	·00	·00	·00	·55	5
6	·10	·85	·01	·19	·00	·03	·00	(·04)	·00	·00	·00	·50	6
7	·50	·30	·00	·34	·00	·00	·63	·15	·00	·00	·00	·60	7
8	·30	·42	·00	·10	·00	·00	·22	·00	·00	·11	·10	·45	8
9	·03	·27	·00	·02	·00	·00	·07	·18	·00	·07	·35	·30	9
10	·10	·25	·00	·08	·00	·00	·00	·02	·00	·00	·00	·50	10
11	·70	·21	·08	·17	·00	·29	·00	·00	·00	·40	·30	·25	11
12	·03	·00	·08	·00	·04	·00	·00	·00	·00	·20	·30	·25	12
13	·06	·56	·00	·01	·41	·00	·00	·00	·00	·03	·45	·30	13
14	·05	·35	·07	·06	·66	·00	·16	·13	·08	·00	·18	·10	14
15	·02	·05	·00	·02	·00	·00	·29	·19	·08	·05	·00	·40	15
16	·22	·00	·00	·00	·28	·00	·27	·05	·11	·00	·00	·20	16
17	·00	1·26	·00	·00	·17	·00	1·76	·00	·00	·00	·00	·00	17
18	·01	·30	·00	·00	·07	·00	·00	·00	·00	·00	·00	·00	18
19	·04	·23	·00	·00	·00	·00	·11	·00	·00	·00	·00	·00	19
20	·03	·04	·00	·14	·09	·00	·17	·00	·00	·00	·00	·00	20
21	·36	·07	·00	·08	·00	·11	·00	·00	·04	·26	·00	·00	21
22	·03	·16	·00	·00	·08	·20	·26	·00	·00	·00	·00	·33	22
23	·05	·21	·17	·11	·00	·06	·15	·00	·00	·27	·00	·25	23
24	·01	·05	·01	·00	·00	·11	·19	·00	·00	·33	·00	·00	24
25	·00	·00	·01	·02	·00	·06	·11	·00	·13	·36	·00	·52	25
26	·02	·00	·00	·00	·00	·07	(·01)	·00	·00	·00	·00	·15	26
27	·19	·23	·00	·00	·02	·73	·04	·00	·03	·00	·00	·00	27
28	·00	·08	·00	·00	·00	·33	·18	·00	·05	·57	·00	·25	28
29	·00		·00	·00	·00	·20	·00	·00	·22	·12	·00	·40	29
30	·15		·00	·00	·00	·42	·02	·04	·10	·05	·00	·05	30
31	·10		·00		·00		·00	·00		·55		·20	31
	·20	·02		·08	–	–	·17	·09	·17	·22	–	·15	YEAR'S TOTAL
Total	3·95	6·71	·63	1·66	2·01	2·68	4·75	·85	1·31	3·80	1·68	~~8·56~~	38·56
Rain Days.	27	24	10	16	12	13	18	8	11	16	7	8.53 23	38·56 185

W. 8,000. X. 15.

185

stats 17.III.16

REGIST 5

FORM A.
BRITISH RAINFALL.

3 - JAN 1916

Kept at Tintagel

in the County of Cornwall

by H J Taylor F.R.H.S.

Lat. Long.

Time of Observation 9 am

Nearest Railway Station Camelford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 2 in.

" " " " Sea Level 240 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
·15

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·50	·20	·02	·00	·08	·00	·00	·17	·09	·17	·22	·00	1
2	·32	·30	·00	·00	·20	·00	·00	·00	·30	·33	·00	·75	2
3	(08)	·06	·09	·11	·00	·07	·00	·00	·00	·00	·00	·00	3
4	·10	·18	·14	·13	·04	·00	·00	·00	·00	·00	·00	1·08	4
5	·15	·26	·03	·00	·01	·00	·00	·00	·00	·00	·00	·55	5
6	·10	·85	·01	·19	·00	·03	·00	(·04)	·00	·00	·00	·50	6
7	·50	·30	·00	·34	·00	·00	·63	·15	·00	·00	·00	·60	7
8	·30	·42	·00	·10	·00	·00	·22	·00	·00	·11	·10	·45	8
9	·03	·27	·00	·02	·00	·00	·01	·18	·00	·01	·35	·30	9
10	·10	·25	·00	·08	·00	·00	·00	·02	·00	·00	·00	·50	10
11	·70	·21	·08	·17	·00	·29	·00	·00	·00	·40	·30	·25	11
12	·03	·00	·08	·00	·04	·00	·00	·00	·00	·20	·30	·25	12
13	·06	·56	·00	·01	·41	·00	·00	·00	·00	·03	·45	·30	13
14	·05	·35	·07	·06	·66	·00	·16	·13	·08	·00	·18	·10	14
15	·02	·05	·00	·02	·00	·00	·29	·19	·08	·05	·00	·40	15
16	·22	·00	·00	·00	·28	·00	·27	·05	·11	·00	·00	·20	16
17	·00	1·26	·00	·00	·17	·00	1·76	·00	·00	·00	·00	·00	17
18	·01	·30	·00	·00	·07	·00	·00	·00	·00	·00	·00	·00	18
19	·04	·23	·00	·00	·00	·00	·11	·00	·00	·00	·00	·00	19
20	·03	·04	·00	·14	·09	·00	·17	·00	·00	·00	·00	·00	20
21	·36	·07	·00	·08	·00	·11	·00	·00	·04	·26	·00	·00	21
22	·03	·16	·00	·00	·08	·20	·26	·00	·00	·00	·00	·33	22
23	·05	·21	·17	·11	·00	·06	·15	·00	·00	·27	·00	·25	23
24	·07	·05	·01	·00	·00	·11	·19	·00	·00	·33	·00	·00	24
25	·00	·00	·01	·02	·00	·06	·11	·00	·13	·36	·00	·52	25
26	·02	·00	·00	·00	·00	·07	(·01)	·00	·00	·00	·00	·15	26
27	·19	·23	·00	·00	·02	·73	·04	·00	·03	·00	·00	·00	27
28	·00	·08	·00	·00	·00	1·33	·18	·00	·05	·57	·00	·25	28
29	·00		·00	·00	·00	·20	·00	·00	·22	·12	·00	·40	29
30	·15		·00	·00	·00	·42	·02	·04	·10	·05	·00	·05	30
31	·10		·00		·00		·00	·00		·55		·20	31
	·20	·02		·08	–	–	·17	·09	·17	·22	–	·15	YEAR'S TOTAL
Total	3·95	6·71	·63	1·66	2·01	2·68	4·75	·85	1·31	3·80	1·68	~~8·50~~ 8.53	38·56 38.56
Rain Days.	27	24	10	16	12	13	18	8	11	16	7	23	185

185

W. 8,000. X. 15.

CORNWALL.
TINTAGEL,
"TRENOWAN"
~~191~~ 1913-1918

FORM A.
BRITISH RAINFALL.
7- JAN 1914

REGI 913

Kept at Trenowan, Long. 50. 30
9 o/c a.m
in the County of Cor ation Camelford
auge 5 in.
by Priestley ge above Ground 1 ft. in.
„ Sea Level 350 ft.

IMPORTANT NOTE. y at 9 a.m. and the result entered to the previous day. If an Obser not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1										0·02	0·26	0·06	1
2										0·05	0·15		2
3										0·08	0·23	0·21	3
4										0·34		0·19	4
5											0·48	0·68	5
6										0·23	0·42	0·05	6
7										0·45	0·78		7
8										0·01		0·05	8
9													9
10										0·71	0·15		10
11										0·17	0·48	0·17	11
12											0·16	0·03	12
13										0·01	0·25		13
14									0·36	0·06	0·10	0·04	14
15									0·04		0·14		15
16									0·01				16
17											0·12		17
18											0·02		18
19									0·33	0·24			19
20									0·04	0·15	0·59		20
21										0·02	0·05		21
22									0·13			0·55	22
23									0·05		0·17	0·64	23
24									0·01		0·11	0·01	24
25									0·12	0·04	0·09	0·14	25
26									0·04	0·03	0·04	0·25	26
27										0·30	0·06	0·17	27
28									0·27	0·45		0·05	28
29										0·15		0·04	29
30										0·30	0·10		30
31													31
Total									~~1·40~~	3·81	4·95	3·32	~~YEAR'S~~ TOTAL ~~13·48~~
Rain Days.									~~11~~	20	22	17	

W.7,000, XI. 13

FORM A.
BRITISH RAINFALL.
7- JAN 1914

REGI [illegible] 913

Kept at Trenowan, Tintagel
in the County of Cornwall
by Priestley Hogbin

Lat. 4. 30 Long. 50. 30
Time of Observation 9 o/c a.m
Nearest Railway Station Camelford
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1										0·02	0·26	0·06	1
2										0·05	0·15		2
3										0·08	0·23	0·21	3
4										0·34		0·19	4
5											0·48	0·68	5
6										0·23	0·42	0·05	6
7										0·45	0·78		7
8										0·01		0·05	8
9													9
10										0·71	0·15		10
11										0·17	0·48	0·17	11
12											0·16	0·03	12
13										0·01	0·25		13
14									0·36	0·06	0·10	0·04	14
15									0·04		0·14		15
16									0·01				16
17											0·12		17
18											0·02		18
19									0·33	0·24			19
20									0·04	0·15	0·59		20
21										0·02	0·05		21
22									0·13			0·56	22
23									0·05		0·17	0·64	23
24									0·01		0·11	0·01	24
25									0·12	0·04	0·09	0·14	25
26									0·04	0·03	0·04	0·25	26
27										0·30	0·06	0·17	27
28									0·27	0·45		0·05	28
29										0·15		0·04	29
30										0·30	0·10		30
31													31
Total									~~1·40~~	3·81	4·95	3·32	~~YEAR'S~~ TOTAL ~~13·48~~
Rain Days.									11	20	22	17	

Appr referred 11·III·15

cord by Obr. 16·III·15

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.
4 JAN 1915

Kept at Trenowan House, Tintagel
in the County of Cornwall
by Priestley Hogbin

Lat. 4. 30 Long. 50. 30'
Time of Observation 9 o/c a.m
Nearest Railway Station 4 miles
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			0·23	0·10		0·25		0·65			0·33	0·08	1
2			0·03		0·04	0·04	1·13	0·01			0·01	0·59	2
3	0·08		0·12	0·19	0·35	0·01			0·02		0·05	0·65	3
4	0·30		0·06	0·29	0·19		0·78				0·09	0·42	4
5	0·08		0·35	0·25	0·02		0·13	0·40			0·65	0·05	5
6		0·30	0·36	0·18	0·13		0·02	0·35			0·15	0·24	6
7	0·09	0·36	0·39	0·21	0·01	0·19	0·38	0·56	0·84		—	0·10	7
8	0·08		1·05	0·05		0·66		0·02			0·02	0·14	8
9	0·02	0·08	0·33	0·14	0·19	0·98		0·15	0·63	0·04			9
10	0·17	0·44	0·03	0·47	0·15	0·03			0·31				10
11		0·21	0·56	0·01		0·17			0·06		0·02	0·27	11
12		0·67	0·22		0·01	0·01			0·13	0·02	0·01	0·17	12
13		0·30	0·24				0·09		0·21	0·20	0·16	0·15	13
14		0·14	0·24				0·02		0·04	0·03	0·51	0·39	14
15		0·03	0·20				0·06	0·12	0·11	0·02	0·56	0·31	15
16			0·06				0·05		0·22			0·10	16
17		0·31	0·31				0·02		0·03			0·55	17
18		0·15	0·25				0·14	0·02	0·27			0·27	18
19		0·02	0·76				0·72				0·03	0·22	19
20		0·46	0·29			1·20						0·09	20
21		0·47	0·05			0·02	0·47			0·10		0·10	21
22		0·09	0·04	0·02	0·01	0·04		0·04		0·53			22
23		0·23	0·28		0·07		0·02	0·12		0·08			23
24			0·05			0·05	0·07				0·03		24
25	0·18		0·08				0·02	0·63		0·52		0·40	25
26	0·04		0·07				0·27			0·05	0·32	0·54	26
27	0·10	0·05	0·01							0·10	0·18	0·21	27
28	0·02	0·03	0·22		0·06					0·35	0·51	0·59	28
29	0·25		0·55	0·07	0·15		0·47			0·03		0·10	29
30	0·02	✕	0·13	0·03	0·05					0·07	0·60	0·39	30
31	0·04	✕		✕		✕	0·66		✕	0·46	✕	0·49	31
Total	1·47	4·34	7·56	2·01	1·43	3·65	5·52	3·07	2·87	2·60	4·23	7·61	YEAR'S TOTAL 45·76 46·36
Rain Days.	14	18	30	13	14	13	19	12	12	15	18	26	204

W. 8,000. X. 14.

2002

FORM A. BRITISH RAINFALL.

5 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Trenowan, Tintagel
in the County of Cornwall
by Priestley Hogbin

Lat. 4.30 N Long. 5.30 W
Time of Observation 9 o'c a/m
Nearest Railway Station Camelford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.36		0.08		0.22			0.19	0.53	0.19		0.23	1
2	0.37	0.63		0.11		0.08		0.03	0.04	0.01		0.35	2
3	0.10	0.22	0.16	0.15	0.04			0.06				0.75	3
4	0.08	0.24	0.03		0.03			0.02				0.39	4
5	0.01	0.97	0.02	0.19	0.40	0.02		0.05				0.87	5
6	0.78	0.13		0.32	0.65		0.59	0.04				0.44	6
7	0.26	0.62	0.01	0.06		0.01	0.41	0.10		0.29	0.01	0.43	7
8	0.06	0.28					0.03	0.18		0.02	0.66	0.11	8
9	0.20	0.34		0.11				0.07			0.21	0.74	9
10	0.17	0.23	0.13	0.22		0.18		0.07		0.53	0.01	0.02	10
11	0.10		0.15		0.03		0.02			0.04	0.69	0.07	11
12	0.07	0.52		0.01						0.03	0.19	0.10	12
13	0.07	0.35		0.08			0.12	0.08	0.05	0.08	0.28		13
14	0.05	0.07		0.02			0.22	0.18	0.08		0.09	1.06	14
15	0.14	0.01			0.24		0.08	0.06	0.02		0.15	0.18	15
16	0.06	1.33			0.21		2.05	0.02					16
17	0.02	0.32			0.01		0.01						17
18	0.05	0.25					0.09						18
19	0.07	0.05			0.12		0.17						19
20	0.39	0.07		0.20	0.03	0.11			0.03	0.26			20
21	0.07	0.21			0.07	0.20	0.19			0.03		0.05	21
22	0.07	0.21	0.16	0.09		0.06	0.26			0.28		0.37	22
23	0.04	0.08	0.03			0.14	0.13		0.02	0.44		0.58	23
24			0.01			0.05	0.01		0.12	0.36		0.26	24
25	0.02			0.04	0.02	1.29	0.05					0.24	25
26	0.21	0.23				0.38	0.04		0.04			0.43	26
27		0.10				0.31	0.33		0.09	0.57			27
28		0.04				0.53			0.21	0.13			28
29						0.01	0.04	0.09	0.37	0.05	0.29	0.10	29
30		×		0.06			0.16	0.01	0.06	0.45	0.36		30
31	0.19	×		×		×		0.15	×	0.27	×	0.35	31
Total	4.01	7.50	0.78	1.66	2.07	3.37	5.00	1.40	1.66	4.03	2.94	8.12	YEAR'S TOTAL 42.54
Rain Days.	26	24	10	14	13	14	20	17	13	18	11	22	202

W. 8,000. X. 15.

1948

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL.
6 JAN 1917

Kept at Trenowan, Tintagel
in the County of Cornwall
by Priestley Hogbin

Lat. 4.30 Long. 50.30
Time of Observation 9 oc a.m
Nearest Railway Station Camelford
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 350 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0.24		0.26			0.19				0.18			1
2	0.23	0.12	0.34		0.11		0.02		0.25	0.32	0.76		2
3	0.01	1.45	0.01		0.07	0.10	0.18		0.01	0.49	0.12		3
4	0.20	0.22			0.26	0.29			0.04		0.60		4
5	0.04	0.06	0.02		0.10	0.07	0.02		0.01	0.17	0.10	0.14	5
6	0.02	0.19	0.01		0.07	0.16	0.40			0.18	0.53		6
7	0.06	0.30	0.03		0.14	0.03				0.03	0.61	0.20	7
8	0.04	0.10	0.03	0.10	0.39	0.08				0.13	0.07	0.11	8
9	0.01	0.21	0.04		0.01		0.34				0.15	0.55	9
10		1.03		0.17	0.04					0.01	0.06	0.14	10
11				0.13	0.16						0.03	0.10	11
12	0.08	0.08		0.02	0.13		0.09	0.09		0.35	0.01		12
13		0.30	0.01	0.03	0.02		0.03	0.19	0.04		0.01	0.26	13
14	0.07	0.41	0.12		0.08			0.14		0.06	0.01		14
15	0.02	0.17	0.06	0.12	0.02			0.43		0.03			15
16	0.04	0.03	0.02	0.16	0.02		0.03	0.41		0.33	0.04		16
17	0.22	0.07	0.17	0.02					0.31	0.11	0.63		17
18		0.08	0.01					0.03	0.08	0.04	0.21	0.18	18
19	0.20	0.08	0.18	0.14					0.02		0.41		19
20	0.07	0.47	0.10					0.08			0.20	0.21	20
21	0.02	0.13			0.10						0.04	0.19	21
22	0.01		0.02			0.09		0.05			0.08	0.72	22
23	0.04	0.03		0.14		0.31		0.30			0.16	0.04	23
24		0.02	0.07	0.07	0.04			0.12		0.85	0.05	0.27	24
25		0.26	0.14		0.21	0.06		0.20		0.16	0.18		25
26	0.05	0.03	0.01		0.06	0.27		0.09	0.50	0.79	0.16		26
27	0.03	0.01	1.40			0.05		0.02	0.81	0.31			27
28		0.07	0.01			0.02		0.10	0.16	0.50		0.57	28
29		0.20	0.06			0.48		0.40		0.40		0.29	29
30		╳		0.10		0.23		0.02		0.17			30
31		╳		╳		╳		0.10	╳	0.11	╳	0.09	31
Total	1.70 ✓	6.62 ✓	3.12 ✓	1.20 ✓	2.03 ✓	2.43 ✓	1.11 ✓	2.77 ✓	2.23	5.72 ✓	5.22	4.06 ✓	YEAR'S TOTAL 38.21 ✓
Rain Days.	21 ✓	26 ✓	23 ✓	12 ✓	19 ✓	15 ✓	8 ✓	17 ✓	11 ✓	22	24 ✓	16 ✓	214

W. 8,000, VIII. 16

1059

FORM A.
BRITISH RAINFALL.
5 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Trenowan, Tintagel

in the County of Cornwall

by Priestley Hogbin

Lat. 4. 30 Long. 50. 30

Time of Observation 9 o'c a.m

Nearest Railway Station Camelford

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 359 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	0·02			0·17		0·23							1
2	0·02		0·12	0·22		0·05							2
3	0·07			0·06			0·02						3
4			0·47				(·22)		0·08				4
5	0·28	0·22	0·62	0·55		0·25							5
6	0·04		0·12			0·27							6
7	0·44						0·22	0·29					7
8	0·08		0·18	0·05		0·13		0·21					8
9			0·17	0·02	0·05				0·15				9
10	0·40		0·25	0·24				0·28	0·04				10
11	0·03		0·33	0·16									11
12	0·26			0·01	0·28			0·39					12
13	0·20		0·20	0·05	0·02	0·04		0·15	0·25				13
14				0·08	0·01			0·03					14
15							0·02	0·08	0·06				15
16		0·02		0·01									16
17		0·02	0·03	0·24			0·52	0·15					17
18		0·01		0·03	0·05	0·02	0·28	0·03	1·12				18
19		0·61				0·39		0·14					19
20					0·48	0·64		0·01					20
21		0·35	0·15		0·01	0·13		0·24					21
22		0·01						0·79					22
23		0·20			0·10	0·05		0·16					23
24		0·01					0·46	0·04					24
25			0·02			0·07	0·29	0·34					25
26					0·61	0·01		0·57	0·31				26
27						0·52		1·06					27
28			0·11		0·19	1-19	0·15	0·13					28
29			0·05		—		—	0·02					29
30		✕	0·22		—			0·16					30
31		✕	0·04	✕	0·37	✕		0·07	✕		✕		31
Total	1·84	1·45	3·08	1·89	2·17	3·99	2·18	5·20	2·01				~~YEAR'S~~ TOTAL ~~23·89~~
Rain Days.	11	9	16	14	11	15	9	22	7				~~114~~

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL. 3.1.19

Kept at Trenance, Newquay
in the County of Cornwall
by Priestley Hogbin

Lat. — Long.
Time of Observation 9 a.m
Nearest Railway Station Newquay
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			0.01	0.12	0.09			0.35	0.01	0.01	1.16	1.14	1
2				0.02	0.03			0.97	0.10				2
3				0.14	0.24				0.15	0.14			3
4				0.15				0.16	0.64		0.35		4
5			0.29	0.15				0.22	0.49				5
6			0.09	0.11		0.01		0.01		0.55			6
7						0.03			0.47	0.09			7
8							0.01		0.63	1.39			8
9				0.10		0.20	0.09		0.35	0.03		1.37	9
10				0.16			0.31		0.14	0.06			10
11			0.12	0.01			0.08		0.34	0.81	0.52		11
12					0.10		0.23			0.25			12
13					0.05		0.10		0.28	0.01			13
14					0.04	0.08	0.45		0.15	0.03			14
15					0.01	0.43	0.01		0.26	0.13			15
16				0.28		0.10	0.25		0.17	0.03		1.54	16
17				0.18			0.07		0.02	0.06			17
18						0.33	0.10		0.71	0.19	0.06		18
19			0.25	0.14					0.20				19
20			0.01	0.02		0.02	0.23	0.04	0.16				20
21						0.63			0.15	0.21			21
22					0.13				0.50				22
23						0.02			0.02	0.01		1.03	23
24		0.16				0.03			0.12				24
25					0.08			0.94		0.09			25
26		0.26							0.07				26
27		0.11	0.19						0.14	0.05			27
28		0.29	0.05				0.36	0.03		0.01			28
29			0.06						1.24				29
30		X	0.35	0.24					0.10	0.03		1.10	30
31		X	0.26	X		X			X	0.20	X		31
Total		0.82	1.67	1.82	0.77	1.28	2.29	2.71	7.61	3.38	2.09	6.18	YEAR'S TOTAL 30.62
Rain Days.		4	11	14	9	11	13	8	26	23 22			

W. 8,000, IX. 17.

BRITISH RAINFALL FORM A.

2 - JAN 19

REGIS 913.

CORNWALL.

~~TREGONEY~~

VERYAN.

1913

Kept at Veryan

in the County of Corn

by Martin Clover

Long. 4° 45' 40" W

9 am

ation Grampound Rd (GW)

auge 5in in.

ge above Ground 1 ft. 3 in.

„ Sea Level 154 ft.

IMPORTANT NOTE. . and the result entered to the previous day. If an Obser universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·010	·135	·280	·110	·210	·010	-	-	·065	·060	·285	·015	1
2	·045	·125	·010	·150	·445	·160	-	-	·015	-	·100	·210	2
3	·165	·025	·080	·005	·170	·010	-	-	·535	·420	·005	·065	3
4	·695	-	·035	·040	·005	·070	-	-	·310	-	·025	·190	4
5	·095	·080	·015	-	·260	·140	·020	-	·100	-	·480	·240	5
6	·100	·100	·040	-	·180	·115	·050	-	·020	·485	·305	·200	6
7	·045	·405	·110	-	·830	·040	·060	-	-	·280	·270	·030	7
8	·180	·240	-	-	·165	-	·115	·020	-	-	-	·070	8
9	·060	·040	-	-	·050	-	·010	·065	-	·005	·745	·005	9
10	·945	-	-	-	·360	·100	·010	·005	-	·880	·415	·015	10
11	·500	·005	·005	-	·520	·020	-	·430	·005	-	·540	-	11
12	·125	·005	-	-	·030	·005	-	·005	·110	·015	·245	·010	12
13	·010	-	·040	·150	·010	-	-	-	·245	-	·175	·015	13
14	·335	-	·100	·020	·350	-	·186	-	·105	·005	·290	·015	14
15	·170	-	·595	·620	·005	-	·005	-	·265	-	·150	·010	15
16	·210	-	·325	·040	-	-	-	-	·160	-	·010	-	16
17	·085	-	·070	·125	-	-	-	·045	·010		·030	·020	17
18	·220	-	·310	·135	-	·010	-	-	-		·110	-	18
19	·265	-	·070	-	·045	-	-	-	·275	·240	·020	-	19
20	·195	-	·065	·455	·005	·020	-	-	-	·070	·325	-	20
21	·135	-	·140	·220	·080	·075	-	·070	-		·215	-	21
22	·190	-	·880	·040	·015	·335	·030	·040	·110	·260	-	·375	22
23	·010	-	-	-	-	·005	-	-	·075	-	·195	1·545	23
24	·020	·110	-	·120	-	·080	-	-	-	·005	·150	·025	24
25	·005	-	·005	·360	-	·005	-	·001	·090		·020	·045	25
26	-	-	-	·760	-	-	-	·030	-	·050	·005	·205	26
27	·600	-	·150	·125	-	-	-	·530	-	·150	·030	·130	27
28	·020	-	·080	·255	·150	-	-	·005	·250	·680	·015	·070	28
29	·190		·420	·390	·020	-	·070	-	-	·275	·020	·120	29
30	·455		·310	·030	·090	-	·010	-	-	·470	-	-	30
31	·190		-		-		-	·020		·060		-	31
Total	6·270	1·270	4·135	4·150	3·995	1·200	·560	1·206	2·695	4·410	5·175	3·625	YEAR'S TOTAL 38·691 38·691
Rain Days.	~~30~~ 29	~~11~~ 10 9	~~24~~ 22	20	~~22~~ 20 19	~~17~~ 16 14	~~11~~ 10	~~13~~ 11 9	~~18~~ 17	~~18~~ 15 17	~~27~~ 26 25	~~23~~ 22	~~234~~ ~~200~~ 220

W.7,000, XI. 13

✓

REGIS 913.

FORM A. BRITISH RAINFALL
8 JAN 1914

Kept at Veryan
in the County of Cornwall 2
by Martin Clover MRCS LRCP

Lat. .... Long. 4° 45. 40 W
Time of Observation 9 am
Nearest Railway Station Grampound Rd (GWR)
Diameter of Rain Gauge 5 in in.
Height of top of Gauge above Ground 1 ft. 3 in.
" " " " Sea Level 154. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·010	·135	·280	·110	·210	·010	-	-	·065	·060	·285	·015	1
2	·045	·125	·010	·150	·445	·160	-	-	·015	-	·100	·210	2
3	·165	·025	·080	·005	·170	·010	-	-	·535	·420	·005	·065	3
4	·695	-	·035	·040	·005	·070	-	-	·310	-	·025	·190	4
5	·095	·080	·015	-	·260	·140	·020	-	·100	-	·480	·240	5
6	·100	·100	·040	-	·180	·115	·050	-	·020	·485	·305	·200	6
7	·045	·405	·110	-	·830	·040	·060	-	-	·280	·270	·030	7
8	·180	·240	-	-	·165	-	·115	·020	-	-	-	·070	8
9	·060	·040	-	-	·050	-	·010	·065	-	·005	·745	·005	9
10	·945	-	-	-	·360	·100	·010	·005	-	·880	·415	·015	10
11	·500	·005	·005	-	·520	·020	-	·430	·005	-	·540	-	11
12	·125	·005	-	-	·030	·005	-	·005	·110	·015	·245	·010	12
13	·010	-	·040	·150	·010	-	-	-	·245	-	·175	·015	13
14	·335	-	·100	·020	·350	-	·186	-	·105	·005	·290	·015	14
15	·170	-	·595	·620	·005	-	·005	-	·265	-	·150	·010	15
16	·210	-	·325	·040	-	-	-	-	·160	-	·010	-	16
17	·085	-	·070	·125	-	-	-	·045	·010		·030	·020	17
18	·220	-	·310	·135	-	·010	-	-	-		·110	-	18
19	·265	-	·070	-	·045	-	-	-	·275	·240	·020	-	19
20	·195	-	·065	·455	·005	·020	-	-	-	·070	·325	-	20
21	·135	-	·140	·220	·080	·075	-	·070	-		·215	-	21
22	·190	-	·880	·040	·015	·335	·030	·040	·110	·260	-	·375	22
23	·010	-	-	-	-	·005	-	-	·025	-	195	1·545	23
24	·020	·110	-	·120	-	·080	-	-	-	·005	·150	·025	24
25	·005	-	·005	·360	-	·005	-	·001	·090		·020	·045	25
26	-	-	-	·760	-	-	-	·030	-	·050	·005	·205	26
27	·600	-	·150	·125	-	-	-	·530	-	·150	·030	·130	27
28	·020	-	·080	·255	·150	-	-	·005	·250	·680	·015	·070	28
29	·190		·420	·390	·020	-	·070	-	-	·275	·020	·120	29
30	·455		·310	·030	·090	-	·010	-	-	·470	-	-	30
31	·190		-		-		-	·020		·060		-	31
Total	6·270	1·270	4·135	4·150	3·995	1·200	·560	1·206	2·695	4·410	5·175	3·625	YEAR'S TOTAL 38·691 38·691
Rain Days.	~~30~~ 29	~~11~~ 10 9	~~24~~ 22	20 ~~19~~	~~22~~ 20 19	~~17~~ 16 14	~~11~~ 10	~~13~~ 11 9	~~18~~ 17	~~18~~ ~~15~~ 17	~~27~~ 26 ~~25~~	~~23~~ 22	~~234~~ ~~209~~ 220

W.7,000, XI. 13

REG

1953

FORM A2. BRITISH RAINFALL. 6 JAN 1913

TRESCO ABBEY GDNS
ISLE OF SCILLY
CORNWALL
1912, 16, ~1920

Kept at Tresco Abbey
Isles

in the County of Cor

by T. A. Dorrien

in.
round 3 ft. in.
a Level 40 ft.
a.m
ame
istance Direction

IMPORTANT NOTE. he result entered to the previous day. If an Obse sal rule, he is earnestly requested to add the readi r in the space provided for it at the end of this ent of rain, the selection and placing ish Rainfall Organization are given in "Rules for Rainfall Observers," plication to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1			.07			.30	.20	.05	.24	.19		.14	1
2		.07	.24	.02		.16	.01	.05	.02	.02	.03	.01	2
3		.12	.21	.05		.47		2.32	.02			.01	3
4	.12	.04	.18		.01	.07		.02			.21		4
5	.57	.17	.42		.07		.01	2.29	.01		.01	.02	5
6	.18	.08	.07	.04	.26		.03	.17			.03	.01	6
7	.25	.53	.23	.01	.01	.04	.03	.01			.01	.13	
8	.25	.02	.11	.03	.01	.24	.02					.01	
9	.02	.25	.09	.03	.01	.26	.19	.14			.01	.89	
10	.23	.16		.02			.16		.01	.01	.05	.03	10
11		.70					.65	.38			.03	.43	
12	.06	.06	.25		.11		.18	.70		.05	.15	.02	
13	.17	.05	.02	.01		.10		.30		.05	.38	.04	13
14	.01	.18	.42					.07			.05	.04	14
15	.72	.05	.05		.07	.12		.04		.02	.01	.38	15
16	.01	.02	.39			.03		.09		.08	.01	.02	16
17	.02		.43		.05			.25			.26	.18	17
18		.02	.20		.03			.26		.07	.03	.02	18
19		.04	.30		.06	.01		.64		.08	.01	.08	19
20	.12	.14	.60			.01		.08		.26	.02	.01	20
21		.42	.20	.02	.02			.02		.05			21
22	.41	.06	.30		.02	.03		.11		.11	.01	.13	22
23	.61	.38	.21			.10	.06	.70		.12	.17	.20	23
24	.16	.03	.04			.19	.29	.03		.11		.10	24
25	.01	.01				.10		.24	.01	.35	.26	.32	25
26		.02				.05	.53	.02	.01	.17	.46	.44	26
27		.04				.29	.01	.02	.45	.48	.09	.65	27
28		.16				.22	.04	.30	.13	.30	.28	.30	28
29		.20				.19	.15	.13	.08	.25	.76	.12	29
30		SPACE	.08	.01	.18		.32		.98	.12	.07		30
31		V	.40	SPACE	.20	SPACE	.10	.02	SPACE		SPACE	.10	31
Total	3.92	4.02	5.51	.24	1.11	2.98	2.98	9.45	1.96	2.89	3.40	4.83	TOTAL for year 43.29
No. of Rain Days.	18	27	24	10	15	20	18	28	11	20	25	28	244

8,000, X. '11.

1953

FORM A2.
BRITISH RAINFALL.
6 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Tresco Abbey Gardens Isles of Scilly

in the County of Cornwall 4

by T. A. Dorrien Smith Esq.

Rain Gauge
Pattern
Diameter of top in.
Height of top above Ground 3 ft. in.
" " " Sea Level 40 ft.

Time of Observation 9. a.m.

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			.07			.30	.20	.06	.24	.19		.14	1
2		.07	.24	.02		.16	.01	.05	.02	.02	.03	.01	2
3		.12	.21	.05		.47		2.32	.02			.01	3
4	.12	.04	.18		.01	.07		.02			.21		4
5	.57	.17	.42		.07		.01	2.29	.01		.01	.02	5
6	.18	.08	.07	.04	.26		.03	.17			.03	.01	6
7	.25	.53	.23	.01	.01	.04	.03	.01			.01	.13	
8	.25	.02	.11	.03	.01	.24	.02					.01	
9	.02	.25	.09	.03	.01	.26	.19	.14			.01	.89	
10	.23	.16		.02			.16		.01	.01	.05	.03	10
11		.70					.65	.38			.03	.43	
12	.06	.06	.25		.11		.18	.70		.05	.15	.02	
13	.17	.05	.02	.01		.10		.30		.05	.38	.04	13
14	.01	.18	.42					.07			.05	.04	14
15	.72	.05	.05		.07	.12		.04		.02	.01	.38	15
16	.01	.02	.39			.03		.09		.08	.01	.02	16
17	.02		.43		.05			.25			.26	.18	17
18		.02	.20		.03			.26		.07	.03	.02	18
19		.04	.30		.06	.01		.64		.08	.01	.08	19
20	.12	.14	.60			.01		.08		.26	.02	.01	20
21		.42	.20	.02	.02			.02		.05			21
22	.41	.06	.30		.02	.03		.11		.11	.01	.13	22
23	.61	.38	.21			.10	.06	.70		.12	.17	.20	23
24	.16	.03	.04			.19	.29	.03		.11		.10	24
25	.01	.01				.10		.24	.01	.35	.26	.32	25
26		.02				.05	.53	.02	.01	.17	.46	.44	26
27		.04				.29	.01	.02	.45	.48	.09	.65	27
28		.16				.22	.04	.30	.13	.30	.28	.30	28
29		.20				.19	.15	.13	.08	.25	.76	.12	29
30		SPACE	.08	.01	.18		.32		.98	.12	.07		30
31		V	.40	SPACE	.20	SPACE	.10	.02	SPACE		SPACE	.10	31
Total	3.92	4.02	5.51	.24	1.11	2.98	2.98	9.45	1.96	2.89	3.40	4.83	TOTAL for year 43.29
No. of Rain Days.	18	27	24	10	15	20	18	28	11	20	25	28	244

8,000, X. '11.

Section **A** for the entry of Daily Observations

Station No. 1953

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 1916

Kept at Tresco Abbey Gardens

in the County of Isles of Scilly, Cornwall

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 3 ft. in.

Height of ground above sea level 40 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
16	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·18	·01	·20	–	–	·07	·08	–	·05	·28	·24	·03		1
2	·19	·07	·06	–	–	–	·01	–	1·79	·06	·45	–		2
3	·01	1·06	·14	–	·25	·06	–	–	·02	·45	·06	–		3
4	·12	·16	·07	·02	·27	·15	–	–	·05	·03	·71	–		4
5	·02	·07	·01	–	·61	·03	·36	–	·03	·09	–	·09		5
6	·04	·11	·17	·02	·12	·05	·15	–	·07	·10	·57	·02		6
7	·01	·08	·24	–	·11	·02	–	–	·01	·04	·36	–		7
8	·03	·27	·15	–	·28	·03	·02	–	–	–	·02	·27		8
9	·03	·05	·26	–	–	·01	·22	–	–	·10	·42	·46		9
10	·01	·60	·01	·04	·09	–	–	–	·02	–	·03	·47		10
11	·01	–	·01	10	·43	·02	·07	·05	·13	–	·02	·25		11
12	·02	·07	·48	·03	·02	–	·02	·19	·01	·04	·02	·18		12
13	–	·07	·31	·04	·04	–	–	·12	–	–	·02	–		13
14	·07	·21	–	–	·03	–	–	·03	–	·03	·01	·13		14
15	·02	·11	–	10	–	–	–	·10	–	–	–	·14		15
16	·10	·12	–	·05	·02	–	·03	·23	·01	·31	·97	·04		16
17	·23	·12	·18	·03	–	–	·01	–	·04	·01	·57	–		17
18	·03	·02	·49	–	–	–	–	·03	·09	·03	·01	·19		18
19	·20	·06	·09	·01	–	–	–	·01	–	–	·20	·09		19
20	·06	·22	–	·02	–	–	–	–	–	–	·07	·20		20
21	·01	·13	·22	–	–	·18	–	–	–	·16	·01	·17		21
22	·02	·01	·02	·02	–	·12	–	·05	–	·50	·04	·75		22
23	·02	·11	·02	·07	·07	·21	–	·21	·01	·13	·12	·03		23
24	–	·37	·03	·04	·38	–	–	·33	–	·88	·01	·44		24
25	–	·18	·18	–	–	·05	–	·30	·02	·05	·31	·03		25
26	·08	·37	·22	–	·13	·03	–	·11	·43	·79	·09	·05		26
27	·03	·02	1·52	·01	–	·07	–	·06	·02	·23	·01	–		27
28	–	·48	–	–	–	–	–	·16	·34	·66	·02	·18		28
29	–	·45	·14	–	–	·25	–	·39	·08	·18	–	·41		29
30	–	X	·01	·02	–	–	–	·06	·15	·38	–	·01		30
31	–	X	–	X	–	X	–	·06	X	·22	X	·03		31
99 TOTAL	1·54	5·60	5·23	·62	2·85	1·35	·97	2·49	3·37	5·75	5·36	4·66	Year's Total 39·79	
*Days with .01 in. or more.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

Section **A** for the entry of Daily Observations

Station No. 1953

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~17

Kept at Fresco Abbey Gardens

in the County of Isles of Scilly Cornwall

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 3 ft. in.

Height of ground above sea level 40 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
17	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·01	–	–	·32	–	·04	–	–	·03	–	·02	–		1
2	·01	–	·10	·16	–	·04	·24	–	–	·02	·58	–		2
3	·05	·03	·12	·04	–	·01	·02	–	–	·11	·02	–		3
4	·01	·06	·68	·04	–	–	–	–	·24	·17	·10	·01		4
5	·10	–	·78	·26	–	–	–	–	·05	·11	·05	·06		5
6	·09	–	·02	·10	–	·04	–	–	–	·15	·11	–		6
7	·39	–	·01	·03	–	–	·09	·14	·01	·13	·03	–		7
8	·06	–	·27	·04	–	–	·25	·01	·03	·07	·11	·35		8
9	·06	–	·28	·10	·13	–	–	·03	·03	·14	·03	·06		9
10	·71	–	·18	·26	·01	–	–	·41	–	·11	·01	–		10
11	–	–	·77	·06	–	–	–	·13	–	·81	·13	–		11
12	·03	–	·01	·02	·04	–	–	·15	–	·36	·07	–		12
13	·15	–	·27	·04	–	–	–	·68	·09	·33	·01	–		13
14	·03	–	–	·09	–	–	·07	·25	·05	·06	·02	–		14
15	·17	–	–	–	–	–	–	–	·04	·43	–	·10		15
16	·02	·03	–	·01	–	–	·08	·02	·01	·15	–	·34		16
17	·04	·15	·02	–	·15	–	·86	·10	·31	·01	·03	·02		17
18	·02	·03	–	–	·14	·16	·29	·01	·98	–	–	–		18
19	–	·48	·03	–	–	·74	–	–	·01	–	–	–		19
20	–	·12	·08	–	·48	·16	–	·01	·02	·02	·01	·09		20
21	–	·01	·06	–	·05	·09	–	1·15	–	·08	·01	·46		21
22	·13	·02	–	–	·15	·01	–	·49	–	·10	–	–		22
23	–	·07	–	–	·15	·03	·01	·43	–	·04	·02	–		23
24	–	·01	·05	–	–	·03	·02	·02	·01	·05	·06	·01		24
25	·95	·01	·03	–	–	·02	–	·42	·04	·11	·03	·02		25
26	·34	·01	·01	–	·19	·13	–	·06	·09	·06	·03	·20		26
27	·11	–	·03	–	–	1·49	·24	·78	–	·06	·01	·03		27
28	–	–	·13	–	·13	1·17	·07	·04	–	·01	·02	–		28
29	–	X	·38	–	·01	–	–	·01	·01	·37	–	·08		29
30	–	X	·27	–	–	–	–	·09	·01	·28	·01	–		30
31	–	X	·07	X	·18	X	–	·01	X	·19	X	–		31
TOTAL 99	3·48	1·03	4·65	1·57	1·81	4·16	2·24	5·44	2·06	4·53	1·52	1·83	Year's Total 34·32	
*Days with .01 in. or more.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	34·32	
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side.

†Spare column, no entries required, except year's total.

(*Signed*) (P.T.O.)

Exc BL 1953 61

REGISTER OF RAINFALL IN 1918

FORM A.
BRITISH RAINFALL
6.I.19

Kept at Tresco Abbey Gardens
in the County of Isles of Scilly Cornwall
by Major A. A. Dorrien Smith

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Funnel of Rain Gauge in.
Height of top of Gauge above Ground 3 ft. in.
" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1. following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov	Dec.	Date.
1	.04	.10	—	.03	.04	—	—	.01	—	—	.89	.01	1
2	—	.09	—	.07	.44	—	—	1.68	—	—	.05	.38	2
3	—	.16	—	.17	.16	—	—	—	.28	.12	.25	.07	3
4	—	.09	—	—	—	—	—	.25	.55	—	.13	.46	4
5	.11	—	.04	.06	—	—	—	.03	.15	.18	.04	.13	5
6	.21	.14	.19	.05	—	.05	—	—	.19	.11	—	.01	6
7	.10	.15	—	—	—	.01	—	.04	.43	.07	.26	.24	7
8	—	.06	.02	.09	—	.08	.13	—	.10	.56	.01	.01	8
9	.07	—	—	.37	—	.02	.25	—	.33	—	—	.21	9
10	.06	—	—	.05	—	—	.28	—	.13	.03	—	.23	10
11	.02	—	.14	.01	.02	—	.12	.02	.06	—	—	.07	11
12	.09	.05	—	—	.15	—	.04	—	—	.01	.02	.01	12
13	.02	.01	—	.01	.15	—	.16	—	.33	.20	—	.20	13
14	.47	—	—	—	.02	.08	.37	—	.10	.12	—	.18	14
15	.47	.03	.04	—	—	.06	.88	—	.19	—	—	.21	15
16	.45	.29	—	.24	—	—	.10	—	.02	—	—	.03	16
17	.09	.02	—	.03	.01	.04	.02	.02	.02	.23	—	.23	17
18	.94	.18	.20	—	—	.37	.03	—	.64	.27	—	.33	18
19	.12	.06	.01	.21	—	.01	.27	—	.01	—	—	.03	19
20	.20	.07	—	.07	—	—	.35	.02	.25	.08	—	—	20
21	.20	—	—	.01	—	—	.37	—	.52	.54	.02	.48	21
22	.01	—	—	—	.10	—	.72	—	.08	—	—	.22	22
23	.04	—	.01	—	—	—	.03	—	.01	.01	.45	.07	23
24	.01	.10	—	—	—	—	.08	.07	.03	.01	.03	.04	24
25	—	—	—	—	.67	—	.12	.15	—	.01	.46	—	25
26	.05	.01	—	—	—	—	.05	.03	.07	.03	.01	.27	26
27	—	.08	.13	—	—	—	—	.01	.08	.01	.03	.01	27
28	—	.26	.03	—	—	.01	—	—	.44	.02	.03	.02	28
29	.02	X	.06	—	—	—	—	—	.78	.01	.43	.05	29
30	.01	X	.20	.29	—	—	—	—	.02	.01	.15	.07	30
31	—	X	.02	X	—	X	.18	—	X	.30	X	.03	31
99 Total	3.80	1.95	1.09	1.76	1.76	.73	4.55	2.33	5.81	2.93	3.26	4.30	YEAR'S TOTAL 34.27
Rain Days.	23	19	13	16	10	10	20	12	26	22	17	29	217

W. 6,500, VII 18. W W C

(1E) 1953

FORM A. BRITISH RAINFALL.

6 JAN 20

REGISTER OF RAINFALL IN 1919

Kept at Tresco Abbey Gardens

in the County of Isles of Scilly Cornwall

by Major A. A. Dorrien Smith D.S.O.

Lat. Long.

Time of Observation 8-30 a.m.

Nearest Railway Station

Diameter of Funnel of Rain Gauge in.

Height of top of Gauge above Ground ' ft. in.

" " " " Sea Level 40 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 19	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	.59	—	.06	.09	.05	—	—	.01	.10	.09	.04	1.07	1
2	.21	—	.07	—	—	—	—	—	—	—	.04	.03	2
3	.05	.02	.17	.01	.11	—	.03	—	.02	—	.08	.04	3
4	.31	.65	.32	—	—	—	—	.06	.01	—	.01	—	4
5	.04	.10	.11	—	—	—	—	—	.01	—	.18	.06	5
6	.96	.98	.05	—	—	—	—	—	—	—	.04	.15	6
7	.30	—	.09	.11	—	—	—	—	.02	—	—	.02	7
8	.19	—	.22	.05	—	.02	—	—	—	—	.43	.01	8
9	.09	—	.01	.16	.04	—	—	—	—	—	.15	.07	9
10	.17	—	.73	.01	.03	—	—	—	.02	—	.05	.32	10
11	.05	.10	.35	.12	.16	.10	.02	—	—	—	.08	.07	11
12	.04	—	.21	.03	—	—	—	—	—	.06	.04	.02	12
13	.12	.22	.16	.32	.01	—	—	—	.03	.03	—	.19	13
14	.29	.10	.23	.14	.67	—	—	—	.02	.07	.02	.17	14
15	.21	.11	.01	—	—	—	—	—	.03	.01	.04	.06	15
16	.10	.67	.01	—	.15	.01	.01	—	—	—	.08	.05	16
17	.02	1.20	.01	—	.01	—	—	.01	—	—	.09	.01	17
18	.10	.31	.22	—	—	—	.22	.09	.04	—	.19	—	18
19	.22	.10	.13	—	.07	.52	.12	.45	.25	—	.06	.04	19
20	.27	.26	.25	—	1.38	.15	—	.04	.13	—	.08	.03	20
21	.23	.37	.06	—	—	—	.01	.01	.24	—	.07	.08	21
22	—	.01	.02	—	—	.01	.06	.01	.08	.03	.01	.05	22
23	—	.07	.04	—	—	—	—	.02	—	.19	.04	.22	23
24	.02	—	—	—	—	.22	—	—	.01	.54	.09	.25	24
25	.19	.10	.01	.01	—	—	—	.11	.05	—	.02	.03	25
26	.05	.11	.02	.03	—	—	—	—	.12	—	.24	.31	26
27	.12	.02	—	.13	—	—	—	.37	.11	—	.11	.20	27
28	.02	.16	.54	.36	—	—	—	.67	.03	.03	.36	.47	28
29	—	×	.04	.13	—	—	—	.18	—	—	.01	.08	29
30	.09	×	.10	.02	—	.09	—	.48	.06	—	.39	.44	30
31	.02	×	.06	×	—	×	.01	—	×	.06	×	.59	31
1919 Total	5.07	5.66	4.30	1.72	2.68	1.12	.48	2.51	1.38	1.11	3.04	5.13	YEAR'S TOTAL 34.20
Rain Days.	28	20	29	16	11	8	8	14	20	10	28	29	221

W. 8,000, VIII. 16

Section **A** for the entry of Daily Observations

BRITISH RAINFALL ORGANIZATION—METEOROLOGICAL OFFICE—AIR MINISTRY

Station No. 1953

FORM 1090

REGISTER OF RAINFALL IN 19~~5~~20

Kept at Fresco Abbey Gardens

in the County of Isles of Scilly Cornwall

Diameter of funnel of gauge 5 in.

Height of top of gauge above ground 3 ft. in.

Height of ground above sea level 40 ft.

Jan. 1, following

THE MORNING MEASUREMENT SHOULD BE ENTERED TO THE PREVIOUS DAY

An observer who does not conform to this rule should insert the reading made on January 1st of the following year in the space on the right of this paragraph.

Please read the Notes and Instructions Overleaf

Date	Jan.	Feb.	Mar.	April	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.		*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	†	
1	·12	—	·09	·09	·72	—	·91	—	·01	·42	·07	·41		1
2	·15	—	—	·02	·02	—	3	·02	·11	·17	—	·06		2
3	·42	·08	—	·08	—	—	·01	·02	·02	·60	·03	·17		3
4	—	·02	·04	—	—	—	—	·73	·01	·40	—	—		4
5	—	·01	·05	—	·06	—	·19	·12	—	·12	—	—		5
6	·02	—	·05	·03	·07	—	·61	—	—	·40	·01	—		6
7	·01	·04	·07	·28	·12	—	·64	·02	—	—	—	·13		7
8	·23	·02	—	·20	·12	—	·07	·15	—	—	—	·03		8
9	·45	·02	·01	·03	—	·18	·27	—	—	—	—	—		9
10	·54	·10	·16	·07	—	·10	·04	—	—	—	—	—		10
11	·16	·01	·17	·43	·09	·18	·15	—	—	·02	—	—		11
12	·11	·05	·02	·04	—	—	·02	·08	·01	·01	·09	·03		12
13	·10	·03	·42	·01	—	·04	—	—	—	·09	·01	·09		13
14	·08	·03	·31	·42	—	·06	·05	—	·14	·21	·05	—		14
15	·02	·05	·01	·28	—	—	—	·01	·06	1·44	·22	—		15
16	·01	·01	·03	—	·02	·06	·06	—	·30	·10	·18	—		16
17	·01	—	—	—	·09	·07	·02	—	·44	·45	—	—		17
18	·10	—	—	·04	·07	·13	—	·40	·05	—	—	—		18
19	·13	—	—	·19	—	·37	·01	·02	·02	·20	·01	—		19
20	·02	—	—	·01	—	·09	·01	—	·17	·02		·22		20
21	—	—	·02	·31	—	—	·01	—	·05	·04		·06		21
22	·03	—	·03	·01	—	—	·03	—	—	·01		·23		22
23	·03	—	·02	·02	—	—	·07	·01	—	—		·25		23
24	·06	·02	·23	·01	—	—	·05	—	—	—	·02	·04		24
25	·29	—	·03	—	—	—	·49	—	—	—	—	·01		25
26	·24	—	·20	—	—	·03	·04	—	·02	—	·08	·03		26
27	·38	·05	·09	·03	·04	·19	·05	—	—	—	·40	·75		27
28	·16	—	·07	·10	—	·14	·04	—	·01	—	·07	·05		28
29	·23	·01	·08	·10	·44	·07	·02	—	·13	·01	·16	·14		29
30	·14	X	—	—	—	·37	·36	—	·56	·80	·34	·52		30
31	·09	X	·27	X	—	X	—	—	X	·31	X	·06		31
TOTAL 99	4·33	·55	2·47	2·80	1·86	2·08	4·25	1·58	2·11	5·82	1·74	3·28	Year's Total 32·87	
~~*Days with~~ .01 in. or more.	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
*Days with .04 in. or more.														

*See Instruction 3(*g*) on other side. †Spare column, no entries required, except year's total.

(*Signed*)..(P.T.O.)

TRURO
(TREGOLIS)

CORNWALL

1911 - 1920

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

R 11.

Kept at Bosvigo 5 in.

ve Ground ft. 9 in.

in the County of Cor

Sea Level 100 ft.

by Miss C. L.

a.m.

Name Truro

Distance under ¼ mile Direction S.E.

IMPORTANT NO d the result entered to the previous day. If an (iversal rule, he is earnestly requested to add the re year in the space provided for it at the end of t rement of rain, the selection and pla British Rainfall Organization are given n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
11 1	.08	—	.01	.06	.30	—	—	.01	—	.03	.08	.02	1
2	.02	—	.03	.05	.16	—	.01	.22	—	.37	.12	.28	2
3	—	—	.02	—	.30	—	—	.02	.04	—	.22	.18	3
4	—	—	.07	—	—	—	—	.71	—	.07	.26	.66	4
5	.40	—	.42	—	—	—	—	.17	—	.09	.38	.12	5
6	.21	—	.23	—	—	—	—	—	—	—	.09	1.30	6
7	.09	—	.01	.07	—	—	—	—	—	—	.75	.03	7
8	.02	—	.16	—	—	.02	—	—	—	—	.09	.83	8
9	.14	—	.02	—	—	—	—	—	—	—	.22	.73	9
10	.05	.10	.66	—	.06TS	—	—	—	—	—	.15	.32	10
11	.57	—	—	—	—	—	—	—	.25	—	.55	.10	11
12	.01	—	.51	—	.13TS	—	—	.03	.48	—	.14	.21	12
13	—	—	.11	—	—	—	—	—	.06	—	.08	.06	13
14	—	.19	.11	—	—	—	—	—	—	.13	.20	.76	14
15	—	.07	.04	—	—	.18	—	—	—	—	.29	.04	15
16	—	.01	.01	—	—	.76	—	—	—	—	.09	.36	16
17	—	.03	.61	.15	.01	.22	—	—	—	.04	.27	.92	17
18	—	.42	.30	.25	—	.03	—	—	—	.03	.48	.37	18
19	—	.02	—	.03	—	.40	—	—	.50	.13	.16	.69	19
20	.01	.02	.04	.10	—	.05	—	—	.30	.99	.02	.76	20
21	.04	.15	.11	.01	—	.05	—	—	.10	.11	—	.24	21
22	—	.08	—	.05	—	.16	—	—	.73	.24	—	.57	22
23	.01	.32	—	—	—	.13	—	.24	.03	.35	.05	.41	23
24	.02	.16	—	—	—	.64	—	.04	—	.39	—	.39	24
25	.01	.01	—	.13	—	—	—	—	.12	.37	—	.27	25
26	—	.10	—	.35	—	.01	.01	.15	—	.32	.01	.23	26
27	—	.53	.10	.02	—	—	—	.33	.14	.25	—	.32	27
28	—	.17	.12	.47	—	—	.02	—	.06	.01	.03	—	28
29	—		.05	.17	.05	.52	.79TS	.01	.11	.19	—	.01	29
30	—		—	—	—	.08	.11	—	.04	.28	.24	.07	30
31	—		—		—		.15	—		.08		—	31
99 Total	1.68	2.38	3.74	1.91	1.01	3.25	1.09	1.93	2.96	4.47	4.97	11.25	TOTAL for year 40.64
No. of Rain Days.	15	16	22	14	7	14	6	11	14	20	24	29	192

W. 8,000, X. '11.

R [illegible] 11.

FORM A2.
BRITISH RAINFALL.
9 - JAN 1912

Kept at Bosvigo - Truro.

in the County of Cornwall 2

by Miss C. L. Rashleigh

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 9 in.
" " " Sea Level 100 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Truro
Distance under ¼ mile Direction S.E.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
11 1	.08	—	.01	.06	.30	—	—	.01	—	.03	.08	.02	1
2	.02	—	.03	.05	.16	—	.01	.22	—	.37	.12	.28	2
3	—	—	.02	—	.30	—	—	.02	.04	—	.22	.18	3
4	—	—	.07	—	—	—	—	.71	—	.07	.26	.66	4
5	.40	—	.42	—	—	—	—	.17	—	.09	.38	.12	5
6	.21	—	.23	—	—	—	—	—	—	—	.09	1.30	6
7	.09	—	.01	.07	—	—	—	—	—	—	.75	.03	7
8	.02	—	.16	—	—	.02	—	—	—	—	.09	.83	8
9	.14	—	.02	—	—	—	—	—	—	—	.22	.73	9
10	.05	.10	.66	—	.06TS	—	—	—	—	—	.15	.32	10
11	.57	—	—	—	—	—	—	—	.25	—	.55	.10	11
12	.01	—	.51	—	.13TS	—	—	.03	.48	—	.14	.21	12
13	—	—	.11	—	—	—	—	—	.06	—	.08	.06	13
14	—	.19	.11	—	—	—	—	—	—	.13	.20	.76	14
15	—	.07	.04	—	—	.18	—	—	—	—	.29	.04	15
16	—	.01	.01	—	—	.76	—	—	—	—	.09	.36	16
17	—	.03	.61	.15	.01	.22	—	—	—	.04	.27	.92	17
18	—	.42	.30	.25	—	.03	—	—	—	.03	.48	.37	18
19	—	.02	—	.03	—	.40	—	—	.50	.13	.16	.69	19
20	.01	.02	.04	.10	—	.05	—	—	.30	.99	.02	.76	20
21	.04	.15	.11	.01	—	.05	—	—	.10	.11	—	.24	21
22	—	.08	—	.05	—	.16	—	—	.73	.24	—	.57	22
23	.01	.32	—	—	—	.13	—	.24	.03	.35	.05	.41	23
24	.02	.16	—	—	—	.64	—	.04	—	.39	—	.39	24
25	.01	.01	—	.13	—	—	—	—	.12	.37	—	.27	25
26	—	.10	—	.35	—	.01	.01	.15	—	.32	.01	.23	26
27	—	.53	.10	.02	—	—	—	.33	.14	.25	—	.32	27
28	—	.17	.12	.47	—	—	.02	—	.06	.01	.03	—	28
29	—		.05	.17	.05	.52	.79TS	.01	.11	.19	—	.01	29
30	—		—	—	—	.08	.11	—	.04	.28	.24	.07	30
31	—		—		—		.15	—		.08		—	31
99 Total	1.68	2.38	3.74	1.91	1.01	3.25	1.09	1.93	2.96	4.47	4.97	11.25	TOTAL for year 40.64
No. of Rain Days.	15	16	22	14	7	14	6	11	14	20	24	29	192

W. 8,000, X. '11.

FORM A.
BRITISH RAINFALL.
10 JAN 1913

REGISTER OF RAINFALL IN 1912.

Kept at Bosvigo - Truro.
in the County of Cornwall 2
by Miss C. L. Rashleigh

Lat. Long.
Time of Observation 9 a.m.
Nearest Railway Station Truro
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. — in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
12 1	·01	—	·05	·04	—	·80	·36	·08	·22	·32	—	·22	1
2	—	—	·37	·06	—	·48	·05	·03	—	—	—	·01	2
3	·02	—	·27	·02	—	·15	—	1·60	·10	—	—	·03	3
4	·28	·01s	·37	—	·02	·19	—	·22	—	—	·43	—	4
5	·66	·45	·31	·01	·16	—	·61TS	1·80	—	—	·01	·22	5
6	·53	·13	·03	·01	·39	—	·01	·29	—	—	·01	·01	6
7	·13	·76	·45	·04	·05	—	·06	·35	—	—	·03	·17	7
8	·44	·06	·09	·01	—	·27TS	—	·01	—	—	—	—	8
9	·01	·25	·10	·04	—	·06	·27	·09	—	—	·02	·62	9
10	·39	·06	·49	·14	—	·06	·12	·01	·01	—	·15	·15	X 10
11	—	·32	—	—	—	—	·02	·46	—	—	·28	·63	11
12	·02	·12	·22	·01	·29	—	·28	·87	—	—	·32	·04	12
13	·46	—	·01	·09	—	·04	—	·14	—	·05	·06	·16	13
14	·09	·23	·42	—	·03	·04	—	·07	·01	·01	—	·04	14
15	·88	·10	·05	—	·11	·59	—	—	—	—	·03	·49	15
16	·17	—	·42	—	—	·06	—	·21	—	·13	·07	·15	16
17	·05	—	·30	—	·01	·10	—	·24	—	—	·17	·15	17
18	—	·10	·28	—	—	—	—	1·35	—	·15	·05	·02	18
19	—	·15	·37	—	·04	·01	·14	·65	—	·02	·01	·05	19
20	·05	·12	·48	·01	·09	—	—	·19	—	·37	·02	—	20
21	—	·42	·34	—	·24	·01	·55	·05	—	·54	—	—	21
22	·43	·25	·62	—	·03	·16	·23	·26	—	·06	·04	·09	22
23	·19	·32	·23	—	—	·02	·17	·68	—	·17	·11	·32	23
24	·24	·06	·03	—	—	·33	·23	·01	—	·17	—	·13	24
25	·01	—	—	—	—	·02	·02	·14	—	·41	·44	·46TS	25
26	—	·01	—	—	—	—	·03	·08	—	·25	·76	·76	26
27	—	·03	·01	—	—	·37	·44	·01	—	1·00	·17	·61	27
28	—	·14	·01	—	—	✓·09?	·18	·68	·43	·12	·29	·49	28
29	—	·49	·09	—	—	·60	·22	·03	·14	·27	·03	·10	29
30	—		·01	·05	·24	·07	·24	—	·18	·25	·01	—	30
31	—		·26		·25TS		·18	·02		·09		·10	31
99 Total	5·06	4·58	6·68	·53	1·95	4·52	4·41	10·62	1·09	4·38	3·51	6·22	YEAR'S TOTAL 53·55
Rain Days.	20	22	28	13	14	22	21	29	7	18	23	26	243

W. 7,500, XI. 12

✓

Exd [illegible]

REGISTER OF RAINFALL IN 1913.

FORM A. BRITISH RAINFALL.

8 JAN 1914

Kept at Bosvigo. Truro.

in the County of Cornwall 2

by Miss C. L. Rashleigh

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Truro

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
13 1	·01	·17	·25	·07	·14	—	—	—	·02	·10	·32	·03	1
2	·02	·11	·01	·26	·44	·04	—	—	—	·01	·17	·02	2
3	·20	—	·09	—	·14	—	—	—	·63 TS	·37	—	·27	3
4	·59	—	·08	·02	—	·09	—	—	·21	—	·12	·26	4
5	·08	·04	—	—	·23	·25	·07	—	·45	·01	·49	1·03	5
6	·27	·13	·13	—	·10	·13	·03	—	·03	·41	·25	·08	6
7	·17	·77	·10	—	·92	·08	·07	—	—	·61	·36	·03	7
8	·27	·28	—	—	·27	—	·12	·18	—	—	—	·01	8
9	·10	·05	·01	—	·02	·02	·01	·02	·02	·01	1·00	·04	9
10	1·09	—	—	—	·06	·02	—	—	—	1·22	·11 TS	—	10
11	·48	·01	·02	—	·61	·17	—	·30	·05	—	·46	·03	11
12	·15	—	—	·03	·01	·01	—	—	·07	—	·21	·02	12
13	·06	—	·06	·06	·07	·02	—	·01	·57	—	·23	—	13
14	·57	—	·20	·04	·03	—	·30	—	·13	·02	·34	—	14
15	·12	—	·46	·75	—	—	—	—	·09	—	·25	·04	15
16	·34	—	·60	·08	—	—	—	—	·15	—	·01	—	16
17	·31	—	·10	·10	—	—	·03	·06	—	—	·07	—	17
18	·06	—	·37	·24	—	·02	—	—	—	—	·15	·01	18
19	·70	—	·05	—	·11	—	—	—	·18	·39	—	—	19
20	·22	—	·12	·52	·01	·02	—	—	·01	·13	·66	—	20
21	·12	—	·21	·20	·01	·08	·02	·05	·01	·05	·17	—	21
22	·16	—	·62	·01	·02	·23	—	·06	·11	·23	—	·37	22
23	·01	—	·01	—	—	—	—	·01	·01	—	·32	·90	23
24	·01	·20	—	·09	—	·05	—	—	—	—	·11	·04	24
25	·01	—	—	·31	—	—	—	—	·09	·02	·08	·08	25
26	—	—	—	1·10	—	·01	—	·02	·04	·05	·01	·30	26
27	·59	—	·26	·22	—	—	—	·39	—	·55	·02	·11	27
28	·01	—	·07	·17	·17	—	—	—	·32	·78	—	·25 H & S	28
29	·15		·42	·33	·02	—	·03	·02	—	·35	·03	·41 H	29
30	·55		—	·01	·05	—	·01	—	—	·25	·02	—	30
31	·21		·55		·02		—	·02		·02		—	31
99 Total	7·63	1·76	4·79	4·61	3·45	1·24	·69	1·14	3·19	5·58	5·96	4·33	YEAR'S TOTAL 44·37
Rain Days.	30	9	23	20	21	16	10	12	20	20	25	21	227

W.7,000, XI. 13

Ex & L

REGISTER OF RAINFALL IN 1914.

FORM A.
BRITISH RAINFALL.

7 - JAN 1915

Kept at Bosvigo Truro

in the County of Cornwall

2

by Miss C. L. Rashleigh

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Truro

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
14 1	—	—	·09	·22	—	·16	·07	·60	—	—	·92	·06	1
2	·02	—	—	—	·12	·02	·42	·05	—	—	·02	·55	2
3	·04	—	·17	·17	·41	—	—	—	—	—	·01	·25	3
4	·25	—	·14	·37	·12	—	1·21	·34	·09	—	—	·78	4
5	·23	—	·22	·20	—	—	·05	·02	—	—	·03	·02	5
6	·01	·17	·11	·11	·17	—	·05	·04	—	—	—	·92	6
7	·10	·65	·26	·18	·05	·46	·31	·12	·89 TSS	—	—	·24	7
8	·10	—	·80	·20	·04	·54	·02	·01	·01	—	·01	·04	8
9	·02	·15	·20	·02	·07	·91	—	·09	·12	—	—	·03	9
10	·10	·55	·06	·57	·26	·03	—	—	·25	—	·05	·80	10
11	·03	·27	·73		—	·05	—	—	·03	—	·14	·60	11
12	—	·71	·16	—	—	—	·02	—	·08	·10	·17	·07	12
13	—	·44	·44	—	—	—	·20	—	·13	·23	·18	·15	13
14	—	·38	·26	—	—	·06	·01	—	·02	—	·55	·22	14
15	—	·01	·16	—	—	—	·01	·02	·04	—	·55	·44	15
16	—	—	·01	—	—	—	·05	—	·34	—	·02	·06	16
17	—	·44	·28	—	—	—	·01	—	—	—	—	·83	17
18	—	·32	·04	—	—	—	·02	—	·31	—	—	·23	18
19	—	·08	·51	—	—	—	·89	—	—	—	·09	·11	19
20	—	·35	·22	—	—	·18	·05	—	—	·01	—	·31	20
21	—	·47	·04	—	—	·06	·06	·01	—	·40	—	·03	21
22	—	·08	·08	—	·03	·06	—	·01	—	·20	—	·12	22
23	—	·06	·23	—	—	·08	·06	·09	—	·25	—	·02	23
24	—	—	·11	—	—	·01	·04	—	—	·08	·14	—	24
25	·12	—	·60	—	—	·01	—	·44	—	·53	·06	·53	25
26	·03	·16	·29	—	—	—	·16	—	—	·16	·39	·68	26
27	·18	·17	—	—	—	—	·08	—	—	·34	·38	·33	27
28	·03	·03	·25	—	·01	—	·01	—	—	·37	·10	·92	28
29	·30		·29	—	·07	—	—	—	—	·04	·82	·11	29
30	—		·14	—	—	—	·01	—	—	·08	·39	·47	30
31	·02		—		·01		·84	—		·45		·58	31
99 Total	1·58	5·49	6·89	2·04	1·36	2·63	4·65	1·84	2·31	3·24	5·02	10·50	YEAR'S TOTAL 47·55
Rain Days.	16	19	28	9	12	14	24	13	12	14	20	30	211

W. 8,000. X. 14.

W. M. L cordly mm stats 16.11.16

2027

FORM A. BRITISH RAINFALL. 4. JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Tregolls, Truro

in the County of Cornwall

by Miss C. L. Rashleigh

2

Lat. Long.

Time of Observation 9 a. m

Nearest Railway Station Truro

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
15 1	·25	·36	—	—	·05	—	—	·41	·12	·60	·01	·10	1
2	·28	·16	·10	·04	—	·15	—	·13	·21	·01	—	·52	2
3	·22	·10	·08	·14	·11	—	·06	—	—	—	—	·59	3
4	·20	·28	·01	—	·35	—	—	—	—	—	—	·17	4
5	·02	·74	—	·32	—	—	—	·44	—	—	—	1·23	5
(95) 6	9 ·05	·57	—	·41	—	—	·54	·01	—	—	—	·07 C/E	6
7	·28	·64	—	·09	—	—	·31	—	—	1·55	·01	·35	7
8	·26	·55	—	—	—	—	—	·10	—	·09	·10	·30	8
9	·11	·11	—	·24	—	—	—	·04	—	—	·69	·75	9
10	·27	·20	·07	·19	—	·02	·01	·14	—	·43	·01	·04	10
11	·10	·14	·02	—	·01	—	—	·02	—	·02	·94	·20 H+S	11
12	·13	·70	—	·03	·48	—	—	·24	—	·01	·33	·45	12
13	·01	·74	—	·01	·27	—	—	·01	·02	·02	·25	·03	13
14	·07	·18	—	·03	·04	·02	·27	·09	·09	—	·31	1·23	14
15	·10	·01	—	—	·28	·04	·39	—	—	—	·08	·14	15
16	·01	1·67	—	—	·46	—	·94	—	—	·03	—	·04	16
17	·23	·08	—	—	—	—	—	—	—	·01	—	—	17
18	·02	·15	—	—	—	—	—	—	—	—	—	—	18
19	·04	·06	—	·03	·30	—	·16	—	—	—	—	—	19
20	·67	·02	—	·06	·02	·30	—	—	—	·50	—	—	20
21	·16	·15	—	—	·01	·75	·21	—	—	—	—	—	21
22	·24	·25	·28	·06	—	·02	·24	—	·06	·33	—	·45	22
23	·04	·17	·01	—	—	·10	—	—	·02	·14	—	·36	23
24	—	·04	—	·02	—	·38	—	—	—	·29	—	·21	24
25	·10	—	—	·01	·20	·17	·15	—	·02	—	·02	·20	25
26	·05	·40	—	—	·01	·50	·02	—	·10	—	—	·79	26
27	—	·08	—	—	—	·26	·08	—	·14	·72	·01	—	27
28	—	·15	—	—	—	·28	—	·13	·09	·10	—	·15	28
29	—	X	—	—	—	·12	—	·06	·44	·01	·14	·11	29
30	·10	X	—	·03	—	·06	·01	—	·07	·63	·52	·29	30
31	·08	X	—	X	—	X	·49	·06	X	·55	X	·20	31
99 Total	4·99	8·70	·57	1·71	2·59	3·17	3·88	1·88	1·38	6·04	3·42	8·97	YEAR'S TOTAL 47·30 ✓
Rain Days.	27	27	7	16	14	15	15	14	12	19	14	25	205

W. 8,000. X. 15.

Exd FW

REGISTER OF RAINFALL IN 1916

FORM A.
BRITISH RAINFALL

6 JAN 1917

Kept at Tregolls. Truro
in the County of Cornwall
by Miss C. L. Rashleigh

Lat. 50° 17′ Long. 5° 5′ W
Time of Observation 9 a.m. (10 a.m. during Summer time)
Nearest Railway Station Truro
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. – in.
" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date 16	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	—	·01	—	·04	·02	·10	—	·04	·38	·03	—	1
2	·22	·09	·34	—	·01	·04	·07	—	·41	·23	·48	—	2
3	—	1·70	·01	—	·15	·15	·24	—	·02	·52	·52	·02	3
4	·17	·16	·02	·10	·14	·19	·49	—	·11	·21	·79	·04	4
5	·02	·08	·04	—	·09	·16	·08	—	·01	·11	·30	·03	5
6	·03	·18	·01	—	·03	·03	·56	—	—	·12	·91	—	6
7	·04	·20	—	—	·33	—	—	—	—	·09	·67	·06	7
8	·08	·28	·26	—	·26	·10	·01	—	—	—	·31	·35	8
9	—	·24	·01	—	—	—	·04	—	—	·14	·31	·61	9
10	—	1·18	—	·09	·03	·15	—	—	—	—	·01	·22	10
11	—	·04	—	·09	·12	—	·02	—	·04	—	·02	·13	11
12	·07	·07	·17	·06	—	—	·04	·15	—	·10	·01	—	12
13	—	·18	·13	·03	·09	—	·01	·28	—	—	—	·16	13
14	·03	·30	·24	—	·03	—	—	·13	—	·06	·01	·01	14
15	·03	·28	·34	·06	—	—	—	·02	—	—	—	·21	15
16	·12	·10	—	·09	—	—	·01	1·09	—	·32	·90	—	16
17	·19	·03	·18	·06	—	—	—	—	·05	·12	1·13	—	17
18	·05	·06	·35	·02	—	—	—	—	·23	·07	·18	·19	18
19	·25	·07	·01	·21	—	—	—	—	—	—	·63	·09	19
20	·09	·45	·09	·04	—	—	—	—	—	—	·36	·36	20
21	·02	·12	·29	·03	·05	·10	—	—	—	·01	·05	·10	21
22	·02	—	·10	—	—	·24	—	·10	—	·50	·05	·70	22
23	·10	—	·12 (s)	·10	—	·18	—	·17	—	·13	·30	·20	23
24	—	·01	·06	·05	·11	—	—	·44	·03	·32	·01	·45	24
25	—	·25	·20 (h.s.)	—	·01	·04	—	·14	·04	·09	·19	—	25
26	·01	·03	·12	—	·17	—	—	·62	·56	·92	·16	·08	26
27	·02	—	1·74	—	—	·02	—	·06	·02	·78	·01	—	27
28	—	—	—	·27 TS	—	—	—	·25	·35 TS	·55	·02	·27	28
29	—	·22	·01	—	—	·46	—	·28	·77 TS	·28	—	·43	29
30	—	✕	—	·01	—	·02	—	—	—	·32	—	·02	30
31	—	✕	—	✕	—	✕	—	·09	✕	·10	✕	·04	31
99 Total	1·70	6·32	4·85	1·31	1·66	1·90	1·67	3·82	2·68	6·47	8·36	4·77	YEAR'S TOTAL 45·51
Rain Days.	20	24	24	16	16	15	12	14	14	24	26	23	228

W. 8,000, VIII. 16

1884

FORM A.
BRITISH RAINFALL.
8 JAN 1918

REGISTER OF RAINFALL IN 1917.

Kept at Tregolls Truro
in the County of Cornwall
by Miss C. L. Rashleigh

Lat. 50° 17′ N. Long. 5° 5′ W.
Time of Observation 9 a.m.
Nearest Railway Station Truro
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	—	—	·24	—	·08	—	—	·01	—	·08	·05	1
2	·01	—	·02	·13	—	—	·01	—	·01	·01	·60	—	2
3	·11	—	·05	·04	—	—	—	—	—	·39	·21	—	3
4	·02	·17	1·18	—	—	—	—	—	·08	·27	·02	—	4
5	·22	—	·59	·20	—	·24	—	—	·02	·25	·07	—	5
6	·01	—	·30	·04	—	·34	—	—	—	·04	·07	·02	6
7	87	—	—	·02	—	—	·12	·82	—	·05	·08	·02	7
8	·06	—	·59	·07	—	—	·10	·05	·02	·23	·24	·66	8
9	—	·02	·11	·02	·17	—	—	—	·02	·16	·26	·10	9
10	·75	—	·38	·36	—	—	—	·26	—	·29	·13	·02	10
11	·05	—	·42	·22	—	—	—	·06	—	1·10	·52	—	11
12	·15	—	·03	·17	·16	—	—	·02	—	·57	—	—	12
13	·16	—	·10	·02	—	·01	—	·36	·15	·22	—	·01	13
14	·01	—	—	·10	—	—	·01	·03	·11	·20	—	—	14
15	·07s	—	—	·01	·07	—	·13	—	·01	·34	—	·24	15
16	—	·06	—	—	—	—	·06	—	·01	·27	·01	·34	16
17	—	·04	·02	·09	·12	—	·47	·07	·42	·13	—	—	17
18	—	·03	—	·01	·22	·23	·17	·03	·74	·02	—	—	18
19	·01	·45	·06	—	—	·32	·02	—	—	—	·01	—	19
20	—	·23	·07	—	·82	·25	—	—	·03	—	·01	—	20
21	—	·03	·15	—	·07	—	—	·17	—	·02	·01	·12	21
22	—	—	—	—	·14	—	—	1·02	—	·19	·01	—	22
23	—	·21	—	—	·13	·09	—	·41	—	·10	·04	·02	23
24	—	—	—	—	—	·06	·04	·09	—	·16	·07	·01	24
25	—	·03	·01	—	—	—	·01	·45	·06	·15	·01	—	25
26	·09	—	·01	—	·67	·30	—	·06	·02	·11	·04	—	26
27	—	—	—	—	—	·47	—	1·22	—	·28	·03	—	27
28	—	—	·21	—	·01	·67	·03	·13	—	—	·02	·01	28
29	—	×	·24	—	—	—	—	·01	—	·63	·01	·08	29
30	—	×	·16	—	—	—	—	·14	—	·10	—	—	30
31	—	×	·17	×	·30	×	—	—	×	·39	×	—	31
99 Total	2·60	1·27	4·87	1·74	2·88	3·06	1·17	5·40	1·71	6·67	2·55	1·70	YEAR'S TOTAL 35.62
Rain Days.	16	10	21	16	12	12	12	19	15	27	23	14	197

W. 8,000, IX. 17.

REGISTER OF RAINFALL IN 1918

FORM A. BRITISH RAINFALL
7. 1. 19

Kept at Tregolls Truro.
in the County of Cornwall
by Miss C. L. Rashleigh

Lat. 50° 17' N. Long. 5° 5' W.
Time of Observation 9 a.m. (10 a.m. during Summer time)
Nearest Railway Station Truro
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to THE DIRECTOR, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date. 18	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·01	·19	—	·11	·05	—	—	·39	·02	·03	1·32	—	1
2	—	·43	—	·06	·06	—	—	·93	·01	·01	·03	·34	2
3	—	·23	—	·46	·23	—	—	·04	·08	·08	·25	·02	3
4	—	·10	—	·12	—	—	—	·27	·28 TS	—	·50	·76	4
5	·07	·09	·45	·12	—	—	—	·27	·42	·26	·11	·18	5
6	·30	·22	·20	·14	—	·01	—	·04	—	·10	—	·16	6
7	·37	·17	—	—	—	·06	—	·03	·66	·08	·49	·51	7
8	·09	·09	—	—	—	·07	—	—	·08	·42	·04	·02	8
9	·03	—	—	·04	—	·09	·27	—	·43	·02	—	·42	9
10	·05	—	—	·23	—	—	·32	—	·19	·07	—	·32	10
11	·05	—	·11	·01	—	—	·02	—	·28	·61	·02	·10	11
12	·05	·06	—	—	·20	·01	·03	—	·02	·24	—	·02	12
13	—	—	—	—	·07	—	·19	—	·28	·24	—	·16	13
14	·37	—	·01	—	·03	·16	·16	—	·15	·23	—	·23	14
15	·77	—	—	—	—	·20	·45	—	·16	·17	—	·38	15
16	·67	—	—	·20	—	·12	·18	—	·34	—	—	·10	16
17	·11	—	—	·17	·01	—	·05	·02	·01	·02	—	·20	17
18	1·04	·11	·21	—	—	·40	·01	·05	·51	·21	—	·26	18
19	·19	·03	—	·17	—	—	·23	—	·06	—	—	·10	19
20	·24	·11	·01	·05	—	·01	·16	—	·16	·01	—	—	20
21	·34	—	—	·05	—	—	·10	—	·42	·31	—	·69	21
22	·01	—	—	—	·06	·04	·82 TS	—	·23	·02	·06	·17	22
23	·07	·01	—	—	—	—	·01	—	·06	—	·20	·18	23
24	·03	·23	—	—	—	·02	·05	·17	·07	—	·25	·04	24
25	—	—	—	—	·10	—	·16	·37	—	·08	·27	—	25
26	·03	·26	—	—	—	—	·01	—	·07	·03	·02	·45	26
27	·01	·28	·17	—	—	—	—	·06	·10	·02	·24	·01	27
28	—	·52	·04	—	—	—	—	—	·37	·05	·29	·07	28
29	—	X	·09	—	—	—	—	—	·73	—	·14	·05	29
30	—	X	·37	·24	—	—	—	·03	·07	·05	·13	·31	30
31	—	X	·08	X	—	X	·11	—	X	·40	X	·02	31
99 Total	4·90	3·13	1·74	2·17	·81	1·19	3·33	2·67	6·26	3·76	4·36	6·27	YEAR'S TOTAL 40·59
Rain Days.	22	17	11	15	9	12	19	13	28	25	17	28	216

W, 6,500, VII. 18. W W C

1770

5 JAN 20

Form A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

Kept at Tregolls Truro

in the County of Cornwall

by Miss C L Rashleigh

Lat. 50° 17′ N. Long. 5° 5′ W.

Time of Observation 9 a.m (10 a.m. during Summer time)

Nearest Railway Station Truro

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
19	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·61	—	·14	·30	·09	—	·20	—	·35	·10	—	·71	1
2	·07	—	·03	—	·01	—	—	—	·01	·02	—	·05	2
3	·15	—	·29	—	·11	—	—	—	·11	—	—	·16	3
4	·11	·93	·27	—	—	—	—	·21	·48	—	·01	·01	4
5	·19	·24	·27	—	·02	—	—	—	—	—	—	·15	5
6	·67	1·54	·16	—	—	—	—	—	—	—	—	·27	6
7	·41	—	·26	·15	—	—	—	—	—	—	—	·18	7
8	·33	—	·23	·07	—	·02	—	—	—	—	·75	—	8
9	·09	—	·01	·30	·22	—	—	—	—	—	·08	·07	9
10	·07	—	·62	·03	·07	—	—	—	—	·13	—	1·02	10
11	·09	·02	·39	·16	·26	·01	·10	—	—	·01	—	·18	11
12	·22	—	·07	·09	—	—	—	—	·01	·22	·06	—	12
13	·15	·24	·22	·44	—	—	—	—	·05	·09	·16	·42	13
14	·45	·21	·04	·39	·01	—	—	—	·02	·15	—	·16	14
15	·17	·15	—	·04	—	—	—	—	—	·05	·03	·40	15
16	·15	·79	·02	—	·14	·02	·01	—	—	—	·20	·01	16
17	·02	·98	·01	—	·01	—	·01	—	—	—	·25	·02	17
18	·24	·55	·16	—	·03	—	·22	·06	·11	—	·27	·01	18
19	·70	·37	·14	—	·03	·36	—	·57	·18	—	·14	·10	19
20	·33	·11	·21	—	·31	·24	—	·06	·18	—	·33	·05	20
21	·65	·72	·06	—	·36	—	·05	·02	·20	—	·07	·16	21
22	—	—	·01	—	—	·01	·05	—	·09	·01	·04	·11	22
23	—	—	—	—	—	—	—	·01	—	·17	·07	·08	23
24	—	—	—	—	—	·22	—	—	—	·23	·18	·15	24
25	·11	·07	—	—	—	—	—	·32	—	·01	·20	·10	25
26	·11	·10	·09	·07	—	—	—	·07	·13	·02	·25	·37	26
27	·07	·03	·01	·50	—	—	—	1·12	·07	·21	—	·05	27
28	·03	·26	·69	·27	—	—	—	·06	—	·12	·42	·63	28
29	—		·03	·17	—	—	—	·23	—	·15	·01	·07	29
30	—		·04	·13	—	·20	—	·29	·01	—	·56	·57	30
31	—		·17		—		·03	—		—		·89	31
99 Total	6·19	7·31	4·64	3·11	1·67	1·08	·67	3·02	2·00	1·69	4·08	7·15	Year's Total 42·61
Days with ·01 in. or more	25	17	27	15	14	8	8	12	15	16	20	29	206

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Tregolls, Truro

in the County of Cornwall

by Miss C. L. Rashleigh

Lat. 50° 15′ N Long 5° 2′ W.

Time of Observation 9 a.m. (10 a.m. in Summer Time)

Nearest Railway Station Truro

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. 0 in.

" " " " Sea Level 65 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
20	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	—	·05	·19	·70	—	·74	—	·05	·35	·01	·91	1
2	·43	—	—	·12	—	—	·01	·07	·27	·16	—	·17	2
3	·40	·06	—	·28	·03	—	·06	·01	·01	·88	—	·30	3
4	—	—	·01	—	—	—	—	·72	—	·37	—	—	4
5	—	·01	·06	—	·24	—	·18	—	—	·05	—	—	5
6	—	—	·33	·10	·14	—	·44	·01	—	·34	—	—	6
7	·03	—	·14	·18	·04	—	·36	—	·02	—	—	·12	7
8	·10	·03	·04	·12	·06	—	·11	·01	—	·03	—	·86	8
9	·76	·04	—	·06	—	·06	·40	—	—	—	·01	—	9
10	·80	·16	·06	·33	—	·34	·09	—	—	—	—	—	10
11	·26	·04	·17	·50	·13	·02	·21	—	—	·04	·13	—	11
12	·18	·07	·13	·33	·01	—	·02	—	—	—	—	—	12
13	·20	·01	·46	—	—	·87	—	—	—	·24	—	—	13
14	·14	·16	·50	·65	—	·01	·05	—	·11	·60	·20	—	14
15	·02	·07	·05	·38	·04	—	—	—	—	·91	·17	—	15
16	—	—	·05	·01	·01	·11	·09	—	·19	·19	·10	—	16
17	·03	—	—	·04	·23	·01	·02	—	·43	·53	—	—	17
18	·19	—	—	·10	·08	·27	—	·18	·07	—	—	—	18
19	·07	·01	—	·48	·02	·46	—	—	·22	·11	—	—	19
20	·06	—	—	·05	—	·06	—	—	·16	·48	—	·36	20
21	—	—	·01	·37	—	—	—	—	·02	—	—	·17	21
22	·03	—	—	—	—	—	·05	—	—	—	—	·34	22
23	·01	—	·02	—	—	—	·19	·09	—	—	—	·51	23
24	·06	—	·33	·02	—	—	·05	—	—	—	·27	·15	24
25	·22	·04	·10	—	·02	—	·53	—	·01	—	—	·01	25
26	·42	—	·25	—	—	·01	—	—	—	—	·04	·04	26
27	·70	·08	·33	·07	—	·27	·07	—	—	—	·43	·52	27
28	·38	·01	·50	·04	—	·07	·04	—	—	—	·03	·06	28
29	·51	·02	·36	·03	·03	—	—	—	·74	—	·35	·28	29
30	·20	✕	·04	—	—	·27	·55	—	·88	·40	·45	·80	30
31	·14	✕	·65	✕	—	✕	—	—	✕	·48	✕	·13	31
99 Total	6·38	·81	4·64	4·45	1·78	2·83	4·26	1·09	3·18	6·16	2·19	5·73	Year's Total 43·50
Days with ·01 in. or more	26	15	23	22	15	14	21	7	14	17	12	17	203
Days with ·04 in. or more	21	9	20	19	9	10	18	4	10	16	9	16	161

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

TRURO
W. W.
CORNWALL
1911 – 1920

9

1923

FORM A2.
BRITISH RAINFALL.

5 - JAN 19

Kept at Truro

in the County of

by H. J. a

p 5 in.
bove Ground 9 ft. — in.
„ Sea Level 71 ft.
9 am
Name Truro
Distance 2¼m Direction SW

IMPORTANT N nd the result entered to the previous day. If an niversal rule, he is earnestly requested to add the r year in the space provided for it at the end of t rement of rain, the selection and pla British Rainfall Organization are given *for Rainfall Observers,* sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·07	—	—	—	·26	—	·01	·02	—	·03	·08	·01	1
2	·01	—	·01	·02	·16	—	—	·16	—	·48	·09	·26	2
3	—	—	—	—	·28	—	—	·02	·05		·19	·16	3
4	—	—	·07	—	—	—	—	·78	—	·04	·26	·78	4
5	·45	—	·41	—	—	—	—	·20	—	·12	·35	·01	5
6	·22	—	·21	—	—	—	—	—	—	·02	·10	1·26	6
7	·09	—	—	·06	—	—	—	—	—		·78	·02	7
8	·01	—	·17	—	—	—	—	—	—		·10	·71	8
9	·10	—	·02	—	—	—	—	—	—		·24	·80	9
10	·05	·11	·77	—	—	—	—	—	—		·16	·26	10
11	·51	—	—	—	—	—	—	—	·23		·63	·10	11
12	—	—	·50	—	—	—	—	·02	·46		·05	·23	12
13	—	—	·08	—	—	—	—	—	·03		·09	·06	13
14	—	·15	·12	—	—	—	—	—	—	·05	·19	·68	14
15	—	·06	·11	—	—	·10	—	—	—		·27	·06	15
16	—	—	—	—	—	·64	—	—	—		·09	·50	16
17	—	·02	·65	·14	—	·25	—	—	—	·03	·24	·88	17
18	—	·40	·35	·20	—	·04	—	—	—	·01	·33	·41	18
19	—	·06	—	·03	—	·27	—	—	·49	·14	·12	·61	19
20	—	·02	·02	·09	—	·05	—	—	·35	·91		·73	20
21	·05	·14	·09	—	—	·04	—	—	·11	·09		·19	21
22	·01	·05	·01	·05	—	·10	—	—	·89	·24		·47	22
23	—	·33	—	—	—	·15	—	·27	·02	·42	·05	·41	23
24	·01	·14	—	—	—	·57	—	·02	—	·48		·42	24
25	—	—	—	·12	—	·02	—	—	·09	·51		·28	25
26	—	·11	—	·36	—		—	·15	—	·34		·18	26
27	—	·47	·11	·02	—		—	·35	·12	·20		·28	27
28	—	·14	·08	·42	—		·05	·01	·04	·01		·01	28
29	—	X	·03	·14	·07	·46	·94	·07	·09	·19	·05	—	29
30	—	X	—	—	—	·11	·16	—	·04	·26	·27	·07	30
31	—	X	—	X	—	X	·04	—	X	·16	X	—	31
Total	1·58	2·20	3·81	1·65	·77	2·80	1·20	2·07	3·01	4·63	473	10·84	TOTAL for year 39·29
No. of Rain Days.	12	14	19	12	4	13	5	12	14	21	22	29	177

W. 8,000, X. '11.

1923

FORM A2. BRITISH RAINFALL.

5 - JAN 192

9

Kept at Truro Water Works

in the County of Cornwall 2

by W. J. Lean

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 9 ft. – in.
" " " Sea Level 71 ft.

Time of Observation 9 am

Nearest Railway Station
Name Truro
Distance 2½m Direction SW

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	'07	—	—	—	'26	—	'01	'02	—	'03	'08	'01	1
2	'01	—	'01	'02	'16	—	—	'16	—	'48	'09	'26	2
3	—	—	—	—	'28	—	—	'02	'05		'19	'16	3
4	—	—	'07	—	—	—	—	'78	—	'04	'26	'78	4
5	'45	—	'41	—	—	—	—	'20	—	'12	'35	'01	5
6	'22	—	'21	—	—	—	—	—	—	'02	'10	1'26	6
7	'09	—	—	'06	—	—	—	—	—		'78	'02	7
8	'01	—	'17	—	—	—	—	—	—		'10	'71	8
9	'10	—	'02	—	—	—	—	—	—		'24	'80	9
10	'05	'11	'77	—	—	—	—	—	—		'16	'26	10
11	'51	—	—	—	—	—	—	—	'23		'63	'10	11
12	—	—	'50	—	—	—	—	'02	'46		'05	'23	12
13	—	—	'08	—	—	—	—	—	'03		'09	'06	13
14	—	'15	'12	—	—	—	—	—	—	'05	'19	'68	14
15	—	'06	'11	—	—	'10	—	—	—		'27	'06	15
16	—	—	—	—	—	'64	—	—	—		'09	50	16
17	—	02	'65	'14	—	'25	—	—	—	'03	'24	'88	17
18	—	40	'35	'20	—	'04	—	—	—	'01	'33	'41	18
19	—	06	—	'03	—	'27	—	—	'49	'14	'12	'61	19
20	—	02	'02	'09	—	'05	—	—	'35	'91		'73	20
21	'05	14	'09	—	—	'04	—	—	'11	'09		'19	21
22	'01	05	'01	'05	—	'10	—	—	'89	'24		'47	22
23	—	33	—	—	—	'15	—	'27	'02	'42	'05	'41	23
24	01	14	—	—	—	'57	—	'02	—	'48		'42	24
25	—	—	—	'12	—	'02	—	—	'09	'51		'28	25
26	—	11	—	36	—		—	'15	—	'34		'18	26
27	—	47	'11	'02	—		—	'35	'12	'20		'28	27
28	—	'14	'08	'42	—		'05	'01	'04	'01		01	28
29	—	X	'03	'14	'07	'46	'94	'07	'09	'19	'05	—	29
30	—	X	—	—	—	'11	'16	—	'04	'26	'27	07	30
31	—	X	—	X	—	X	'04	—	X	'06	X	—	31
Total	1'58	2·20	3'81	1'65	'77	2'80	1'20	2'07	3'01	4'63	4'73	10'84	TOTAL for year 39·29
No. of Rain Days.	12	14	19	12	4	13	5	12	14	21	22	29	177

W. 8,000, X. '11.

✓

Ex DL

REGISTER OF RAINFALL IN 1912

FORM A2. BRITISH RAINFALL.
6 JAN 1913
1923

Kept at Truro Water Works

in the County of Cornwall 2

by N. J. Lean

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 9 ft. – in.
" " " Sea Level 71 ft.

Time of Observation 9 a.m.

Nearest Railway Station
Name Truro
Distance 2½ Direction S E

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1 following. ·01

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	–	–	·05	–	–	·67	·53	·11	·33	·36	–	·15	1
2	–	–	·34	·06	–	·88	·04	·63	–	–	–	–	2
3	02	–	·28	·02	–	·18	–	1·76	·12	–	–	·03	3
4	·22	·02	·41	–	–	·18	–	·12	–	–	49	–	4
5	·65	·39	·36	·02	·15	–	·55	2·02	–	–	–	·21	5
6	·41	·06	–	–	·41	–	·02	·17	–	–	·01	·01	6
7	·25	·78	·47	·03	·05	·03	·07	·24	–	–	·02	·18	7
8	·36	·06	·09	·01	–	·29	–	·01	–	–	–	–	8
9	·01	·26	·22	·01	–	·11	·26	·07	·01	–	–	·66	9
10	·37	·08	·49	·14	–	·05	·10	–	·01	–	·17	·12	10
11	·01	·27	–	–	–	–	·03	·48	–	–	·19	·59	11
12	·03	·11	·22	·03	·82	–	·28	·74	–	–	·50	·08	12
13	·54	–	·01	·07	–	·04	–	·07	–	·05	·02	·15	13
14	·06	·24	·42	–	·02	·02	–	·07	–	–	–	·05	14
15	·68	·11	·03	–	·07	·52	–	–	–	–	·02	·52	15
16	·17	–	·40	–	–	·05	–	·20	–	·14	·07	·22	16
17	·01	–	·25	–	·02	·12	–	·46	–	–	·14	·16	17
18	–	·09	·29	–	–	–	–	1·89	–	·15	·04	·04	18
19	–	·10	·34	–	·04	·01	·14	·78	–	·02	·01	·05	19
20	·06	·11	·45	–	·10	–	–	·11	–	·41	·03	–	20
21	·01	·42	·33	–	·26	–	·32	·66	–	·80	–	–	21
22	·40	·24	·70	–	·02	23	·37	·27	–	·07	·03	·07	22
23	·20	·32	·25	–	–	·01	·12	·71	–	·27	·10	·34	23
24	·24	·05	·04	–	–	·38	·07	·01	–	·12	–	·18	24
25	·02	–	–	–	–	·02	·02	·15	–	·46	·45	·45	25
26	–	·02	–	–	–	–	·05	·20	–	·31	·76	·75	26
27	–	·04	–	–	–	45	·34	·06	–	1·12	·12	·56	27
28	–	·11	–	–	–	·10	·15	·69	·33	·12	·36	·47	28
29	–	36	07	–	–	·64	·32	·01	·31	·43	·02	·08	29
30	–		–	04	·05	03	·37	–	·19	·28	09	–	30
31	–	~~36~~	·31	~~04~~	·48	~~03~~	·27	–	~~49~~	·06	~~09~~	·08	31
Total	4·72	4·24	6·82	·43	2·49	5·01	4·42	11·49	1·30	5·17	3·64	6·20	TOTAL for year 55·93
No. of Rain Days.	21	22	24	10	13	22	21	27	7	17	21	25	230

W. 8,000, X. '11.

✓ Exam

1923

FORM A.
BRITISH RAINFALL.

4 - JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Truro Water Works

in the County of Cornwall 2

by W. J. Lean

Lat. .... Long. ....

Time of Observation 9 P.M.

Nearest Railway Station Truro

Diameter of Rain Gauge 5 in.

Height of top of Gauge above Ground 9 ft. — in.

" " " " Sea Level 71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·01	·16	·29	·08	·17	—	—	—	·03	·09	30	·02	1
2	·02	·07	·01	·13	·44	·08	—	—	—	·01	·17	·01	2
3	·24	—	·10	—	·06	—	—	—	·53	·61	—	·38	3
4	·65	—	·06	·02	—	·07	—	—	20	—	·10	·24	4
5	·07	·04	—	—	·25	·27	·01	—	·33	·02	·54	·98	5
6	·28	·12	·11	—	·14	·15	·08	—	·03	·71	·38	·10	6
7	·15	·76	·10	—	1·07	·10	·10	—	—	·58	·40	·13	7
8	·37	·29	—	—	·30	—	·13	·18	—	—	·01	·02	8
9	·10	·04	·02	—	·03	·02	·02	·05	—	—	·61	·05	9
10	1·10	—	—	—	·11	·02	—	—	—	1·29	·42	—	10
11	·44	—	—	—	·56	·15	—	·32	·07	·01	·47	·05	11
12	·11	—	—	—	—	·01	—	—	·05	—	·29	·01	12
13	·01	—	·08	·03	·03	—	—	·01	·57	—	·16	—	13
14	·54	—	·25	—	·03	—	·17	—	·13	—	·25	—	14
15	·09	—	·46	·72	—	—	—	—	·18	—	·12	05	15
16	·31	—	·45	·12	—	—	—	—	·05	—	·01		16
17	·27	—	·07	·09	—	—	·02	·07	—	—	·07		17
18	·18	—	·41	·28	—	—	—	—	—	—	·13		18
19	·46	—	·10	—	·10		—	—	·27	·43	—		19
20	·19	—	·23	·48	·01	·07	—	—	—	·15	·68		20
21	·12	—	·19	·20	—	·08	03	·05	—	·02	·12		21
22	·16	—	·65	·01	·03	·27	—	·05	·11	·26	—	·40	22
23	·01	—	—	—	—	—	—	·03	·02		·31	1·00	23
24	—	·77	—	·11	—	06	—	—		·01	·08		24
25	—	—	—	·29	—	—	—	—	·09	·01	·08		25
26	—	—	—	1·77	—	—	—	·05	·03	·04	·01	38	26
27	·65	—	·24	·24	—	—	—	·25	—	·19	·03	16	27
28	·01	—	·07	·13	—	—	—	—	20	·66	01	53	28
29	·12	×	·39	·37	·18	—	·01	—	—	·45	05	10	29
30	·66	×	~~—~~	—	·08	—	·01	—	—	·23	—	—	30
31	·24	×	84	×	·06	×		01	×	·04	×	—	31
Total	7·56	1·65	5·12	4·47	3·65	1·35	·58	1·07	2·89	5·81	5·80	4·61	YEAR'S TOTAL 44·56
Rain Days.	28	8	21	17	18	13	10	11	17	20	26	16	207

W.7,000, XI. 13

1923

FORM A.
BRITISH RAINFALL.
JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Truro Water Works

in the County of Cornwall 2

by H. J. Lean

Lat. Long.
Time of Observation 9 am
Nearest Railway Station Truro
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·32

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	-		·12	·23		·14	·03	·66	-	-	·85	·06	1
2	-		·05		·14	·02	·64	·04	-	-	·01	·48	2
3	02		·16	·18	·41	-		-	-	-	·01	·26	3
4	·05		·11	·44	·12	-	1·27	·36	·09	-	-	·82	4
5	·17		·25	·22	·01	-	·03	-	-	-	·03	·01	5
6	·19	·13	·11	·08	·16	-	·04	·03	-	-	-	·82	6
7	07	·73	·28	·17	·05	·37	·35	·14	·91	-	-	·26	7
8	07		·78	·26		·57	·03	·01	·02	-	·02	·03	8
9	02	·18	·17	·05	·09	·90	-	·08	·12	-	-	·02	9
10	12	·64	·04	·57	·18	·02	-		·26	-	·03	·95	10
11		·27	·73	-	-	·05	-	-	·05	-	·07	·60	11
12	-	·73	·14	-	-	-	·02	-	·09	09	·19	·05	12
13	-	·45	·52	-	-	-	·17	-	·13	31	·21	·16	13
14	-	·34	·30	-	-	-	-	-	·04	-	·61	·28	14
15	-	-	·11	-	-	·04	-	·03	-	-	·32	·54	15
16	-	-	·01	-	-	-	·04	-	·38	-	·02	·02	16
17	-	·44	·32	-	-	-	·02	-	-	-	-	·71	17
18	-	·28	·02	-	-	-	·03	-	·40	-	-	·24	18
19	-	·07	·45	-	-	-	·84	-	-	-	·06	·14	19
20		·39	·22	-	-	·11	·03	-	-	·03	-	·30	20
21		·45	·01	-	-	·04	·06	-	-	·39	-	·07	21
22		·13	·07	-	-	·03	-	·01	-	·20	-	·03	22
23		·09	·19	-	·02	·06	·04	·10	-	·25	-	-	23
24			·06	-	-	·01	·01	·01	-	·05	19	-	24
25	·11		·67	-	-	-	-	·51	-	·54	·04	57	25
26	·08	·19	·25	-	-	-	·17	-	-	·15	·43	71	26
27	·20	·27	-	-	-	-	·17	-	-	·11	·28	48	27
28	·02	·03	·25	-	·01	-	·03	-	-	·44	·09	61	28
29	27	X	·26	-	·10	-	·02	-	-	·04	·89	03	29
30	-	X	·16	-	-	-	·01	-	-	·08	·35	48	30
31	02	X		X	·01	X	·84	-	X	·50	X	·55	31
Total	1·41	5·81	6·81	2·20	1·30	2·36	4·89	1·98	2·49	3·18	4·70	10·28	YEAR'S TOTAL 47·41
Rain Days.	14	18	29	9	12	13	23	12	11	14	20	29	204

W. 8,000. X. 14.

2029
1923

FORM A.
BRITISH RAINFALL.
3 JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Truro Waterworks
in the County of Cornwall 2
by H. J. Lean

Lat. Long.
Time of Observation 9. a m
Nearest Railway Station Truro
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·32	·39	–	–	·08	–	–	·47	·14	·61	–	·16	1
2	·38	·23	·11	·05	–	·19	–	·11	·11	–	–	·55	2
3	·16	·12	·09	·12	·12	–	·06	–	–	–	–	·64	3
4	·20	·30	–	–	·29	–	–	–	–	–	–	·18	4
5	·02	·79	–	·21	–	–	–	·48	–	–	–	1·23	5
6	·98	·33	–	·45	–	–	·49	·03	–	–	–	·11	6
7	·30	·57	–	·09	–	–	·47	–	–	1·56	–	·32	7
8	·25	·53	–	–	–	–	–	·10	–	·08	·18	·28	8
9	·22	·15	–	·23	–	–	–	·03	–	–	·57	·76	9
10	·20	·25	·07	·20	–	·11	–	·15	–	·43	·05	·04	10
11	·12	·08	·03	–	–	–	–	·03	–	–	1·21	·28	11
12	·14	·73	–	·04	·48	–	–	·28	–	–	·37	·46	12
13	·01	·64	–	–	·37	–	–	–	·04	·02	·34	·05	13
14	·06	·20	–	·05	–	–	·42	·02	·12	–	·17	1·29	14
15	·08	–	–	–	·37	·05	·41	·07	·02	–	·10	·13	15
16	–	1·77	–	–	·54	–	1·05	–	–	·02	–	–	16
17	·30	·10	–	–	–	–	–	–	–	–	–	·04	17
18	·01	·15	–	–	–	–	·02	–	–	–	–	–	18
19	·03	·06	–	–	·37	–	·16	–	–	–	–	–	19
20	·62	·02	–	·09	·03	·28	–	–	–	·53	–	–	20
21	·16	·21	–	–	–	·69	·22	–	–	–	–	–	21
22	·28	·30	·31	·08	–	–	·29	–	·08	·34	–	·44	22
23	·04	·24	·02	–	–	·09	·04	–	·02	·15	–	·47	23
24	–	·05	–	·02	–	·34	·03	–	–	·38	–	·29	24
25	·08	–	–	·01	·14	·18	·09	–	·04	–	–	·17	25
26	–	·42	–	–	·02	·73	·03	–	·10	–	–	·83	26
27	–	·05	–	–	–	·28	·09	–	·13	·73	·09	·02	27
28	–	·17	–	–	–	·31	–	·14	·14	·18	–	·18	28
29	–	✕	–	–	–	·05	–	·05	·34	–	·16	·14	29
30	·16	✕	–	–	–	·10	–	–	·08	·72	·58	·34	30
31	·06	✕		✕	–	✕	·54	·06	✕	·46	✕	·23	31
Total	5·18	8·85	0·63	1·64	2·81	3·40	4·41	2·02	1·36	6·21	3·82	9·63	YEAR'S TOTAL 49·96
Rain Days.	25	26	6	13	11	13	16	14	13	14	11	26	188

W. 8,000. X. 15.

~~W~~ GW cnd pr auth

1974 1923

FORM A. BRITISH RAINFALL.

3 JAN 1

REGISTER OF RAINFALL IN 1916

Kept at Truro Water Works

in the County of Cornwall

by W. J. Lean

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Truro
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·14	–	·02	–	–	·04	·09	–	·04	·43	·06	·02	1
2	·23	·16	·29	–	·02	–	·07	–	·39	·23	·54	–	2
3	·03	1·95	–	–	·16	·17	63	–	–	·58	·53	·04	3
4	·17	·14	·03	·07	·15	·25	1·14	–	·09	·13	·78	·05	4
5	·03	·11	·04	·02	·09	·13	·09	–	·02	·16	·37	–	5
6	·04	·17	·02	–	·05	·03	·61	–	–	·16	·92	–	6
7	·04	·19	–	–	·26	–	–	–	–	·06	·78	·06	7
8	·07	·22	·11	–	·32	19	–	–	–	–	·14	·28	8
9	–	·23	–	–	–	–	·04	–	–	·18	·43	·72	9
10	–	1·34	–	·09	·05	08	–	–	–	·01	·03	·09	10
11	–	·04	·02	·10	·14	–	·03	–	·04	–	·02	·10	11
12	·08	·09	·16	·05	·02	–	·05	·15	–	·13	·03	–	12
13	–	·19	·12	·04	·06	–	·02	·38	·02	–	–	·10	13
14	·05	·32	·18	·06	·04	–	–	·16	–	08	03	·02	14
15	·03	·27	·33	·09	–	–	–	04	–	–	–	·22	15
16	·11	·11	–	·10	·02	–	·02	1·25	–	·29	88	–	16
17	·18	·06	·78	·06	–	–	–	·02	·05	·11	1·15	–	17
18	·05	·07	·33	·04	–	–	–	–	·23	·06	·09	·19	18
19	·31	·08	·02	·16	–	–	–	–	–	–	·43	07	19
20	·09	·41	·09	·02	–	–	–	–	–	–	·18	·37	20
21	·02	·12	·21	·01	·05	–	–	–	–	–	–	·08	21
22	·03	–	·09	–	–	·34	–	08	–	·53	·08	·75	22
23	·09	–	·12	·09	–	·22	–	18	–	·13	·29	·14	23
24	–	·02	·12	·07	·13	–	–	47	–	·48	·02	·44	24
25	–	·21	·18	–	–	·04	–	·18	·07	·12	·11	·03	25
26	·03	·04	·10	–	·07	–	–	·94	·62	·97	·15	·09	26
27	·02	–	1·39	–	·02	·03	–	·10	·02	·57	–	–	27
28	–	–	–	08	–	–	–	·25	·33	·58	·02	·20	28
29	–	·21	·04	–	–	·41	–	·24	·23	·47	–	·41	29
30	–	✕	–	–	–	·03	–	–	–	·34	–	·03	30
31	–	✕	–	✕	–	✕	–	·09	✕	·15	✕	·04	31
Total	1·84	6·75 6·75	4·19	1·75	1·65	1·96	2·79	4·53	2·15	6·95	8·06	~~4·63~~ ·54	YEAR'S TOTAL 46·65 46·65
Rain Days.	21	24	23	17	17	13	11	15	13	24	24	24	226

W. 8,000, VIII. 16

1886

1923

FORM A.
BRITISH RAINFALL.
3 JAN 1918

REGISTER OF RAINFALL IN 1917

Kept at Truro Waterworks Treguirre
in the County of Cornwall
by N. J. Lean

Lat. .... Long. ....
Time of Observation 9 a m
Nearest Railway Station Truro
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	02	-	-	25	-	11	-	-	-	-	12	05	1
2	02	-	-	12	-	02	-	-	-	03	63	-	2
3	11	-	-	05	-	-	02	-	-	44	23	-	3
4	-	12	1'04	02	-	-	-	-	11	19	02	-	4
5	16	-	58	20	-	16	-	-	02	21	10	-	5
6	02	-	31	04	-	32	-	-	-	09	09	05	6
7	87	-	-	01	-	-	13	75	-	04	14	03	7
8	08	-	58	06	-	-	08	05	04	27	24	75	8
9	-	-	12	02	-	-	-	-	03	21	22	09	9
10	69	-	45	34	-	-	-	26	-	25	10	02	10
11	04	-	37	21	-	-	-	13	-	1'18	53	-	11
12	17	-	04	09	-	-	-	03	02	61	01	-	12
13	14	-	13	03	-	03	-	35	25	39	-	02	13
14	-	-	-	10	-	-	-	05	12	11	-	-	14
15	-	-	-	02	04	-	15	-	02	45	-	35	15
16	-	05	-	-	-	-	05	-	01	27	03	38	16
17	-	04	-	09	10	-	52	08	52	22	-	-	17
18	-	03	-	03	26	27	21	02	~~78~~ 73	08	-	-	18
19	-	54	13	-	-	37	03	-	-	-	-	-	19
20	-	32	09	-	88	32	-	-	-	-	04	-	20
21	-	08	12	-	09	02	-	14	-	04	-	14	21
22	-	01	-	-	18	-	-	1'17	-	17	-	-	22
23	-	24	-	-	11	08	-	40	-	19	08	04	23
24	-	02	-	-	-	05	07	08	-	16	09	02	24
25	-	03	03	-	-	-	03	46	10	09	-	-	25
26	11	-	04	-	48	28	-	15	04	13	05	-	26
27	-	-	-	-	-	54	-	1·27	-	25	04	-	27
28	-	-	19	-	02	73	02	14	-	05	03	-	28
29	-	×	21	-	-	-	-	-	-	76	-	12	29
30	-	×	16	-	-	-	-	15	-	08	-	-	30
31	-	×	20	×	32	×	-	03	×	43	×	-	31
Total	2'43	1'48	4'79	1'68	2'48	3'30	1'31	5'74	2'01	7'39	2'79	2'06	YEAR'S TOTAL 37'46
Rain Days.	12	11	18	17	10	14	11	19	13	28	19	13	185

W. 8,000, IX. 17.

FORM A. 37
BRITISH RAINFALL.
9. 1. 10
1923

REGISTER OF RAINFALL IN 1918

Kept at Truro Water Works
in the County of Cornwall
by N. J. Lean manager

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Truro
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	04	21	02	11	06	-	-	43	03	03	1·43	04	1
2	-	60	-	03	05	-	-	36	-	02	-	38	2
3	-	26	-	52	28	-	-	11	11	09	29	04	3
4	-	11	-	14	-	-	-	14	45	-	63	78	4
5	17	13	42	15	-	-	-	48	47	31	10	21	5
6	24	26	37	16	-	-	-	08	-	12	-	23	6
7	14	18	-	-	-	05	-	06	64	08	48	48	7
8	11	10	-	-	-	10	-	-	08	54	03	03	8
9	03	-	-	11	-	07	24	-	52	04	-	44	9
10	05	-	-	26	-	-	21	-	14	09	02	34	10
11	-	-	13	02	-	-	05	-	41	63	04	11	11
12	11	08	-	-	17	-	04	-	04	33	-	04	12
13	-	-	-	-	06	-	22	-	32	24	-	22	13
14	43	-	03	-	03	15	14	-	16	23	-	45	14
15	79	-	-	-	-	21	53	-	22	32	-	34	15
16	73	-	-	19	-	11	15	-	32	03	-	20	16
17	14	-	-	21	-	-	09	03	03	02	-	24	17
18	1·08	11	21	-	-	44	02	06	48	26	-	31	18
19	22	05	02	20	-	-	24	-	09	-	-	11	19
20	26	10	-	05	-	-	19	-	17	-	-	04	20
21	35	-	-	04	-	04	08	-	44	46	-	81	21
22	03	-	-	-	08	-	94	-	21	04	08	22	22
23	08	-	-	-	-	05	02	-	05	-	37	26	23
24	04	21	-	-	-	02	05	26	08	-	18	06	24
25	02	-	-	-	11	02	16	34	-	07	36	-	25
26	05	28	-	-	-	-	-	-	11	03	05	53	26
27	02	37	16	-	-	-	-	08	12	02	33	04	27
28	-	57	06	-	-	-	-	-	42	06	29	12	28
29	-	X	12	-	-	-	-	-	76	-	17	05	29
30	-	X	35	24	-	-	-	05	08	07	15	21	30
31	-	X	12	X	-	X	09	-	X	52	X	04	31
Total	5·13	3·62	2·01	2·43	·84	1·26	3·46	2·48	6·95	4·65	5·00	7·37	YEAR'S TOTAL 45·20
Rain Days.	22	8·75	10·76	13·19	14·03	15·29	18·75	21·23	28·18	32·83	37·83	45·20	45·20
W. 8,000, IX. 17		16	12	15	8	11	18	13	27	25	17	30	214

1771
1923

Form A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1919.

Kept at Truro Water Works
in the County of Cornwall
by W. J. Lean . manager

Lat. Long.
Time of Observation 9 a m
Nearest Railway Station Truro
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·72	–	·15	·33	09	–	·16	–	·42	·12	–	·82	1
2	·08	–	04	–	03	–	–	–	·03	·03	–	·08	2
3	·12	–	·29	–	·05	–	–	–	·11	–	–	·28	3
4	·12	1·12	·32	–	–	–	–	·23	·52	–	–	–	4
5	·23	·27	·27	–	·04	–	–	·02	–	–	–	·16	5
6	·66	1·43	·18	–	–	–	–	–	–	–	–	·13	6
7	·40	–	16	·17	–	–	–	–	–	–	–	·14	7
8	·36	–	·25	09	–	·02	–	–	–	–	·86	–	8
9	·13	–	·02	·31	·24	–	–	–	–	–	·13	·07	9
10	·12	–	·57	·04	·10	–	–	–	–	·09	–	1·32	10
11	·12	–	·42	·18	·21	–	·13	–	–	·02	·09	·19	11
12	·24	–	·13	·12	–	·04	–	–	–	·21	·10	·02	12
13	·19	·27	·21	·47	–	–	–	–	·08	·05	–	·46	13
14	·41	·22	05	·45	–	–	–	–	·03	·12	–	·17	14
15	·16	·21	–	·04	–	–	–	–	–	·06	·05	·44	15
16	·11	·28	03	–	·12	–	–	–	–	–	·21	·05	16
17	·08	1·16	–	–	02	·04	–	–	–	–	·25	·04	17
18	·72	·63	08	–	–	–	·20	·08	·07	–	·32	·02	18
19	·44	·44	·19	–	·11	·33	·03	·63	·15	·02	·14	·09	19
20	·34	08	·18	–	·26	·25	–	·06	·06	–	·28	·10	20
21	·62	·72	04	–	·46	–	·08	·02	·24	–	·07	·18	21
22	–	–	–	–	–	·02	·05	–	·16	·03	·05	·15	22
23	–	–	–	–	–	–	–	–	–	·22	·07	·07	23
24	–	–	–	–	–	·22	–	–	–	·27	·11	·29	24
25	·18	·8	–	–	–	·03	–	·33	–	·04	·09	·09	25
26	·11	·16	04	·17	–	–	–	·05	·14	·03	·16	·37	26
27	·10	·05	03	·44	–	–	–	1·26	·09	·25	–	·04	27
28	03	·26	·67	·36	–	–	–	·06	–	·18	·38	·71	28
29	–		04	·19	–	–	–	·27	–	·19	–	·11	29
30	–		06	·13	–	·17	–	·22	–	–	·66	·55	30
31	–		·14		–		·05	–		–		·84	31
TOTAL	6·79	7·38	4·56	3·49	1·73	1·12	·70	3·23	2·10	1·93	4·02	7·98	YEAR'S TOTAL 45·03
Days with ·01 in. or more	25	16	25	15	12	9	7	12	13	17	18	29	198

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

~~W. P.H.~~ 1088
1923

FORM A. 1. METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.

REGISTER OF RAINFALL IN 1920.

Kept at Truro Water Works
in the County of Cornwall
by W. J. Lean

Lat. Long.
Time of Observation 9 a.m
Nearest Railway Station Truro
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. 0 in.
" " " " Sea Level 71 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. ~~·13~~

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·04	–	·04	·33	·65	–	·77	–	·07	·42	·03	1·14	1
2	·48	–	–	·20	–	–	·03	·09	·31	·20	–	·17	2
3	·40	·05	–	·38	–	–	·08	·03	·03	·91	–	·26	3
4	–	–	·03	–	–	–	–	·72	–	·28	–	·02	4
5	–	–	·02	–	·28	–	·21	·02	–	·06	–	–	5
6	–	–	·28	·12	·15	–	·44	–	–	·34	–	–	6
7	·05	·04	·11	·22	·06	–	·42	–	·03	–	–	·16	7
8	·11	–	·05	·17	·08	–	·10	·04	–	·03	–	·74	8
9	·97	·04	–	·06	–	·07	·43	–	–	–	–	–	9
10	·93	·23	·08	·35	–	·32	·17	–	–	–	·02	–	10
11	·19	–	·18	·53	·14	·02	·21	–	–	·04	–	–	11
12	·17	·08	·15	·34	–	·50	·04	–	–	·12	·19	–	12
13	·21		·55	–	–	·11	–	–	–	·26	–	–	13
14	·14	·17	·37	·73	–	·01	·06	–	·17	·68	·23	–	14
15	·04	·07	·04	·41	·04	–	–	–	·02	·92	·16	–	15
16	–	–	·05	–	–	·06	·09	–	·22	·21	·12	–	16
17	·05	–	–	·11	·24	–	·02	–	·42	·63	–	–	17
18	·23	–	–	·09	·05	·31	–	·16	·18	·02	–	–	18
19	·04	–	–	·48	·02	·53	–	–	·19	·12	–	–	19
20	·06	–	–	·21	–	·06	–	–	·17	·52	–	·43	20
21	–	–	–	·48	–	–	–	–	·06	–	–	·18	21
22	·03	–	–	·03	–	–	·06	–	–	–	–	·42	22
23	·02	–	–	–	–	–	·23	·09	–	–	–	·64	23
24	–	–	·38	·04	–	–	·08	–	–	–	–	·13	24
25	·23	·05	·11	–	·02	–	·61	–	–	–	–	–	25
26	·53	–	·28	–	–	–	–	–	–	–	·04	·06	26
27	·66	·07	·35	·07	·01	·31	·10	–	–	–	·56	·65	27
28	·45	–	·54	–	–	·08	·06	–	–	–	·08	·09	28
29	·53	·02	·34	·06	·04	–	–	–	·81	–	·32	·31	29
30	·21	☒	–	–	–	·28	·63	–	·93	·73	·45	1·05	30
31	·16	☒	·71	☒	–	☒	–	–	☒	·33	☒	·13	31
TOTAL	6·93	·82	4·66	5·41	1·78	2·66	4·84	1·16	3·61	6·72	2·20	6·58	YEAR'S TOTAL 47·37
Days with ·01 in. or more	25	10	20	21	13	13	21	7	14	19	11	17	191
Days with ·04 in. or more	23	9	18	20	10	11	19	5	11	16	9	16	167

Rl
Rl

(44.283). 10/19. (52.638). Wt.10,000—359. 10.000. (2). 7/20. Gp.132. A.&E.W.

84

—

TRURO

(KILLIOW)

CORNWALL

1911 –

911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Killio

in the County of C

by J. C. Dau

p 5 in.

bove Ground 1 ft. in.

„ Sea Level 230 ft.

n { Name
Distance Direction

IMPORTANT N ind the result entered to the previous day. If an iniversal rule, he is earnestly requested to add the r year in the space provided for it at the end of rement of rain, the selection and pla British Rainfall Organization are given ~~in Rules for Rainfall Observers, sent post f~~ n application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11				·22			·02		·06	·09	·10	1
2					·10			·24		·30	·09	·18	2
3			·02		·28			·05		·06	·18	·12	3
4								·62	·01	·09	·25	·80	4
5	·67		·37					·23		·09	·26	·04	5
6	·07		·35							·03	·14	1·21	6
7	·07		·09								·58		7
8	·01		·07								·10	·58	8
9	·12										·17	·56	9
10	·07	·10	·69		·04						·15	·25	10
11	·48								·25		·47	·07	11
12			·30						·49		·16	·18	12
13			·30						·07		·07	·08	13
14			·08							·11	·23	·63	14
15		·10				·17					·22	·07	15
16		·11				·59					·10	·34	16
17		·04	·50	·44		·15				·03	·26	·66	17
18		·39	·24	·06		·07			·13	·05	·35	·33	18
19		·05		·03		·20			·28	·15	·08	·65	19
20		·02	·04	·13		·09			·27	·86		·63	20
21	·04	·13				·05			·16	·11		·22	21
22		·10	·16	·05		·09			·72	·20	·02	·54	22
23	·02	·22		·01		·22		·15	·03	·38	·05	·40	23
24		·14		·11		·19				·10		·50	24
25	·02	·01		·34		·03			·07	·26		·05	25
26		·10		·07				·21		·19		·21	26
27		·65	·10	·03				·30		·18		·30	27
28		·09	·03	·30			·02			·11			28
29			·05	·22	·05	·47	1·15		·39	·16			29
30						·01	·14		·04	·30	·25	·06	30
31							·09			·09			31
Total	1·68	2·25	3·39	1·79	·69	2·33	1·40	1·82	2·91	3·91 3·92	4·27	9·76	TOTAL for year 36·20
No. of Rain Days	11	15	16	12	5	13	4	8	13	22	22	27	168

9,000, IX. '10.

87

337

911

FORM A2.
BRITISH RAINFALL.
26 JAN 1912

Kept at Killiow Truro

in the County of Cornwall 2

by J. C. Daubuz

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 230 ft.

Time of Observation

Nearest Railway Station
Name
Distance Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·11				·22			·02		·06	·09	·10	1
2					·10			·24		·30	·09	·18	2
3			·02		·28			·05		·06	·18	·12	3
4								·62	·01	·09	·25	·80	4
5	·67		·37					·23		·09	·26	·04	5
6	·07		·35							·03	·14	1·21	6
7	·07		·09								·58		7
8	·01		·07								·10	·58	8
9	·12										·17	·56	9
10	·07	·10	·69		·04						·15	·25	10
11	·48								·25		·47	·07	11
12			·30						·49		·16	·18	12
13			·30						·07		·07	·08	13
14			·08							·11	·23	·63	14
15		·10				·17					·22	·07	15
16		·11				·59					·10	·34	16
17		·04	·50	·44		·15				·03	·26	·66	17
18		·39	·24	·06		·07			·13	·05	·35	·33	18
19		·05		·03		·20			·28	·15	·08	·65	19
20		·02	·04	·13		·09			·27	·86		·63	20
21	·04	·13				·05			·16	·11		·22	21
22		·10	·16	·05		·09			·72	·20	·02	·54	22
23	·02	·22		·01		·22		·15	·03	·38	·05	·40	23
24		·14		·11		·19				·10		·50	24
25	·02	·01		·34		·03			·07	·26		·05	25
26		·10		·07				·21		·19		·21	26
27		·65	·10	·03				·30		·18		·30	27
28		·09	·03	·30			·02			·11			28
29			·05	·22	·05	·47	1·15		·39	·16			29
30						·01	·14		·04	·30	·25	·06	30
31							·09			·09			31
Total	1·68	2·25	3·39	1·79	·69	2·33	1·40	1·82	2·91	3-91 3·91	4·27	9·76	TOTAL for year 36·20
No. of Rain Days	11	15	16	12	5	13	4	8	13	22	22	27	168

9,000, IX. '10.

dL ✓ 6x9m8 332

FORM A2. BRITISH RAINFALL. 25 JAN 1913

REGISTER OF RAINFALL IN 1912

Kept at Killiow, Truro

in the County of Cornwall 2

by J. C. Daubuz

RAIN GAUGE
Pattern
Diameter of top ____ in.
Height of top above Ground ____ ft. ____ in.
" " " Sea Level ____ ft.

Time of Observation

Nearest Railway Station
Name
Distance ____ Direction

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·06			·70	·28	·02	·14	·32			1
2			·31	·09		·43	·08	·03			·15		2
3	·04		·22	·02		·15		1·80	·09			·02	3
4	·26	·10	·44		·01	·29		·11			·20	·03	4
5	·73	·28	·28	·02	·09		·62	1·57				·48	5
6	·42	·06	·03	·01	·30	·05	·02	·24					6
7	·08	·57	·33	·02	·03	·06	·03	·23			·02	·16	7
8	·38	·05	·12	·01		·10	·04				·01		8
9		·23	·10			·06	·25	·06				·53	9
10	·10	·06	·41	·16		·07	·10				·14	·15	10
11	·22	·35					·05	·44			·17	·52	11
12	·02	·21	·24		·47		·25	·80		·04	·27	·07	12
13	·43		·10	·06		·04		·07				·13	13
14	·08	·16	·38		·14	·02		·07				·04	14
15	·67	·10	·05		·07	·51					·02	·51	15
16	·17		·38			·04		·30		·13	·09	·24	16
17	·02		·24			·09		·28			·15	·14	17
18		·09	·45			·06		1·40			·05	·02	18
19		·17	·38		·02	·05	·10	·59		·12	·03	·04	19
20	·05	·16	·42		·08	·01		·23		·42	·04		20
21		·53	·33			·02	·42	·23		·50			21
22	·44	·15	·60			·16	·15			·31	·05	·06	22
23	·28	·19	·03				·13	·58		·14	·10	·10	23
24	·22	·05				·38	·18	·15		·35		·34	24
25						·04	·01	·17		·24	·40	·42	25
26		·01								·22	·35	·81	26
27						·32	·39	·05		1·11	·50	·58	27
28		·17				·08	·11	·75	·42	·11	·38	·45	28
29		·35	·06			·62	·23	·05	·10	·34	·05	·13	29
30			·02	·04	·53	·04	·11		·16	·30	·02	·03	30
31			·28		·26		·11			·05			31
Total	4·61	4·04	6·26	·43	2·00	4·39	3·66	10·22	·91	4·70	3·19	6·00	TOTAL for year 50·41
No. of Rain Days.	18	21	25	9	11	25	21	24	5	16	21	24	220

W. 8,000, X. '11.

81

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

344

28 JAN 1914

Ex. [illegible]

2

Kept at Killiow, Truro
in the County of Cornwall
by J. C. Daubuz

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge in.
Height of top of Gauge above Ground ft. in.
" " " " Sea Level ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1			·24	·07	·21						·25	·02	1
2	·02	·20		·33	·31						·25	·02	2
3	·16	·12	·10		·16				·50	·42		·25	3
4	·58		·08		·13	·13			·23		·09	·70	4
5	·10	·04			·08	·20	·04		·29		·62	·50	5
6	·32	·09	·17		·12	·11	·01			·40	·17	·10	6
7	·14	·69	·10		·71	·14				·45	·39	·01	7
8	·16	·24			·15		·15	·15				·02	8
9	·09	·04			·10	·02		·04			·89	·04	9
10	·96				·01					·93	·14	·02	10
11	·47				·42	·12		·32		·02	·55	·04	11
12	·10			·01	·04	·01			·15		·17	·03	12
13	·18			·01	·03				·23		·17		13
14	·41		·42	·05			·22		·22	·03	·26		14
15	·08		·56	·50					·06		·30	·05	15
16	·44		·35	·25					·20		·01		16
17	·05		·33	·15			·02				·06		17
18	·68		·42	·21							·16		18
19	·24		·08	·17					·22	·25	·49		19
20	·13		·09	·20				·03		·22	·19		20
21	·18		·26	·10		·05		·06			·12		21
22	·12		·70	·10		·20			·09	·11		·37	22
23	·01										·14	1·05	23
24	·03	·15	·02	·10		·02				·15	·13	·04	24
25				·28					·05		·05	·04	25
26				1·08		·03		·03	·06	·05	·03	·41	26
27	·48		·21	·20				·22		·70	·02	·10	27
28			·06	·19	·25				·33	·86	·01	·28	28
29	·27		·39	·30	·02		·01	·01		·40	·02	·22	29
30	·12			·01	·04				·05	·08	·01	·03	30
31	·20		·52		·01			·03		·09			31
Total	6·72	1·57	5·10	4·31	2·79	1·03	·45	·89	2·68	5·16	5·69	4·34	YEAR'S TOTAL 40·73
Rain Days.	27	8	19	20	17	11	6	9	14	16	27	22	196

W. 7,500, XI. 12

Fox 914

328

FORM A. BRITISH RAINFALL.

28 JAN 1915

REGISTER OF RAINFALL IN 1914

Kept at Killiow, Truro

in the County of Cornwall 2

by J. C. Daubuz

Lat. ______ Long. ______

Time of Observation ______

Nearest Railway Station ______

Diameter of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

" " " " Sea Level ______ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1				·34		·14	·06	·63			·60	·04	1
2			·02		·14		·40	·02			·01	·47	2
3	·08		·18		·52	·04		·20				·46	3
4	·28		·14	·56	·06		1·04	·18				·61	4
5	·29		·19	·22	·05			·02	·09		·03	·02	5
6		·15	·11	·22	·20	·03	·09					·74	6
7	·05	·70		·15		·43	·24	·11	·80		·01	·25	7
8	·16			·13	·02	·54		·02					8
9	·04	·17	·12	·06	·08	·95		·09	·09			·04	9
10	·10	·40		·55	·25	·05			·19		·04	1·26	10
11	·01	·15	·72			·04			·09		·03	·04	11
12	·01	·70	·15				·03		·05	·09	·21	·05	12
13		·85	·60				·17		·12	·33	·28	·15	13
14		·33	·25		—	·07			·01	—	·54	·40	14
15		·04	·19					·03	·06		·57	·23	15
16							—		·32			·04	16
17		·68	·20						·08			·94	17
18		·30	·20				·03		·29			·34	18
19		·03	·25				·87		·01		·10	·03	19
20		·37	·15			·21	·10					·07	20
21		·30				·02	·10		—	·29		·05	21
22		·03	·09		·03	·03		·12		·07		·17	22
23		·02	·28			·09	·04			·45			23
24	·01		·10				·05			·47	·04		24
25	·12		·40					·39		·12	·10	·41	25
26	·10	·12	·63				·30			·32	·43	·65	26
27	·21	·23					·07			·17	·28	·41	27
28	·02	·04	·23				·01			·46	·02	·93	28
29	·29		·26		·08		·01			·04	1·02	·11	29
30			—		—		·02			·22	·34	·49	30
31	·04				·01		·98			·59		·46	31
Total	1·81	5·61	5·46	2·23	1·44	2·64	4·61	1·81	2·20	3·62	4·65	9·86	YEAR'S TOTAL 45·94
Rain Days.	16	19	22	8	11	13	19	11	13	13	18	28	191

W.7,000, XI. 13

notified 17/3/16, cord fr anthi 16-111-16 2026

REGISTER OF RAINFALL IN 1915

FORM A. BRITISH RAINFALL.

4. JAN. 1916

Kept at Killiow

in the County of Cornwall

by Miss Daubuz

2

Lat. Long.

Time of Observation 9 a.m.

Nearest Railway Station Truro G.W.R.

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. – in.

" " " " Sea Level abt 230 - ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·20	·29	–	–	·06	–	–	·32	·13	·58	·02	·04	1
2	·22	·16	·16	·04	–	·13	–	–	·18	–	–	·69	2
3	·14	·08	·07	·18	·14	–	·04	–	–	–	–	·60	3
4	·14	·24	·02	·+	·43	–	–	–	–	–	–	·13	4
5	·05	·85	–	·35	–	–	–	·38	–	–	–	1·22	5
6	·98	·22	–	·41	–	–	·49	·07	–	–	–	·08	6
7	·42	·57	–	·08	–	–	·40	–	–	1·40	·02	·50	7
8	·21	·62	–	·01	–	–	–	·09	–	·09	·11	·27	8
9	·10	·22	–	·24	–	–	–	·03	–	–	·84	·76	9
10	·06	·21	·12	·21	–	–	·02	·12	–	·33	·03	·05	10
11	·28	·36	–	–	–	–	–	–	–	·02	1·17	·14	11
12	·13	·55	–	·03	·48	–	–	·15	–	·03	·43	·34	12
13	·01	·73	–	·01	·23	–	–	·01	·02	·02	·35	·04	13
14	·07	·04	–	·04	·01	–	·17	–	·12	–	·19	1·67	14
15	·08	–	–	–	·22	·06	·42	–	–	–	·07	·19	15
16	·04	1·55	–	–	·39	–	·88	–	–	·12	–	·06	16
17	·19	·12	–	–	–	–	·01	–	–	–	–	–	17
18	–	·03	–	–	–	–	–	–	–	–	–	–	18
19	·05	·22	–	·03	·19	–	·15	–	–	–	–	–	19
20	·77	·05	·04	·05	–	·32	–	–	–	·51	–	–	20
21	·15	·10	·29	–	·02	·77	·26	–	–	–	–	–	21
22	·28	·24	–	·07	–	·01	·56	–	·07	·31	–	·64	22
23	·01	·07	–	–	–	·04	·03	–	·01	·13	–	·41	23
24	·24	·13	–	·02	–	·29	–	–	–	·30	–	·19	24
25	–	·05	–	·01	·19	·12	·09	–	·05	–	·04	·15	25
26	–	·58	–	–	–	·34	·01	–	·05	–	–	·87	26
27	–	·09	–	–	–	·26	·02	–	·08	·85	–	–	27
28	–	·18	–	–	–	·42	–	·12	·05	·12	–	·13	28
29	–		–	–	–	·09	–	·05	·45	–	·14	·14	29
30	·15	✗	–	·01	–	·02	–	–	·15	·76	·37	·34	30
31	·04	✗	–	✗	–	✗	·40	·05	✗	·54	✗	·26	31
Total	5·01	8·55	·70	1·79	2·36	2·87	3·95	1·33	1·36	~~6·71~~ 6·11	3·78	~~9·96~~ 9·91	YEAR'S TOTAL ~~48·72~~ 47·72
Rain Days.	25	27/52	6/58	17/75	11/86	13/99	16/115	11/126	12/138	16/154	13/167	25/192	/192

W. 8,000. X. 15.

Exd TW

1971

REGISTER OF RAINFALL IN 1916.

FORM A. BRITISH RAINFALL.

5 ARy

Kept at Killiow

in the County of Cornwall

by Miss E F A Daubuz

Lat. Long.

Time of Observation 9 AM

Nearest Railway Station Truro G W Ry

Diameter of Funnel of Rain Gauge 5" in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 250 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·14	–	·01	–	·07	·04	·11	–	·04	·43	·05	–	1
2	·24	·08	·43	–	–	·02	·01	–	·37	·22	·55	–	2
3	·02	1·74	·01	–	·15	·13	·08	–	·01	·60	·48	·04	3
4	·22	·18	·05	·04	·15	·30	·24	–	·12	·16	·79	·04	4
5	·02	·08	·03	–	·15	·03	·04	–	–	·75	·39	·01	5
6	·04	·15	·01	–	·04	·07	·68	–	–	·10	1·02	–	6
7	·08	·17	–	–	·37	–	–	–	–	·27	·73	·06	7
8	·09	·25	·02	–	·24	·01	–	–	–	–	·49	·35	8
9	–	·46	·28	–	–	–	·05	–	–	·05	·32	·52	9
10	·02	1·22	–	·07	·03	·05	–	–	–	–	·01	·18	10
11	–	·02	–	·08	·11	–	–	–	·11	–	·01	·58	11
12	·10	·21	·18	·11	·01	–	·12	·17	–	·42	·01	·02	12
13	–	·23	·16	·01	·03	–	·02	·34	·01	–	·01	·21	13
14	·03	·42	·19	·01	·04	–	–	·26	·01	·14	–	·06	14
15	·02	·20	·44	·05	–	–	–	·05	–	·03	–	·14	15
16	·12	·17	–	·10	–	–	·02	·50	–	·29	1·13	–	16
17	·22	·05	·22	·03	–	–	–	·02	·03	·17	1·11	–	17
18	·05	·07	·42	·02	–	–	–	–	·27	·10	·04	·12	18
19	·24	·12	·02	·12	–	–	–	–	·02	–	·46	·10	19
20	·21	·44	·09	·05	–	–	–	–	–	–	·30	·40	20
21	·02	·10	·44	·04	·15	·10	–	–	–	–	·07	·13	21
22	·02	–	·08	·01	–	·31	–	·06	–	·68	·08	·69	22
23	·08	–	·06	·18	–	·16	–	·22	–	·11	·49	·23	23
24	–	–	·06	·12	·09	–	–	·31	–	·33	·02	·29	24
25	–	·26	·24	–	·05	·04	–	·35	·02	·11	·20	·04	25
26	·01	·04	·18	–	·04	·02	–	·40	·38	·93	·11	·05	26
27	·01	–	2·03	–	–	·02	–	·14	·06	·93	–	·05	27
28	–	–	–	·01	–	–	–	·16	·52	·59	·02	·29	28
29	–	·23	·03	–	–	·42	–	·44	·26	·14	–	·46	29
30	–	X	–	–	–	·03	–	–	–	·29	–	·02	30
31	–	X	–	X	–	X	–	·13	X	·29	X	·05	31
Total	2·00	6·89	5·68	1·05	1·72	1·75	1·37	3·55	2·23	7·23	8·89	5·23	YEAR'S TOTAL 47·59
Rain Days.	22	23	24	17	16	16	10	15	15	24	25	26	233

W. 8,000, VIII. 16

~~Wrote~~ 18 IV 13 JC

Part W.D.

REGIST 2

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

CORNWALL.
— TRURO
PENCALENICK.
1912—1916

Kept at Pencalenick, ...

in the County of Cornwa...

by Mr H. H. Mill...

...ng.

9 a.m

... Truro.

...in.

above Ground ......ft. ......in.

" Sea Level ......ft.

IMPORTANT NOTE.— ... and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date
1	—	—	·05	·08	·03	·62	·53	·10	·20	·35	—	—	1
2	—	—	·25	—	—	·80	·02	·10	—	·30	—	—	2
3	—	—	·25	—	—	·14	—	·15	·12		·30	—	3
4	·15	—	·40	—	—	·17	—	1·60	—	—	·10	·10	4
5	—	—	·35	—	·10	·01	—	·12	—	—	—	·12	5
6	1·00	·30	·15	—	·40	—	·60	1·85	—	—	—	·15	6
7	·35	·30		—	—	·12	—	·25	—	—	·12	—	7
8	·45	·40	·35	—	—	·22	·05	·30	—	—	—	·25	8
9	·05	·05	·20	·15	—	·20	·22	·01	—	—	—	—	9
10	—	·20	·40	—	—	·05	·09	·06	·04	—	—	·55	10
11	·40	—	·05	·20	—	·05	·02	—	—	—	·25	·25	11
12	—	—	—	—	1·01	—	—	·38	—	—	·25	·30	12
13	·14	·55	·15	·08	—	—	·25	·70	—	—	·15	·05	13
14	·40	—	—	—	—	—		·05	—	—	—	·10	14
15	·05	·25	·40	—	·12	·05		·05	—	—	·30	·15	15
16	·80	—		—	—	·60	—	·01	—	—	·03	·45	16
17		·05	·65	—	—	·15	—	—	—	·15	—	·21	17
18		—	·27	—	—		—	·70	—	·12	·20	—	18
19		—	·35	—	—	—	—	1·75	—	·02	·07	—	19
20		·20	·41	—	·13	—	·10	·75	—	·35	·04	·25	20
21			—	—	—	—	—	·15	—	·83	—	—	21
22		·74	·30	—	·25	—	·50	·05	—	·07	—	·05	22
23		·32	·65	—	—	·20	·10	·25	—	·22	—	—	23
24		·04	·15	—	—	·02	·12	·60	—	·10	·10	·15	24
25		—	—	—	—	·35	·05	·20	—	·20	·42	·40	25
26		—	—	—	—		·05	·14	—	·30	·56	·75	26
27		·05	—	—	—		·05	·01	—	·15	·15	1·07	27
28		—	·02	—	—	·35	·40	·62	—	1·00	·32	—	28
29		·10	—	—	—	·15	·20	·01	·40	·30	·03	·55	29
30		—	—	—	—	·60	·15	—	·10	·15	·04	—	30
31	1·00	—	·30	—	·48	—	·40	—	—	·10	—	·25	31
Total	4·79	3·55	6·10	·51	2·52	4·85	3·90	10·96	·86	4·71	3·43	6·15	YEAR'S TOTAL 52·33
Rain Days.													

W. 7,500, XI. ·12

Part W.D.

Wrote 18/IV/13

~~REGIST~~ 2

FORM A.
BRITISH RAINFALL.

8 - JAN 1913

Kept at Pencalenick, near Truro.
in the County of Cornwall 2
by Mrs H. H. Williams

g.
Time of Observation 9 a.m
Nearest Railway Station Truro.
Diameter of Rain Gauge ________ in.
Height of top of Gauge above Ground ________ ft. ________ in.
" " " " Sea Level ________ ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. nil

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	—	—	·05	·08	·03	·62	·53	·10	·20	·35	—	—	1
2	—	—	·25	—	—	·80	·02	·10	—	·30	—	—	2
3	—	—	·25	—	—	·14	—	·15	·12		·30	—	3
4	·15	—	·40	—	—	·17	—	1·60	—	—	·10	·10	4
5	—	—	·35	—	·10	·01	—	·12	—	—	—	·12	5
6	1·00	·30	·15	—	·40	—	·60	1·85	—	—	—	·15	6
7	·35	·30		—	—	·12	—	·25	—	—	·12	—	7
8	·45	·40	·35	—	—	·22	·05	·30	—	—	—	·25	8
9	·05	·05	·20	·15	—	·20	·22	·01	—	—	—	—	9
10	—	·20	·40	—	—	·05	·09	·06	·04	—	—	·55	10
11	·40	—	·05	·20	—	·05	·02	—	—	—	·25	·25	11
12	—	—	—	—	1·01	—	—	·38	—	—	·25	·30	12
13	·14	·55	·15	·08	—	—	·25	·70	—	—	·15	·05	13
14	·40	—	—	—	—	—		·05	—	—	—	·10	14
15	·05	·25	·40	—	·12	·05		·05	—	—	·30	·15	15
16	·80	—		—	—	·60	—	·01	—	—	·03	·45	16
17		·05	·65	—	—	·15	—	—	—	·15	—	·21	17
18		—	·27	—	—		—	·70	—	·12	·20	—	18
19		—	·35	—	—	—	—	1·75	—	·02	·07	—	19
20		·20	·41	—	·13	—	·10	·75	—	·35	·04	·25	20
21			—	—	—	—	—	·15	—	·83	—	—	21
22		·74	·30	—	·25	—	·50	·05	—	·07	—	·05	22
23		·32	·65	—	—	·20	·10	·25	—	·22	—	—	23
24		·04	·15	—	—	·02	·12	·60	—	·10	·10	·15	24
25		—	—	—	—	·35	·05	·20	—	·20	·42	·40	25
26		—	—	—	—		·05	·14	—	·30	·56	·75	26
27		·05	—	—	—		·05	·01	—	·15	·15	1·07	27
28		—	·02	—	—	·35	·40	·62	—	1·00	·32	—	28
29		·10	—	—	—	·15	·20	·01	·40	·30	·03	·55	29
30		—	—	—	—	·60	·15	—	·10	·15	·04	—	30
31	1·00	—	·30	—	·48	—	·40	—	—	·10	—	·25	31
Total	4·79	3·55	6·10	·51	2·52	4·85	3·90	10·96	·86	4·71	3·43	6·15	YEAR'S TOTAL 52·33
Rain Days.													

W. 7,500, XI. 12

√

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

28 JAN 1914

Kept at Pencalenick, Truro
in the County of Cornwall.
by Henry Harcourt Williams.

2

Lat. Long.
Time of Observation
Nearest Railway Station
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 7 in.
" " " " Sea Level ft.

Same as last year.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	·21		·35	·16				·05		·31		1
2	·01	·01	·30	·15						·12	·15		2
3			·04		·45	·10			·52	·10			3
4	·52		·06						·18	·42		1·00	4
5	·40					·37	·01		·18		·22	·30	5
6	·10				·35	·13	·11		·02	·10	·40	·40	6
7	·30	·60	·22		·25	·11	·08			·65	·50		7
8	·10	·15	·05		·80		·14	16		·35	·15	·05	8
9	·25				·20		·03	·05	·02			·05	9
10	·5	·25				·04					·20		10
11	1·25				·10	·13		·31	·04	1·25	·80		11
12	·25				·50	·01			·09		·30		12
13	·10					·02	·01		·48	·02	·25		13
14			·12	·10	·08		·23		·18		·20		14
15	·45		·18	·61							·30	·05	15
16	·10		·55	·09					·20		·10		16
17	·25		·40	·07			·02	·02					17
18	·15		·10			01					·20		18
19	·40		·30	·22									19
20	·45		·15	·10					·28	·40			20
21			·20	·40	·15	·09	·03	·04		·05	·10		21
22			·70			·22					·50		22
23	·47		·20	·12					·05			1·30	23
24	·02			·8		·06		·05	·05		·30	·15	24
25		16		·18					·08	·25	·10		25
26				1·08		·01		·06	·02	·05			26
27				·17				·25		·15	·10		27
28	·66		·30	·15					·20	·91			28
29	·15		·20	·38	·20		·02			·13	·10	1·20	29
30	·52			·02	·10		·01			·22			30
31	·19		·70							·04			31
Total	7·16	1·38	4·77	4·27	3·34	1·30	·69	·94	2·64	5·21	5·28	4·50	YEAR'S TOTAL 41·48
Rain Days.	26	6	18	17	12	13	11	8	17	17	20	9	174

√

W.7,000, XI. 13

cnd for pr. W.D. 10.III.15 Exc DL

REGISTER OF RAINFALL IN 1914

FORM A. BRITISH RAINFALL.

12 JAN 1915

2

Kept at Pencalenick Truro

in the County of Cornwall

by Henry Harcourt Williams

Lat. Long.

Time of Observation 9 a.m

Nearest Railway Station Truro G.W.Ry

Diameter of Rain Gauge 5" in.

Height of top of Gauge above Ground — ft. 9" in.

" " " " Sea Level — ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·35

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1		·02	·02					·61			·75	·05	1
2			·05	·22		·14	·08	·02				·45	2
3			·11		·12		·45					·42	3
4			·18	·19	·40			·35	·08			·52	4
5	·45		·12	·36	·09		1·13				·03		5
6	·15		·24	·20	·02		·09	·03				·72	6
7		·18	·12	·06	·19		·07	·10	·85			·21	7
8		·61	·26	·12	·02	·32	·32		·02				8
9			·83	·23	·05	·50		·08	·08			·02	9
10		·15	·12	·03	·03	·69			·24		·05	1·04	10
11	·35	·49	·6	·63	·14	·02			·03		·08	·31	11
12		·22	·67			·05			·08	·09	·26	·05	12
13		·60	·19						·14	·37	·19	·15	13
14		·44	·38						·04	·02	·55	·25	14
15		·32	·26			·07					·33	·53	15
16			·13						·36			·02	16
17			·02				·03					·65	17
18		·43	·33					·03	·39		·06	·28	18
19		·31	·06				·08					·09	19
20		·05	·45				·78			·04		·31	20
21		·36	·22			·11	·06			·42		·03	21
22		·28	·02			·05	·07			·10		·06	22
23		·09	·08		·02	·04	·	·11					23
24		·07	·20			·07	·03			·35	·20		24
25			·13				·02	·45		·45	·06	x	25
26	·15		·65				·07			x	·31	x	26
27	·10	·18	·26				·11			·30x	·38	x	27
28	·22	·21					·22			·33		x	28
29	·03		·20				·03				·83	2·20x	29
30	·24		·24		·13		—			·05	·30	·41	30
31	·02	·02	·15				·85			·57		·35	31
Total	~~1·69~~ 1·71	5·01	~~6·75~~ 6·73	2·04	1·21	2·06	4·49	1·78	2·31	3·09	4·38	~~8·77~~ 9·12	YEAR'S TOTAL ~~43·58~~ 43·93
Rain Days.	~~8~~ 9	18	29 ~~30~~	9	11	11	18	9	11	~~12~~ at least 13	15.	~~22~~ at least (27)	~~175~~ (180)

W. 8,000. X. 14.

2028

FORM A.
BRITISH RAINFALL.

8 - JAN 1916

REGISTER OF RAINFALL IN 1915

Kept at Pencalenick · Truro ✓

in the County of Cornwall.

by H. H. Williams

2

Lat. ______ Long. ______

Time of Observation about 9. o C

Nearest Railway Station Truro

Diameter of Funnel of Rain Gauge ______ in.

Height of top of Gauge above Ground ______ ft. ______ in.

„ „ „ „ Sea Level about 80. ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ☐

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		☒											30
31		☒		☒		☒			☒		☒		31
Total	5.44	7.85	.80	1.64	2.64	3.10	3.52	1.94	1.05	5.37	3.20	8.67.	YEAR'S TOTAL 45.22 ins
Rain Days.													✓

W. 8,000. X. 15.

Ended 35 1973

REGISTER OF RAINFALL IN 1916

FORM A. BRITISH RAINFALL. 10 JAN 1917

Kept at Pencalenick · Truro

in the County of Cornwall

by H. H. Williams

Lat. .... Long. ....

Time of Observation ....

Nearest Railway Station Truro

Diameter of Funnel of Rain Gauge .... in.

Height of top of Gauge above Ground .... ft. .... in.

„ „ „ „ Sea Level .... ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1													1
2													2
3													3
4													4
5													5
6													6
7													7
8													8
9													9
10													10
11													11
12													12
13													13
14													14
15													15
16													16
17													17
18													18
19													19
20													20
21													21
22													22
23													23
24													24
25													25
26													26
27													27
28													28
29													29
30		X											30
31		X		X		X			X		X		31
Total	1.63	6.14	4.65	1.13	1.51	1.73	2.67	4.04	2.02	6.38	7.00	4.44	YEAR'S TOTAL 43.34 ✓
Rain Days.													

W. 8,000, VIII. 16

WADEBRIDGE
(ST KEW)

CORNWALL

1911

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

19 11

Kept at Skidon

top 5 in.

above Ground 1 ft. in.

„ Sea Level 100 ft.

in the County of

9. am

by Major

tion { Name St Kew Highway
Distance 1 Direction South East

C.S.W.

IMPORTANT , and the result entered to the previous day. If a universal rule, he is earnestly requested to add th ing year in the space provided for it at the end asurement of rain, the selection and ne British Rainfall Organization are giv free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·03	—	·13	·22	·16	—	—	—	—	—	·06	·02	1
2	·05	—	—	—	·25	—	—	·17	—	·56	·28	·17	2
3	—	—	·03	—	·36	—	—	·02	—	—	·18	·16	3
4	—	—	·08	—	—	—	—	1·00	—	·04	·27	·60	4
5	—	—	·23	—	—	—	—	·06	—	·08	·13	·15	5
6	·30	—	·40	—	—	—	—	—	—	—	·17	·88	6
7	·29	—	·22	—	—	—	—	—	—	—	·54	·02	7
8	·~~64~~20	—	—	·02	—	—	—	—	—	—	·35	·60	8
9	·~~20~~07	—	·25	—	—	—	—	—	—	—	·36	·53	9
10	·~~07~~·9	—	·03	—	·67	—	—	—	·03	—	·06	·35	10
11	·~~19~~05	·08	·60	—	·05	—	—	—	·10	—	·42	·10	11
12	·40	—	—	—	—	—	—	—	·22	—	·10	·49	12
13	—	—	·39	—	—	—	—	—	·07	—	·08	·09	13
14	—	·14	·24	—	—	—	—	—	—	·04	·18	·64	14
15	—	·07	·09	—	—	·07	—	—	—	—	·36	·16	15
16	·03	·05	·07	—	—	·38	—	—	—	—	·07	·28	16
17	—	·06	—	·18	·02	·15	—	—	—	—	·31	1·11	17
18	—	·09	·18	·39	—	·11	—	—	—	·03	·57	·32	18
19	—	·21	·03	·04	—	·21	—	—	·53	·08	·30	·88	19
20	—	—	—	·17	—	—	—	—	·35	·87	·05	·62	20
21	·02	·07	—	—	—	·03	—	·03	·09	·23	—	·16	21
22	·03	·20	·04	·08	—	·10	—	—	·26	·06	—	·49	22
23	·13	·04	—	—	—	·06	—	·05	—	·20	·04	·15	23
24	·06	·13	—	—	—	·49	—	·25	·13	·24	—	·18	24
25	·05	·31	—	·23	—	—	—	—	·08	·20	—	·10	25
26	08	—	—	·43	·05	—	·09	·15	·04	·87	—	·26	26
27	02	·08	—	—	—	·03	—	·34	·16	·06	·03	·30	27
28	—	·68	—	·77	—	·02	—	·03	—	—	·02	·02	28
29	—		·04	·24	·21	·83	·68	—	·23	·22	—	·02	29
30	—		·02	—	—	·06	·29	—	·04	·26	·17	·18	30
31	—		—		—		·02	—		·02		·02	31
	–	·13	(–)										
Total	1·97 ✓	2·34 ✓	~~5·07~~ 2·84	2·87	1·77	2·54	1·08	2·10	2·33	4·06	5·10	10·05	TOTAL for year 39·05 ~~39·28~~
No. of Rain Days.	~~17~~ 16	~~14~~ 15	~~18~~ 17	2·77 ~~2·87~~ 11	8	13	4	10	14	17	24	31	180 180

W. 8,000, X. '11.

1911

FORM A2.
BRITISH RAINFALL.
3 - JAN 1912

Kept at Skidon, St Kew
in the County of Cornwall
by Major W, Clode, Braddon,

RAIN GAUGE
Diameter of top 5 in.
Height of top above Ground 1 ft. in.
" " " Sea Level 100 ft.
Time of Observation 9. am
Nearest Railway Station
Name St Kew Highway (SW.)
Distance 1 Direction South East,

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following.

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	·03	—	·13	·22	·16	—	—	—	—	—	·06	·02	1
2	·05	—	—	—	·25	—	—	·17	—	·56	·28	·17	2
3	—	—	·03	—	·36	—	—	·02	—	—	·18	·16	3
4	—	—	·08	—	—	—	—	1·00	—	·04	·27	·60	4
5	—	—	·23	—	—	—	—	·06	—	·08	·13	·15	5
6	·30	—	·40	—	—	—	—	—	—	—	·17	·88	6
7	·29	—	·22	—	—	—	—	—	—	—	·54	·02	7
8	·20	—	—	~~0~~·2	—	—	—	—	—	—	·35	·60	8
9	·07	—	·25	—	—	—	—	—	—	—	·36	·53	9
10	·16	—	·03	—	·67	—	—	—	·03	—	·06	·35	10
11	·05	·08	·60	—	·05	—	—	—	·10	—	·42	·10	11
12	·40	—	—	—	—	—	—	—	·22	—	·10	·49	12
13	—	—	·39	—	—	—	—	—	·07	—	·08	·09	13
14	—	·14	·24	—	—	—	—	—	—	·04	·18	·64	14
15	—	·07	·09	—	—	·07	—	—	—	—	·36	·16	15
16	·03	·05	·07	—	—	·38	—	—	—	—	·07	·28	16
17	—	·06	—	·18	·02	·15	—	—	—	—	·31	1·11	17
18	—	·09	·18	·39	—	·11	—	—	—	·03	·57	·32	18
19	—	·21	·03	·04	—	·21	—	—	·53	·08	·30	·88	19
20	—	—	—	·17	—	—	—	—	·35	·87	·05	·62	20
21	·02	·07	—	—	—	·03	—	·03	·09	·23	—	·16	21
22	·03	·20	·04	·08	—	·10	—	—	·26	·06	—	·49	22
23	·13	·04	—	—	—	·06	—	·05	—	·20	·04	·15	23
24	·06	·13	—	—	—	·49	—	·25	·13	·24	—	·18	24
25	·05	·31	—	·23	—	—	—	—	·08	·20	—	·10	25
26	08	—	—	·43	·05	—	·09	·15	·04	·87	—	·26	26
27	02	·08	—	—	—	·03	—	·34	·16	·06	·03	·30	27
28	—	·68	—	·77	—	·02	—	·03	—	—	·02	·02	28
29	—		·04	·24	·21	·83	·68	—	·23	·22	—	·02	29
30	—		·02	—	—	·06	·29	—	·04	·26	·17	·18	30
31	—		—		—		·02	—		·02		·02	31
	-	·13	(–)										
Total	1·97	2·34	~~5·07~~ 2·84	~~2·87~~ 2·77	1·77	2·54	1·08	2·10	2·33	4·06	5·10	10·05	TOTAL for year 39·05 ~~39·28~~
No. of Rain Days.	~~17~~ 16	~~14~~ 15	~~18~~ 17	~~2·87~~ 11	8	13	4	10	14	17	24	31	180 ~~189~~

W. 8,000, X. '11.

cwd for auth 20.11.13
cwd (hydro) for W.D.

REGISTER OF IV RAINFALL IN 1912

BRITISH RAINFALL FORM A.
22 JAN 1913

Kept at St Kew
in the County of Cornwall
by Major W. Clode Braddon

Lat. Long.
Time of Observation 9 am
Nearest Railway Station St Kew Highway
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·11

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·02	x	·30	·44	·06	·38	·15	·02	·04	·07	·21	x	1
2	x	x	·11	x	·10	·85	·13	·27	·18	·21	·03	·13	2
3	x	x	·20	·05	x	1·17	·02	x	x	x	x	x	3
4	·05	x	·25	·05	x	·16	x	·79	·17	x	x	x	4
5	·54	x	·54	x	·4	·06	x	·15	x	x	·41	·03	5
6	·64	·28	·19	·03	·9	x	·19	1·02	x	x	x	·16	6
7	·26	·19	x	x	·33	·03	·06	·29	x	x	·03	·06	7
8	·18	·83	·29	·07	x	·16	·05	·24	·02	x	·03	·11	8
9	·38	·08	·04	x	x	·20	·03	x	x	x	x	x	9
10	·05	·31	·18	·04	x	·41	·24	x	x	x	x	·62	10
11	·38	·10	·13	·13	x	·82	·10	·03	x	x	·30	·03	11
12	x	·10	x	x	~~·[illegible]~~ x	x	x	·02	x	x	·15	·61	12
13	·03	·02	·26	x	~~x~~ ·06	x	·30	·42	x	·03	·52	·05	13
14	·33	x	·03	x	~~·[illegible]~~	·05	x	x	x	·08	x	·22	14
15	·16	·06	·53	x	x	·04	x	·16	·02	x	x	·07	15
16	·76	·02	·03	x	·07	1·02	x	x	x	x	·07	·55	16
17	·26	x	·30	x	x	·08	x	·28	x	·17	·09	·23	17
18	x	x	·23	x	·05	·33	x	·52	x	x	·12	·26	18
19	x	·08	·24	x	x	x	x	1·15	x	·17	·06	·04	19
20	x	·07	·19	x	·05	·02	·11	·52	x	·09	·02	·06	20
21	·06	·07	·25	·03	·03	x	x	·11	x	·32	·03	x	21
22	x	·24	·25	x	·34	x	·55	·48	x	·11	x	x	22
23	·11	·25	·21	x	x	·07	·04	·18	x	·05	x	·15	23
24	·04	·46	·23	x	x	·10	·07	1·02	x	·45	·10	·36	24
25	·08	·02	·05	x	x	·30	·05	·02	x	·10	·02	·15	25
26	x	x	x	x	x	·19	·12	·25	x	·40	·67	·86	26
27	x	·03	x	x	x	x	·36	·35	x	·30	·60	·60	27
28	x	·06	·03	x	x	·35	·90	·37	x	·80	·03	·60	28
29	x	·16	x	x	x	·18	·38	·55	·27	·35	·31	·58	29
30	x		·03	x	·04	·41	·31	·05	·26	·42	x	·10	30
31	x		·08		·12		·26	x		·58		x	31
	–	·30	·44	·06	·38	·15	·02	·04	·07	·21	–	·11	YEAR'S TOTAL
Total	4·31	3·83 3·73	5·31 5·31	·46	1·70	7·15	4·29	9·28 9·28	·99	4·84	3·59 3·59	6·74	52·89 52·39
Rain Days.	17	20	26	8	13	22	21	25	7	18	19	25	221

W. 7,500, XI. 12

and for WD
- by auth
- by [illegible]
HyB } 24.iii.14

REGISTER OF RAINFALL IN 1913

FORM A.
BRITISH RAINFALL.

9- JAN 1914

Kept at S^t^ Kew

in the County of Cornwall

by Major W Clode Braddon

Lat. Long.

Time of Observation 9. am

Nearest Railway Station S^t^ Kew Highway

Diameter of Rain Gauge 5. in.

Height of top of Gauge above Ground 1 ft. in.

" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. (–)

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	33	30	—	73	08	—	—	—	12	~~7~~	02	03	1
2	25	17	39	05	04	—	—	—	—	02	(.22)	08	2
3	28	18	03	08	23	—	—	—	—	03	20	04	3
4	28	—	05	—	06	—	—	—	1,05	09	—	24	4
5	69	—	03	—	—	06	—	—	—	33	17	45	5
6	10	05	02	—	32	34	06	—	21	03	49	80	6
7	09	06	16	—	04	16	—	—	—	30	40	11	7
8	05	49	06	—	1·18	04	09	03	—	58	20	02	8
9	17	17	—	—	32	—	14	—	—	08	69	04	9
10	—	05	08	02	06	17	02	03	08	—	02	06	10
11	75	—	07	04	09	03	—	03	—	95	20	—	11
12	57	—	—	—	30	28	—	20	03	12	46	13	12
13	07	—	—	—	—	03	—	—	04	—	35	02	13
14	08	—	19	—	15	02	—	06	·57	—	25	—	14
15	54	—	30	02	—	—	20	—	16	09	18	—	15
16	08	—	34	86	—	—	—	—	08	—	27	02	16
17	52	—	68	16	—	—	03	—	02	—	02	06	17
18	05	—	21	10	—	—	02	—	—	—	12	—	18
19	25	—	20	22	—	—	—	—	—	—	10	—	19
20	27	—	07	·09 09	12	02	03	—	32	31	—	—	20
21	10	—	32	20	—	17	—	—	—	13	39	—	21
22	12	—	13	03	04	02	09	·10	—	—	23	—	22
23	24	—	84 84	28	04	23	—	8	12	06	—	33	23
24	03	—	—	—	—	—	—	—	03	—	20	97	24
25	02	31	—	21	—	09	—	—	—	05	10	—	25
26	—	—	—	22	—	04	—	—	11	05	13	19	26
27	—	—	—	05	—	—	—	—	03	03	02	47	27
28	25	—	28	25	—	—	—	05	—	22	05	07	28
29	03		11	08	21	—	—	—	15	63	04	29	29
30	03		21	24	03	—	—	—	—	14	07	04	30
31	63		—		12		—			32		—	31
Total	·30 ~~6.27~~ 6.84	1.48	·73 5.50	·08 4.08 4.08	~~3.43~~ 3.35	1.70	·68	·12 ·70	3.02 3.00	·02 4.56 4.58	·03 5.60	(–) 4.43	YEAR'S TOTAL ~~41.37~~ 41.94
Rain Days.	28	8	23	20	~~18~~ 17	15	9	9	15	22	~~26~~ 27	20	~~212~~ 213

W.7,000, XI. 13

B. made

FORM A. 1. **METEOROLOGICAL OFFICE.—BRITISH RAINFALL ORGANIZATION.**

REGISTER OF RAINFALL IN 1919.

MAY 20

Kept at Trisdon St. Kew
in the County of Cornwall
by Mr. Bertram E. McFaddon

Lat. 50 33½ Long. 4° 40 W
Time of Observation
Nearest Railway Station St. Kew Highway
Diameter of Funnel of Rain Gauge 5 in.
Height of top of Gauge above Ground 1 ft. - in.
" " " " Sea Level 100 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in *"Rules for Rainfall Observers,"* sent post-free on application to THE SUPERINTENDENT, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following.

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	0	0	26	4	9	0	0	0	37	0	0	100	1
2	73	0	6	0	0	0	0	0	0	10	0	21	2
3	12	0	23	0	20	0	0	0	9	0	0	26	3
4	8	46	36	0	0	0	0	17	37	0	0	0	4
5	15	13	0	0	0	0	0	0	0	0	3	15	5
6	13	75	0	0	1	0	0	0	0	0	0	3	6
7	75	0	45	13	0	0	0	0	4	0	0	10	7
8	25	0	27	14	28	6	0	0	0	0	53	0	8
9	25	0	6	32	5	0	0	0	0	0	42	10	9
10	27	0	95	13	0	0	0	0	0	12	13	90	10
11	27	0	35	3	17	5	14	0	0	19	9	13	11
12	36	0	20	7	0	5	~~10~~	0	0	10	22	0	12
13	30	4	0	56	0	0	0	0	0	10	0	30	13
14	24	14	3	46	72	0	1	0	7	13	0	12	14
15	50	1	0	0	0	0	0	0	0	5	0	13	15
16	15	63	0	0	0		2	0	0	0	42	12	16
17	9	72	5	0	3	from now	3	0	0	0	35	39	17
18	5	23	37	0	0	to	23	27	15	0	47	11	18
19	35	10	0	0	0	end ×	3	35	32	0	10	47	19
20	23	0	8	0	10	7 ×	3	5	from	0	60	5	20
21	20	60	0	0	68		13	3	now	0	0	32	21
22	32	2	0	0	0	month	5	12	to ×	0	5	38	22
23	0	0	0	0	0		0	0		14	0	3	23
24	1	0	0	0	0	×	0	0	26th ×	23	48	0	24
25	30	3	0	3	0		0	67	0	0	8	2	25
26	19	0	13	13	0		0	9	× 125	7	5	6	26
27	8	0	0	32	0		0	50	20	5	3	12	27
28	0	16	46	67	0		0	2	0	9	0	65	28
29	0		7	20	0		0	20	0	3	0	18	29
30	3		17	15	0	90-	0	9	0	0	50	55	30
31	0		20		0		13	0		0		47	31
TOTAL	~~653~~ 6.56	4,10	4,69	3.38	2,33	106	·00	272	286	148	479	743	YEAR'S TOTAL 42.20
Days with ·01 in. or more	26	14	18	15	10	(6)	10	12	13	13	19	27	183

(44,283). Wt.21,958—218. 7500. 10/19. Gp.132. A.&E.W.

1658

FORM A. 1. **METEORO** **ORGANIZATION.**

I **920.**

4 JAN 192

WADEBRIDGE

(BRYN)

CORNWALL

1920

Kept at Bryn

in the County of

by The Rev. G.

ng

9 a.m. Greenwich time.

on Wadebridge

Rain Gauge 5 in.

above Ground 1 ft. — in.

„ Sea Level 50 & 60 ft.

IMPORTANT NO

lt entered to the previous day.

If an Observer prefers … requested to add the reading at 9 a.m. on … it at the end of this paragraph. Full ins… g of rain gauges, and particulars as to th… *ainfall Observers,"* sent post-free on applic… ion, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

form.

Date	Jan.	Feb.	M							Oct.	Nov.	Dec.	Date
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·03	·16	·37	—	·78	·18	·08	·42	·01	·50	1
2	·41	—	—	·13	—	—	·08	·09	·29	·09	—	·10	2
3	·45	·05	—	·07	—	—	·07	·02	·07	1·21	—	·18	3
4	—	—	·03	—	—	—	—	·60	·01	·26	—	—	4
5	—	—	·08	—	·33	—	·29	·10	—	·25	—	—	5
6	—	—	·30	·04	·20	—	·21	—	—	·44	·02	—	6
7	·08	·05	·08	·33	·05	—	·78	—	·02	·01	·01	·07	7
8	·06	·02	—	·19	·12	—	·05	·07	—	·01	—	·10	8
9	·75	·04	—	·02	—	—	·55	—	·02	—	—	—	9
10	·75	·15	·11	·88	—	·27	·08	—	—	—	·02	—	10
11	·43	—	·07	·42	·27	—	·11	—	—	—	—	—	11
12	·17	·10	·22	·37	·02	·01	·08	·03	—	·06	·20	—	12
13	·10	—	·40	—	—	·28	—	—	—	·21	—	—	13
14	·09	·08	·36	·57	—	—	·06	—	·31	·40	·30	—	14
15	·02	·11	·03	·41	·04	—	—	—	—	·40	·24	—	15
16	—	·01	·16	·02	—	·09	·07	·02	·11	·23	·13	—	16
17	·10	—	·01	·19	·27	—	·08	—	·28	·65	—	—	17
18	·29	—	—	·12	·03	·15	—	·44	·13	—	—	—	18
19	·10	·03	—	·60	—	·28	—	—	·17	·08	—	—	19
20	·10	—	—	·05	—	·06	—	—	·14	·14	—	·20	20
21	—	—	—	·24	—	—	·02	—	·01	·01	—	·40	21
22	·04	—	·03	·02	—	—	·08	—	—	—	—	·27	22
23	—	—	·03	—	—	—	·32	·30	—	—	—	·44	23
24	·09	—	·29	·04	—	—	·04	—	—	—	·21	·14	24
25	·15	—	·26	—	·01	·03	·54	—	·01	—	—	—	25
26	·36	·04	·35	—	—	·03	·06	—	—	—	·07	·05	26
27	·41	·12	·15	·10	—	·37	·12	—	—	—	·57	·40	27
28	·73	·01	·58	·02	—	·12	·07	—	—	—	·04	·09	28
29	·18	—	·56	·06	·09	·09	·02	—	·02	—	·25	·29	29
30	·28	✕	—	·03	—	·35	·43	—	1·32	·66	·49	·67	30
31	·14	✕	·36	✕	—	✕	·03	—	✕	·51	✕	·12	31
													YEAR'S TOTAL
TOTAL	6·29	·81	4·49	5·08	1·80	2·13	5·02	1·85	2·99	6·04	2·56	4·02	43·08
Days with ·01 in. or more	25	13	22	24	12	13	25	10	16	19	14	16	209
Days with ·04 in. or more	23	9	16	19	9	10	22	7	10	16	10	16	167

(44,283). 10/19. (52,638). Wt.10,000—359. 10,000. (2). 7/20. Gp.132. A.&E.W.

1658

4 JAN 1921

Form A. 1. **METEORO ORGANIZATION.**

REGISTER OF RAINFALL IN 1920.

Kept at "Bryn", Wadebridge

in the County of Cornwall

by The Rev. G. Thorne Phillips

Lat. Long.

Time of Observation 9 a.m. Greenwich time.

Nearest Railway Station Wadebridge

Diameter of Funnel of Rain Gauge 5 in.

Height of top of Gauge above Ground 1 ft. — in.

" " " " Sea Level 50 60 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to The Superintendent, British Rainfall Organization, 62, Camden Square, London, N.W. 1.

Jan. 1, following. —

Records taken in Millimetres should not be entered on this form.

Date	Jan.	Feb.	March	April	May	June	July	August	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·01	—	·03	·16	·37	—	·78	·18	·08	·42	·01	·50	1
2	·41	—	—	·13	—	—	·08	·09	·29	·09	—	·10	2
3	·45	·05	—	·07	—	—	·07	·02	·07	1·21	—	·18	3
4	—	—	·03	—	—	—	—	·60	·01	·26	—	—	4
5	—	—	·08	—	·33	—	·29	·10	—	·25	—	—	5
6	—	—	·30	·04	·20	—	·21	—	—	·44	·02	—	6
7	·08	·05	·08	·33	·05	—	·78	—	·02	·01	·01	·07	7
8	·06	·02	—	·19	·12	—	·05	·07	—	·01	—	·10	8
9	·75	·04	—	·02	—	—	·55	—	·02	—	—	—	9
10	·75	·15	·11	·88	—	·27	·08	—	—	—	·02	—	10
11	·43	—	·07	·42	·27	—	·11	—	—	—	—	—	11
12	·17	·10	·22	·37	·02	·01	·08	·03	—	·06	·20	—	12
13	·10	—	·40	—	—	·28	—	—	—	·21	—	—	13
14	·09	·08	·36	·57	—	—	·06	—	·31	·40	·30	—	14
15	·02	·11	·03	·41	·04	—	—	—	—	·40	·24	—	15
16	—	·01	·16	·02	—	·09	·07	·02	·11	·23	·13	—	16
17	·10	—	·01	·19	·27	—	·08	—	·28	·65	—	—	17
18	·29	—	—	·12	·03	·15	—	·44	·13	—	—	—	18
19	·10	·03	—	·60	—	·28	—	—	·17	·08	—	—	19
20	·10	—	—	·05	—	·06	—	—	·14	·14	—	·20	20
21	—	—	—	·24	—	—	·02	—	·01	·01	—	·40	21
22	·04	—	·03	·02	—	—	·08	—	—	—	—	·27	22
23	—	—	·03	—	—	—	·32	·30	—	—	—	·44	23
24	·09	—	·29	·04	—	—	·04	—	—	—	·21	·14	24
25	·15	—	·26	—	·01	·03	·54	—	·01	—	—	—	25
26	·36	·04	·35	—	—	·03	·06	—	—	—	·07	·05	26
27	·41	·12	·15	·10	—	·37	·12	—	—	—	·57	·40	27
28	·73	·01	·58	·02	—	·12	·07	—	—	—	·04	·09	28
29	·18	—	·56	·06	·09	·09	·02	—	·02	—	·25	·29	29
30	·28	×	—	·03	—	·35	·42	—	1·32	·66	·49	·67	30
31	·14	×	·36	×	—	×	·03	—	×	·51	×	·12	31
Total	6·29	·81	4·49	5·08	1·80	2·13	5·02	1·85	2·99	6·04	2·56	4·02	Year's Total 43·08
Days with ·01 in. or more	25	13	22	24	12	13	25	10	16	19	14	16	209
Days with ·04 in. or more	23	9	16	19	9	10	22	7	10	16	10	16	167

CORNWALL.

WITHIEL RECTORY.

1911 – 1914

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REG 1911

Kept at Withiel Rec

in the County of Corn

by Rev W. T. Cudda

top 5 in.

above Ground ft. 1 9 in.

„ Sea Level 360 ft.

9 am

Name Roche

Distance 3 m Direction S.S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13		·01	·17	·21	·01		·16		·03	·06		1
2			·06		·32			·27		·25	·13	·25	2
3			·08		·33			·07			·28	·19	3
4			·09		·02			·44		·03	·31	·62	4
5	·44		·47					·66	·01	·04	·13	·21	5
6	·32		·31			·01		·03			·16	1·60	6
7	·30		·30								·69	·03	7
8	·16		·22								·09	·85	8
9	·19		·03								·15	1·02	9
10	·05	·12	·85		·02						·13	·37	10
11	·48		0·35						·11		·52	·14	11
12			·53		·07			·01	·36		·19	·41	12
13			·08						·06	·01	·13	·08	13
14		·25	·05							·07	·22	·71	14
15	·01	·08	·13	·01 dew		·09					·45	·13	15
16		·03	–	·01 dew		·70					·13	·41	16
17		·11	·43	·23	·02	·24					·47	1·16	17
18		·41	·13	·44		·46		·01		·06	·51	·34	18
19		·03	–	·05		·28			·45	·10	·23	·85	19
20	·01	·08	·11	·20		·01			·64	1·25	·03	·76	20
21	·06	·14	·12	·01		·06			·10	·25		·31	21
22	·03	·03	·07	·19		·12			·37	·15		·48	22
23	·02	·22	·01	·01		·07		·03	·21	·28	·14	·20	23
24	·03	·33	·01	–		·33		·11		·33		·37	24
25	·10	·02	–	·31		·01		·03	·14	·23	·04	·22	25
26	·01	·08	–	·45	·03		·05	·20		·79		·29	26
27		·75	·06	·03		·03		·41	·30	·09		·40	27
28		·20	·09	·67				·03	·02	·01	02	·62	28
29			·05	·12	·14	·40	·69	·01	·25	·25		·62	29
30			–	–		·08	·38	–	·02	·30	·25	·19	30
31			–				·04			·07		–	31
Total	2·34	2·88	4·01	2·90	1·16	3·40	1·16	2·27	3·04	4·59	5·46	12·63	TOTAL for year
No. of Rain Days	15 16	16	23	15	9	16	4	15	14	20	25 24	29	45·84 201

9,000, IX. '10.

FORM A2.
BRITISH RAINFALL.

3 - JAN 1912

REG 911

Kept at Withiel Rectory

in the County of Cornwall

by Rev W. T. Cuddas

RAIN GAUGE
Pattern
Diameter of top 5 in.
Height of top above Ground ft. 1'9 in.
" " " Sea Level 360 ft.

Time of Observation 9 am

Nearest Railway Station
Name Roche
Distance 3 m Direction S.S.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following.
0

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date*
	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	in.	
1	·13		·01	·17	·21	·01		·16		·03	·06		1
2			·06		·32			·27		·25	·13	·25	2
3			·08		·33			·07			·28	·19	3
4			·09		·02			·44		·03	·31	·62	4
5	·44		·47					·46	·01	·04	·13	·21	5
6	·32		·31			·01		·03			·16	1·60	6
7	·30		·30								·69	·03	7
8	·16		·22								·09	·85	8
9	·19		·03								·15	1·02	9
10	·05	·12	·85		·02						·13	·37	10
11	·48		0 ~~·35~~						·11		·52	·14	11
12			·53		·07			·01	·36		·19	·41	12
13			·08						·06	·01	·13	·08	13
14		·25	·05							·07	·22	·71	14
15	·01	·08	·13	·01 } dew		·09					·45	·13	15
16		·03	–	·01 } dew		·70					·13	·41	16
17		·11	·43	·23	·02	·24					·47	1·16	17
18		·41	·13	·44		·46		·01		·06	·51	·34	18
19		·03	–	·05		·28			·45	·10	·23	·85	19
20	·01	·08	·11	·20		·01			·64	1·25	·03	·76	20
21	·06	·14	·12	·01		·06			·10	·25		·31	21
22	·03	·03	·07	·19		·12			·37	·15		·48	22
23	·02	·22	·01	·01		·07		·03	·21	·28	·14	·20	23
24	·03	·33	·01	–		·33		·11		·33		·37	24
25	·10	·02	–	·31		·01		·03	·14	·23	·04	·22	25
26	·01	·08	–	·45	·03		·05	·20		·79		·29	26
27		·75	·06	·03		·03		·41	·30	·09		·40	27
28		·20	·09	·67				·03	·02	·01	·02	·02	28
29			·05	·12	·14	·90	·69	·01	·25	·25		·62	29
30			–	–		·08	·38	–	·02	·30	·25	·19	30
31			–				·04			·07		–	31
Total	2·34	2·88	4·01	2·90	1·16	3·40	1·16	2·27	3·04	4·59	5·46	12·63	TOTAL for year 45·84
No. of Rain Days	~~15~~ 16	16	23	15	9	16	4	15	16	20	25 24	29	201

9,000, IX. '10.

cor.d 24·11·13 W M

REGISTER OF RAINFALL IN 1912

FORM A2.
BRITISH RAINFALL.
3 - JAN 1913

Kept at Withiel Rectory

in the County of Cornwall

by W S Cruddas

RAIN GAUGE	Pattern	Cylinder	
	Diameter of top	5	in.
	Height of top above Ground	ft. 11	in.
	,, ,, ,, Sea Level	345	ft.

Time of Observation 9. am

Nearest Railway Station: Name Roche; Distance 3; Direction N.W

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. MILL, 62, Camden Square, London, N.W.

Jan. 1, following. ·04

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1	–		·10		·08	·75	·24	·21	·18	·23	–	·20	1
2		Snow ·04	·33	·08		1·21	·02	–	–		–	–	2
3	·06		·37	·05		·19	–	1·29	·19		–	·02	3
4	·56		·70	·01	·08	·05	·02	·05	·01		39	·01	4
5	·78	·27	·26	·05	·05	·01	·11	1·63	·01		·01	·19	5
6	·65	·07	·03	–	·34	·05	·02	·67			·02	·09	6
7	·16	·96	·42	·09	·20	·19	·08	·39	·01		·05	·15	7
8	·49	·12	·12	·05		·36	–	–		dew ·01	–	·01	8
9	·01	·40	·23	·08		·21	·23	·01			03	·82	9
10	·33	·10	·27	·16		1·40	·13	·10	·02		·18	·17	10
11	·02	·17	·	–		·32	–	·06		mist ·01	·14	·59	11
12	·03	·16	·35	–	·03	·0 ~~32~~	·31	·65			·78	·01	12
13	·42	·01	·02	·02		·07 ·07	–	·15		·08	·03	·38	13
14	·20	·16	·54	–	·02	·02	–	·25	·03	·01	–	·10	14
15	1·46	·06	·09	–	·19	·85	–	·01			·07	·64	15
16	·29	–	·45	–		·05	–	·35	·01	·16	·06	·19	16
17		–	·26	–	·04	·19	–	·59			·10	·16	17
18		·11	·22	–		·0	–	1·22		·21	·09	·04	18
19		·10	·24	–	·03	·03	·09	·54		·09	·04	·05	19
20	·10	·12	·42	·04	·08	·02	-	·05		·48	·06	–	20
21		·37	·19	–	·55	·0	·07	·09		·24	–	–	21
22	·26	·25	·31	–	·01	·42 ·12	·04	·45		·08	·01	·18	22
23	·08	·55	·32	–		·12	·24	1·25		·41	·14	·43	23
24	·06	·04	·07	–		·28	·14	·02		·34	–	·16	24
25		·03	–	–		·27 ·27	·06	·09		·25	·67	·73	25
26		·04	–	–		0 ·[illegible]	·28	·33		·37	·67	·52	26
27		·03	·02	–	dew ·01	45	·39	·09		1·00	·15	·55	27
28		·18	·04	–	dew ·01	·08 ·03	·65	·70	·47	·24	·38	·49	28
29		·28	·03	–	dew ·01	·79	·25	·13	·25	·55	–	·10	29
30				·04	·24	·40	·23	·01	·15	·31	–	·04	30
31					·35	—	·16	·05	~~1·33~~	·11		·14	31
Total	5·96	4·62	6·40	·67	2·32	8·43	3·76	11·43	1·33	5·18 5·18	4·07	7·13	TOTAL for year 61·30
No. of Rain Days.	18	24	6·40 26	11	18	26	21	29	11	20	21	28	253 ✓

W. 8,000, X. '11.

Exd D J J

FORM A2.
BRITISH RAINFALL.

8. JAN 1914

REGISTER OF RAINFALL IN 1913

Kept at Withiel Rectory

in the County of Cornwall

by W J Cuddas

RAIN GAUGE
Pattern Cylinder
Diameter of top 5 in.
Height of top above Ground ft. 9½ in.
" " " Sea Level 360 ft.

Time of Observation 9 am

Nearest Railway Station
Name Roche
Distance 3½ Direction SSE

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m., and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers,*" sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. 0

Date	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	Date.
1	·04	·19	·46	·03	·10	~~70~~			·01	·03	·31	·14	1
2	·09	·18	·06	·13	·23	·10				·61	·18	·07	2
3	·19	·02	·18		·11	·02			·89	·17	·01	·21	3
4	·66	–	·10		–	·09			·04	–	·33	·26	4
5	·06	·04	–		·24	·47	·05		·53	–	·74	1·07	5
6	·15	·09	·18		·05	·31	·08		·03	·95	·25	·27	6
7	·18	·52	·08		1·49	·05	·09		–	·54	·24	·02	7
8	·28	·21	·01		·24	0	·08	·06	–	·05	·01	·05	8
9	·13	·09	·13	·01	·08	·09		·04	·06	–	·98	·10	9
10	1·01	·01	·03	·10	·10	·12		·02	–	1·15	·25	–	10
11	·58	·01	·05	·02	·65	·25	·02	·26	·05	·07	·39	·18	11
12	·10	–		·02	·01	·03	–		·10	–	·30	·03	12
13	·17	·01	·20	·04	·11	·01	·05	·06	·74	–	·24	~~0~~	13
14	·59		·29	·02		·02	·38	[illegible]	·10	·11	·18	·02	14
15	·07		·45	1·16					·04	–	·21	·10	15
16	·65		·87	·13			·08	·01	·12	·01	·03	–	16
17	·12		·10	·16			·04		·01	–	·20	–	17
18	·12		·37	·27		·02			·01	–	·20	–	18
19	[illegible]		·04	–	·18		·04		·25	·35	·01	–	19
20	·23		·12	·32	·01	·01			–	·10	·55	–	20
21	·08		·08	·11	·04	·05		·11	–	·01	·19	–	21
22	·25		·98	·06	·06	·28	·10	·12	·13	·20	0	·33	22
23	·03		·02	–	·01	·		·10	·01	–	·28	·93	23
24	·03	·41	–	·10		·10		·05	–	–	·06	·01	24
25	·05	·01	–	·37					·10	·04	·15	·24	25
26	–		–	1·18		·03		·01	·03	·02	·01	·47	26
27	·62		39	·25				·21	–	·29	·03	·12	27
28	·06		·09	·27	·19				·06	·85	·02	·07	28
29	·06		·22	·40	·04		·04			·20	·07	·07	29
30	·87		–	·03	·13					·29	·05	–	30
31	·19		1·08		–			·06		–		–	31
Total	8·30	1·79	6·58	5·18	4·07	2·05	1·05	1·11	3·31	6·04	6·47	4·76	TOTAL for year 50·71
No. of Rain Days.	20	13	26	22	20	18	12	13	20	20	29	21	24~~4~~

W. 8,000, X. '11.

25

243

cmd by own stats 10.11.15

REGISTER OF RAINFALL IN 1914

FORM A.
BRITISH RAINFALL.
4 JAN 1915

Kept at Withiel Rectory
in the County of Cornwall
by W. S. Lueddas

Lat. Long.
Time of Observation 9. a.m
Nearest Railway Station Roche
Diameter of Rain Gauge 5 in.
Height of top of Gauge above Ground ft. 11 in.
" " " " Sea Level 360 ft.

IMPORTANT NOTE.—Rain should be measured daily at 9 a.m. and the result entered to the previous day. If an Observer prefers not to conform to this almost universal rule, he is earnestly requested to add the reading at 9 a.m. on 1st January of the following year in the space provided for it at the end of this paragraph. Full instructions for the measurement of rain, the selection and placing of rain gauges, and particulars as to the British Rainfall Organization are given in "*Rules for Rainfall Observers*," sent post-free on application to Dr. H. R. Mill, 62, Camden Square, London, N.W.

Jan. 1, following. ·45

Date.	Jan.	Feb.	March.	April.	May.	June.	July.	Aug.	Sept.	Oct.	Nov.	Dec.	*Date.*
1		–	·08	·24		·04	·02	·58			1·29	·12	1
2	·03	–	·03		·13	·05	·38	·02			·01	·72	2
3	·04	–	·27	24	·41		–	·18		·01	·15	·30	3
4	·23	02	·15	·33	·09		1·11	·97	·24		·02	·87	4
5	·29	–	·39	·37	·08		02	·01			·15	·03	5
6	·05	·05	·26	·22	·15	·02	·05	·10			·01	·60	6
7	·03	·77	·55	·16	·04	·24	·37	·25	1·26		–	·22	7
8	·20	–	1·24	·07	·02	·26	–	·03	·18		·02	–	8
9	·03	·15	·33	·05	·10	1·01	–	·15	·39	·02	·01	·02	9
10	·12	·61	·11	·72	·38	·04	–		·34		·05	·58	10
11		·30	·98			·12	–		·11	·	·17	·77	11
12		·70	·26				–		·16	14	·18	·22	12
13		·34	·40				·15		·25	·35	·45	·13	13
14		·13	·36			·28	·02	·68	·08	·06	·45	·27	14
15		·08	·26				–	·04	·06		1·09	1·62	15
16		·02	·08				·07		·30			·04	16
17		·60	·53				·09	·01	·02			·78	17
18		·24	·08				·05		·38			·41	18
19		·10	·53				·98				·40	·14	19
20		·53	·31			·91	–			·06		·32	20
21		·53	·05			·07	·10	·02		·37		·13	21
22		·09	·12		·01	·03	–	·04		·38		–	22
23		·09	·20	·04	·01		·07	·73		·33		–	23
24	·01		·04				–	·01		·09	·11	·02	24
25	·18		22			·01	·01	·44	·01	·57	·05	·52	25
26	·02	·06	05				·23			·14	·27	·52	26
27	·15	·06	–				·19			·28	·31	·36	27
28	·33	·05	·32		·03		–			·31	·15	1·04	28
29	·40		29		·08		·70			·04	·61	·18	29
30	·02		·12	01			–			·03	(·53)	·23	30
31	·03		–		·03		·77			·18		·74	31
Total	1·86	5·52	8·61	2·45	1·56	3·08	5·38 5·38	3·66	3·78	3·38	6·48	12·30	YEAR'S TOTAL 58·04
Rain Days.	17	21	29	11	14	13	19	17	14	17	22	28	222

W. 7,500, XI. ·12